

Contents to volume 143

Research Letters

Angiotensin II inhibits the accumulation of cyclic AMP produced by glucagon but not its metabolic effects, <i>R.J. Cárdenas-Tanús, J. Huerta-Bahena, J.A. García-Sáinz</i>	1
Tumor promoter telecidin inhibits internalization and nuclear accumulation of epidermal growth factor in cultured human hepatoma cells, <i>Y. Kaneko</i>	5
Antagonistic effects of insulin on the corticosterone-induced increase of phosphatidate phosphohydrolase activity in isolated rat hepatocytes, <i>N. Lawson, R.J. Jennings, R. Fears, D.N. Brindley</i>	9
Selective inhibition of 5-lipoxygenase by 5.6-methanoleukotriene A ₄ , a stable analogue of leukotriene A ₄ , <i>Y. Koshihara, S.-i. Murota, N.A. Petasis, K.C. Nicolaou</i>	13
Identification of glycoproteins bearing human blood group A determinants in rabbit enterocyte plasma membranes, <i>J.P. Gorvel, A. Wisner-Provost, S. Maroux</i>	17
Calmodulin antagonists competitively inhibit dexamethasone binding to the glucocorticoid receptor, <i>C.G. van Boheman, G.G. Rousseau</i>	21
Peptide-receptor protein relationships: Importance in estradiol feedback, <i>J.C. Zolman</i>	26
Complex formation between metarhodopsin II and GTP-binding protein in bovine photoreceptor membranes leads to a shift of the photoproduct equilibrium, <i>D. Meis, H. Kühn, J. Reichert, K.P. Hofmann</i>	29
Expression of NADH-cytochrome <i>b</i> ₅ reductase during dimethyl sulfoxide-induced differentiation of Friend erythroleukemia cells, <i>D. Lostanlen, J.C. Kaplan</i>	35
The study of excitation transfer between light-harvesting antenna and reaction center in chromatophores from purple bacterium <i>Rhodospirillum rubrum</i> by selective picosecond spectroscopy, <i>A.P. Razjivin, R.V. Danielius, R.A. Gadonas, A.Yu. Borisov, A.S. Piskarskas</i>	40
Role of various carotenoids in mediating electron transfer sensitized by chlorophyll and pheophytin, <i>M. Rich, S.S. Brody</i>	45
Fluorescence polarization study of the Ca ²⁺ -sensitive photoprotein aequorin, <i>S.Y. La, O. Shimomura</i>	49
Inhibition of calmodulin-stimulated cyclic nucleotide phosphodiesterase by the insecticide DDT, <i>J. Hagmann</i>	52
Purification and phosphorylation of initiation factor eIF-2 from rabbit skeletal muscle, <i>C.G. Proud, V.M. Pain</i>	55
Involvement of the glycosome of <i>Trypanosoma brucei</i> in carbon dioxide fixation, <i>F.R. Opperdoes, D. Cottem</i>	60
The anticalmodulin drugs trifluoperazine and R24571 remove the activation of the purified erythrocyte Ca ²⁺ -ATPase by acidic phospholipids and by controlled proteolysis, <i>E.S. Adunyah, V. Niggli, E. Carafoli</i>	65
Interaction of calmodulin with adrenal chromaffin granule membranes, <i>M.J. Getsow, R.D. Burgoyne, A. Harris</i>	69
Preparation of polyethylene glycol-modified streptokinase with disappearance of binding ability towards anti-serum and retention of activity, <i>A. Koide, S. Suzuki, S. Kobayashi</i>	73
Calcium plays an important role in the regulation of hepatic branched-chain 2-oxo acid dehydrogenase activity, <i>S. Hauschildt, B. Neumann, K. Brand</i>	77
Circadian variations of A-mediated transport in rat-liver plasma membrane vesicles, <i>G. Bourdel, M. Forestier</i>	81
Immunoradiographic detection of epidermal growth factor receptors after electrophoretic transfer from gels to diazo-paper, <i>J.A. Fernandez-Pol</i>	86
Lack of asymmetry in the active sites of tetrameric D-glyceraldehyde-3-phosphate dehydrogenase during alkylation in the crystalline state, <i>P. Halász, L. Polgár</i>	93
Permanent activation of antithrombin by covalent attachment of heparin oligosaccharides, <i>I. Björk, O. Larm, U. Lindahl, K. Nordling, M.-E. Riquelme</i>	96

Synthesis of adherent insoluble glucan by the concerted action of the two glucosyltransferase components of <i>Streptococcus mutans</i> , <i>M. Inoue</i> , <i>T. Koga</i> , <i>S. Sato</i> , <i>S. Hamada</i>	101
Human milk fibronectin: Identification of fibronectin fragments by transfer of milk proteins from polyacrylamide gels to nitrocellulose sheets, <i>L. Zardi</i> , <i>A. Destree</i> , <i>E. Balza</i> , <i>H. Islikker</i>	105
Transcription in nuclei isolated from carrot protoplasts: Effects of exogenous DNA, <i>R.E. Calza</i> , <i>S.M. Oelke</i> , <i>P.F. Lurquin</i>	109
Factor-free and one-factor-promoted poly(U,C)-dependent synthesis of polypeptides in cell-free systems from <i>Escherichia coli</i> , <i>N.M. Rutkevitch</i> , <i>L.P. Gavrilova</i>	115
Enzymatic transfer of ATP γ S thiophosphate onto the 5'-hydroxyl of an oligonucleotide as a route to reactive oligonucleotide derivatives, <i>S.I. Oshevski</i>	119
Differential inhibition by progesterone of the adenylate cyclase of oocytes and follicle cells of <i>Xenopus laevis</i> , <i>X. Jordana</i> , <i>C.C. Allende</i> , <i>J.E. Allende</i>	124
Arrangement of the ribosomal RNA genes in <i>Schizosaccharomyces pombe</i> , <i>J.T. Barnitz</i> , <i>J.H. Cramer</i> , <i>R.H. Rownd</i> , <i>L. Cooley</i> , <i>D. Söll</i>	129
Correlation between molecular shape and hexagonal H _{II} phase-promoting ability of sterols, <i>J. Gallay</i> , <i>B. de Kruijff</i>	133
The stimulation of yeast phosphofructokinase by fructose 2,6-bisphosphate, <i>R. Bartrons</i> , <i>E. van Schaftingen</i> , <i>S. Vissers</i> , <i>H.-G. Hers</i>	137
The stimulation of phosphofructokinase from human erythrocytes by fructose 2,6-bisphosphate, <i>A. Heylen</i> , <i>A. van Schaftingen</i> , <i>H.-G. Hers</i>	141
$\Delta\mu\text{H}^+$ -Sensing in taxis of <i>Vibrio harveyi</i> , <i>M. Alam</i> , <i>A.N. Glagolev</i>	144
The thermodependence of the activity of integral enzymes in liver plasma membranes: Evidence consistent with a functionally asymmetric lipid bilayer, <i>A.D. Whetton</i> , <i>A. Johansson</i> , <i>S.R. Wilson</i> , <i>A.V. Wallace</i> , <i>M.D. Houslay</i>	147
Preparation of ¹⁵ N-labeled L-alanine by coupling the alanine dehydrogenase and alcohol dehydrogenase reactions, <i>A. Mocanu</i> , <i>G. Niac</i> , <i>A. Ivanof</i> , <i>V. Gorun</i> , <i>N. Palibroda</i> , <i>E. Vargha</i> , <i>M. Bologa</i> , <i>O. Bârzu</i>	153
Effect of calcium and calmodulin on RNA synthesis in isolated nuclei from rat liver cells, <i>J.P. Pardo</i> , <i>F. Fernández</i>	157

Hypothesis

Evolutionary relationship between eukaryotic 29–32 S nucleolar rRNA precursors and the prokaryotic 23 S rRNA, <i>R.N. Nazar</i>	161
---	-----

Research Letters

Low- M_r RNAs of chicken muscle cells and their interaction with messenger and ribosomal RNAs, <i>J. Bag</i> , <i>K. Maundrell</i> , <i>B.H. Sells</i>	163
Fibronectin has an affinity to vinculin, α -actinin, tropomyosin and myosin, <i>V.E. Koteliansky</i> , <i>H.N. Gneushev</i> , <i>M.A. Glukhova</i> , <i>A.Sh. Shartava</i> , <i>V.N. Smirnov</i>	168
Choline and acetylcholine induce interdigitation of hydrocarbon chains in dipalmitoylphosphatidylglycerol lamellar phase with stiff chains, <i>J.L. Ranck</i> , <i>J.F. Tocanne</i>	171
Polymyxin B induces interdigitation in dipalmitoylphosphatidylglycerol lamellar phase with stiff hydrocarbon chains, <i>J.L. Ranck</i> , <i>J.F. Tocanne</i>	175
Phosphorylation of the hepatic insulin receptor: Stimulating effect of insulin on intact cells and in a cell-free system, <i>E. van Obberghen</i> , <i>A. Kowalski</i>	179
The neurophysin domain of human vasopressin precursor, <i>M.T. Chauvet</i> , <i>D. Hurpet</i> , <i>J. Chauvet</i> , <i>R. Acher</i>	183
Inhibition by cholera toxin of the antilipolytic action of prostanoids, N^6 -(phenylisopropyl)adenosine and insulin, <i>B. Lambert</i> , <i>C. Jacquemin</i>	188
A cyclic AMP-mediated intersubunit disulfide crosslinking reaction of the regulatory subunit of type II cyclic AMP-dependent protein kinase, <i>C.-K. Huang</i>	193
Phosphorylation of human fibrinogen in vitro with calcium-activated, phospholipid-dependent protein kinase and [³² P]ATP, <i>P. Papanikolaou</i> , <i>E. Humble</i> , <i>L. Engström</i>	199
Human platelet P235: A high- M_r protein which restricts the length of actin filaments, <i>N.C. Collier</i> , <i>K. Wang</i>	205

Inactivation of chicken muscle enolase by carbodiimide and glycine methyl ester, <i>G.A. Russell, L.A. Fothergill</i>	211
Protein-protein interactions and their contribution in stabilizing frog myosin, <i>M.A. Ferenczi, E. Homsher</i>	213
Tension maintenance and crossbridge detachment, <i>M.L. Clarke, R.T. Tregear</i>	217
Hydroxyapatite chromatography of the D-glucose transport protein of human erythrocyte membranes, <i>G. Fröman</i>	220
Scope of the ATP-ubiquitin system for intracellular protein degradation, <i>J. Saus, J. Timoneda, H. Hernández-Yago, S. Grisolia</i>	225
Binding of the intramitochondrial ADP and its relationship to adenine nucleotide translocation, <i>D.F. Wilson, D. Nelson, M. Erecińska</i>	228
Bacterial chemotaxis controls the catabolite repression of flagellar biogenesis, <i>N.V. Vorobyeva, M. Yu. Sherman, A.N. Glagolev</i>	233
Patterns of nucleotide utilisation in bacterial succinate thiokinases, <i>P.D.J. Weitzman, H. Jaskowska-Hodges</i>	237
Uptake of dolichol into cultured cells, <i>G. Palamarczyk, T.D. Butters</i>	241
The reaction of 4-deoxy-4-fluoro-D-glucose with an outer membrane protein of <i>Pseudomonas putida</i> , <i>T. D'Amore, N.F. Taylor</i>	247
Conjugation of specific antibodies to Sendai virus particles, a new tool for targeting of fusogenic vesicles, <i>M. Tomasi, A.G. Gitman, B. Friedlander, A. Loyter</i>	252
Theoretical study of cruciform states in superhelical DNAs, <i>A.V. Vologodskii, M.D. Frank-Kamenetskii</i>	257
Binding and dissociation of the pyruvate dehydrogenase complex of <i>Azotobacter vinelandii</i> on thiol-Sepharose, <i>A.C. de Graaf-Hess, A. de Kok</i>	261
6- β -(Trifluoromethane sulfonyl)-amido-penicillanic acid sulfone: A potent inhibitor for β -lactamases, <i>P.S.F. Mezes, A.J. Clarke, G.I. Dmitrienko, T. Viswanatha</i>	265
Synthesis of 6'- <i>O</i> - <i>p</i> -azidobenzoyl-atracyloside, a short arm photoactivatable derivative of atracyloside. Studies of its binding and inhibitory properties, <i>F. Boulay, G.J.M. Lauquin, P.V. Vignais</i>	268
Evidence for a reductant-dependent oxidation of chloroplast cytochrome <i>b</i> -563, <i>R.K. Chain</i>	273
Role of diffusion of substrates on the apparent behaviour of immobilized malate dehydrogenase, <i>M.Arrio-Dupont, P.R. Coulet</i>	279
The quaternary structure of phosphoglycerate mutase from yeast. Evidence against dissociation of the tetrameric enzyme at low concentrations, <i>N.C. Price, R. Jaenicke</i>	283
The effect of pH and temperature on the structure of the active site of azurin from <i>Pseudomonas aeruginosa</i> , <i>E.T. Adman, G.W. Canters, H.A.O. Hill, N.A. Kitchen</i>	287
Studies of cellular metabolism in isolated intact bovine retinas by ^{31}P NMR, <i>D. Chapman, C.M. Kemp, P.G. Morris, M. Pons</i>	293
<i>AhaIII</i> : A restriction endonuclease with a recognition sequence containing only A:T basepairs, <i>P.R. Whitehead, N.L. Brown</i>	296
The turnover of methionine in the Met-tRNA pool and the control of protein synthesis in reticulocyte lysates: No evidence that haem-deficiency promotes deacylation of Met-tRNA _f , <i>R.J. Jackson, T. Hunt</i>	301
Strychnine and local anesthetics block ion channels activated by veratridine in neuroblastoma \times glioma hybrid cells, <i>G. Reiser, A. Günther, B. Hamprecht</i>	306
The occurrence of different sulphated cell surface glycoproteins correlated with defined developmental events in <i>Volvox</i> , <i>S. Wenzl, M. Sumper</i>	311
Resolution of <i>p</i> -cresol methylhydroxylase into catalytically active subunits and reconstitution of the flavocytochrome, <i>W. McIntire, T.P. Singer</i>	316
$\Delta\mu\text{H}^+$ is required for flagellar growth in <i>Escherichia coli</i> , <i>M. Yu. Galperin, P.A. Dibrov, A.N. Glagolev</i>	319
Sodium dependence of methane formation in methanogenic bacteria, <i>H.J. Perski, P. Schönheit, R.K. Thauer</i>	323
Magnetic resonance study of glycophorin A-containing ^{13}C -enriched methionines, <i>R.E. Hardy, K. Dill</i>	327
The $\alpha_2\text{HS}$ glycoprotein receptor on lymphocytes transformed by Epstein-Barr virus, <i>J.G. Lewis, C.M. André</i>	332
Author Index	337
Notes to Authors	342
Table of Contents	344