



## Master index volumes 281–290

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words)

- Abdulla, P.A. and B. Jonsson, Model checking of systems with many identical timed processes 289 (1) (2003) 241–264
- Afrati, F., I. Guessarian and M. de Rougemont, The expressiveness of DAC 286 (1) (2002) 3–32
- Agreev, M., Martin's game: a lower bound for the number of sets (*Notes*) 289 (1) (2002) 871–876
- Akhavi, A., Random lattices, threshold phenomena and efficient reduction algorithms 287 (2) (2002) 359–385
- Albrecht, A., *see* K. Steinhöfel 285 (1) (2002) 101–117
- Aldini, A., *see* M. Bravetti 290 (1) (2003) 355–406
- Alessi, F., P. Baldan and F. Honsell, A category of compositional domain-models for separable Stone spaces 290 (1) (2003) 599–635
- Amadio, R.M., D. Lugiez and V. Vanackère, On the symbolic reduction of processes with cryptographic functions 290 (1) (2003) 695–740
- Ambainis, A. and J. Watrous, Two-way finite automata with quantum and classical states 287 (1) (2002) 299–311
- Amir, A., G.M. Landau and D. Sokol, Inplace run-length 2d compressed search 290 (3) (2003) 1361–1383
- Amos, M., G. Păun, G. Rozenberg and A. Salomaa, Topics of DNA computing 287 (1) (2002) 3–38
- Anderson, E., M. Chrobak, J. Noga, J. Sgall and G.J. Woeginger, Solution of a problem in DNA computing 287 (2) (2002) 387–391
- Anderson, E.J., K. Hildrum, A.R. Karlin, A. Rasala and M. Saks, On list update and work function algorithms 287 (2) (2002) 393–418
- Antos, A., Lower bounds for the rate of convergence in nonparametric pattern recognition 284 (1) (2002) 3–24
- Arnold, A., Nivat's processes and their synchronization 281 (1–2) (2002) 31–36
- Arnold, D.V. and H.-G. Beyer, Performance analysis of evolution strategies with multi-recombination in high-dimensional  $\mathbb{R}^N$ -search spaces disturbed by noise 289 (1) (2002) 629–647
- Arratia, A.A. and I.A. Stewart, A note on first-order projections and games (*Notes*) 290 (3) (2003) 2085–2093
- Astesiano, E., M. Bidoit, H. Kirchner, B. Krieg-Brückner, P.D. Mosses, D. Sannella and A. Tarlecki, CASL: the Common Algebraic Specification Language 286 (2) (2002) 153–196
- Atkinson, M.D., M.M. Murphy and N. Ruškuc, Sorting with two ordered stacks in series 289 (1) (2002) 205–223
- Auletta, V., I. Caragiannis, C. Kaklamanis and P. Persiano, Randomized path coloring on binary trees 289 (1) (2002) 355–399
- Aurenhammer, F., N. Katoh, H. Kojima, M. Ohsaki and Y. Xu, Approximating uniform triangular meshes in polygons 289 (2) (2002) 879–895
- Ausiello, G., M. Mislove and D. Sannella, Preface 281 (1–2) (2002) 1–1
- Ayala, R., E. Domínguez, A.R. Francés and A. Quintero, Weak lighting functions and strong 26-surfaces 283 (1) (2002) 29–66
- Azar, Y., O. Regev, J. Sgall and G.J. Woeginger, Off-line temporary tasks assignment 287 (2) (2002) 419–428

- Baaz, M., G. Gottlob and G. Moser, Foreword 288 (1) (2002) 1–1
- Baeza-Yates, R., *see* J.L. Szwarcfiter 290 (3) (2003) 1799–1814
- Bakker, B., *see* T. Heskes 287 (1) (2002) 219–238
- Balcázar, J.L., J. Castro, D. Guijarro and H.-U. Simon, The consistency dimension and distribution-dependent learning from queries 288 (2) (2002) 197–215
- Baldan, P., *see* F. Alessi 290 (1) (2003) 599–635
- Balogh, E., *see* A. Kuba 283 (1) (2002) 223–242
- Bampis, E., R. Giroudeau and J.-C. König, An approximation algorithm for the precedence constrained scheduling problem with hierarchical communications 290 (3) (2003) 1883–1895
- Banderier, C. and P. Flajolet, Basic analytic combinatorics of directed lattice paths 281 (1–2) (2002) 37–80
- Barbanera, F. and S. Berardi, A full continuous model of polymorphism 290 (1) (2003) 407–428
- Barbé, A. and F. von Haeseler, Symmetries of decimation invariant sequences and digit sets 289 (1) (2002) 105–136
- Barneva, R.P., *see* V.E. Brimkov 283 (1) (2002) 151–170
- Bartlett, P.L. and S. Ben-David, Hardness results for neural network approximation problems 284 (1) (2002) 53–66
- Battista, G.D., G. Liotta, A. Lubiw and S. Whitesides, Embedding problems for paths with direction constrained edges 289 (2) (2002) 897–917
- Baumgartner, R. and G. Gottlob, Propositional default logics made easier: computational complexity of model checking 289 (1) (2002) 591–627
- Béal, M.-P. and O. Carton, Determinization of transducers over finite and infinite words 289 (1) (2002) 225–251
- Beaudry, M., M. Holzer, G. Niemann and F. Otto, McNaughton families of languages 290 (3) (2003) 1581–1628
- Beauquier, D. and J.-C. Fournier, Groups and tilings 281 (1–2) (2002) 81–97
- Beccelli, L., M. Di Ianni and A. Marchetti-Spaccamela, Approximation algorithms for routing and call scheduling in all-optical chains and rings 287 (2) (2002) 429–448
- Becker, R., B. Simeone and Y.-I. Chiang, A shifting algorithm for continuous tree partitioning 282 (2) (2002) 353–380
- Beckmann, A., Notations for exponentiation 288 (1) (2002) 3–19
- Bein, W.W., M. Chrobak and L.L. Larmore, The 3-server problem in the plane 289 (1) (2002) 335–354
- Ben-David, S., *see* P.L. Bartlett 284 (1) (2002) 53–66
- Berardi, S., *see* F. Barbanera 290 (1) (2003) 407–428
- Bernardinello, L., C. Ferigato and L. Pomello, An algebraic model of observable properties in distributed systems 290 (1) (2003) 637–668
- Bernardo, M. and M. Bravetti, Performance measure sensitive congruences for Markovian process algebras 290 (1) (2003) 117–160
- Berstel, J. and L. Vuillon, Coding rotations on intervals 281 (1–2) (2002) 99–107
- Bertrand, G. and R. Malgouyres, Preface 283 (1) (2002) 1–1
- Beyer, H.-G., H.-P. Schwefel and I. Wegener, How to analyse evolutionary algorithms 287 (1) (2002) 101–130
- Beyer, H.-G., *see* D.V. Arnold 289 (1) (2002) 629–647
- Bidoit, M., *see* E. Astesiano 286 (2) (2002) 153–196
- Blanchet-Sadri, F. and D.K. Luhmann, Conjugacy on partial words 289 (1) (2002) 297–312
- Blanck, J., V. Stoltenberg-Hansen and J.V. Tucker, Domain representations of partial functions, with applications to spatial objects and constructive volume geometry 284 (2) (2002) 207–240
- Bläser, M., Uniform computational complexity of the derivatives of  $C^\infty$ -functions 284 (2) (2002) 199–206
- Blayo, P., P. Rouzé and M.-F. Sagot, Orphan gene finding—an exon assembly approach 290 (3) (2003) 1407–1431
- Błażewicz, J. and M. Kasprzak, Complexity of DNA sequencing by hybridization 290 (3) (2003) 1459–1473
- Blondel, V.D., J. Cassaigne and C. Nicitiu, On the presence of periodic configurations in Turing machines and in counter machines 289 (1) (2002) 573–590
- Böckenhauer, H.-J., J. Hromkovič, R. Klasing, S. Seibert and W. Unger, Towards the notion of stability of approximation for hard optimization tasks and the traveling salesman problem 285 285 (1) (2002) 3–24

- Bodei, C., P. Degano, R. Focardi and C. Priami, Primitives for authentication in process algebras 283 (2) (2002) 271–304
- Boldi, P., M. Santini and S. Vigna, Measuring with jugs 282 (2) (2002) 259–270
- Bongiovanni, G., G. Gambosi and R. Petreschi, Foreword 285 (1) (2002) 1–1
- Borovanský, P., C. Kirchner, H. Kirchner and P.-E. Moreau, ELAN from a rewriting logic point of view 285 (2) (2002) 155–185
- Borzyszkowski, T., Logical systems for structured specifications 286 (2) (2002) 197–245
- Boudol, G. and I. Castellani, Noninterference for concurrent programs and thread systems 281 (1–2) (2002) 109–130
- Boufkhad, Y., O. Dubois and M. Nivat, Reconstructing  $(h, v)$ -convex 2-dimensional patterns of objects from approximate horizontal and vertical projections 290 (3) (2003) 1647–1664
- Brattka, V. and P. Hertling, Topological properties of real number representations 284 (2) (2002) 241–257
- Bravetti, M. and A. Aldini, Discrete time generative-reactive probabilistic processes with different advancing speeds 290 (1) (2003) 355–406
- Bravetti, M. and R. Gorrieri, The theory of interactive generalized semi-Markov processes 282 282 (1) (2002) 5–32
- Bravetti, M., *see* M. Bernardo 290 (1) (2003) 117–160
- Brenneman, A. and A. Condon, Strand design for biomolecular computation 287 (1) (2002) 39–58
- Bridges, D. and N.D. Ward, Kernels of seminorms in constructive analysis 284 (2) (2002) 259–267
- Brimkov, V.E. and R.P. Barneva, Graceful planes and lines 283 (1) (2002) 151–170
- Brit, H., S. Moran and G. Taubenfeld, Public data structures: counters as a special case 289 (1) (2002) 401–423
- Bruni, R. and U. Montanari, Dynamic connectors for concurrency 281 (1–2) (2002) 131–176
- Bruni, R., F. Gadducci and U. Montanari, Normal forms for algebras of connections 286 (2) (2002) 247–292
- Bshouty, N.H., N. Eiron and E. Kushilevitz, PAC learning with nasty noise 288 (2) (2002) 255–275
- Buhrman, H. and R. de Wolf, Complexity measures and decision tree complexity: a survey 288 (1) (2002) 21–43
- Bultan, T., *see* O.H. Ibarra 289 (1) (2002) 165–189
- Cai, L., D. Juedes and I. Kanj, The inapproximability of non-NP-hard optimization problems 289 (1) (2002) 553–571
- Cai, M.-C., X. Deng and L. Wang, Approximate sequencing for variable length tasks (*Notes*) 290 (3) (2003) 2037–2044
- Calders, T. and J. Paredaens, Axiomatization of frequent itemsets 290 (1) (2003) 669–693
- Calude, C.S., Chaitin  $\Omega$  numbers, Solovay machines, and Gödel incompleteness 284 (2) (2002) 269–277
- Cantone, D. and G. Cincotti, QuickHeapsort, an efficient mix of classical sorting algorithms 285 (1) (2002) 25–42
- Cao, G. and M. Singhal, Checkpointing with mutable checkpoints 290 (2) (2003) 1127–1148
- Caragiannis, I., *see* V. Auletta 289 (1) (2002) 355–399
- Carbone, A., Streams and strings in formal proofs 288 (1) (2002) 45–83
- Carton, O., *see* M.-P. Béal 289 (1) (2002) 225–251
- Caruso, A., S. Chessa, P. Maestrini and P. Santi, Fault-diagnosis of grid structures 290 (2) (2003) 1149–1174
- Cassaigne, J., *see* V.D. Blondel 289 (1) (2002) 573–590
- Castellani, I., *see* G. Boudol 281 (1–2) (2002) 109–130
- Castro, J., *see* J.L. Balcázar 288 (2) (2002) 197–215
- Caucal, D., On infinite transition graphs having a decidable monadic theory 290 (1) (2003) 79–115
- Cenzer, D. and J.B. Remmel, Effectively closed sets and graphs of computable real functions 284 (2) (2002) 279–318
- Champarnaud, J.-M. and D. Ziadi, Canonical derivatives, partial derivatives and finite automaton constructions 289 (1) (2002) 137–163
- Chanson, S., C. Ding and A. Salomaa, Cartesian authentication codes from functions with optimal nonlinearity 290 (3) (2003) 1737–1752
- Charon, I., O. Hudry and A. Lobstein, Minimizing the size of an identifying or locating-dominating code in a graph is NP-hard (*Notes*) 290 (3) (2003) 2109–2120
- Chen, S., *see* Z. Zhu 290 (1) (2003) 545–564

- Chen, W., K. Wada and K. Kawaguchi, Robust algorithms for constructing strongly convex hulls in parallel 289 (1) (2002) 277–295
- Chepoi, V. and A. Rollin, Interval routing in some planar networks (290) (3) (2003) 1503–1540
- Chesñevar, C.I., J. Dix, F. Stolzenburg and G.R. Simari, Relating defeasible and normal logic programming through transformation properties (290) (1) (2003) 499–529
- Chessa, S., *see* A. Caruso (290) (2) (2003) 1149–1174
- Chiang, Y.-I., *see* R. Becker 282 (2) (2002) 353–380
- Choffrut, C. and G. Pighizzini, Distances between languages and reflexivity of relations 286 (1) (2002) 117–138
- Chrobak, M., *see* E. Anderson 287 (2) (2002) 387–391
- Chrobak, M., *see* W.W. Bein 289 (1) (2002) 335–354
- Chrobak, M., E. Koutsoupias and J. Noga, More on randomized on-line algorithms for caching (*Notes*) (290) (3) (2003) 1997–2008
- Chrobak, M., P. Couperus, C. Dürr and G. Woeginger, On tiling under tomographic constraints (*Notes*) (290) (3) (2003) 2125–2136
- Chung, K.-L., W.-M. Yan and J.-G. Wu, Load-balanced parallel banded-system solvers 289 (1) (2002) 313–334
- Cincotti, G., *see* D. Cantone 285 (1) (2002) 25–42
- Ciobanu, G. and M. Rotaru, Molecular interaction 289 (1) (2002) 801–827
- Clavel, M. and J. Meseguer, Reflection in conditional rewriting logic 285 (2) (2002) 245–288
- Clavel, M., F. Durán, S. Eker, P. Lincoln, N. Martí-Oliet, J. Meseguer and J.F. Quesada, Maude: specification and programming in rewriting logic 285 (2) (2002) 187–243
- Colby, C., K. Crary, R. Harper, P. Lee and F. Pfenning, Automated techniques for provably safe mobile code (290) (2) (2003) 1175–1199
- Condon, A., *see* A. Brenneman 287 (1) (2002) 39–58
- Coquand, T., A syntactical proof of the Marriage Lemma (*Note*) (290) (1) (2003) 1107–1113
- Corradini, A. and F. Gadducci, A functorial semantics for multi-algebras and partial algebras, with applications to syntax 286 (2) (2002) 293–322
- Costa, J.C., Biinfinite words with maximal recurrent unbordered factors (*Notes*) (290) (3) (2003) 2053–2061
- Couperus, P., *see* M. Chrobak (290) (3) (2003) 2125–2136
- Courcelle, B. and T. Knapik, The evaluation of first-order substitution is monadic second-order compatible 281 (1–2) (2002) 177–206
- Cousineau, G., Tilings as a programming exercise 281 (1–2) (2002) 207–217
- Cousot, P. and R. Cousot, Parsing as abstract interpretation of grammar semantics (290) (1) (2003) 531–544
- Cousot, R., *see* P. Cousot (290) (1) (2003) 531–544
- Crary, K., *see* C. Colby (290) (2) (2003) 1175–1199
- Crescenzi, P. and G. Rossi, On the Hamming distance of constraint satisfaction problems 288 (1) (2002) 85–100
- Crvenković, S. and I. Dolinka, On axioms for commutative regular equations without addition 289 (1) (2002) 531–551
- Csima, J., E. Csuhaj-Varjú and A. Salomaa, Power and size of extended Watson–Crick *L* systems (290) (3) (2003) 1665–1678
- Csuhaj-Varjú, E., *see* J. Csima (290) (3) (2003) 1665–1678
- Cunto, W., *see* J.L. Szwarcfiter (290) (3) (2003) 1799–1814
- Curien, P.-L., Une brève biographie scientifique de Maurice Nivat 281 (1–2) (2002) 3–23
- D’amicco, M., G. Manzini and L. Margara, On computing the entropy of cellular automata (290) (3) (2003) 1629–1646
- Damaschke, P., Online strategies for backups 285 (1) (2002) 43–53
- Damaschke, P., Two short notes on the on-line travelling salesman: handling times and lookahead (*Notes*) 289 (1) (2002) 845–852
- Dang, Z., *see* O.H. Ibarra 289 (1) (2002) 165–189
- Dang, Z., *see* O.H. Ibarra (290) (3) (2003) 1713–1735
- Danicic, S., *see* M.R. Laurence (290) (1) (2003) 831–862

- Dantsin, E., A. Goerdt, E.A. Hirsch, R. Kannan, J. Kleinberg, C. Papadimitriou, P. Raghavan and U. Schöning, A deterministic  $(2 - 2/(k+1))^n$  algorithm for  $k$ -SAT based on local search 289 (1) (2002) 69–83
- Dasgupta, A., *see* P. Shankar (290) (3) (2003) 1775–1797
- Dauchet, M., S. Tison and M. Tommasi, Réduction de la non-linéarité des morphismes d’arbres Recognizable tree-languages and non-linear morphisms 281 (1–2) (2002) 219–233
- Daurat, A., Y. Gérard and M. Nivat, The chords’ problem 282 (2) (2002) 319–336
- de Alfaro, L. and A. Kapur, Hybrid diagrams (290) (1) (2003) 565–597
- de Boer, F.S., R.M. van Eijk, W. van der Hoek and J.-J.Ch. Meyer, A fully abstract model for the exchange of information in multi-agent systems (290) (3) (2003) 1753–1773
- Degano, P., *see* C. Bodei 283 (2) (2002) 271–304
- Del Lungo, A., Reconstructing permutation matrices from diagonal sums 281 (1–2) (2002) 235–249
- Delorme, M. and J. Mazoyer, Reconnaissance parallèle des langages rationnels sur automates cellulaires plans 281 (1–2) (2002) 251–289
- De Marco, G. and A. Pelc, Deterministic broadcasting time with partial knowledge of the network (*Notes*) (290) (3) (2003) 2009–2020
- Deng, X., *see* M.-C. Cai (290) (3) (2003) 2037–2044
- Denney, E. and T. Jensen, Correctness of Java Card method lookup via logical relations 283 (2) (2002) 305–331
- de Rougemont, M., *see* F. Afrati 286 (1) (2002) 3–32
- Deshmukh, K., *see* P. Shankar (290) (3) (2003) 1775–1797
- Devillers, O. and P.-M. Gandon, Rounding Voronoi diagram 283 (1) (2002) 203–221
- de Vries, S., *see* P. Gritzmann 281 (1–2) (2002) 455–469
- de Wolf, R., Quantum communication and complexity 287 (1) (2002) 337–353
- de Wolf, R., *see* H. Buhrman 288 (1) (2002) 21–43
- Diaconescu, R. and K. Futatsugi, Logical foundations of CafeOBJ 285 (2) (2002) 289–318
- Díaz, J., M. Serna and D.M. Thilikos, Counting  $H$ -colorings of partial  $k$ -trees 281 (1–2) (2002) 291–309
- Di Ianni, M., *see* L. Beccetti 287 (2) (2002) 429–448
- Diks, K., E. Kranakis, D. Krizanc and A. Pelc, The impact of information on broadcasting time in linear radio networks 287 (2) (2002) 449–471
- Ding, C., *see* S. Chanson (290) (3) (2003) 1737–1752
- Dinur, I., Approximating  $SVP_\infty$  to within almost-polynomial factors is NP-hard 285 (1) (2002) 55–71
- Dix, J., *see* C.I. Chesñevar (290) (1) (2003) 499–529
- Dolinka, I., *see* S. Crvenković 289 (1) (2002) 531–551
- Domínguez, E., *see* R. Ayala 283 (1) (2002) 29–66
- Downey, R.G. and G.L. LaForte, Presentations of computably enumerable reals 284 (2) (2002) 539–555
- Drewes, F., H.-J. Kreowski and D. Lapoire, Criteria to disprove context freeness of collage languages (290) (3) (2003) 1445–1458
- Drori, L. and D. Peleg, Faster exact solutions for some NP-hard problems 287 (2) (2002) 473–499
- Droste, S., T. Jansen and I. Wegener, Optimization with randomized search heuristics—the (A)NFL theorem, realistic scenarios, and difficult functions 287 (1) (2002) 131–144
- Du, D., P. Eades and X. Lin, Foreword 289 (2) (2002) 877–877
- Dubois, O., *see* Y. Boufkhad (290) (3) (2003) 1647–1664
- Duffy, N. and D. Helmbold, A geometric approach to leveraging weak learners 284 (1) (2002) 67–108
- Duparc, J., A hierarchy of deterministic context-free  $\omega$ -languages (*Fundamental Study*) (290) (3) (2003) 1253–1300
- Durán, F., *see* M. Clavel 285 (2) (2002) 187–243
- Durand, B., De la logique aux pavages 281 (1–2) (2002) 311–324
- Durand, B., V. Kanovei, V.A. Uspensky and N. Vereshchagin, Do stronger definitions of randomness exist? (*Notes*) (290) (3) (2003) 1987–1996
- Durchholz, R., A generic causal model for place latency 289 (1) (2002) 1–49
- Dürr, C., E. Goles, I. Rapaport and E. Rémila, Tiling with bars under tomographic constraints (290) (3) (2003) 1317–1329
- Dürr, C., *see* M. Chrobak (290) (3) (2003) 2125–2136
- Dutour, I. and J.M. Féodou, Object grammars and bijections (290) (3) (2003) 1915–1929
- Dyer, M., A. Frieze and M. Molloy, A probabilistic analysis of randomly generated binary constraint satisfaction problems (290) (3) (2003) 1815–1828

- Eades, P., *see* D. Du 289 (2) (2002) 877–877
- Edalat, A. and A. Lieutier, Foundation of a computable solid modelling 284 (2) (2002) 319–345
- Ehrenfeucht, A., T. Harju and G. Rozenberg, Gene assembly through cyclic graph decomposition 281 (1–2) (2002) 325–349
- Eiben, A.E., *see* G. Rozenberg 287 (1) (2002) 1–2
- Eilam, T., S. Moran and S. Zaks, The complexity of the characterization of networks supporting shortest-path interval routing 289 (1) (2002) 85–104
- Eiron, N., *see* N.H. Bshouty 288 (2) (2002) 255–275
- Eiter, T. and H. Veith, On the complexity of data disjunctions 288 (1) (2002) 101–128
- Eker, S., *see* M. Clavel 285 (2) (2002) 187–243
- Eriksen, N.,  $(1 + \epsilon)$ -Approximation of sorting by reversals and transpositions 289 (1) (2002) 517–529
- Fédou, J.M., *see* I. Dutour (290) (3) (2003) 1915–1929
- Feige, U. and G. Rayzman, On the drift of short schedules 289 (1) (2002) 473–484
- Ferigato, C., *see* L. Bernardinello (290) (1) (2003) 637–668
- Fernau, H. and A. Meduna, On the degree of scattered context-sensitivity (*Notes*) (290) (3) (2003) 2121–2124
- Fernau, H., Even linear simple matrix languages: formal language properties and grammatical inference 289 (1) (2002) 425–456
- Fernau, H., Identification of function distinguishable languages (290) (3) (2003) 1679–1711
- Fernández, M., *see* S. van Bakel (290) (1) (2003) 975–1019
- Ferrari, L., E. Pergola, R. Pinzani and S. Rinaldi, An algebraic characterization of the set of succession rules 281 (1–2) (2002) 351–367
- Fiadeiro, J.L., Preface 286 (2) (2002) 151–151
- Fidge, C., *see* K. Lermer 282 (1) (2002) 151–190
- Fine, S., R. Gilad-Bachrach and E. Shamir, Query by committee, linear separation and random walks 284 (1) (2002) 25–51
- Finkel, O., Borel hierarchy and omega context free languages (290) (3) (2003) 1385–1405
- Finocchiaro, D.V. and M. Pellegrini, On computing the diameter of a point set in high dimensional Euclidean space 287 (2) (2002) 501–514
- Fischer, P., H. Simon and C. Smith, Foreword 284 (1) (2002) 1–2
- Flajolet, P., K. Hatzis, S. Nikoletseas and P. Spirakis, On the robustness of interconnections in random graphs: a symbolic approach 287 (2) (2002) 515–534
- Flajolet, P., *see* C. Banderier 281 (1–2) (2002) 37–80
- Flajolet, P., *see* P. Nicodème 287 (2) (2002) 593–617
- Fleischner, H., O. Kullmann and S. Szeider, Polynomial-time recognition of minimal unsatisfiable formulas with fixed clause-variable difference 289 (1) (2002) 503–516
- Focardi, R., *see* C. Bodei 283 (2) (2002) 271–304
- Fourey, S. and R. Malgouyres, Intersection number and topology preservation within digital surfaces 283 (1) (2002) 109–150
- Fournier, J.-C., *see* D. Beauquier 281 (1–2) (2002) 81–97
- Fraenkel, A.S., Arrays, numeration systems and Frankenstein games 282 (2) (2002) 271–284
- Francés, A.R., *see* R. Ayala 283 (1) (2002) 29–66
- Frankel, Y., P. MacKenzie and M. Yung, Adaptively secure distributed public-key systems 287 (2) (2002) 535–561
- Frieze, A., *see* M. Dyer (290) (3) (2003) 1815–1828
- Fu, Y. and Z. Yang, Understanding the mismatch combinator in chi calculus (290) (1) (2003) 779–830
- Fujita, S. and T. Hada, Two-dimensional on-line bin packing problem with rotatable items 289 (2) (2002) 939–952
- Futatsugi, K., *see* R. Diaconescu 285 (2) (2002) 289–318
- Gadducci, F. and U. Montanari, Comparing logics for rewriting: rewriting logic, action calculi and tile logic 285 (2) (2002) 319–358
- Gadducci, F., *see* R. Bruni 286 (2) (2002) 247–292
- Gadducci, F., *see* A. Corradini 286 (2) (2002) 293–322
- Gaillard, A., H. Groefslin, A.J. Hoffman and W.R. Pulleyblank, On the submodular matrix representation of a digraph 287 (2) (2002) 563–570
- Gambosi, G., *see* G. Bongiovanni 285 (1) (2002) 1–1

- Gammerman, A. and V. Vovk, Prediction algorithms and confidence measures based on algorithmic randomness theory 287 (1) (2002) 209–217
- Gandois, P.-M., *see* O. Devillers 283 (1) (2002) 203–221
- Gastin, P. and M. Mislove, A truly concurrent semantics for a process algebra using resource pomsets 281 (1–2) (2002) 369–421
- Geffroy, J.-C., *see* G. Motet 290 (2) (2003) 1115–1126
- Gérard, Y., *see* A. Daurat 282 (2) (2002) 319–336
- Gérard, Y., Periodic graphs and connectivity of the rational digital hyperplanes 283 (1) (2002) 171–182
- Gilad-Bachrach, R., *see* S. Fine 284 (1) (2002) 25–51
- Giroudeau, R., *see* E. Bampis 290 (3) (2003) 1883–1895
- Glauert, J., *see* Z. Khasidashvili 286 (1) (2002) 65–95
- Goerdt, A., *see* E. Dantsin 289 (1) (2002) 69–83
- Goldman, A., G. Mounie and D. Trystram, 1-optimality of static BSP computations: scheduling independent chains as a case study 290 (3) (2003) 1331–1359
- Goldman, S.A. and S.S. Kwek, On learning unions of pattern languages and tree patterns in the mistake bound model 288 (2) (2002) 237–254
- Goles, E., *see* C. Dürr 290 (3) (2003) 1317–1329
- Gori, R., An abstract interpretation framework to reason on finite failure and other properties of finite and infinite computations 290 (1) (2003) 863–936
- Gorrieri, R., *see* M. Bravetti 282 (1) (2002) 5–32
- Gorrieri, R., Editorial 283 (2) (2002) 269–270
- Gottlob, G., *see* M. Baaz 288 (1) (2002) 1–1
- Gottlob, G., *see* R. Baumgartner 289 (1) (2002) 591–627
- Grabner, P.J. and H. Prodinger, Sorting algorithms for broadcast communications: mathematical analysis 289 (1) (2002) 51–67
- Grädel, E., Guarded fixed point logics and the monadic theory of countable trees 288 (1) (2002) 129–152
- Grieser, G., *see* S. Lange 288 (2) (2002) 277–307
- Grigorieff, S., Modelization of deterministic rational relations 281 (1–2) (2002) 423–453
- Gritzmann, P. and S. de Vries, On the algorithmic inversion of the discrete Radon transform 281 (1–2) (2002) 455–469
- Groeflin, H., *see* A. Gaillard 287 (2) (2002) 563–570
- Guessarian, I., *see* F. Afrati 286 (1) (2002) 3–32
- Guijarro, D., *see* J.L. Balcázar 288 (2) (2002) 197–215
- Guttman, J.D. and F.J. Thayer, Authentication tests and the structure of bundles 283 (2) (2002) 333–380
- Hada, T., *see* S. Fujita 289 (2) (2002) 939–952
- Hagiya, M., J.A. Rose, K. Komiya and K. Sakamoto, Complexity analysis of the SAT engine: DNA algorithms as probabilistic algorithms 287 (1) (2002) 59–71
- Hajdu, L. and R. Tijdeman, Algebraic aspects of emission tomography with absorption (*Notes*) 290 (3) (2003) 2169–2181
- Halldórsson, M.M., K. Iwama, S. Miyazaki and S. Taketomi, Online independent sets 289 (2) (2002) 953–962
- Hansen, R.R., *see* F. Nielson 283 (2) (2002) 381–418
- Harju, T., *see* A. Ehrenfeucht 281 (1–2) (2002) 325–349
- Harman, M., *see* M.R. Laurence 290 (1) (2003) 831–862
- Harper, R., *see* C. Colby 290 (2) (2003) 1175–1199
- Harrison, P.G., Turning back time in Markovian process algebra 290 (3) (2003) 1947–1986
- Hashiguchi, K., Algorithms for determining the smallest number of nonterminals (states) sufficient for generating (accepting) a regular language  $R$  with  $R_1 \subseteq R \subseteq R_2$  for given regular languages  $R_1, R_2$  (*Notes*) 289 (1) (2002) 853–859
- Hashiguchi, K., Erratum to “New upper bound to the limitedness of distance automata” [Theoret. Comput. Sci. 233 (2000) 19–32] 290 (3) (2003) 2183–2183
- Hatzis, K., *see* P. Flajolet 287 (2) (2002) 515–534
- Helmbold, D., *see* N. Duffy 284 (1) (2002) 67–108
- Helmbold, D.P., S. Panizza and M.K. Warmuth, Direct and indirect algorithms for on-line learning of disjunctions 284 (1) (2002) 109–142
- Hemmerling, A., Effective metric spaces and representations of the reals 284 (2) (2002) 347–372

- Hernando, C., M.E. Houle and F. Hurtado, On local transformation of polygons with visibility properties 289 (2) (2002) 919–937
- Hertling, P., *see* V. Brattka 284 (2) (2002) 241–257
- Heskes, T., B. Bakker and B. Kappen, Approximate algorithms for neural-Bayesian approaches 287 (1) (2002) 219–238
- Hierons, R., *see* M.R. Laurence 290 (1) (2003) 831–862
- Hildrum, K., *see* E.J. Anderson 287 (2) (2002) 393–418
- Hirsch, E.A., *see* E. Dantsin 289 (1) (2002) 69–83
- Hirvensalo, M., Computing with quanta—impacts of quantum theory on computation 287 (1) (2002) 267–298
- Hitchcock, J.M., MAX3SAT is exponentially hard to approximate if NP has positive dimension (*Notes*) 289 (1) (2002) 861–869
- Hoffman, A.J., *see* A. Gaillard 287 (2) (2002) 563–570
- Holzer, M., Multi-head finite automata: data-independent versus data-dependent computations 286 (1) (2002) 97–116
- Holzer, M., *see* M. Beaudry 290 (3) (2003) 1581–1628
- Honkala, J., On images of D0L and DT0L power series 290 (3) (2003) 1869–1882
- Honsell, F., *see* F. Alessi 290 (1) (2003) 599–635
- Houle, M.E., *see* C. Hernando 289 (2) (2002) 919–937
- Howroyd, J., *see* M.R. Laurence 290 (1) (2003) 831–862
- Hromkovič, J., *see* H.-J. Böckenauer 285 (1) (2002) 3–24
- Hudry, O., *see* I. Charon 290 (3) (2003) 2109–2120
- Huet, G., Šrí Yantra Geometry 281 (1–2) (2002) 609–628
- Hurtado, F., *see* C. Hernando 289 (2) (2002) 919–937
- Hussini, S., L. Kari and S. Konstantinidis, Coding properties of DNA languages 290 (3) (2003) 1557–1579
- Hwang, H.-K. and T.-H. Tsai, An asymptotic theory for recurrence relations based on minimization and maximization 290 (3) (2003) 1475–1501
- Ibaraki, T., *see* H. Ono 289 (2) (2002) 977–995
- Ibarra, O.H. and J. Su, Augmenting the discrete timed automaton with other data structures 289 (1) (2002) 191–204
- Ibarra, O.H., J. Su, Z. Dang, T. Bultan and R.A. Kemmerer, Counter Machines and Verification Problems 289 (1) (2002) 165–189
- Ibarra, O.H., Z. Dang and P.S. Pietro, Verification in loosely synchronous queue-connected discrete timed automata 290 (3) (2003) 1713–1735
- Imai, H., *see* T. Yamasaki 289 (2) (2002) 963–976
- Itai, A., M. Rodeh and H. Shachnai, The passport control problem or how to keep a dynamic service system load balanced? 282 (2) (2002) 303–318
- Iwama, K., *see* M.M. Halldórsson 289 (2) (2002) 953–962
- Jacob-Da Col, M.-A., About local configurations in arithmetic planes 283 (1) (2002) 183–201
- Jain, S. and A. Sharma, Mind change complexity of learning logic programs 284 (1) (2002) 143–160
- Jansen, T., *see* S. Droste 287 (1) (2002) 131–144
- Jensen, T., *see* E. Denney 283 (2) (2002) 305–331
- Jonsson, B. and W. Yi, Testing preorders for probabilistic processes can be characterized by simulations 282 (1) (2002) 33–51
- Jonsson, B., *see* P.A. Abdulla 290 (1) (2003) 241–264
- Juedes, D., *see* L. Cai 289 (1) (2002) 553–571
- Jukna, S. and S. Žák, On uncertainty versus size in branching programs 290 (3) (2003) 1851–1867
- Kaklamanis, C., *see* V. Auletta 289 (1) (2002) 355–399
- Kanj, I., *see* L. Cai 289 (1) (2002) 553–571
- Kannan, R., *see* E. Dantsin 289 (1) (2002) 69–83
- Kanovei, V., *see* B. Durand 290 (3) (2003) 1987–1996
- Kappen, B., *see* T. Heskes 287 (1) (2002) 219–238
- Kapur, A., *see* L. de Alfaro 290 (1) (2003) 565–597
- Karaman, A., Weak repetitions in Sturmian strings (*Notes*) 290 (3) (2003) 2137–2146
- Karhumäki, J. and I. Petre, Conway's problem for three-word sets 289 (1) (2002) 705–725
- Kari, L., *see* S. Hussini 290 (3) (2003) 1557–1579

- Karlin, A.R., *see* E.J. Anderson 287 (2) (2002) 393–418  
 Kasprzak, M., *see* J. Błażewicz 290 (3) (2003) 1459–1473  
 Katoen, J.-P., Foreword 282 (1) (2002) 1–3  
 Katoh, N., *see* F. Aurenhammer 289 (2) (2002) 879–895  
 Katsura, M. and Y. Kobayashi, Undecidable properties of monoids with word problem solvable in linear time 290 (3) (2003) 1301–1316  
 Kawaguchi, K., *see* W. Chen 289 (1) (2002) 277–295  
 Kemmerer, R.A., *see* O.H. Ibarra 289 (1) (2002) 165–189  
 Khasidashvili, Z. and J. Glauert, Relating conflict-free stable transition and event models via redex families 286 (1) (2002) 65–95  
 Khot, S. and V. Raman, Parameterized complexity of finding subgraphs with hereditary properties 289 (2) (2002) 997–1008  
 Kirchner, C., *see* P. Borovanský 285 (2) (2002) 155–185  
 Kirchner, H., *see* P. Borovanský 285 (2) (2002) 155–185  
 Kirchner, H., *see* E. Astesiano 286 (2) (2002) 153–196  
 Klasing, R., *see* H.-J. Böckenhauer 285 (1) (2002) 3–24  
 Klein, A. and M. Kutrib, Deterministic Turing machines in the range between real-time and linear-time 289 (1) (2002) 253–275  
 Kleinberg, J., *see* E. Dantsin 289 (1) (2002) 69–83  
 Knapik, T., *see* B. Courcelle 281 (1–2) (2002) 177–206  
 Knapp, A., *see* M. Wirsing 285 (2) (2002) 519–560  
 Knüssl, C. and W. Szpankowski, The height of a binary search tree: the limiting distribution perspective 289 (1) (2002) 649–703  
 König, J.-C., *see* E. Bampis 290 (3) (2003) 1883–1895  
 Ko, K.-I., A. Nerode and K. Weihrauch, Foreword 284 (2) (2002) 197–197  
 Kobayashi, H., *see* T. Yamasaki 289 (2) (2002) 963–976  
 Kobayashi, Y., *see* M. Katsura 290 (3) (2003) 1301–1316  
 Kojima, H., *see* F. Aurenhammer 289 (2) (2002) 879–895  
 Kok, J.N., *see* G. Rozenberg 287 (1) (2002) 1–2  
 Kolano, P.Z., Proof assistance for real-time systems using an interactive theorem prover 282 (1) (2002) 53–99  
 Komiya, K., *see* M. Hagiya 287 (1) (2002) 59–71  
 Konečný, M., Real functions computable by finite automata using affine representations 284 (2) (2002) 373–396  
 Kong, T.Y., Topological adjacency relations on  $\mathbb{Z}^n$  283 (1) (2002) 3–28  
 Konikowska, B., Rasiowa–Sikorski deduction systems in computer science applications 286 (2) (2002) 323–365  
 Konstantinidis, S., *see* S. Hussini 290 (3) (2003) 1557–1579  
 Koutsoupias, E., *see* M. Chrobak 290 (3) (2003) 1997–2008  
 Kranakis, E., *see* K. Diks 287 (2) (2002) 449–471  
 Kreowski, H.-J., *see* F. Drewes 290 (3) (2003) 1445–1458  
 Krieg-Brückner, B., *see* E. Astesiano 286 (2) (2002) 153–196  
 Krizanc, D., *see* K. Diks 287 (2) (2002) 449–471  
 Krupski, V.N., Effective simultaneous approximability of reals 284 (2) (2002) 397–417  
 Krznaric, D. and C. Levopoulos, Optimal algorithms for complete linkage clustering in  $d$  dimensions 286 (1) (2002) 139–149  
 Kuba, A. and E. Balogh, Reconstruction of convex 2D discrete sets in polynomial time 283 (1) (2002) 223–242  
 Kullmann, O., *see* H. Fleischner 289 (1) (2002) 503–516  
 Kumar, K.N., *see* M. Mukund 290 (1) (2003) 221–239  
 Kushilevitz, E., *see* N.H. Bshouty 288 (2) (2002) 255–275  
 Kutrib, M., *see* A. Klein 289 (1) (2002) 253–275  
 Kwek, S.S., *see* S.A. Goldman 288 (2) (2002) 237–254  
 Kwiatkowska, M., G. Norman, R. Segala and J. Sproston, Automatic verification of real-time systems with discrete probability distributions 282 (1) (2002) 101–150  
 Laber, E.S., R.L. Milidiú and A.A. Pessoa, A strategy for searching with different access costs 287 (2) (2002) 571–584

- LaForte, G.L., *see* R.G. Downey 284 (2) (2002) 539–555  
 Landau, G.M., *see* A. Amir (290) (3) (2003) 1361–1383  
 Laneve, C., A type system for JVM threads (290) (1) (2003) 741–778  
 Lange, S. and G. Grieser, On the power of incremental learning 288 (2) (2002) 277–307  
 Lapoire, D., *see* F. Drewes (290) (3) (2003) 1445–1458  
 Larmore, L.L., *see* W.W. Bein 289 (1) (2002) 335–354  
 Laurence, M.R., S. Danicic, M. Harman, R. Hierons and J. Howroyd, Equivalence of conservative, free, linear program schemas is decidable (290) (1) (2003) 831–862  
 Laurent, O., Polarized proof-nets and  $\lambda\mu$ -calculus (290) (1) (2003) 161–188  
 Lee, P., *see* C. Colby (290) (2) (2003) 1175–1199  
 Legenstein, R.A. and W. Maass, Neural circuits for pattern recognition with small total wire length 287 (1) (2002) 239–249  
 Lermer, K. and C. Fidge, A formal model of real-time program compilation 282 (1) (2002) 151–190  
 Levcopoulos, C., *see* D. Krznic 286 (1) (2002) 139–149  
 Li, B., *see* Z. Zhu (290) (1) (2003) 545–564  
 Li, D., Is DNA computing viable for 3-SAT problems? (*Notes*) (290) (3) (2003) 2095–2107  
 Libkin, L. and L. Wong, Lower bounds for invariant queries in logics with counting 288 (1) (2002) 153–180  
 Lieutier, A., *see* A. Edalat 284 (2) (2002) 319–345  
 Lin, X., *see* D. Du 289 (2) (2002) 877–877  
 Lincoln, P., *see* M. Clavel 285 (2) (2002) 187–243  
 Liotta, G., *see* G.D. Battista 289 (2) (2002) 897–917  
 Lobstein, A., *see* I. Charon (290) (3) (2003) 2109–2120  
 Lodi, E., L. Pagli and N. Santoro, Foreword 282 (2) (2002) 221–222  
 Lubiw, A., *see* G.D. Battista 289 (2) (2002) 897–917  
 Lucanu, D., Relaxed models for rewriting logic (290) (1) (2003) 265–289  
 Luccio, F., Algorithms, nymphs, and shepherds 282 (2) (2002) 223–229  
 Lugiez, D., *see* R.M. Amadio (290) (1) (2003) 695–740  
 Luhmann, D.K., *see* F. Blanchet-Sadri 289 (1) (2002) 297–312  
 Maass, W., *see* R.A. Legenstein 287 (1) (2002) 239–249  
 Maass, W., *see* T. Natschläger 287 (1) (2002) 251–265  
 MacKenzie, P., *see* Y. Frankel 287 (2) (2002) 535–561  
 Maestrini, P., *see* A. Caruso (290) (2) (2003) 1149–1174  
 Maggiolo-Schettini, A., A. Peron and S. Tini, A comparison of Statecharts step semantics (290) (1) (2003) 465–498  
 Mahnig, Th., *see* H. Mühlenbein 287 (1) (2002) 145–165  
 Makino, K., *see* H. Ono 289 (2) (2002) 977–995  
 Malgouyres, R. and M. More, On the computational complexity of reachability in 2D binary images and some basic problems of 2D digital topology 283 (1) (2002) 67–108  
 Malgouyres, R., *see* G. Bertrand 283 (1) (2002) 1–1  
 Malgouyres, R., *see* S. Fourey 283 (1) (2002) 109–150  
 Manzini, G., *see* M. D’amico (290) (3) (2003) 1629–1646  
 Marchetti-Spaccamela, A., *see* L. Becchetti 287 (2) (2002) 429–448  
 Margara, L., *see* M. D’amico (290) (3) (2003) 1629–1646  
 Martí-Oliet, N. and J. Meseguer, Preface 285 (2) (2002) 119–120  
 Martí-Oliet, N. and J. Meseguer, Rewriting logic: roadmap and bibliography 285 (2) (2002) 121–154  
 Martí-Oliet, N., *see* M. Clavel 285 (2) (2002) 187–243  
 Martí-Oliet, N., *see* I. Pita 285 (2) (2002) 407–439  
 Martinelli, F., Analysis of security protocols as *open* systems (290) (1) (2003) 1057–1106  
 Matos, A.B., Linear programs in a simple reversible language (*Notes*) (290) (3) (2003) 2063–2074  
 Mavronikolas, M. and N. Papadakis, Trade-off results for connection management (290) (1) (2003) 1–57  
 Mazoyer, J., *see* M. Delorme 281 (1–2) (2002) 251–289  
 McIver, A.K., Quantitative program logic and expected time bounds in probabilistic distributed algorithms 282 (1) (2002) 191–219  
 Meduna, A., *see* H. Fernau (290) (3) (2003) 2121–2124  
 Meidl, W., Extended Games-Chan algorithm for the 2-adic complexity of FCSR-sequences (*Notes*) (290) (3) (2003) 2045–2051

- Merlini, D., R. Sprugnoli and M.C. Verri, A strip-like tiling algorithm 282 (2) (2002) 337–352  
 Merlini, D., R. Sprugnoli and M.C. Verri, Modified binary searching for static tables 285 (1) (2002)  
 73–88  
 Meseguer, J., *see* N. Martí-Oliet 285 (2) (2002) 119–120  
 Meseguer, J., *see* N. Martí-Oliet 285 (2) (2002) 121–154  
 Meseguer, J., *see* M. Clavel 285 (2) (2002) 187–243  
 Meseguer, J., *see* M. Clavel 285 (2) (2002) 245–288  
 Meseguer, J., *see* P.C. Ölveczky 285 (2) (2002) 359–405  
 Meyer, J.-J.Ch., *see* F.S. de Boer (290) (3) (2003) 1753–1773  
 Milidiú, R.L., *see* E.S. Laber 287 (2) (2002) 571–584  
 Mislove, M., *see* G. Ausiello, 281 (1–2) (2002) 1–1  
 Mislove, M., *see* P. Gastin 281 (1–2) (2002) 369–421  
 Mitchell, J.C., *see* V. Shmatikov 283 (2) (2002) 419–450  
 Miyazaki, S., *see* M.M. Halldórsson 289 (2) (2002) 953–962  
 Molloy, M., *see* M. Dyer (290) (3) (2003) 1815–1828  
 Montanari, U., *see* R. Bruni 281 (1–2) (2002) 131–176  
 Montanari, U., *see* F. Gadducci 285 (2) (2002) 319–358  
 Montanari, U., *see* R. Bruni 286 (2) (2002) 247–292  
 Moran, S., *see* T. Eilam 289 (1) (2002) 85–104  
 Moran, S., *see* H. Brit 289 (1) (2002) 401–423  
 More, M., *see* R. Malgouyres 283 (1) (2002) 67–108  
 Moreau, P.-E., *see* P. Borovanský 285 (2) (2002) 155–185  
 Mori, T., On the computability of Walsh functions 284 (2) (2002) 419–436  
 Moser, G., *see* M. Baaz 288 (1) (2002) 1–1  
 Mossakowski, T., Relating CASL with other specification languages: the institution level 286 (2) (2002)  
 367–475  
 Mosses, P.D., *see* E. Astesiano 286 (2) (2002) 153–196  
 Motet, G. and J.-C. Geffroy, Dependable computing: an overview (290) (2) (2003) 1115–1126  
 Mounie, G., *see* A. Goldman (290) (3) (2003) 1331–1359  
 Muchnik, A.A., The definable criterion for definability in Presburger arithmetic and its applications (290) (3) (2003) 1433–1444  
 Muchnik, A.A., One application of real-valued interpretation of formal power series (290) (3) (2003)  
 1931–1946  
 Mühlenbein, H. and Th. Mahnig, Evolutionary computation and Wright's equation 287 (1) (2002)  
 145–165  
 Mukund, M., K.N. Kumar and M. Sohoni, Bounded time-stamping in message-passing systems  
 (290) (1) (2003) 221–239  
 Murphy, M.M., *see* M.D. Atkinson 289 (1) (2002) 205–223  
 Nakano, K., S. Olariu and A.Y. Zomaya, A time-optimal solution for the path cover problem on  
 cographs (290) (3) (2003) 1541–1556  
 Nakazawa, K., Confluence and strong normalizability of call-by-value  $\lambda\mu$ -calculus (290) (1) (2003) 429–463  
 Natschläger, T. and W. Maass, Spiking neurons and the induction of finite state machines 287 (1) (2002)  
 251–265  
 Naudts, B. and L. Schoofs, GA performance distributions and randomly generated binary constraint  
 satisfaction problems 287 (1) (2002) 167–185  
 Navarro, G., *see* J.L. Szwarcfiter (290) (3) (2003) 1799–1814  
 Nerode, A., *see* K.-l. Ko 284 (2) (2002) 197–197  
 Nešetřil, J., Preface 287 (2) (2002) 355–357  
 Nešetřil, J. and C. Tardif, Density via duality 287 (2) (2002) 585–591  
 Ngo, H.Q., A new routing algorithm for multirate rearrangeable Clos networks (*Notes*) (290) (3) (2003)  
 2157–2167  
 Nichitiu, C., *see* V.D. Blondel 289 (1) (2002) 573–590  
 Nicodème, P., B. Salvy and P. Flajolet, Motif statistics 287 (2) (2002) 593–617  
 Nicosia, G. and G. Oriolo, An approximate  $A^*$  algorithm and its application to the SCS problem  
 (*Notes*) (290) (3) (2003) 2021–2029  
 Nielson, F., H. Riis Nielson and R.R. Hansen, Validating firewalls using flow logics 283 (2) (2002)  
 381–418

- Niemann, G., *see* M. Beaudry (290) (3) (2003) 1581–1628  
 Nikoletseas, S., *see* P. Flajolet 287 (2) (2002) 515–534  
 Nivat, M., *see* A. Daurat 282 (2) (2002) 319–336  
 Nivat, M., *see* Y. Boufkhad (290) (3) (2003) 1647–1664  
 Noga, J., *see* E. Anderson 287 (2) (2002) 387–391  
 Noga, J., *see* M. Chrobak (290) (3) (2003) 1997–2008  
 Norman, G., *see* M. Kwiatkowska 282 (1) (2002) 101–150  
 Normann, D., Exact real number computations relative to hereditarily total functionals 284 (2) (2002) 437–453  
 Ohsaki, M., *see* F. Aurenhammer 289 (2) (2002) 879–895  
 Oja, E., Unsupervised learning in neural computation 287 (1) (2002) 187–207  
 Okada, M., A uniform semantic proof for cut-elimination and completeness of various first and higher order logics 281 (1–2) (2002) 471–498  
 Olariu, S., *see* K. Nakano (290) (3) (2003) 1541–1556  
 Oliveira, J.de.S., *see* J.L. Szwarcfiter (290) (3) (2003) 1799–1814  
 Ölveczky, P.C. and J. Meseguer, Specification of real-time and hybrid systems in rewriting logic 285 (2) (2002) 359–405  
 Ono, H., K. Makino and T. Ibaraki, Logical analysis of data with decomposable structures 289 (2) (2002) 977–995  
 Oriolo, G., *see* G. Nicosia (290) (3) (2003) 2021–2029  
 Ott, M. and F. Stephan, Avoiding coding tricks by hyperrobust learning 284 (1) (2002) 161–180  
 Otto, F., *see* M. Beaudry (290) (3) (2003) 1581–1628  
 Pagli, L., *see* E. Lodi 282 (2) (2002) 221–222  
 Panizza, S., *see* D.P. Helmbold 284 (1) (2002) 109–142  
 Papadakis, N., *see* M. Mavronicolas (290) (1) (2003) 1–57  
 Papadimitriou, C., *see* E. Dantsin 289 (1) (2002) 69–83  
 Paredaens, J., *see* T. Calders (290) (1) (2003) 669–693  
 Păun, G. and G. Rozenberg, A guide to membrane computing 287 (1) (2002) 73–100  
 Păun, G., *see* M. Amos 287 (1) (2002) 3–38  
 Pedrotti, A., Playing by searching: two strategies against a linearly bounded liar 282 (2) (2002) 285–302  
 Pelc, A., *see* K. Diks 287 (2) (2002) 449–471  
 Pelc, A., *see* G. De Marco (290) (3) (2003) 2009–2020  
 Peleg, D., Local majorities, coalitions and monopolies in graphs: a review 282 (2) (2002) 231–257  
 Peleg, D., *see* L. Drori 287 (2) (2002) 473–499  
 Pellegrini, M., *see* D.V. Finocchiaro 287 (2) (2002) 501–514  
 Pergola, E., *see* L. Ferrari 281 (1–2) (2002) 351–367  
 Peron, A., *see* A. Maggioli-Schettini (290) (1) (2003) 465–498  
 Persiano, P., *see* V. Auletta 289 (1) (2002) 355–399  
 Pessoa, A.A., *see* E.S. Laber 287 (2) (2002) 571–584  
 Petre, I., *see* J. Karhumäki 289 (1) (2002) 705–725  
 Petreschi, R., *see* G. Bongiovanni 285 (1) (2002) 1–1  
 Pfenning, F., *see* C. Colby (290) (2) (2003) 1175–1199  
 Pichler, R., Explicit versus implicit representations of subsets of the Herbrand universe (290) (1) (2003) 1021–1056  
 Pietro, P.S., *see* O.H. Ibarra (290) (3) (2003) 1713–1735  
 Pighizzini, G., *see* C. Choffrut 286 (1) (2002) 117–138  
 Pintér, M., On the rate of convergence of error estimates for the partitioning classification rule 284 (1) (2002) 181–196  
 Pinzani, R., *see* L. Ferrari 281 (1–2) (2002) 351–367  
 Pita, I. and N. Martí-Oliet, A Maude specification of an object-oriented model for telecommunication networks 285 (2) (2002) 407–439  
 Pomello, L., *see* L. Bernardinello (290) (1) (2003) 637–668  
 Prasetya, I.S.W.B. and S.D. Swierstra, Factorizing fault tolerance (290) (2) (2003) 1201–1222  
 Priami, C., *see* C. Bodei 283 (2) (2002) 271–304  
 Prodinger, H., *see* P.J. Grabner 289 (1) (2002) 51–67  
 Pulleyblank, W.R., *see* A. Gaillard 287 (2) (2002) 563–570

- Puricella, A. and I.A. Stewart, Greedy algorithms,  $H$ -colourings and a complexity-theoretic dichotomy (290) (3) (2003) 1897–1913
- Quesada, J.F., *see* M. Clavel 285 (2) (2002) 187–243
- Quintero, A., *see* R. Ayala 283 (1) (2002) 29–66
- Raghavan, P., *see* E. Dantsin 289 (1) (2002) 69–83
- Rajan, B.S., *see* P. Shankar (290) (3) (2003) 1775–1797
- Raman, V., *see* S. Khot 289 (2) (2002) 997–1008
- Rapaport, I., *see* C. Dürr (290) (3) (2003) 1317–1329
- Rasala, A., *see* E.J. Anderson 287 (2) (2002) 393–418
- Ravn, A.P., *see* M. Rönkkö (290) (1) (2003) 937–973
- Rayzman, G., *see* U. Feige 289 (1) (2002) 473–484
- Regev, O., *see* Y. Azar 287 (2) (2002) 419–428
- Remmel, J.B., *see* D. Cenzer 284 (2) (2002) 279–318
- Restivo, A. and P.V. Silva, On the lattice of prefix codes 289 (1) (2002) 755–782
- Reznik, Y.A., Some results on tries with adaptive branching 289 (2) (2002) 1009–1026
- Riis Nielson, H., *see* F. Nielson 283 (2) (2002) 381–418
- Rinaldi, S., *see* L. Ferrari 281 (1–2) (2002) 351–367
- Ringeissen, C., *see* C. Tinelli (290) (1) (2003) 291–353
- Rémila, E., *see* C. Dürr (290) (3) (2003) 1317–1329
- Rönkkö M., A.P. Ravn and K. Sere, Hybrid action systems (290) (1) (2003) 937–973
- Rodeh, M., *see* A. Itai 282 (2) (2002) 303–318
- Rollin, A., *see* V. Chepoi (290) (3) (2003) 1503–1540
- Ronse, C., *see* M. Tajine 283 (1) (2002) 243–268
- Rose, J.A., *see* M. Hagiya 287 (1) (2002) 59–71
- Rossi, G., *see* P. Crescenzi 288 (1) (2002) 85–100
- Rotaru, M., *see* G. Ciobanu 289 (1) (2002) 801–827
- Rouzé, P., *see* P. Blayo (290) (3) (2003) 1407–1431
- Rozenberg, G. and A. Salomaa, ICALP, EATCS and Maurice Nivat 281 (1–2) (2002) 25–30
- Rozenberg, G., *see* A. Ehrenfeucht 281 (1–2) (2002) 325–349
- Rozenberg, G., A.E. Eiben and J.N. Kok, Preface 287 (1) (2002) 1–2
- Rozenberg, G., *see* M. Amos 287 (1) (2002) 3–38
- Rozenberg, G., *see* G. Păun 287 (1) (2002) 73–100
- Rus, T., A unified language processing methodology 281 (1–2) (2002) 499–536
- Ruškuc, N., *see* M.D. Atkinson 289 (1) (2002) 205–223
- Ružička, P., Preface 286 (1) (2002) 1–1
- Sadowski, Z., On an optimal propositional proof system and the structure of easy subsets of TAUT 288 (1) (2002) 181–193
- Sagot, M.-F., *see* P. Blayo (290) (3) (2003) 1407–1431
- Sakamoto, K., *see* M. Hagiya 287 (1) (2002) 59–71
- Saks, M., *see* E.J. Anderson 287 (2) (2002) 393–418
- Salomaa, A., *see* G. Rozenberg 281 (1–2) (2002) 25–30
- Salomaa, A., Uni-transitional Watson–Crick DOL systems 281 (1–2) (2002) 537–553
- Salomaa, A., *see* M. Amos 287 (1) (2002) 3–38
- Salomaa, A., *see* J. Csima (290) (3) (2003) 1665–1678
- Salomaa, A., *see* S. Chanson (290) (3) (2003) 1737–1752
- Salvy, B., *see* P. Nicodème 287 (2) (2002) 593–617
- Sannella, D., *see* G. Ausiello, 281 (1–2) (2002) 1–1
- Sannella, D., *see* E. Astesiano 286 (2) (2002) 153–196
- Santi, P., *see* A. Caruso (290) (2) (2003) 1149–1174
- Santini, M., *see* P. Boldi 282 (2) (2002) 259–270
- Santoro, N., *see* E. Lodi 282 (2) (2002) 221–222
- Schöning, U., *see* E. Dantsin 289 (1) (2002) 69–83
- Schoofs, L., *see* B. Naudts 287 (1) (2002) 167–185
- Schröder, M., Extended admissibility 284 (2) (2002) 519–538
- Schwefel, H.-P., *see* H.-G. Beyer 287 (1) (2002) 101–130
- Segala, R., *see* M. Kwiatkowska 282 (1) (2002) 101–150

- Seibert, S. and W. Unger, The hardness of placing street names in a Manhattan type map 285 (1) (2002) 89–99
- Seibert, S., *see* H.-J. Böckenhauer 285 (1) (2002) 3–24
- Seiden, S., A manifesto for the computational method 282 (2) (2002) 381–395
- Sénizergues, G., L(A) = L(B)? A simplified decidability proof 281 (1–2) (2002) 555–608
- Sere, K., *see* Mauno Rönkkö 290 (1) (2003) 937–973
- Serna, M., *see* J. Díaz 281 (1–2) (2002) 291–309
- Sgall, J., *see* E. Anderson 287 (2) (2002) 387–391
- Sgall, J., *see* Y. Azar 287 (2) (2002) 419–428
- Shachnai, H., *see* A. Itai 282 (2) (2002) 303–318
- Shamir, E., *see* S. Fine 284 (1) (2002) 25–51
- Shankar, P., A. Dasgupta, K. Deshmukh and B.S. Rajan, On viewing block codes as finite automata 290 (3) (2003) 1775–1797
- Sharma, A., *see* S. Jain 284 (1) (2002) 143–160
- Sharma, A., *see* O. Watanabe 288 (2) (2002) 195–196
- Shmatikov, V. and J.C. Mitchell, Finite-state analysis of two contract signing protocols 283 (2) (2002) 419–450
- Sibeyn, J.F., Faster deterministic sorting through better sampling 290 (3) (2003) 1829–1850
- Silva, P.V. and B. Steinberg, Extensions and submonoids of automatic monoids 289 (1) (2002) 727–754
- Silva, P.V., *see* A. Restivo 289 (1) (2002) 755–782
- Simari, G.R., *see* C.I. Chesñevar 290 (1) (2003) 499–529
- Simeone, B., *see* R. Becker 282 (2) (2002) 353–380
- Simon, H., *see* P. Fischer 284 (1) (2002) 1–2
- Simon, H.-U., *see* J.L. Balcázar 288 (2) (2002) 197–215
- Singhal, M., *see* G. Cao 290 (2) (2003) 1127–1148
- Slany, W., Endgame problems of Sim-like graph Ramsey avoidance games are PSPACE-complete (*Mathematical Games*) 289 (1) (2002) 829–843
- Smith, C., *see* P. Fischer 284 (1) (2002) 1–2
- Sohoni, M., *see* M. Mukund 290 (1) (2003) 221–239
- Sokol, D., *see* A. Amir 290 (3) (2003) 1361–1383
- Sosik, P., Universal computation with Watson-Crick D0L systems 289 (1) (2002) 485–501
- Spirakis, P., *see* P. Flajolet 287 (2) (2002) 515–534
- Sproston, J., *see* M. Kwiatkowska 282 (1) (2002) 101–150
- Sprugnoli, R., *see* D. Merlini 282 (2) (2002) 337–352
- Sprugnoli, R., *see* D. Merlini 285 (1) (2002) 73–88
- Staiger, L., The Kolmogorov complexity of real numbers 284 (2) (2002) 455–466
- Steinberg, B., *see* P.V. Silva 289 (1) (2002) 727–754
- Steiner, G., On the  $k$ -path partition of graphs (*Notes*) 290 (3) (2003) 2147–2155
- Steinhöfel, K., A. Albrecht and C.K. Wong, The convergence of stochastic algorithms solving flow shop scheduling 285 (1) (2002) 101–117
- Stephan, F. and T. Zeugmann, Learning classes of approximations to non-recursive functions 288 (2) (2002) 309–341
- Stephan, F., *see* M. Ott 284 (1) (2002) 161–180
- Stewart, I.A., *see* A. Puricella 290 (3) (2003) 1897–1913
- Stewart, I.A., *see* A.A. Arratia 290 (3) (2003) 2085–2093
- Stoltenberg-Hansen, V., *see* J. Blanck 284 (2) (2002) 207–240
- Stolzenburg, F., *see* C.I. Chesñevar 290 (1) (2003) 499–529
- Stomp, F., Correctness of substring-preprocessing in Boyer-Moore's pattern matching algorithm 290 (1) (2003) 59–78
- Su, J., *see* O.H. Ibarra 289 (1) (2002) 165–189
- Su, J., *see* O.H. Ibarra 289 (1) (2002) 191–204
- Suri, N., *see* C.J. Walter 290 (2) (2003) 1223–1251
- Swierstra, S.D., *see* I.S.W.B. Prasetya 290 (2) (2003) 1201–1222
- Szeider, S., *see* H. Fleischner 289 (1) (2002) 503–516
- Szpankowski, W., *see* C. Knoll 289 (1) (2002) 649–703
- Szwarcfiter, J.L., G. Navarro, R. Baeza-Yates, J.de.S. Oliveira, W. Cunto and N. Ziviani, Optimal binary search trees with costs depending on the access paths 290 (3) (2003) 1799–1814

- Tajine, M. and C. Ronse, Topological properties of Hausdorff discretization, and comparison to other discretization schemes 283 (1) (2002) 243–268
- Taketomi, S., *see* M.M. Halldórsson 289 (2) (2002) 953–962
- Takimoto, E. and M.K. Warmuth, Predicting nearly as well as the best pruning of a planar decision graph 288 (2) (2002) 217–235
- Talcott , C., Actor theories in rewriting logic 285 (2) (2002) 441–485
- Tardif, C., *see* J. Nešetřil 287 (2) (2002) 585–591
- Tarlecki, A., *see* E. Astesiano 286 (2) (2002) 153–196
- Taubenfeld, G., *see* H. Brit 289 (1) (2002) 401–423
- Terhal, B.M., Detecting quantum entanglement 287 (1) (2002) 313–335
- Terrier, V., Characterization of real time iterative array by alternating device (*Notes*) (290) (3) (2003) 2075–2084
- Thayer, F.J., *see* J.D. Guttman 283 (2) (2002) 333–380
- Thilikos, D.M., *see* J. Diaz 281 (1–2) (2002) 291–309
- Tijdeman, R., *see* L. Hajdu (290) (3) (2003) 2169–2181
- Tinelli, C. and C. Ringeissen, Unions of non-disjoint theories and combinations of satisfiability procedures (290) (1) (2003) 291–353
- Tini, S., *see* A. Maggioli-Schettini (290) (1) (2003) 465–498
- Tison, S., *see* M. Dauchet 281 (1–2) (2002) 219–233
- Tokunaga, Y., *see* T. Yamasaki 289 (2) (2002) 963–976
- Tomescu, I., On the number of occurrences of all short factors in almost all words (*Notes*) (290) (3) (2003) 2031–2035
- Tommasi, M., *see* M. Dauchet 281 (1–2) (2002) 219–233
- Trystram, D., *see* A. Goldman (290) (3) (2003) 1331–1359
- Tsai, T.-H., *see* H.-K. Hwang (290) (3) (2003) 1475–1501
- Tsuiki, H., Real number computation through Gray code embedding 284 (2) (2002) 467–485
- Tucker, J.V., *see* J. Blanck 284 (2) (2002) 207–240
- Unger, W., *see* H.-J. Böckenhauer 285 (1) (2002) 3–24
- Unger, W., *see* S. Seibert 285 (1) (2002) 89–99
- Uspensky, V.A., *see* B. Durand (290) (3) (2003) 1987–1996
- Valentini, S., A cartesian closed category in Martin-Löf's intuitionistic type theory (290) (1) (2003) 189–219
- Valiant, L.G., Expressiveness of matchgates 289 (1) (2002) 457–471
- Vanackère, V., *see* R.M. Amadio (290) (1) (2003) 695–740
- van Bakel, S. and M. Fernández, Normalization, approximation, and semantics for combinator systems (290) (1) (2003) 975–1019
- van der Hoek, W., *see* F.S. de Boer (290) (3) (2003) 1753–1773
- van Eijk, R.M., *see* F.S. de Boer (290) (3) (2003) 1753–1773
- Veith, H., *see* T. Eiter 288 (1) (2002) 101–128
- Vereshchagin, N., *see* B. Durand (290) (3) (2003) 1987–1996
- Verri, M.C., *see* D. Merlini 282 (2) (2002) 337–352
- Verri, M.C., *see* D. Merlini 285 (1) (2002) 73–88
- Vigna, S., *see* P. Boldi 282 (2) (2002) 259–270
- Viry, P., Equational rules for rewriting logic 285 (2) (2002) 487–517
- Vogler, W., Partial order semantics and read arcs 286 (1) (2002) 33–63
- von Haeseler, F., *see* A. Barbé 289 (1) (2002) 105–136
- Vovk, V., *see* A. Gammerman 287 (1) (2002) 209–217
- Vuillon, L., *see* J. Berstel 281 (1–2) (2002) 99–107
- Wada, K., *see* W. Chen 289 (1) (2002) 277–295
- Walter, C.J. and N. Suri, The customizable fault/error model for dependable distributed systems (290) (2) (2003) 1223–1251
- Wan, H. and J.C. Wootton, Algorithms for computing lengths of chains in integral partition lattices 289 (1) (2002) 783–800
- Wang, L., *see* M.-C. Cai (290) (3) (2003) 2037–2044
- Ward, N.D., *see* D. Bridges 284 (2) (2002) 259–267
- Warmuth, M.K., *see* D.P. Helmbold 284 (1) (2002) 109–142
- Warmuth, M.K., *see* E. Takimoto 288 (2) (2002) 217–235

- Watanabe, O. and A. Sharma, Preface 288 (2) (2002) 195–196  
Watrous, J., *see* A. Ambainis 287 (1) (2002) 299–311  
Wegener, I., *see* H.-G. Beyer 287 (1) (2002) 101–130  
Wegener, I., *see* S. Drosté 287 (1) (2002) 131–144  
Weihrauch, K., *see* K.-l. Ko 284 (2) (2002) 197–197  
Whitesides, S., *see* G.D. Battista 289 (2) (2002) 897–917  
Wirsing, M. and A. Knapp, A formal approach to object-oriented software engineering 285 (2) (2002) 519–560  
Woeginger, G., *see* M. Chrobak 290 (3) (2003) 2125–2136  
Woeginger, G.J., *see* E. Anderson 287 (2) (2002) 387–391  
Woeginger, G.J., *see* Y. Azar 287 (2) (2002) 419–428  
Wong, C.K., *see* K. Steinhöfel 285 (1) (2002) 101–117  
Wong, L., *see* L. Libkin 288 (1) (2002) 153–180  
Wootton, J.C., *see* H. Wan 289 (1) (2002) 783–800  
Wu, J.-G., *see* K.-L. Chung 289 (1) (2002) 313–334  
Xiao, X., *see* Z. Zhu 290 (1) (2003) 545–564  
Xu, Y., *see* F. Aurenhammer 289 (2) (2002) 879–895  
Yamasaki, T., H. Kobayashi, Y. Tokunaga and H. Imai, One-way probabilistic reversible and quantum one-counter automata 289 (2) (2002) 963–976  
Yan, W.-M., *see* K.-L. Chung 289 (1) (2002) 313–334  
Yang, Z., *see* Y. Fu 290 (1) (2003) 779–830  
Yi, W., *see* B. Jonsson 282 (1) (2002) 33–51  
Yoshikawa, A., Interpolation functor and computability 284 (2) (2002) 487–498  
Yung, M., *see* Y. Frankel 287 (2) (2002) 535–561  
Zaks, S., *see* T. Eilam 289 (1) (2002) 85–104  
Žák, S., *see* S. Jukna 290 (3) (2003) 1851–1867  
Zeugmann, T., *see* F. Stephan 288 (2) (2002) 309–341  
Zheng, X., The closure properties on real numbers under limits and computable operators 284 (2) (2002) 499–518  
Zhu, W., *see* Z. Zhu 290 (1) (2003) 545–564  
Zhu, Z., B. Li, X. Xiao, S. Chen and W. Zhu, A representation theorem for recovering contraction relations satisfying *wci* 290 (1) (2003) 545–564  
Ziadi, D., *see* J.-M. Champarnaud 289 (1) (2002) 137–163  
Ziviani, N., *see* J.L. Szwarcfiter 290 (3) (2003) 1799–1814  
Zomaya, A.Y., *see* K. Nakano 290 (3) (2003) 1541–1556