

Erratum to: Bone mineral density changes in pregnancies with gestational hypertension: a longitudinal study using quantitative ultrasound measurements

William W. K. To · Margaret W. N. Wong

Published online: 17 October 2010
 © Springer-Verlag 2010

Erratum to: Arch Gynecol Obstet
DOI 10.1007/s00404-010-1596-9

The original version of the article unfortunately contained some wrong data.

The correct data are given here:

1. In the Abstract, Results section: A mean BMD loss of 0.0382 g/cm² (around 6% of early pregnancy BMD) was demonstrable from early to late gestation.
2. In the text, Results section, first paragraph, last sentence: A mean BMD loss of 0.0382 g/cm² (around 6% of early pregnancy BMD) was demonstrable from early to late gestation (Table 1).
3. In Table 1, third column bottom line, the value for Mean BMD under the column of Late third trimester (36–40 weeks) should be 0.555 (0.104), and the numbers for the fourth column bottom line should be <0.001; −0.038 (−0.035 to −0.041). The correct table is given here.

Table 1 Changes in anthropometric parameters from early to late pregnancy

	Early pregnancy (<20 weeks) (SD)	Late third trimester (36–40 weeks) (SD)	P value; MD (95% CI)
Weight (kg)	56.9 (8.37)	66.6 (8.11)	<0.001; 9.78 (9.5–10.07)
Body mass index (kg/cm ²)	23.2 (3.23)	27.2 (3.08)	<0.001; 4.0 (3.88–4.11)
Body fat composition (%)	30.5 (5.79)	38 (4.95)	<0.001; 7.52 (7.25–7.79)
Mean BMD (g/cm ²)	0.593 (0.108)	0.555 (0.104)	<0.001; −0.038 (−0.035 to −0.041)

SD standard deviation, MD mean difference, CI confidence interval
P value by paired *t* tests

The online version of the original article can be found under doi:[10.1007/s00404-010-1596-9](https://doi.org/10.1007/s00404-010-1596-9).

W. W. K. To (✉)
 Department of Obstetrics and Gynaecology,
 United Christian Hospital, 130 Hip Wo Street,
 Kwun Tong, Kowloon, Hong Kong
 e-mail: towkw@ha.org.hk

M. W. N. Wong
 Department of Orthopaedics and Traumatology,
 Prince of Wales Hospital, Shatin, Hong Kong