Budianto et al. Scientific Phone Apps and Mobile Devices (2015) 1:2 DOI 10.1186/s41070-015-0003-0

# Scientific Phone Apps and Mobile Devices

a SpringerOpen Journal

# **APPLICATION NOTE**



# StanXY: standard curve app for Android

Ian-Hartono Budianto<sup>1+</sup>, Chun-Foong Wong<sup>1+</sup>, Phi-Vu Nguyen<sup>1</sup> and Samuel Ken-En Gan<sup>1,2\*</sup>


# Abstract

StanXY is a free standalone native Android application. It is developed to provide convenience and efficiency to graph plotting. By simply downloading the application, StanXY provides the portability to easily plot graphs on the go as compared to manual plotting and desktop graphing software. The StanXY generates a best fit line based on a set of coordinates entered by the user. The equation of the line (y = mx + c) and its coefficient of determination ( $R^2$ ) are calculated and displayed. With the generated line of best fit, the application allows users to enter a known X or Y coordinate to determine the corresponding unknown Y or X value. Its customisable features include 2 graph colour display and line thickness. The StanXY application allows plotting graphs and calculating unknown values on-the-go in a convenient and efficient way.

# Introduction

Line graphs are indispensable visual representations of linear relationships between variables. Commonly used in science to quantify unknown concentrations in samples from known standards, it plays an integral role in biomolecule/chemical quantification (e.g. Bradford assay for proteins). It is also used to display trends and data changes, or even extrapolated to predict outcomes. As such, its use extends beyond experimental sciences and statistics to school education. While computers can do the graph plotting accurately, much improvement remains for its portability and accessibility. This is particularly useful for outdoor field tests (e.g. environmental monitoring) where desktop access are limited. Thus StanXY is an efficient and portable solution that speeds up the graphing process and reduces human error.

Smartphone applications making data gathering and analysis easier have become increasingly popular in research (www.biospectrumasia.com/biospectrum/opinion/ 220592/use-smartphone-apps-biomedical-research). They can be exploited to plot graphs quickly with full portability, thus boosting productivity. Other examples of apps that improves research productivity include DNAApp (Nguyen et al. 2014), GelApp (Sim et al. 2015), the latter



Riding on the smartphone and mobile devices, StanXY conveniently, efficiently and accurately plots graphs with a minimalist user interface. Users need to only key in the known X and Y coordinates and the unit labels for both axes and press the "Tabulate graph" button. StanXY will plot the points and generate a straight line graph (Fig. 1). Users can zoom in and out by pinching in and out on the graph. Unknown values can then be keyed in and the unknown determined immediately. Both the equation and coefficient of determination of the line of best fit are also provided for reports, all within a few seconds. For better visualization, users can customise the graph by changing the thickness of the line and the background colour of the graph based on the 2 available themes (default/contrast). This can then be captured using the screenshot function of the mobile devices and be included in reports.

To ensure functionality regardless of internet connectivity, these features are all built into the app without the need for a mobile network/WIFI or access to multiple websites.

# **Material and methods**

StanXY for Android was developed using version 4.2 of the Eclipse Integrated Development Environment, Juno,




© 2015 Budianto et al. **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

<sup>\*</sup> Correspondence: samuelg@bii.a-star.edu.sg

<sup>&</sup>lt;sup>†</sup>Equal contributors

<sup>&</sup>lt;sup>1</sup>Bioinformatics Institute, Agency for Science, Technology, and Research (A\*STAR), Singapore 138671, Singapore

<sup>&</sup>lt;sup>2</sup>p53 Laboratory, Agency for Science, Technology, and Research (A\*STAR), Singapore 138648, Singapore



and 'AChartEngine, developed by 4ViewSoft (http:// www.achartengine.org/). 'AChartEngine' is licensed under the Code Project Open License ((CPOL) 1.02).

The coefficient of determination  $(\mathbb{R}^2)$  is calculated based on the formula:

$$\left(n\Sigma xy - (\Sigma x)(\Sigma y) / (\sqrt{n} \Sigma y^2) (\sqrt{n} \Sigma x^2)\right)^2$$


 $\Sigma$ x: Summation of all the X values  $\Sigma$ y: Summation of all the Y values n: Number of X/Y values

# Line Equation and R<sup>2</sup> values

With the generated line of best fit, it is possible to determine the unknown Y value by entering its corresponding X value and vice versa (Fig. 2). The unknown value is plotted on the graph in a different colour. The application also calculates the equation of the line and coefficient of determination ( $\mathbb{R}^2$ ) of the graph which is shown by tapping on the top right "Statistics" button. The equation of the straight line is shown in the form of y = mx + cwhere "m" is the gradient/slope and "c" is the y-intercept.  $\mathbb{R}^2$  has a value between "0" and "1", and shows how well the line of best fit fits the coordinates. The closer the value is to "1" indicates that the standard coordinate fall well within the line of best fit.

#### **Customizable features**

The graph generated by StanXY is customisable based on the user's preferences. Users can easily change the colour scheme of the graph (default/contrast). The




thickness of the points and line of the graph can also be adjusted with the slide bar (Fig. 3).

#### **Uses and Applications**

StanXY can be used with common biomedical and chemical lab quantification experiments that require plotting of standard curves. These includes Enzymelinked immunosorbent (ELISA), Bradford, Folin-Lowry and many others. The app can be used in schools in science classes and also as a guide for plotting lines of best fit.

### Conclusion

StanXY is a standalone Android application that brings convenience, efficiency and accuracy to graph plotting. It does not require internet connectivity to support its features and allows users to easily plot graphs on the go without the expense of accuracy and time.



# Availability and Resources

The StanXY application is developed for the Android platform and is freely available on the Google Play Store. More details on the app can be found at www.facebook.com/APDLab; www.bii.a-star.edu.sg/research/trd/apd.php

The StanXY user guide is available at http://tinyurl.com/StanXY, and a video tutorial is also available on the Google Play Store.

### Competing interests

The authors declare that they have no competing interests.

#### Authors' contributions

IH and CF wrote the codes underlying the app. PV provided assistance in the implementation of the graph. SKE conceived the idea and directed the design of the app. All authors read and approved the final manuscript.

#### Funding

This work is funded by the Joint Council Office, Agency for Science, Technology, and Research, Singapore. We thank Mr. Dillon Lim for his help in this app note preparation.

#### Received: 28 October 2015 Accepted: 29 October 2015 Published online: 15 December 2015

#### References

- Nguyen P-V, Verma CS, Gan SK-E. DNAApp: a mobile application for sequencing data analysis. Bioinformatics. 2014;30(22):3270–1.
- Sim J-Z, Nguyen P-V, Lee HK, and Gan SK-E, "GelApp: Mobile gel electrophoresis analyser," Nat. Methods App Notes. 2015. doi:10.1038/an9643.
- Ling W-L, Lua W-H, Gan SK-E. "Fast reversible single-step method for enhanced band contrast of polyacrylamide gels for automated detection." Electrophoresis. 2015;36(9-10):1224.

# Submit your manuscript to a SpringerOpen<sup>®</sup> journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

#### Submit your next manuscript at > springeropen.com