Eshraghi et al. Scoliosis 2009, 4(Suppl 2):05 http://www.scoliosisjournal.com/content/4/S2/O5



## **ORAL PRESENTATION**

Open Access

# Static & dynamic balance of schoolgirls with hyperkyphosis

A Eshraghi\*, N Maroufi, MA Sanjari, MR Keyhani, H Saeedi

From 6th International Conference on Conservative Management of Spinal Deformities Lyon, France. 21-23 May 2009

#### **Objective**

The purpose of this study was to examine the effects of hyperkyphosis on static and dynamic balance control in school-aged girls.

#### **Background**

Biomechanical factors such as spinal deformity can result in balance control disorders. Many studies have shown balance control disorders in scoliotic subjects.

#### Materials and methods

In a comparative study, a Bertec force platform was used to record center of pressure (COP) data. Ten female adolescents with hyperkyphosis (mean age: 13.9 years, mean Cobb angle 52°) were compared to 14 agematched controls (average age 14.8 years) in static and dynamic balance tests. In static tests, we used two visual conditions (eyes open and closed) and the subjects were asked to perform the tests on their dominant limbs and on both limbs. Dynamic tests included forward, right and left reach, using a standard reach device.

#### Results

Statistical analysis showed no significant difference in static balance tests. But in dynamic tests, significant differences were seen between the normal and hyperkyphotic subjects. The mean value of each parameter was higher in normal subjects in right and left reach tests, performed with right and left hand respectively (p < 0.05).

### Conclusion

The present results reveal that hyperkyphotic subjects might have less range of motion in lateral trunk

\* Correspondence: arezooeshraghi@yahoo.ca Faculty of Rehabilitation, Iran University of Medical Sciences; General Rehabilitation Center of Iranian red crescent society, Shahid Yasemi St, Vali-E-Asr St, Post box 15584, Tehran, Iran

movements and hence less limit of stability than normal subjects, since they probably showed poorer performance than normal controls in order to keep their balance.

Published: 14 December 2009

doi:10.1186/1748-7161-4-S2-O5

Cite this article as: Eshraghi et al.: Static & dynamic balance of schoolgirls with hyperkyphosis. Scoliosis 2009 4(Suppl 2):O5.

### Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit



