



# The effect of ultrasound treatment on the structural, physical and emulsifying properties of animal and vegetable proteins



Jonathan O'Sullivan<sup>a, c, \*</sup>, Brian Murray<sup>b</sup>, Cal Flynn<sup>c</sup>, Ian Norton<sup>a</sup>

<sup>a</sup> School of Chemical Engineering, University of Birmingham, Edgbaston, Birmingham B15 2TT, UK

<sup>b</sup> Kerry Ingredients and Flavours, Hawthorne House, Millenium Business Park, Osberstown, Naas, Co. Kildare, Ireland

<sup>c</sup> Kerry Ingredients and Flavours, Tralee Road, Listowel, Co. Kerry, Ireland

## ARTICLE INFO

### Article history:

Received 1 October 2014  
Received in revised form  
28 January 2015  
Accepted 4 February 2015  
Available online 13 February 2015

### Keywords:

Gelatin  
Egg white protein  
Pea protein isolate  
Soy protein isolate  
Rice protein isolate  
Ultrasound

## ABSTRACT

The ultrasonic effect on the physicochemical and emulsifying properties of three animal proteins, bovine gelatin (BG), fish gelatin (FG) and egg white protein (EWP), and three vegetable proteins, pea protein isolate (PPI), soy protein isolate (SPI) and rice protein isolate (RPI), was investigated. Protein solutions (0.1–10 wt.%) were sonicated at an acoustic intensity of  $\sim 34 \text{ W cm}^{-2}$  for 2 min. The structural and physical properties of the proteins were probed in terms of changes in size, hydrodynamic volume and molecular structure using DLS and SLS, intrinsic viscosity and SDS-PAGE, respectively. The emulsifying performance of ultrasound treated animal and vegetable proteins were compared to their untreated counterparts and Brij 97.

Ultrasound treatment reduced the size of all proteins, with the exception of RPI, and no reduction in the primary structure molecular weight profile of proteins was observed in all cases. Emulsions prepared with all untreated proteins yielded submicron droplets at concentrations  $\leq 1 \text{ wt.}\%$ , whilst at concentrations  $> 5 \text{ wt.}\%$  emulsions prepared with EWP, SPI and RPI yielded micron sized droplets ( $> 10 \mu\text{m}$ ) due to pressure denaturation of protein from homogenisation. Emulsions produced with sonicated FG, SPI and RPI had the similar droplet sizes as untreated proteins at the same concentrations, whilst sonicated BG, EWP and PPI emulsions at concentrations  $\leq 1 \text{ wt.}\%$  had a smaller droplet size compared to emulsions prepared with their untreated counterparts. This effect was consistent with the observed reduction in the interfacial tension between these untreated and ultrasound treated proteins.

© 2015 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).

## 1. Introduction

Proteins perform a vast array of functions in both the food and pharmaceutical industries, such as emulsification, foaming, encapsulation, viscosity enhancement and gelation. This functionality arises from the complex chemical make-up of these molecules (O'Connell & Flynn, 2007; Walstra & van Vliet, 2003). Proteins are of particular interest in food systems as emulsifiers, due to their ability to adsorb to oil-water interfaces and form interfacial films (Foegeding & Davis, 2011; Lam & Nickerson, 2013). The surface activity of proteins owes to the amphiphilic nature these molecules possess, because of the presence of both hydrophobic and hydrophilic regions in their peptide chains (Beverung, Radke, & Blanch,

1999; O'Connell & Flynn, 2007). Due to proteins larger molecular weight leading to their bulkier structure by comparison to low molecular weight emulsifiers (e.g. Brij 97) proteins diffuse more slowly to the oil-water interface through the continuous phase (Dickinson, 1999; McClements, 2005). Once at the interface proteins undergo surface denaturation and rearrange themselves in order to position their hydrophobic and hydrophilic amino groups in the oil and aqueous phase respectively, reducing the interfacial tension and overall free energy of the system (Caetano da Silva Lannes & Natali Miquelim, 2013; McClements, 2004). Proteins provide several advantages for emulsion droplet stabilisation, such as protein-protein interactions at interfaces, and electrostatic and steric stabilisation due to the charged and bulky nature of these biopolymers (Lam & Nickerson, 2013; McClements, 2004; O'Connell & Flynn, 2007).

Ultrasound is an acoustic wave with a frequency greater than 20 kHz, the threshold for human auditory detection (Knorr, Zenker, Heinz, & Lee, 2004). Ultrasound can be classified in two distinct

\* Corresponding author. School of Chemical Engineering, University of Birmingham, Edgbaston, Birmingham B15 2TT, UK. Tel.: +44 121 4145364.

E-mail address: [jj023@bham.ac.uk](mailto:jj023@bham.ac.uk) (J. O'Sullivan).

categories based on the frequency range, high frequency (100 kHz to 1 MHz) low power ( $<1 \text{ W cm}^{-2}$ ) ultrasound, utilised most commonly for the analytical evaluation of the physicochemical properties of food (Chemat, Zill-e-Huma, & Khan, 2011), and low frequency (20–100 kHz) high power ( $10\text{--}1000 \text{ W cm}^{-2}$ ) ultrasound recently employed for the alteration of foods, either physically or chemically (McClements, 1995). The effects of high power ultrasound on food structures is attributed to the ultrasonic cavitations, the rapid formation and collapse of gas bubbles, which is generated by localised pressure differentials occurring over short periods of times (a few microseconds). These ultrasonic cavitations cause hydrodynamic shear forces and a rise in temperature at the site of bubble collapse (up to  $5000 \text{ }^\circ\text{C}$ ) contribute to the observed effects of high power ultrasound (Güzey, Gülseren, Bruce, & Weiss, 2006; O'Brien, 2007; O'Donnell, Tiwari, Bourke, & Cullen, 2010).

Ultrasound treatment of food proteins has been related to affect the physicochemical properties of a number of protein sources including soy protein isolate/concentrate (including soy flakes; Arzeni, Martínez, et al., 2012; Hu et al., 2013; Jambrak, Lelas, Mason, Kresić, & Badanjak, 2009; Karki et al., 2009, 2010) and egg white protein (Arzeni, Martínez, et al., (2012); Arzeni, Pérez, & Pilosof, 2012; Krise, 2011). Arzeni, Martínez, et al., (2012), Arzeni, Pérez, et al., (2012) studied the effect of ultrasound upon the structural and emulsifying properties of egg white protein (EWP) and observed an increase in the hydrophobicity and emulsion stability of ultrasound treated EWP by comparison to untreated EWP. In addition, Krise (2011) reported no significant reduction in the primary protein structure molecular weight profile of EWP after sonication at 55 kHz for 12 min. Similarly, Karki et al. (2010) and Hu et al. (2013) observed no significant changes in the primary protein structure molecular weight profile of ultrasound treated soy protein. Furthermore, Arzeni, Martínez, et al. (2012) described a significant reduction in protein aggregate size for soy protein isolate (SPI). However, the effect of ultrasound treatment upon gelatin, either mammalian or piscine derived, pea protein isolate or rice protein isolate has yet to be investigated.

Gelatin is a highly versatile biopolymer widely used in a myriad of industries, from the food industry for gelation and viscosity enhancement, and the pharmaceutical industry for the manufacture of soft and hard capsules (Duconseille, Astruc, Quintana, Meersman, & Sante-Lhoutellier, 2014; Haug, Draget, & Smidsrød, 2004; Schrieber & Gareis, 2007). Gelatin is prepared from the irreversible hydrolysis of collagen (a water insoluble structural protein of connective tissues in animals) under either acidic or alkaline conditions in the presence of heat, yielding a variety of peptide-chain species (Schrieber & Gareis, 2007; Veis, 1964). Gelatin is a composite mixture of three main protein fractions: free  $\alpha$ -chains,  $\beta$ -chains, the covalent linkage between two  $\alpha$ -chains, and  $\gamma$ -chains, the covalent linkage between three  $\alpha$ -chains (Haug & Draget, 2009). Gelatin is unique among proteins owing to the lack of appreciable internal structuring, so that in aqueous solutions at sufficiently high temperatures the peptide chains take up random configurations, analogous to the behaviour of synthetic linear-chain polymers (Veis, 1964).

Egg white protein (EWP) is a functional ingredient widely used in the food industry, due to its emulsifying, foaming and gelation capabilities, and utilised within a wide range of food applications, including noodles, mayonnaise, cakes and confectionary (McClements, 2009; Mine, 2002). EWP is globular in nature with highly defined tertiary and quaternary structures. The main protein fractions of egg white protein include ovalbumin (~55%), ovotransferrin (~12%) and ovomucin (~11%), as well as over 30 other protein fractions (Anton, Nau, & Lechevalier, 2009).

Pea protein isolate (PPI) is a nutritional ingredient used in the food industry owing to its emulsifying (Gharsallaoui, Saurel,

Chambin, & Voilley, 2011; Liang & Tang, 2014) and gelation properties (Sun & Arntfield, 2012), and additionally its hypoallergenic attributes (Boye, Zare, & Pletch, 2010). PPI, a pulse legume, is extracted from *Pisum sativum*, and is the main cultivated protein crop in Europe (Gonzalez-Perez & Arellano, 2009). The major protein fractions found in PPI are albumins (2S; 5–80 kDa) and globulins, the major fractions in pulse legumes are legumin (11S; ~40 kDa), vicilin (7S; ~175 kDa) and convicilin (7–8S; ~290 kDa) (Boye et al., 2010; Gonzalez-Perez & Arellano, 2009). Other minor proteins found in pulses include prolamins and glutelins (Saharan & Khetarpaul, 1994).

Soy protein isolate (SPI) is of particular interest to the food industry, as it is the largest commercially available vegetable protein source owing to its high nutritional value and current low cost, and a highly functional ingredient due to its emulsifying and gelling capabilities, however, this functionality is dependent upon the extraction method utilised for the preparation of the isolate (Achouri, Zamani, & Boye, 2012; Molina, Defaye, & Ledward, 2002; Sorgentini, Wagner, & Aiidn, 1995). SPI, extracted from *Glycine max*, is an oilseed legume grown primarily in the United States, Brazil, Paraguay and Uruguay (Gonzalez-Perez & Arellano, 2009). Similar to pulse legumes, like PPI, the major protein fractions in oilseed legumes are albumins (2S; <80 kDa) and globulins, the dominant fractions in SPI are glycinin (11S; 300–360 kDa) and  $\beta$ -conglycinin (7S; 150–190 kDa) a trimeric glycoprotein (Gonzalez-Perez & Arellano, 2009; Shewry, Napier, & Tatham, 1995).

Rice protein isolate (RPI) is a food ingredient of great importance, reflected by the large annual consumption of rice, 440 million metric tonnes in 2009 (Romero et al., 2012). Up until recently the protein component of rice (~8%) was usually discarded, as the starch component (~80%) yielded greater commercial value (Cao, Wen, Li, & Gu, 2009; Gonzalez-Perez & Arellano, 2009). Despite rice proteins being common ingredients in gels, ice creams and infant formulae (Chrastil, 1992), few studies have been conducted on these proteins to ascertain emulsifying, foaming and gelling capabilities (Agboola, Ng, & Mills, 2005; Romero et al., 2012). RPI is extracted from *Oryza sativa*, a cereal grain, and is cultivated primarily in Asia (Gonzalez-Perez & Arellano, 2009). Similar to PPI and SPI, RPI has four main protein fractions albumin (~5%), globulin (~12%), glutelin (~80%) and prolamin (~3%), which are water-, salt-, alkali- and alcohol-soluble, respectively (Juliano, 1985).

In this work, three animal proteins, bovine gelatin (BG), fish gelatin (FG) and egg white protein (EWP), and three vegetable proteins, pea protein isolate (PPI), soy protein isolate (SPI) and rice protein isolate (RPI), all of which are composite mixtures of a number of protein fractions, were investigated in order to assess the significance of high power ultrasound treatment on industrially relevant food proteins. The objectives of this research were to discern the effects of ultrasound treatment upon animal and vegetable proteins, in particular changes in physicochemical properties, measured in terms of size, molecular structure and intrinsic viscosity. Furthermore, differences in the performance of proteins as emulsifiers after ultrasound treatment was assessed in terms emulsion droplet size, emulsion stability and interfacial tension. Oil-in-water emulsions were prepared with either untreated or ultrasound treated BG, FG, EWP, PPI, SPI and RPI at different concentrations and compared between them and to a low molecular weight emulsifier, Brij 97.

## 2. Materials and methodology

### 2.1. Materials

Bovine gelatin (BG; 175 Bloom), cold water fish gelatin (FG; 200 Bloom), egg white protein from chickens (EWP), Brij<sup>®</sup> 97 and

sodium azide were purchased from Sigma Aldrich (UK). Pea protein isolate (PPI), soy protein isolate (SPI) and rice protein isolate (RPI) were all kindly provided by Kerry Ingredients (Listowel, Ireland). The composition of the animal and vegetable proteins used in this study is presented in Table 1, acquired from the material specification forms from suppliers. The oil used was commercially available rapeseed oil. The water used in all experiments was passed through a double distillation unit (A4000D, Aquatron, UK).

## 2.2. Methods

### 2.2.1. Preparation of untreated protein solutions

Bovine gelatin (BG), fish gelatin (FG) and rice protein isolate (RPI) solutions were prepared by dispersion in water and adjusting the pH of the solution to  $7.08 \pm 0.04$  with 1 M NaOH, as the initial pH of the solution is close to the isoelectric point, 5.32, 5.02 and 4.85, for BG, FG and RPI, respectively. BG, FG, EWP, PPI, SPI and RPI were dispersed in water to obtain solutions within a protein concentration range of 0.1–10 wt.%, where all the animal proteins were soluble at the range of concentrations, whilst the vegetable proteins possessed an insoluble component regardless of hydration time. Sodium azide (0.02 wt.%) was added to the solution to mitigate against microbial activity.

### 2.2.2. Ultrasound treatment of protein solutions

An ultrasonic processor (Viber Cell 750, Sonics, USA) with a 12 mm diameter stainless steel probe was used to ultrasound treat 50 ml aliquots of BG, FG, EWP, PPI, SPI and RPI solutions in 100 ml plastic beakers, which were placed in an ice bath to reduce heat gain. The protein solutions were sonicated with a frequency of 20 kHz and amplitude of 95% (wave amplitude of 108  $\mu\text{m}$  at 100% amplitude) for up to 2 min. This yielded an ultrasonic power intensity of  $\sim 34 \text{ W cm}^{-2}$ , which was determined calorimetrically by measuring the temperature rise of the sample as a function of treatment time, under adiabatic conditions. The acoustic power intensity,  $I_a$  ( $\text{W cm}^{-2}$ ), was calculated as follows (Margulis & Margulis, 2003):

$$I_a = \frac{P_a}{S_A}, \text{ where } P = m \cdot c_p \left( \frac{dT}{dt} \right) \quad (1)$$

where  $P_a$  (W) is the acoustic power,  $S_A$  is the surface area of the ultrasound emitting surface (1.13  $\text{cm}^2$ ),  $m$  is the mass of ultrasound treated solution (g),  $c_p$  is the specific heat of the medium (4.18 kJ/gK) and  $dT/dt$  is the rate of temperature change with respect to time, starting at  $t = 0$  ( $^{\circ}\text{C/s}$ ).

The temperature of the protein solutions was measured before and after sonication by means of a digital thermometer (TGST3, Sensor-Tech Ltd., Ireland), with an accuracy of  $\pm 0.1$   $^{\circ}\text{C}$ . Prior to ultrasound treatment, the temperature of protein solutions was within the range of 5–10  $^{\circ}\text{C}$ , whilst the temperature BG and FG solutions was within a temperature range of 45–50  $^{\circ}\text{C}$ , above the

helix coil transition temperature. After ultrasonic irradiation, the temperature of all protein solutions raised to approximately  $\sim 45$   $^{\circ}\text{C}$ .

### 2.2.3. Characterisation of untreated and ultrasound treated proteins

**2.2.3.1. pH measurements.** The pH of animal and vegetable protein solutions was measured before and after sonication at a temperature of 20  $^{\circ}\text{C}$ . pH measurements were made by using a SevenEasy pH meter (Mettler Toledo, UK). This instrument was calibrated with buffer standard solutions of known pH. The pH values are reported as the average and the standard deviation of three repeat measurements.

**2.2.3.2. Microstructure characterisation.** The size of untreated and ultrasound treated animal proteins was measured by dynamic light scattering (DLS) using a Zetasizer Nano Series (Malvern Instruments, UK), and the size of untreated and ultrasound treated vegetable proteins was measured by static light scattering (SLS) using the Mastersizer 2000 (Malvern Instruments, UK). Protein size values are reported as Z-average ( $D_z$ ). The width of the protein size distribution was expressed in terms of span ( $Span = D_{v0.9} - D_{v0.1} / D_{v0.5}$ ), where  $D_{v0.9}$ ,  $D_{v0.1}$ , and  $D_{v0.5}$  are the equivalent volume diameters at 90, 10 and 50% cumulative volume, respectively. Low span values indicate a narrow size distribution. The protein size and span values are reported as the average and the standard deviation of three repeat measurements.

**2.2.3.3. Microstructure visualisation.** Cryogenic scanning electron microscopy (Cryo-SEM; Philips XL30 FEG ESSEM) was used to visualise the microstructure of untreated and ultrasound treated proteins. One drop of protein solution was frozen to approximately  $-180$   $^{\circ}\text{C}$  in liquid nitrogen slush. Samples were then fractured and etched for 3 min at a temperature of  $-90$   $^{\circ}\text{C}$  inside a preparation chamber. Afterwards, samples were sputter coated with gold and scanned, during which the temperature was kept below  $-160$   $^{\circ}\text{C}$  by addition of liquid nitrogen to the system.

**2.2.3.4. Molecular structure characterisation.** The molecular structure of untreated and ultrasound treated animal and vegetable proteins was determined by sodium dodecyl sulphate–polyacrylamide gel electrophoresis (SDS-PAGE), using a Mini-Protean 3 Electrophoresis System (Bio-Rad, UK), where proteins were tested using the reducing method. 100  $\mu\text{L}$  of protein solution at a concentration of 1 wt.% was added to 900  $\mu\text{L}$  of Laemmli buffer (Bio-Rad, UK; 65.8 mM Tris–HCl, 2.1% SDS, 26.3% (w/v) glycerol, 0.01% bromophenol blue) and 100  $\mu\text{L}$  of  $\beta$ -mercaptoethanol (Bio-Rad, UK) in 2 mL micro tubes and sealed. These 2 mL micro tubes were placed in a float in a water bath at a temperature of 90  $^{\circ}\text{C}$  for 30 min, to allow the reduction reaction to take place. A 10  $\mu\text{L}$  aliquot was taken from each sample and loaded onto a Tris-acrylamide gel (Bio-Rad, UK; 4–20% Mini Protean TGX Gel, 10 wells). A molecular weight standard (Bio-Rad, UK; Precision Plus Protein™ All Blue Standards) was used to determine the primary protein structure molecular weight profile of the samples. Gel electrophoresis was carried out initially at 55 V ( $I > 20$  mA) for 10 min, then at 155 V ( $I > 55$  mA) for 45 min in a running buffer (10 $\times$  Tris/Glycine/SDS Buffer, Bio-Rad, UK; 4% Tris, 15% glycine, 0.5% SDS). The gels were removed from the gel cassette and stained with Coomassie Bio-safe stain (Bio-Rad, UK; 4% phosphoric acid, 0.5% methanol, 0.05% ethanol) for 1 h and de-stained with distilled water overnight.

**2.2.3.5. Intrinsic viscosity measurements.** The intrinsic viscosity of untreated and ultrasound treated animal and vegetable proteins was determined by a double extrapolation to a zero concentration

**Table 1**

Composition and pH (measured at a concentration of 1 wt.% and a temperature of 25  $^{\circ}\text{C}$ ) of bovine gelatin (BG), fish gelatin (FG), egg white protein (EWP), pea protein isolate (PPI), soy protein isolate (SPI) and rice protein isolate (RPI).

	BG	FG	EWP	PPI	SPI	RPI
Protein (wt.%)	86	86	85	86	86	84.5
Moisture (wt.%)	10	12	8.4	7.2	6.2	7.7
Fat (wt.%)	0	0	<0.1	0	3.5	3
Carbohydrate (–)	neg.	neg.	neg.	pos.	pos.	pos.
Ash (wt.%)	0.76	0.09	4.11	4.85	4.96	0.72
pH (–)	5.32	5.02	6.26	7.45	6.95	4.85

method, as described by Morris, Cutler, Ross-Murphy, Rees, and Price (1981), using the models of Huggins' and Kraemer, as follows:

Huggins (1942):

$$\frac{\eta_{sp}}{c} = [\eta] + k_H[\eta]^2 c \quad (2)$$

Kraemer (1938):

$$\frac{\ln \eta_{rel}}{c} = [\eta] + k_K[\eta]^2 c \quad (3)$$

where  $\eta_{sp}$  is the specific viscosity (viscosity of the solvent,  $\eta_0$ /viscosity of the solution,  $\eta$ ),  $c$  the protein concentration (w/v%),  $[\eta]$  the intrinsic viscosity (dL/g),  $k_H$  the Huggins constant,  $\eta_{rel}$  is the relative viscosity (viscosity of the solution,  $\eta$ /viscosity of the solvent,  $\eta_0$ ) and  $k_K$  is the Kraemer constant.

The concentration ranges used for the determination of the intrinsic viscosity of BG, FG, EWP, PPI, SPI and RPI were 0.1–0.5 wt.%, 0.25–1.5 wt.%, 1.5–3 wt.%, 0.5–0.8 wt.%, 1.5–3 wt.% and 0.5–2 wt.%, respectively. The validity of the regression procedure is confined within a discrete range of  $\eta_{rel}$ ,  $1.2 < \eta_{rel} < 2$ . The upper limit is due to the hydrodynamic interaction between associates of protein molecules, and the lower limit is due to inaccuracy in the determination of very low viscosity fluids. A value of  $\eta_{rel}$  approaching 1 indicates the lower limit (Morris et al., 1981).

The viscosity of the protein solutions was measured at 20 °C using a Kinexus rheometer (Malvern Instruments, UK) equipped with a double gap geometry (25 mm diameter, 40 mm height). For the determination of intrinsic viscosity by extrapolation to infinite dilution, there must be linearity between shear stress and shear rate, which indicates a Newtonian behaviour region on the range of shear rate used in the measurements. The Newtonian plateau region of the BG, FG, EWP, PPI, SPI and RPI solutions at the range of concentrations used, was found within a shear rate range of 25–1000 s<sup>-1</sup> (data not shown). Thus, the values of viscosity of the protein solutions and that of the solvent (distilled water) were selected from the flow curves data at a constant shear rate of 250 s<sup>-1</sup> (within the Newtonian region), which were subsequently used to determine the specific viscosity,  $\eta_{sp}$ , the relative viscosity,  $\eta_{rel}$ , and the intrinsic viscosity,  $[\eta]$ . At least three replicates of each measurement were made.

#### 2.2.4. Preparation of oil-in-water emulsions

10 wt.% dispersed phase (rapeseed oil) was added to the continuous aqueous phase containing either untreated or sonicated animal or vegetable proteins or Brij 97 at different concentrations, ranging from 0.1 to 10 wt.%. An oil-in-water pre-emulsion was prepared by emulsifying this mixture at 8000 rpm for 2 min using a high shear mixer (SL2T, Silverson, UK). Submicron oil-in-water emulsions were then prepared by further emulsifying the pre-emulsion using a high-pressure valve homogeniser (Panda NS 1001L-2K, GEA Niro Soavi, UK) at 125 MPa for 2 passes. The initial temperature of EWP, PPI, SPI and RPI emulsions was a temperature of 5 °C to prevent thermal denaturation of proteins from high pressure homogenisation, whilst denaturation may still occur due to the high shear during high pressure processing. The initial temperature of BG and FG emulsions was at a temperature of 50 °C to prevent gelation of gelatin (bovine or fish) during the homogenisation process. High pressure processing increases the temperature of the processed material, and consequently, the final temperatures of emulsions prepared with EWP, PPI, SPI and RPI, and gelatin (BG and FG), after homogenisation were ~45 °C and ~90 °C, respectively.

#### 2.2.5. Characterisation of oil-in-water emulsions

**2.2.5.1. Droplet size measurements.** The droplet size of the emulsions was measured by SLS using a Mastersizer 2000 (Malvern Instruments, UK) immediately after emulsification. Emulsion droplet size values are reported as the volume-surface mean diameter (Sauter diameter;  $d_{3,2}$ ). The stability of the emulsions was assessed by droplet size measurements over 28 days, where emulsions were stored under refrigeration conditions (4 °C) throughout the duration of the stability study. The droplet sizes and error bars are reported as the mean and standard deviation, respectively, of measured emulsions prepared in triplicate.

**2.2.5.2. Interfacial tension measurements.** The interfacial tension between the aqueous phase (pure water, animal or vegetable protein solutions, or surfactant solution) and oil phase (rapeseed oil) was measured using a tensiometer K100 (Krüss, Germany) with the Wilhelmy plate method. The Wilhelmy plate has a length, width and thickness of 19.9 mm, 10 mm and 0.2 mm, respectively and is made of platinum. The Wilhelmy plate was immersed in 20 g of aqueous phase to a depth of 3 mm. Subsequently, an interface between the aqueous phase and oil phase was created by carefully pipetting 50 g of the oil phase over the aqueous phase. The test was conducted over 3600 s and the temperature was maintained at 20 °C throughout the duration of the test. The interfacial tension values and the error bars are reported as the mean and standard deviation, respectively, of three repeat measurements.

**2.2.5.3. Emulsion visualisation.** Cryogenic scanning electron microscopy (Cryo-SEM; Philips XL30 FEG ESSEM) was used to visualise the microstructure of pre-emulsions using untreated and sonicated proteins. One drop of pre-emulsion was frozen to approximately -180 °C in liquid nitrogen slush. Samples were then fractured and etched for 3 min at a temperature of -90 °C inside a preparation chamber. Afterwards, samples were sputter coated with gold and scanned, during which the temperature was kept below -160 °C by addition of liquid nitrogen to the system.

#### 2.3. Statistical analysis

Student's t-test with a 95% confidence interval was used to assess the significance of the results obtained. t-test data with  $P < 0.05$  were considered statistically significant.

### 3. Results and discussion

#### 3.1. Effect of ultrasound treatment on the structural and physical properties of BG, FG, EWP, PPI, SPI and RPI

The effect of duration of ultrasonic irradiation on the size and pH of BG, FG, EWP, PPI, SPI and RPI was initially investigated. 0.1 wt.% solutions of BG, FG, EWP, PPI, SPI and RPI were sonicated for 15, 30, 60 and 120 s, with an ultrasonic frequency of 20 kHz and an amplitude of 95%. Protein size and pH measurements for untreated, and ultrasound treated BG, FG, EWP, PPI, SPI and RPI as a function of time are shown in Fig. 1 and Table 2. The size of the vegetable proteins isolates presented in Fig. 1 prior to sonication (i.e.  $t = 0$ ) are in a highly aggregated state due to protein denaturation from the processing to obtain these isolates. Fig. 1 shows that there is a significant reduction ( $P < 0.05$ ) in protein size with an increase in the sonication time, and the results also highlight that after a sonication of 1 min there is minimal further reduction in protein size of BG, FG, EWP, PPI and SPI. This decrease in protein size is attributed to disruption of the hydrophobic and electrostatic interactions which maintain untreated protein aggregates from the high hydrodynamic shear forces associated with ultrasonic

cavitations. However, there is no significant reduction ( $P > 0.05$ ) in the size of RPI agglomerates, irrespective of treatment time, due to the highly aggregated structure of the insoluble component of RPI, ascribed to both the presence of carbohydrate within the aggregate structure and the denaturation of protein during the preparation of the protein isolate, restricting size reduction by way of ultrasound treatment (Guraya & James, 2002; Marshall & Wadsworth, 1994; Mujoo, Chandrashekar, & Zakiuddin Ali, 1998). The pH of all animal and vegetable protein solutions, with the exception of RPI, decreased significantly ( $P < 0.05$ ) with increasing sonication time. Equivalent to the protein size measurements, after a treatment time of 1 min the pH of protein solutions decreased no further. The decrease in pH of animal and vegetable protein solutions is thought to be associated with the transitional changes resulting in deprotonation of acidic amino acid residues (Sakurai, Konuma, Yagi, & Goto, 2009) which were contained within the interior of associated structures of untreated proteins prior to ultrasound treatment. Our results are in agreement with those of O'Sullivan, Arellano, et al. (2014) and O'Sullivan, Pichot, et al. (2014), who showed that an increased sonication led to a significant reduction of protein size and pH for dairy proteins up to a sonication time of 1 min, as with animal and vegetable proteins, with an ultrasound treatment of 20 kHz and an amplitude of 95%.

The stability of sonicated animal and vegetable proteins solutions as a function of time was investigated by protein size and protein size distribution (span) of sonicated BG, FG, EWP, PPI, SPI and RPI. Animal and vegetable protein solutions with a concentration of 0.1 wt.% were ultrasound treated at 20 kHz and  $\sim 34 \text{ W cm}^{-2}$  for a sonication time of 2 min, as no further decrease in protein size after a sonication time of 1 min was observed (cf., Table 2). The protein size and span values of sonicated animal and vegetable proteins were measured immediately after treatment and after 1 and 7 days, in order to assess the stability of protein size


**Table 2**

Effect of sonication time on pH of BG, FG, EWP, PPI, SPI and RPI solutions at a concentration of 0.1 wt.%. The standard deviation for all pH measurements was  $<0.04$ .

Time (s)	pH (-)				
	0	15	30	60	120
BG	7.09	6.97	6.84	6.71	6.63
FG	7.11	7.02	6.82	6.68	6.77
EWP	6.28	6.19	6.11	6.07	6.04
PPI	7.45	7.36	7.26	7.14	7.12
SPI	6.94	6.8	6.69	6.61	6.59
RPI	7.05	7.04	7.04	7.03	7.02

and protein size distribution. Protein size measurements and span values obtained from DLS and SLS for untreated and ultrasound treated BG, FG, EWP, PPI, SPI and RPI are shown in Table 3.

As can be seen from Table 3, ultrasound treatment produced a significant reduction ( $P < 0.05$ ) in the size and span of BG, FG and EWP. However, 7 days after sonication an increase in the size and the broadening of the distribution was observed for BG, FG and EWP. The effective size reduction of the ultrasound treatment to BG, FG and EWP on day 7 was 85.6%, 80% and 74.25% respectively. In the case of PPI and SPI, the results in Table 3 show that ultrasound treatment significantly ( $P < 0.05$ ) reduced the aggregate size and a broadening of the protein size distribution. The size distribution of PPI and SPI after ultrasound treatment is bimodal, one population having a similar size as the parent untreated protein, and the other population is nano-sized ( $\sim 120 \text{ nm}$ ). The span of the distribution and protein size on day 7 for PPI and SPI was quite similar to that after immediate sonication, representing an effective protein size reduction of 95.7% and 82.3% for PPI and SPI respectively. This significant reduction in aggregate size of both PPI and SPI from ultrasound treatment allows for improved solubilisation and



**Fig. 1.** Effect of sonication time on the  $D_z$  (nm) of (a) BG, (b) EWP, (c) PPI and (d) RPI.

**Table 3**

Average protein size ( $D_z$ ) and span of untreated and ultrasound treated BG, FG, EWP, PPI, SPI and RPI at a concentration of 0.1 wt. %.


Ultrasound treated				
$D_z$ (nm)	Untreated	Day 0	Day 1	Day 7
BG	812 ± 19	61 ± 7	112 ± 11	117 ± 8
FG	554 ± 23	52 ± 9	104 ± 13	111 ± 17
EWP	1600 ± 120	244 ± 5	398 ± 7	412 ± 22
PPI	5250 ± 230	187 ± 7	198 ± 6	222 ± 4
SPI	1700 ± 320	265 ± 10	293 ± 9	298 ± 15
RPI	51,600 ± 920	52,800 ± 840	52,400 ± 680	52,500 ± 730
Span (-)	Untreated	Day 0	Day 1	Day 7
BG	1.93 ± 0.54	0.44 ± 0.03	0.67 ± 0.07	0.73 ± 0.06
FG	1.72 ± 0.43	0.35 ± 0.04	0.59 ± 0.06	0.66 ± 0.05
EWP	8.2 ± 0.44	5.8 ± 0.11	6 ± 0.11	5.8 ± 0.11
PPI	2.8 ± 0.13	48.1 ± 1.5	47.9 ± 1.7	46.6 ± 2.3
SPI	3.4 ± 0.43	23.5 ± 0.9	24.1 ± 1.2	24.4 ± 1.5
RPI	3.61 ± 0.23	3.57 ± 0.32	3.58 ± 0.43	3.6 ± 0.52

prolonged stability of these vegetable protein isolates to sedimentation. Our results are in agreement with those of Jambak et al. (2009), who observed a significant reduction in the size of SPI aggregates. Arzeni, Martínez, et al. (2012) also observed a decrease in the protein size for sonicated SPI but an increase in size for EWP treated by ultrasound, whereby this increase in size of EWP aggregates is associated with thermal aggregation during the ultrasound treatment. The reason for the observed decrease in the protein size of BG, FG, EWP, PPI and SPI is due to disruption of non-covalent associative forces, such as hydrophobic and electrostatic interactions, and hydrogen bonding, which maintain protein aggregates in solution induced by high levels hydrodynamic shear and turbulence due to ultrasonic cavitations. The observed increase in size for BG, FG and EWP after 7 days is thought to be due to reorganisation of proteins into sub-aggregates due to non-covalent interactions (electrostatic and hydrophobic). In the case of PPI and SPI, the static size observed is due to the more defined structure of the PPI and SPI aggregates in comparison to the fully hydrated animal proteins, which allows for greater molecular interactions


and mobility (Veis, 1964). In order to validate these hypotheses, cryo-SEM micrographs were captured of untreated and 7 days after sonication of BG, EWP, SPI and PPI solution at 1 wt.% for all proteins tested (Fig. 2).

Untreated BG in solution (cf., Fig. 2a) appears to be distributed into discrete fibres, which is consistent with the literature, describing gelatin as a fibrous protein (Schrieber & Gareis, 2007; Veis, 1964), whilst BG treated by ultrasound (cf., Fig. 2b) appears to be in the form of fibrils of the parent untreated BG fibre, where the width of the fibres and the fibrils is equivalent, yet the length of the fibrils is shorter than the untreated BG fibres. In the case of untreated SPI (cf., Fig. 2c) large aggregates of protein can be seen, composed of discrete entities, whereas sonicated SPI (cf., Fig. 2d) has a notably reduced protein size, with a monodisperse size distribution. Similar results were observed for FG, EWP and PPI (data not shown). These results are in agreement with previously discussed observations (cf., Table 3), and adds evidence to the hypothesis that ultrasound treatment causes disruption of protein aggregates, that subsequently reorganise themselves into smaller sub-associates.

The molecular structure of untreated and ultrasound treated animal and vegetable proteins was investigated next. Protein solutions at a concentration of 1 wt.% were ultrasound treated for 2 min at 20 kHz, with a power intensity of  $\sim 34 \text{ W cm}^{-2}$ . Electrophoretic profiles obtained by SDS-PAGE for untreated and ultrasound treated BG, FG, EWP, SPI, PPI and RPI, and the molecular weight standard, are shown in Fig. 3. No difference in the protein fractions was observed between untreated and sonicated BG, FG, EWP, SPI, PPI and RPI (cf., Fig. 3). These results are in concurrence with those reported by Krise (2011) who showed no difference in the primary structure molecular weight profile between untreated and ultrasound treated egg white, with a treatment conducted at 55 kHz,  $45.33 \text{ W cm}^{-2}$  for 12 min. Moreover, the obtained protein fractions are in agreement with the literature for gelatin (Gouinlock, Flory, & Scheraga, 1955; Veis, 1964), EWP (Anton et al., 2009), SPI (Gonzalez-Perez & Arellano, 2009), PPI (Sun & Arntfield, 2012) and RPI (Hamaker, 1994; Juliano, 1985).




**Fig. 2.** Cryo-SEM micrographs of protein solutions: (a) 1% Untreated BG, (b) 1% Ultrasound treated BG, (c) 1% Untreated SPI and (d) 1% Ultrasound treated SPI. Scale bar is 2 µm in all cases.



**Fig. 3.** SDS-PAGE electrophoretic profiles of protein solutions: (a) Molecular weight standard (10 kDa–250 kDa), (b) Untreated BG, (c) Ultrasound treated BG, (d) Untreated FG, (e) Ultrasound treated FG, (f) Untreated EWP, (g) Ultrasound treated EWP, (h) Untreated PPI, (i) Ultrasound treated PPI, (j) Untreated SPI, (k) Ultrasound treated SPI, (l) Untreated RPI and (m) Ultrasound treated RPI.

The intrinsic viscosity,  $[\eta]$ , was obtained by the fitting of experimental viscosity data to the Huggins' and Kraemer equations, for untreated and ultrasound irradiated animal and vegetable protein solutions, as shown in Fig. 4 for EWP and PPI. The other proteins investigated as part of this study (BG, FG, SPI and RPI) display similar behaviour to EWP (i.e. negative  $k_H$  and  $k_K$  values). The values of  $[\eta]$  and the Huggins',  $k_H$ , and Kraemer,  $k_K$ , constants for each of the proteins investigated in this study are listed in Table 4.

Intrinsic viscosity,  $[\eta]$ , demonstrates the degree of hydration of proteins and provides information about the associate hydrodynamic volume, which is related to molecular conformation of proteins in solution (Behrouzian, Razavi, & Karazhiyan, 2014; Harding, 1997; Sousa, Mitchell, Hill, & Harding, 1995). A comparison of the  $[\eta]$  between untreated and ultrasound treated animal and vegetable proteins (cf., Table 4) demonstrates that ultrasound treatment induced a significant reduction ( $P < 0.05$ ) in the intrinsic



**Fig. 4.** Fitting of the Huggins (●) and Kraemer (○) equations to the viscosity data of the studied protein solutions: (a) Untreated EWP, (b) Ultrasound treated EWP, (c) Untreated PPI and (d) Ultrasound treated PPI.

**Table 4**  
Intrinsic viscosity ( $[\eta]$ ), Huggins ( $k_H$ ) and Kraemer ( $k_K$ ) constants obtained for untreated and ultrasound treated BG, FG, EWP, PPI, SPI and RPI solutions.

Protein in solution	$[\eta]$ Untreated (dL/g)	$k_H$ Untreated	$k_K$ Untreated	$[\eta]$ Ultrasound (dL/g)	$k_H$ Ultrasound	$k_K$ Ultrasound
BG	2.75 ± 0.08	-2.88	-3.09	2.06 ± 0.09	-2.31	-2.39
FG	1.06 ± 0.07	-0.38	-0.41	0.76 ± 0.05	-0.18	-0.24
EWP	0.25 ± 0.001	-0.03	-0.033	0.21 ± 0.001	-0.023	-0.026
PPI	0.8 ± 0.005	0.59	0.034	0.76 ± 0.007	-0.24	-0.29
SPI	0.31 ± 0.002	-0.02	-0.032	0.27 ± 0.001	-0.023	-0.031
RPI	0.55 ± 0.009	-0.15	-0.16	0.56 ± 0.007	-0.13	-0.14

viscosity of BG, FG, EWP, PPI and SPI in solution, and consequently a significant reduction in the hydrodynamic volume occupied by the proteins and the solvents entrained within them. These results are in agreement with the reduction in associate size (cf., Table 3) and cryo-SEM micrographs (cf., Fig. 2), however, for the case of RPI, there is no reduction in the intrinsic viscosity, which is consistent with the previous size measurements (cf., Table 3). Gouinlock et al. (1955), Lefebvre (1982) and Prakash (1994) reported intrinsic viscosity values of 6.9 dL/g for gelatin, 0.326 dL/g for ovalbumin and 0.46 dL/g for glycinin (11S; soy globulin), respectively. These values differ to those obtained in this work untreated BG, EWP and SPI (cf., Table 4). These differences may be a consequence of the complexity of EWP and SPI solutions, which are composed of a mixture of protein fractions rather than single component ovalbumin and glycinin (Lefebvre, 1982; Prakash, 1994), and in case of gelatin, differences may arise due to variability in preparation of the gelatin from collagen, which determines the molecular weight profile of the resulting gelatin (Veis, 1964). Extrinsic variations in solvent quality greatly affect the determination of intrinsic viscosity and further accounts for the differences between the single fraction proteins and the multi-component proteins investigated in this study. Extrinsic factors affecting intrinsic viscosity include temperature, pH, initial mineral content and composition, co-solvents, additional salts and their concentration (Harding, 1997). Furthermore, the large  $[\eta]$  of both BG and FG by comparison to the other proteins investigated as part of this study is due to the random coil conformation of these molecules in solutions, which consequently entrain more water giving a larger overall hydrodynamic volume.

Intrinsic viscosity of a protein solution can be used to indicate the degree of hydrophobicity of the protein (Tanner & Rha, 1980). The intrinsic viscosity of protein associates in solution is dependent on its conformation and degree of hydration, which dictate the amount of hydrophobic residues that are within the interior of protein associates. A decrease in the intrinsic viscosity also leads to dehydration of amphiphilic biopolymers, increasing the hydrophobicity of the biopolymer and thus reducing the energy required for adsorption of amphiphilic biopolymers to the oil-water interface (Khan, Bibi, Pervaiz, Mahmood, & Siddiq, 2012). Thus, the significant reduction ( $P < 0.05$ ) of intrinsic viscosity induced by ultrasound treatment (cf., Table 4), expresses an increase in the degree of hydrophobicity of BG, FG, EWP, PPI and SPI.

The Huggins' and Kraemer coefficients are adequate for the assessment of solvent quality. Positive values of the Huggins' coefficient,  $k_H$ , within a range of 0.25–0.5 indicate good solvation, whilst  $k_H$  values within a range of 0.5–1.0 are related to poor solvents (Delpech & Oliveira, 2005; Pamies, Hernández Cifre, del Carmen López Martínez, & García de la Torre, 2008). Conversely negative values for the Kraemer coefficient,  $k_K$ , indicate good solvent, yet positive values express poor solvation (Delpech & Oliveira, 2005; Harding, 1997; Pamies et al., 2008). The values for the  $k_H$  and  $k_K$  (cf., Table 4) are both negative, with the exception of untreated PPI exhibiting a positive  $k_H$  value, indicating good solvation when considering  $k_K$ , yet unusual behaviour in the case of  $k_H$ .

Nonetheless, negative values of  $k_H$  have been reported in the literature for biopolymers with amphiphilic properties, such as bovine serum albumin (Curvale, Masuelli, & Padilla, 2008), sodium caseinate, whey protein isolate and milk protein isolate (O'Sullivan, Arellano, et al., 2014; O'Sullivan, Pichot, et al., 2014), all dispersed within serum. Positive  $k_H$  values are associated with uniform surface charges of polymers (Sousa et al., 1995), indicating that untreated PPI aggregates have a uniform surface charge, and after ultrasound treatment conformational changes occur yielding an amphiphatic character on the surface of the ultrasound treated PPI, observed by the negative  $k_H$  value. It is also important to observe that the relation  $k_H + k_K = 0.5$ , generally accepted to indicate adequacy of experimental results for hydrocolloids, was not found for any of the proteins investigated in this study (cf., Table 4). This effect is thought to be associated with the amphiphatic nature of the proteins used in this study (by comparison to non-amphiphilic polysaccharides) yielding negative values of  $k_H$  and  $k_K$ . Similar results have been reported in the literature for other amphiphilic polymers (Curvale et al., 2008; O'Sullivan, Arellano, et al., 2014; Yilgor, Ward, Yilgor, & Atilla, 2006). In addition, the values of  $k_H$  and  $k_K$  tend to decrease after ultrasound treatment indicating improved solvation of proteins (Delpech & Oliveira, 2005).


### 3.2. Comparison of the emulsifying properties of untreated and ultrasound treated BG, FG, EWP, PPI, SPI and RPI

Oil-in-water emulsions were prepared with 10 wt.% rapeseed oil and an aqueous continuous phase containing either untreated or ultrasound irradiated (2 min at 20 kHz,  $\sim 34 \text{ W cm}^{-2}$ ) BG, FG, EWP, PPI, SPI and RPI, or a low molecular weight surfactant, Brij 97, at a range of emulsifier concentrations (0.1–10 wt.%). Emulsions were prepared using high-pressure valve homogenisation (125 MPa for 2 passes) and droplet sizes as a function of emulsifier type and concentration are shown in Fig. 5. The emulsion droplet sizes were measured immediately after emulsification, and all exhibited unimodal droplet size distributions.

Emulsions prepared with sonicated BG (cf., Fig. 5a), EWP (cf., Fig. 5c) and PPI (cf., Fig. 5d) at concentrations  $< 1$  wt.% yielded a significant ( $P < 0.05$ ) reduction in emulsion droplet size by comparison to their untreated counterparts. At concentrations  $\geq 1$  wt.% the emulsions prepared with untreated and ultrasound treated BG, EWP and PPI exhibited similar droplet sizes. The decrease in emulsion droplet size after ultrasound treatment at concentrations  $< 1$  wt.% is consistent with the significant reduction ( $P < 0.05$ ) in protein size (increase in surface area-to-volume ratio) upon ultrasound treatment of BG, EWP and PPI solutions (cf., Table 3) which allows for more rapid adsorption of protein to the oil-water interface, as reported by Damodaran and Razumovsky (2008). In addition, the significant increase of hydrophobicity of ultrasound treated BG, EWP and PPI and the decrease in intrinsic viscosity (cf., Table 4; Khan et al., 2012) would lead to an increased rate of protein adsorption to the oil-water interface, reducing interfacial tension allowing for improved facilitation of droplet break-up. The sub-micron droplets obtained for untreated PPI are in agreement with droplet sizes obtained by those measured by Donsi, Senatore, Huang, and Ferrari (2010), in the order of  $\sim 200$  nm for emulsions containing pea protein (4 wt.%).

Emulsions prepared with the tested concentrations of untreated and ultrasound treated FG (cf., Fig. 5b), SPI (data not shown) and RPI (data not shown) yielded similar droplet sizes, where emulsions prepared with 0.1 wt.% FG yielded emulsion droplets  $\sim 5 \mu\text{m}$ , and both SPI and RPI yielded  $\sim 2 \mu\text{m}$  droplets at the same concentration. Furthermore, at similar concentrations PPI yielded smaller emulsion droplets than those prepared with SPI, making SPI a poorer emulsifier, in agreement with the results of Vose (1980). This





**Fig. 5.** Average droplet size as a function of concentrations of: (a) Untreated BG, sonicated BG and Brij 97, (b) Untreated FG, sonicated FG and Brij 97, (c) Untreated EWP, sonicated EWP and Brij 97 and (d) Untreated PPI, sonicated PPI and Brij 97.

behaviour was anticipated for RPI, where no significant reduction ( $P > 0.05$ ) in protein size was observed (cf., Table 3), yet unexpected when considering the significant reduction ( $P < 0.05$ ; increase in surface area-to-volume ratio) of protein size observed for both sonicated FG and SPI (cf., Table 3). Moreover, the significant increase in hydrophobicity of ultrasound treated FG and SPI expressed by the decrease in intrinsic viscosity (cf., Table 4; Khan et al., 2012; Tanner & Rha, 1980) would also be expected to result in faster adsorption of protein to the oil-water interface, however it appears that the rate of protein adsorption of ultrasound treated FG and SPI to the oil-water interface remains unchanged regardless of the smaller protein associate sizes and increase in hydrophobicity, when compared with untreated FG and SPI. Even though ultrasound treatment reduces the aggregate size of SPI, proteins possessing an overall low molecular weight, such as EWP (ovalbumin is ~44 kDa), are capable of forming smaller emulsion droplets than larger molecular weight proteins (glycinin is 360 kDa) as lower molecular weight species have greater molecular mobility through the bulk for adsorbing to oil-water interfaces (Beverung et al., 1999; Caetano da Silva Lannes & Natali Miquelim, 2013). The submicron droplets achieved for untreated FG are consistent with droplet sizes obtained by Surh, Decker, and McClements (2006), in the order of ~300 nm for emulsions containing either low molecular weight (~55 kDa) or high molecular weight (~120 kDa) fish gelatin (4 wt.%).

At protein concentrations  $>1$  wt.% for emulsions prepared with either untreated or ultrasound treated EWP (cf., Fig. 5c), SPI and RPI micron sized entities ( $>10 \mu\text{m}$ ) were formed. Unexpectedly, emulsions prepared with PPI did not exhibit the formation of these entities, even though the structure of PPI is similar to that of SPI. The degree and structure of the denatured component of PPI likely varies to that of SPI and accounts for the non-aggregating behaviour of PPI. Emulsions being processed using high pressure

homogenisation experience both increases in temperature and regions of high hydrodynamic shear, both of these mechanisms result in denaturation of proteins. These micron sized entities are attributed to denaturation and aggregation of protein due to the high levels of hydrodynamic shear present during the homogenisation process, as thermal effects were minimised by ensuring that the emulsions were processed at a temperature of  $5^\circ\text{C}$ , and the outlet temperature was less than  $45^\circ\text{C}$  in all cases, lower than the thermal denaturation temperatures of EWP, SPI and RPI (Ju, Hettiarachchy, & Rath, 2001; Sorgentini et al., 1995; Van der Plancken, Van Loey, & Hendrickx, 2006). Hydrostatic pressure induced gelation of EWP, SPI and RPI has been reported in the literature (Messens, Van Camp, & Huyghebaert, 1997; Molina et al., 2002; Tang & Ma, 2009; Zhang-Cun et al., 2013) and the formation of these entities is attributed to the high shear forces exerted upon the proteins while under high shear conditions, whereby the excess of bulk protein allows for greater interpenetration of protein chains under high shear yielding the formation of discrete entities composed of oil droplets within denatured aggregated protein. Unexpectedly, emulsions prepared with a higher concentration of protein (10 wt.%) yielded a significant ( $P < 0.05$ ) reduction in entity size in comparison to those prepared with the lower concentration (5 wt.%). This behaviour is ascribed to an increased rate of formation and number of aggregates formed at higher concentrations during the short time within the shear field.

Emulsion droplets sizes for all animal and vegetable proteins investigated (cf., Fig. 5) are smaller than that of the size of the untreated proteins (cf., Table 3). Be that as it may, the reported protein sizes (cf., Table 3) represent aggregates of protein molecules and not discrete protein fractions. Native ovalbumin and glycinin have hydrodynamic radii ( $R_h$ ) of approximately 3 nm and 12.5 nm respectively (García De La Torre, Huertas, & Carrasco,

2000; Peng, Quass, Dayto, & Allen, 1984), in comparison to size data presented in Table 3, whereby the EWP and SPI have  $D_z$  values of EWP and SPI of approximately 1.6 and 1.7  $\mu\text{m}$ , respectively. This disparity in size is due to the preparation of these protein isolates whereby shear and temperature result in the formation of insoluble aggregated material, in comparison to the soluble native protein fractions. Proteins in aqueous solutions associate together to form aggregates due to hydrophobic and electrostatic interactions (O'Connell, Grinberg, & de Kruif, 2003), however in the presence of a hydrophobic dispersed phase (i.e. rapeseed oil) the protein fractions which comprise the aggregate disassociates and adsorb to the oil-water interface (Beverung et al., 1999; O'Connell & Flynn, 2007), which accounts for the fabrication of submicron droplets presented in this study.

The emulsion droplet sizes presented in Fig. 5, which were shown to be dependent on the emulsifier type, can be interpreted by comparing the interfacial tension of the studied systems. Fig. 5 presents the interfacial tension between water and rapeseed oil, for untreated and ultrasound treated BG, FG, PPI and SPI, and Brij 97, all at an emulsifier concentration of 0.1 wt.%. In order to assess the presence of surface active impurities within the dispersed phase, the interfacial tension between distilled water and rapeseed oil was measured. Fig. 6 shows that the interfacial tension of all systems decreases continually as a function of time. In light of these results, the decrease of interfacial tension with time is attributed primarily to the nature of the dispersed phase used, and to a lesser degree the type of emulsifier. Gaonkar (1989, 1991) explained that the time dependent nature of interfacial tension of commercially available vegetable oils against water was due to the adsorption of surface active impurities present within the oils at the oil-water interface.

Gaonkar (1989, 1991) also reported that after purification of the vegetable oils (percolation through a synthetic magnesium silicate bed), the time dependency of interfacial tension was no longer observed.

No significant differences ( $P > 0.05$ ) were observed in the obtained values of interfacial tension between untreated and ultrasound treated FG (cf., Fig. 6b) and RPI (data not shown). These results are consistent with droplet size data, where no significant difference in the droplet size was observed. Significant differences were shown for the initial rate of decrease of interfacial tension when comparing untreated and ultrasound treated PPI (cf., Fig. 6c). Ultrasound treated PPI aggregates are smaller than untreated PPI (cf., Table 3) and have greater hydrophobicity (i.e. reduction in  $[\eta]$ ; cf., Table 4) accounting for the significant reduction of initial interfacial tension, enhancing droplet break-up during emulsification. Significant differences ( $P < 0.05$ ) in the equilibrium interfacial tension values were observed when comparing untreated and sonicated BG (cf., Fig. 6a), EWP (data not shown) and SPI (cf., Fig. 6d). These results are consistent with the observed significant reduction ( $P < 0.05$ ) in emulsion droplet size for BG (cf., Fig. 5a) and EWP (cf., Fig. 5c) and adds evidence to the hypotheses that aggregates of sonicated BG and EWP adsorb faster to the interface due to higher surface area-to-volume ratio (cf., Table 3; smaller protein size) and increased hydrophobicity (i.e. reduction in  $[\eta]$ ; cf., Table 4), significantly reducing the equilibrium interfacial tension, yielding smaller emulsion droplets. No significant reduction ( $P > 0.05$ ) in emulsion droplet size was noted for SPI, despite the observed reduction in equilibrium interfacial tension of SPI (cf., Fig. 6d) which may be a consequence of alternative protein conformations at the oil-water interface. These hypotheses were





Fig. 6. Interfacial tension between water and pure vegetable oil as a function of emulsifier type: (a) Untreated BG, ultrasound treated BG and Brij 97, (b) Untreated FG, ultrasound treated FG and Brij 97, (c) Untreated PPI, ultrasound treated PPI and Brij 97 and (d) Untreated SPI, ultrasound treated SPI and Brij 97.



**Fig. 7.** Cryo-SEM micrographs of protein stabilised O/W pre-emulsions: (a) 1% Untreated BG stabilised emulsion, (b) 1% Ultrasound treated BG stabilised emulsion and (c) 1% Untreated SPI stabilised emulsion, (d) 1% Ultrasound treated SPI stabilised emulsion. Scale bar is 10 µm in all cases.

explored by cryo-SEM of pre-emulsions, to allow for visualisation emulsion droplet interface, prepared with untreated and ultrasound treated BG and SPI at an emulsifier concentration of 1 wt.% for all pre-emulsions tested (cf., Fig. 7).

Emulsion droplets of pre-emulsions prepared with untreated BG (cf., Fig. 7a) show fibres of gelatin tracking around the surface of the droplets whereas emulsion droplets of pre-emulsions prepared with ultrasound treated BG (cf., Fig. 7b) show the smaller fibrils of gelatin at the interface of the droplets, yielding improved interfacial packing of protein, accounting for the lower equilibrium interfacial tension (cf., Fig. 6a) and the decrease in droplet size (cf., Fig. 5a). The droplet surfaces of pre-emulsions prepared with ultrasound SPI (cf., Fig. 7d) appear to be smoother by comparison to the seeming more textured droplet interfaces observed for pre-emulsions prepared with untreated SPI (cf., Fig. 7c). These findings are consistent with the interfacial tension data (cf., Fig. 6), where a significant reduction ( $P < 0.05$ ) of the equilibrium interfacial tension upon sonication of BG and SPI was observed, and accounted for by visualisation of the improved interfacial packing of protein.


The stability of oil-in-water emulsions prepared with untreated and sonicated BG, FG, EWP, PPI, SPI and RPI, and Brij 97 for comparative purposes, was assessed over a 28 day period. Fig. 8 shows the development of droplet size ( $d_{3,2}$ ) as a function of time for emulsions prepared with untreated and ultrasound irradiated BG, FG, PPI and SPI, as well as Brij 97, at an emulsifier concentration of 0.1 wt.%.

Emulsions prepared with untreated BG (cf., Fig. 8a) exhibited a growth in droplet size, and this coalescence was also observed for emulsions prepared with 0.5 wt.% untreated BG, while emulsions prepared with higher concentrations ( $\geq 1$  wt.%) of untreated BG were stable for the 28 days of the study (data not shown). However, it can also be seen (cf., Fig. 8a) that emulsions prepared with ultrasound treated BG were resistant to coalescence over the 28 days of the study, and had the same stability of Brij 97. The behaviour exhibited by 0.1 wt.% ultrasound treated BG was observed at all concentrations investigated in this study (data not shown). This improved stability of ultrasound treated BG by comparison to untreated BG is thought to be associated with an increase in the

hydrophobicity (i.e. decrease in the intrinsic viscosity; cf., Table 4) and improved interfacial packing of ultrasound treated BG by comparison to untreated BG as observed by a decrease in the equilibrium interfacial tension (cf., Fig. 6a) and cryo-SEM visualisation (cf., Fig. 7a and b). In contrast, results in Fig. 8b show that emulsions prepared with both untreated and ultrasound treated FG display coalescence, yet ultrasound treated FG displayed a notable decrease in emulsion stability by comparison to untreated FG. The emulsion stability of untreated and ultrasound treated FG is analogous to untreated BG, where coalescence was observed at concentration of 0.5 wt.%, and stable emulsions were achieved with higher emulsifier concentrations ( $\geq 1$  wt.%; data not shown). This decrease in emulsion stability after ultrasound treatment of FG is thought to be associated with a weaker interfacial layer of ultrasound treated FG by comparison to untreated FG allowing for a greater degree of coalescence, accounting for the decrease in emulsion stability. Emulsions prepared with either untreated or sonicated EWP (data not shown), PPI (cf., Fig. 8c), SPI (cf., Fig. 8d) and RPI (data not shown), and Brij 97 (cf., Fig. 8) were all stable against coalescence and bridging flocculation over the 28 days of this study. This stability was observed for all concentrations probed in this study ( $\geq 0.5$  wt.%) of untreated and ultrasound treated EWP, PPI, SPI and RPI investigated, as well as for Brij 97 (data not shown). In all cases no phase separation was observed in the emulsions, whilst emulsions with droplet sizes  $> 1$  µm exhibited gravitational separation with a cream layer present one day after preparation. Furthermore, the  $d_{3,2}$  is lower in all cases at an emulsifier concentration of 0.1 wt.% for ultrasound treated proteins by comparison to that of their untreated counterparts, as previously discussed.

#### 4. Conclusions

This study showed that ultrasound treatment (20 kHz,  $\sim 34$  W  $\text{cm}^{-2}$  for 2 min) of animal and vegetable proteins significantly ( $P < 0.05$ ) reduced aggregate size and hydrodynamic volume, with the exception of RPI. The reduction in protein size was attributed to the hydrodynamic shear forces associated with ultrasonic cavitations. In spite of the aggregate size reduction, no



**Fig. 8.** Effect of emulsifier type on droplet size as a function of time for O/W emulsions stabilised by: (a) Untreated BG, ultrasound treated BG and Brij 97, (b) Untreated FG, ultrasound treated FG and Brij 97, (c) Untreated PPI, ultrasound treated PPI and Brij 97, (d) Untreated SPI, ultrasound treated SPI and Brij 97.

differences in primary structure molecular weight profile were observed between untreated and ultrasound irradiated BG, FG, EWP, PPI, SPI and RPI.

Unanticipatedly, emulsions prepared with the ultrasound treated FG, SPI and RPI proteins had the same droplet sizes as those obtained with their untreated counterparts, and were stable at the same concentrations, with the exception of emulsions prepared with ultrasound treated FG where reduced emulsion stability at lower concentrations (<1 wt.%) was exhibited. These results suggest that sonication did not significantly affect the rate of FG or RPI surface denaturation at the interface, as no significant ( $P > 0.05$ ) reduction in the equilibrium interfacial tension between untreated and ultrasound irradiated FG or RPI was observed. By comparison, emulsions fabricated with ultrasound treated BG, EWP and PPI at concentrations <1 wt.% had smaller emulsion sizes than their untreated counterparts at the same concentrations. This behaviour was attributed to a reduction in protein size (i.e. increased mobility through the bulk) and an increase in the hydrophobicity (reflected by a decrease in the intrinsic viscosity) of sonicated BG, EWP and PPI. Furthermore, emulsions prepared with ultrasound treated BG had improved stability against coalescence for 28 days at all concentrations investigated. This enhancement in emulsion stability attributed to improved interfacial packing, observed by a lower equilibrium interfacial tension and cryo-SEM micrographs.

Ultrasound treatment can thus improve the solubility of previously poorly soluble vegetable proteins (PPI and SPI) and moreover, is capable of improving the emulsifying performance of other proteins (BG, EWP and PPI).

#### Acknowledgements

The authors wish to thank Kerry Group for their sponsorship and permission to publish this work, and useful discussions with

Maurice O'Sullivan of Kerry Ingredients and Flavours, and with Roman Pichot and Marcela Arellano formerly of the University of Birmingham. The authors would also like to acknowledge the financial support from the EPSRC. We would also like to thank Paul Stanley and Theresa Morris for their guidance with the cryo-SEM imaging.

#### References

- Achouri, A., Zamani, Y., & Boye, J. I. (2012). Stability and physical properties of emulsions prepared with and without soy proteins. *Journal of Food Research*, 1(1), 254–267. <http://dx.doi.org/10.5539/jfr.v1n1p254>.
- Agboola, S., Ng, D., & Mills, D. (2005). Characterisation and functional properties of Australian rice protein isolates. *Journal of Cereal Science*, 41(3), 283–290. <http://dx.doi.org/10.1016/j.jcs.2004.10.007>.
- Anton, M., Nau, F., & Lechevalier, V. (2009). Egg proteins. In G. O. Philips, & P. A. Williams (Eds.), *Handbook of hydrocolloids* (2nd ed.). (pp. 359–382). Woodhead Publishing Limited.
- Arzeni, C., Martínez, K., Zema, P., Arias, A., Pérez, O. E., & Pilosof, A. M. R. (2012). Comparative study of high intensity ultrasound effects on food proteins functionality. *Journal of Food Engineering*, 108(3), 463–472. <http://dx.doi.org/10.1016/j.jfoodeng.2011.08.018>.
- Arzeni, C., Pérez, O. E., & Pilosof, A. M. R. (2012). Functionality of egg white proteins as affected by high intensity ultrasound. *Food Hydrocolloids*, 29(2), 308–316. <http://dx.doi.org/10.1016/j.foodhyd.2012.03.009>.
- Behrouzian, F., Razavi, S. M. A., & Karazhiyan, H. (2014). Intrinsic viscosity of cress (*Lepidium sativum*) seed gum: effect of salts and sugars. *Food Hydrocolloids*, 35(0), 100–105. <http://dx.doi.org/10.1016/j.foodhyd.2013.04.019>.
- Beverung, C. J., Radke, C. J., & Blanch, H. W. (1999). Protein adsorption at the oil/water interface: characterization of adsorption kinetics by dynamic interfacial tension measurements. *Biophysical Chemistry*, 81(1), 59–80. [http://dx.doi.org/10.1016/S0301-4622\(99\)00082-4](http://dx.doi.org/10.1016/S0301-4622(99)00082-4).
- Boye, J., Zare, F., & Pletch, A. (2010). Pulse proteins: processing, characterization, functional properties and applications in food and feed. *Food Research International*, 43(2), 414–431. <http://dx.doi.org/10.1016/j.foodres.2009.09.003>.
- Caetano da Silva Lannes, S., & Natali Miquelim, J. (2013). Interfacial behavior of food proteins. *Current Nutrition & Food Science*, 9(1), 10–14. <http://dx.doi.org/10.2174/157340113804810914>.
- Cao, X., Wen, H., Li, C., & Gu, Z. (2009). Differences in functional properties and biochemical characteristics of congenetic rice proteins. *Journal of Cereal Science*, 50(2), 184–189. <http://dx.doi.org/10.1016/j.jcs.2009.04.009>.

- Chemat, F., Zill-e-Huma, & Khan, M. K. (2011). Applications of ultrasound in food technology: processing, preservation and extraction. *Ultrasonics Sonochemistry*, 18(4), 813–835. <http://dx.doi.org/10.1016/j.ultsonch.2010.11.023>.
- Chrastil, J. (1992). Correlations between the physicochemical and functional properties of rice. *Journal of Agricultural and Food Chemistry*, 40(9), 1683–1686. Retrieved from: <http://www.scopus.com/inward/record.url?eid=2-s2.0-0000888822&partnerID=t20tx3y1>.
- Curvale, R., Masuelli, M., & Padilla, A. P. (2008). Intrinsic viscosity of bovine serum albumin conformers. *International Journal of Biological Macromolecules*, 42(2), 133–137. <http://dx.doi.org/10.1016/j.ijbiomac.2007.10.007>.
- Damodaran, S., & Razumovsky, L. (2008). Role of surface area-to-volume ratio in protein adsorption at the air–water interface. *Surface Science*, 602(1), 307–315. Retrieved from: <http://yadda.icm.edu.pl/yadda/element/bwmeta1.element.elsevier-045ad028-6839-3258-ba5a-ebfc62ad060c>.
- Delpech, M. C., & Oliveira, C. M. F. (2005). Viscometric study of poly(methyl methacrylate-g-propylene oxide) and respective homopolymers. *Polymer Testing*, 24(3), 381–386. <http://dx.doi.org/10.1016/j.polymertesting.2004.09.012>.
- Dickinson, E. (1999). Caseins in emulsions: interfacial properties and interactions. *International Dairy Journal*, 9(3–6), 305–312. [http://dx.doi.org/10.1016/S0958-6946\(99\)00079-5](http://dx.doi.org/10.1016/S0958-6946(99)00079-5).
- Donsi, F., Senatore, B., Huang, Q., & Ferrari, G. (2010). Development of novel pea protein-based nanoemulsions for delivery of nutraceuticals. *Journal of Agricultural and Food Chemistry*, 58(19), 10653–10660. <http://dx.doi.org/10.1021/jf101804g>.
- Duconseille, A., Astruc, T., Quintana, N., Meersman, F., & Sante-Lhoutellier, V. (2014). Gelatin structure and composition linked to hard capsule dissolution: a review. *Food Hydrocolloids*. <http://dx.doi.org/10.1016/j.foodhyd.2014.06.006>.
- Foegeding, E. A., & Davis, J. P. (2011). Food protein functionality: a comprehensive approach. *Food Hydrocolloids*, 25(8), 1853–1864. <http://dx.doi.org/10.1016/j.foodhyd.2011.05.008>.
- Gaonkar, A. G. (1989). Interfacial tensions of vegetable oil/water systems: effect of oil purification. *Journal of the American Oil Chemists' Society*, 66(8), 1090–1092. <http://dx.doi.org/10.1007/BF02670090>.
- Gaonkar, A. G. (1991). Surface and interfacial activities and emulsion characteristics of some food hydrocolloids. *Food Hydrocolloids*, 5(4), 329–337. [http://dx.doi.org/10.1016/S0268-005X\(09\)80045-3](http://dx.doi.org/10.1016/S0268-005X(09)80045-3).
- García De La Torre, J., Huertas, M. L., & Carrasco, B. (2000). Calculation of hydrodynamic properties of globular proteins from their atomic-level structure. *Biophysical Journal*, 78(2), 719–730. [http://dx.doi.org/10.1016/S0006-3495\(00\)76630-6](http://dx.doi.org/10.1016/S0006-3495(00)76630-6).
- Gharsallaoui, A., Saurel, R., Chambin, O., & Voilley, A. (2011). Pea (*Pisum sativum*, L.) protein isolate stabilized emulsions: a novel system for microencapsulation of lipophilic ingredients by spray drying. *Food and Bioprocess Technology*, 5(6), 2211–2221. <http://dx.doi.org/10.1007/s11947-010-0497-z>.
- Gonzalez-Perez, S., & Arellano, J. B. (2009). Vegetable protein isolates. In G. O. Philips, & P. A. Williams (Eds.), *Handbook of hydrocolloids* (2nd ed.). (pp. 383–419). Woodhead Publishing Limited.
- Gouinlock, E. V., Flory, P. J., & Scheraga, H. A. (1955). Molecular configuration of gelatin. *Journal of Polymer Science*, 16(82), 383–395. Retrieved from: <http://onlinelibrary.wiley.com/doi/10.1002/pol.1955.120168226/abstract>.
- Guraya, H. S., & James, C. (2002). Deagglomeration of rice starch-protein aggregates by high-pressure homogenization. *Starch – Stärke*, 54(3–4), 108–116. doi: 10.1002/1521-379X(200204)54:3/4<108::AID-STAR108>3.0.CO;2-2.
- Güzey, D., Gülsiren, İ., Bruce, B., & Weiss, J. (2006). Interfacial properties and structural conformation of thermosonicated bovine serum albumin. *Food Hydrocolloids*, 20(5), 669–677. <http://dx.doi.org/10.1016/j.foodhyd.2005.06.008>.
- Hamaker, B. R. (1994). The influence of rice protein on rice quality. In W. E. Marshall, & J. I. Wadsworth (Eds.), *Rice science and technology* (1st ed.). (pp. 177–194). New York: Marcel Dekker.
- Harding, S. E. (1997). The intrinsic viscosity of biological macromolecules. Progress in measurement, interpretation and application to structure in dilute solution. *Progress in Biophysics and Molecular Biology*, 68(2–3), 207–262. [http://dx.doi.org/10.1016/S0079-6107\(97\)00027-8](http://dx.doi.org/10.1016/S0079-6107(97)00027-8).
- Haug, I. J., & Draget, K. I. (2009). Gelatin. In G. O. Philips, & P. A. Williams (Eds.), *Handbook of hydrocolloids* (2nd ed.). (pp. 142–163). Woodhead Publishing Limited.
- Haug, I. J., Draget, K. I., & Smidsrød, O. (2004). Physical and rheological properties of fish gelatin compared to mammalian gelatin. *Food Hydrocolloids*, 18(2), 203–213. [http://dx.doi.org/10.1016/S0268-005X\(03\)00065-1](http://dx.doi.org/10.1016/S0268-005X(03)00065-1).
- Huggins, M. L. (1942). The viscosity of dilute solutions of long-chain molecules. IV. Dependence on concentration. *Journal of the American Chemical Society*, 64(11), 2716–2718. <http://dx.doi.org/10.1021/ja01263a056>.
- Hu, H., Wu, J., Li-Chan, E. C. Y., Zhu, L., Zhang, F., Xu, X., et al. (2013). Effects of ultrasound on structural and physical properties of soy protein isolate (SPI) dispersions. *Food Hydrocolloids*, 30(2), 647–655. <http://dx.doi.org/10.1016/j.foodhyd.2012.08.001>.
- Jambrak, A. R., Lelas, V., Mason, T. J., Kresić, G., & Badanjak, M. (2009). Physical properties of ultrasound treated soy proteins. *Journal of Food Engineering*, 93(4), 386–393. <http://dx.doi.org/10.1016/j.jfoodeng.2009.02.001>.
- Ju, Z. Y., Hettiarachchy, N. S., & Rath, N. (2001). Extraction, denaturation and hydrophobic properties of rice flour proteins. *Journal of Food Science*, 66(2), 229–232. <http://dx.doi.org/10.1111/j.1365-2621.2001.tb11322.x>.
- Juliano, B. O. (1985). *Rice: Chemistry and technology* (p. 774). American Association of Cereal Chemists. Retrieved from: <http://books.google.co.uk/books/about/Rice.html?id=QcxnQgAACAA&pgis=1>.
- Karki, B., Lamsal, B. P., Grewell, D., Pometto, A. L., Leeuwen, J., Khanal, S. K., et al. (2009). Functional properties of soy protein isolates produced from ultrasonicated defatted soy flakes. *Journal of the American Oil Chemists' Society*, 86(10), 1021–1028. <http://dx.doi.org/10.1007/s11746-009-1433-0>.
- Karki, B., Lamsal, B. P., Jung, S., van Leeuwen, J. (Hans), Pometto, A. L., III, Grewell, D., et al. (2010). Enhancing protein and sugar release from defatted soy flakes using ultrasound technology. *Journal of Food Engineering*, 96(2), 270–278. <http://dx.doi.org/10.1016/j.jfoodeng.2009.07.023>.
- Khan, A., Bibi, I., Pervaiz, S., Mahmood, K., & Siddiq, M. (2012). Surface tension, density and viscosity studies on the associative behaviour of oxyethylene-oxybutylene diblock copolymers in water at different temperatures. *International Journal of Organic Chemistry*, 02(1), 82–92. <http://dx.doi.org/10.4236/ijoc.2012.1014>.
- Knorr, D., Zenker, M., Heinz, V., & Lee, D.-U. (2004). Applications and potential of ultrasonics in food processing. *Trends in Food Science & Technology*, 15(5), 261–266. <http://dx.doi.org/10.1016/j.tifs.2003.12.001>.
- Kraemer, E. O. (1938). Molecular weights of celluloses and cellulose derivatives. *Industrial & Engineering Chemistry*, 30(10), 1200–1203. <http://dx.doi.org/10.1021/ie50346a023>.
- Krise, K. M. (2011). *The effects of microviscosity, bound water and protein mobility on the radiolysis and sonolysis of hen egg white* (PhD Thesis).
- Lam, R. S. H., & Nickerson, M. T. (2013). Food proteins: a review on their emulsifying properties using a structure–function approach. *Food Chemistry*, 141(2), 975–984. <http://dx.doi.org/10.1016/j.foodchem.2013.04.038>.
- Lefebvre, J. (1982). Viscosity of concentrated protein solutions. *Rheologica Acta*, 21(4–5), 620–625. <http://dx.doi.org/10.1007/BF01534361>.
- Liang, H.-N., & Tang, C. (2014). Pea protein exhibits a novel Pickering stabilization for oil-in-water emulsions at pH 3.0. *LWT – Food Science and Technology*, 58(2), 463–469. <http://dx.doi.org/10.1016/j.lwt.2014.03.023>.
- Margulis, M. A., & Margulis, I. M. (2003). Calorimetric method for measurement of acoustic power absorbed in a volume of a liquid. *Ultrasonics Sonochemistry*, 10(6), 343–345. [http://dx.doi.org/10.1016/S1350-4177\(03\)00100-7](http://dx.doi.org/10.1016/S1350-4177(03)00100-7).
- Marshall, W. E., & Wadsworth, J. (1994). *Rice science and technology*. New York, USA: Marcel Dekker.
- McClements, D. J. (1995). Advances in the application of ultrasound in food analysis and processing. *Trends in Food Science & Technology*, 6(9), 293–299. [http://dx.doi.org/10.1016/S0924-2244\(00\)89139-6](http://dx.doi.org/10.1016/S0924-2244(00)89139-6).
- McClements, D. J. (2004). Protein-stabilized emulsions. *Current Opinion in Colloid & Interface Science*, 9(5), 305–313. <http://dx.doi.org/10.1016/j.cocis.2004.09.003>.
- McClements, D. J. (2005). *Food emulsions: Principles, practices, and techniques* (2nd ed.). CRC Press.
- McClements, D. J. (2009). Biopolymers in food emulsions. In *Modern biopolymer science* (1st ed.). (pp. 129–166). Elsevier Inc. <http://dx.doi.org/10.1016/B978-0-12-374195-0.00004-5>.
- Messens, W., Van Camp, J., & Huyghebaert, A. (1997). The use of high pressure to modify the functionality of food proteins. *Trends in Food Science & Technology*, 8(4), 107–112. [http://dx.doi.org/10.1016/S0924-2244\(97\)01015-7](http://dx.doi.org/10.1016/S0924-2244(97)01015-7).
- Mine, Y. (2002). Recent advances in egg protein functionality in the food system. *World's Poultry Science Journal*, 58.
- Molina, E., Defaye, A. B., & Ledward, D. A. (2002). Soy protein pressure-induced gels. *Food Hydrocolloids*, 16(6), 625–632. [http://dx.doi.org/10.1016/S0268-005X\(02\)00028-0](http://dx.doi.org/10.1016/S0268-005X(02)00028-0).
- Morris, E. R., Cutler, A. N., Ross-Murphy, S. B., Rees, D. A., & Price, J. (1981). Concentration and shear rate dependence of viscosity in random coil polysaccharide solutions. *Carbohydrate Polymers*, 1, 5–21.
- Mujoo, R., Chandrashekar, A., & Zakiuddin Ali, S. (1998). Rice protein aggregation during the flaking process. *Journal of Cereal Science*, 28(2), 187–195. <http://dx.doi.org/10.1006/jcsc.1998.0199>.
- O'Brien, W. D. (2007). Ultrasound-biophysics mechanisms. *Progress in Biophysics and Molecular Biology*, 93(1–3), 212–255. <http://dx.doi.org/10.1016/j.jpbio.2006.07.010>.
- O'Connell, J. E., & Flynn, C. (2007). The manufacture and application of casein-derived ingredients. In Y. H. Hui (Ed.), *Handbook of food products manufacturing* (1st ed.). (pp. 557–593). New Jersey: John Wiley & Sons.
- O'Connell, J. E., Grinberg, V. Y., & de Kruijff, C. G. (2003). Association behavior of  $\beta$ -casein. *Journal of Colloid and Interface Science*, 258(1), 33–39. [http://dx.doi.org/10.1016/S0021-9797\(02\)00066-8](http://dx.doi.org/10.1016/S0021-9797(02)00066-8).
- O'Donnell, C. P., Tiwari, B. K., Bourke, P., & Cullen, P. J. (2010). Effect of ultrasonic processing on food enzymes of industrial importance. *Trends in Food Science & Technology*, 21(7), 358–367. <http://dx.doi.org/10.1016/j.tifs.2010.04.007>.
- O'Sullivan, J., Arellano, M., Pichot, R., & Norton, I. (2014). The effect of ultrasound treatment on the structural, physical and emulsifying properties of dairy proteins. *Food Hydrocolloids*, 42(3), 386–396.
- O'Sullivan, J., Pichot, R., & Norton, I. T. (2014). Protein stabilised submicron emulsions. In P. A. Williams, & G. O. Phillips (Eds.), *Gums and stabilisers for the food industry 17* (pp. 223–229). Cambridge, UK: The Royal Society of Chemistry.
- Pamies, R., Hernández Cifre, J. G., del Carmen López Martínez, M., & García de la Torre, J. (2008). Determination of intrinsic viscosities of macromolecules and nanoparticles. Comparison of single-point and dilution procedures. *Colloid and Polymer Science*, 286(11), 1223–1231. <http://dx.doi.org/10.1007/s00396-008-1902-2>.
- Peng, I. C., Quass, D. W., Dayto, W. R., & Allen, C. E. (1984). The physicochemical and functional properties of soybean 11S globulin – a review. *Cereal Chemistry*, 61, 480–490.

- Prakash, V. (1994). Structural similarity among proteins from oil seeds: an overview. *Journal of Scientific and Industrial Research*, 53(9), 684–691. Retrieved from: <http://ir.cftri.com/5532/>.
- Romero, A., Beaumal, V., David-Briand, E., Cordobes, F., Guerrero, A., & Anton, M. (2012). Interfacial and emulsifying behaviour of rice protein concentrate. *Food Hydrocolloids*, 29(1), 1–8. <http://dx.doi.org/10.1016/j.foodhyd.2012.01.013>.
- Saharan, K., & Khetarpaul, N. (1994). Protein quality traits of vegetable and field peas: varietal differences. *Plant Foods for Human Nutrition (Dordrecht, Netherlands)*, 45(1), 11–22. Retrieved from: <http://www.ncbi.nlm.nih.gov/pubmed/8146100>.
- Sakurai, K., Konuma, T., Yagi, M., & Goto, Y. (2009). Structural dynamics and folding of beta-lactoglobulin probed by heteronuclear NMR. *Biochimica et Biophysica Acta*, 1790(6), 527–537. <http://dx.doi.org/10.1016/j.bbagen.2009.04.003>.
- Schrieber, R., & Gareis, H. (2007). *Gelatine handbook – Theory and industrial practice* (1st ed.). (pp. 1–348). Wiley-Blackwell.
- Shewry, P. R., Napier, J. A., & Tatham, A. S. (1995). Seed storage proteins: structures and biosynthesis. *The Plant Cell*, 7(7), 945–956. <http://dx.doi.org/10.1105/tpc.7.7.945>.
- Sorgentini, D. A., Wagner, J. R., & Aiudin, M. C. (1995). *Effects of thermal treatment of soy protein isolate on the characteristics and structure–function relationship of soluble and insoluble fractions* (pp. 2471–2479).
- Sousa, I. M. N., Mitchell, J. R., Hill, S. E., & Harding, S. E. (1995). Intrinsic viscosity and Mark-Houwink parameters of lupin proteins in aqueous solutions. *Les Cahiers de Rhéologie*, 14, 139–148.
- Sun, X. D., & Arntfield, S. D. (2012). Molecular forces involved in heat-induced pea protein gelation: effects of various reagents on the rheological properties of salt-extracted pea protein gels. *Food Hydrocolloids*, 28(2), 325–332. <http://dx.doi.org/10.1016/j.foodhyd.2011.12.014>.
- Surh, J., Decker, E., & McClements, D. (2006). Properties and stability of oil-in-water emulsions stabilized by fish gelatin. *Food Hydrocolloids*, 20(5), 596–606. <http://dx.doi.org/10.1016/j.foodhyd.2005.06.002>.
- Tang, C.-H., & Ma, C.-Y. (2009). Effect of high pressure treatment on aggregation and structural properties of soy protein isolate. *LWT – Food Science and Technology*, 42(2), 606–611. <http://dx.doi.org/10.1016/j.lwt.2008.07.012>.
- Tanner, R., & Rha, C. (1980). Hydrophobic effect on the intrinsic viscosity of globular proteins. In G. Astarita, G. Marrucci, & L. Nicolais (Eds.), *Rheology, volume 2: Fluids* (pp. 277–283). Boston, MA: Springer US. <http://dx.doi.org/10.1007/978-1-4684-3743-0>.
- Van der Plancken, I., Van Loey, A., & Hendrickx, M. E. (2006). Effect of heat-treatment on the physico-chemical properties of egg white proteins: a kinetic study. *Journal of Food Engineering*, 75(3), 316–326. <http://dx.doi.org/10.1016/j.jfoodeng.2005.04.019>.
- Veis, A. (1964). *Macromolecular chemistry of gelatin* (1st ed.). New York: Academic Press.
- Vose, J. R. (1980). Production and functionality of starches and protein isolates from legume seeds. *Cereal Chemistry*, 57, 406–410.
- Walstra, P., & van Vliet, T. (2003). Chapter II: Functional properties. In W. Y. Aalbersberg, R. J. Hamer, P. Jasperse, H. H. J. de Jongh, C. G. de Kruif, P. Walstra, et al. (Eds.), *Industrial Proteins in Perspective: Vol. 23. BT - Progress in biotechnology* (pp. 9–30). Elsevier. [http://dx.doi.org/10.1016/S0921-0423\(03\)80002-3](http://dx.doi.org/10.1016/S0921-0423(03)80002-3).
- Yilgor, I., Ward, T. C., Yilgor, E., & Atilla, G. E. (2006). Anomalous dilute solution properties of segmented polydimethylsiloxane–polyurea copolymers in isopropyl alcohol. *Polymer*, 47(4), 1179–1186. <http://dx.doi.org/10.1016/j.polymer.2005.12.008>.
- Zhang-Cun, W., Wei-Huan, T., Sheng-Wen, C., Xue-Wei, Z., Jian-Qiang, Z., Chang-Wen, L., et al. (2013). Effects of high hydrostatic pressure on the solubility and molecular structure of Rice protein. *Chinese Journal of High Pressure Physics*. <http://dx.doi.org/10.11858/gywlxb.2013.04.023>.