

# Master Index to Volumes 51–60

- ABRAHAM, U. and SHELAH, S., A  $\Delta_2^2$  well-order of the reals and incompactness of  $L(Q^{MM})$  59 (1993) 1– 32
- ABRAMSKY, S., Domain theory in logical form 51 (1991) 1– 77
- ALLEN, B., Arithmetizing Uniform NC 53 (1991) 1– 50
- ANDRETTA, A., Large cardinals and iteration trees of height  $\omega$  54 (1991) 1– 15
- ARAI, T., A slow growing analogue to Buchholz' proof 54 (1991) 101–120
- ASH, C.J., Generalizations of enumeration reducibility using recursive infinitary propositional sentences 58 (1992) 173–184
- BAAZ, M. and LEITSCH, A., Complexity of resolution proofs and function introduction 57 (1992) 181–215
- BAILEY, C. and DOWNEY, R., Tabular degrees in  $\alpha$ -recursion theory 55 (1992) 205–236
- BALDWIN, J.T. and SHELAH, S., The primal framework II: Smoothness 55 (1992) 1– 34
- BARTOSZYNSKI, T. and SHELAH, S., Closed measure zero sets 58 (1992) 93–110
- BASARAB, S.A., Relative elimination of quantifiers for Henselian valued fields 53 (1991) 51– 74
- BAUMGARTNER, J.E., On the size of closed unbounded sets 54 (1991) 195–227
- BERARDUCCI, A. and INTRIGILA, B., Combinatorial principles in elementary number theory 55 (1992) 35– 50
- BERGER, U., Total sets and objects in domain theory 60 (1993) 91–117
- BETHKE, I., Finite type structures within combinatory algebras 55 (1992) 101–123
- BIANCONI, R., Model completeness results for elliptic and abelian functions 54 (1991) 121–136
- BLASS, A., A game semantics for linear logic 56 (1992) 183–220
- BLASS, A. and SCEDROV, A., Complete topoi representing models of set theory 57 (1992) 1– 26
- BOSSI, A. and VALENTINI, S., An intuitionistic theory of types with assumptions of high-arity variables 57 (1992) 93–149
- BRENDLE, J., JUDAH, H. and SHELAH, S., Combinatorial properties of Hechler forcing 58 (1992) 185–199
- BUSS, S.R., Intuitionistic validity in  $T$ -normal Kripke structures 59 (1993) 159–173
- BUSS, S.R., Propositional consistency proofs 52 (1991) 3– 29
- BUSS, S.R., The undecidability of  $k$ -provability 53 (1991) 75–102
- CAICEDO, X., Compactness and normality in abstract logics 59 (1993) 33– 43
- CELLUCCI, C., Existential instantiation and normalization in sequent natural deduction 58 (1992) 111–148
- CENZER, D. and REMMEL, J., Polynomial-time versus recursive models 54 (1991) 17– 58
- CENZER, D. and REMMEL, J., Polynomial-time Abelian groups 56 (1992) 313–363
- CENZER, D., DOWNEY, R., JOCKUSCH, C. and SHORE, R.A., Countable thin  $\Pi_1^0$  classes 59 (1993) 79–139
- CLOTE, P. and TAKEUTI, G., Bounded arithmetic for NC, ALogTIME, L and NL 56 (1992) 73–117
- COOPER, S.B., HARRINGTON, L., LACHLAN, A.H., LEMPP, S. and SOARE, R.I., The d.r.e. degrees are not dense 55 (1992) 125–151

- CROSSLEY, J.N. and REMMEL, J., Cancellation laws for polynomial-time p-isolated sets 56 (1992) 147–172
- DAVYDOV, G. and DAVYDOVA, I., Tautologies and positive solvability of linear homogeneous systems 57 (1992) 27–43
- DAVYDOVA, I., *see* DAVYDOV, G. 57 (1992) 27–43
- DEKKER, J.C.E. and ELLENTUCK, E., Myhill's work in recursion theory 56 (1992) 43–71
- DOWNEY, R., Every recursive boolean algebra is isomorphic to one with incomplete atoms 60 (1993) 193–206
- DOWNEY, R. and SLAMAN, T.A., On co-simple isols and their intersection types 56 (1992) 221–237
- DOWNEY, R. and STOB, M., Friedberg splittings of recursively enumerable sets 59 (1993) 175–199
- DOWNEY, R., *see* BAILEY, C. 55 (1992) 205–236
- DOWNEY, R., *see* CENZER, D. 59 (1993) 79–139
- DUBOSE, D.A., Determinacy and the sharp function on the reals 54 (1991) 59–85
- DUBOSE, D.A., Determinacy and the sharp function on the reals 55 (1992) 237–263
- DUBOSE, D.A., Determinacy and extended sharp functions on the reals, Part II: Obtaining sharps from determinacy 58 (1992) 1–28
- ELLENTUCK, E., *see* DEKKER, J.C.E. 56 (1992) 43–71
- FARMER, W.M., A unification-theoretic method for investigating the  $k$ -provability problem 51 (1991) 173–214
- FRIEDMAN, H.M. and HIRST, J.L., Reverse mathematics and homeomorphic embeddings 54 (1991) 229–253
- FUCHINO, S., KOPPELBERG, S. and TAKAHASHI, M., On  $L_{\infty\kappa}$ -free Boolean algebras 55 (1992) 265–284
- FUJITA, K., *see* TONINO, H. 57 (1992) 251–276
- GALLIER, J.H., What's so special about Kruskal's theorem and the ordinal  $\Gamma_0$ ?  
A survey of some results in proof theory 53 (1991) 199–260
- GERMANO, G.M. and MAZZANTI, S., General iteration and unary functions 54 (1991) 137–178
- GIRARD, J.-Y., On the unity of logic 59 (1993) 201–217
- GITIK, M., The strength of the failure of the Singular Cardinal Hypothesis 51 (1991) 215–240
- GITIK, M. and SHELAH, S., More on simple forcing notions and forcings with ideals 59 (1993) 219–238
- GOLDRING, N., Woodin cardinals and presaturated ideals 55 (1992) 285–303
- GONCHAROV, S., YAKHNIS, A. and YAKHNIS, V., Some effectively infinite classes of enumerations 60 (1993) 207–235
- HARIZANOV, V.S., Uncountable degree spectra 54 (1991) 255–263
- HARIZANOV, V.S., Some effects of Ash–Nerode and other decidability conditions on degree spectra 55 (1992) 51–65
- HARIZANOV, V.S., The possible Turing degree of the nonzero member in a two element degree spectrum 60 (1993) 1–30
- HARKLEROAD, L., Polynomial-time analogues of isolatedness 56 (1992) 173–182
- HARRINGTON, L., *see* COOPER, S.B. 55 (1992) 125–151
- HASKELL, D., A transfer theorem in constructive  $p$ -adic algebra 58 (1992) 29–55
- HAUSER, K., The indescribability of the order of the indescribable cardinals 57 (1992) 45–91
- HEINDORF, L., Moderate families in Boolean algebras 57 (1992) 217–250
- HIRST, J.L., *see* FRIEDMAN, H.M. 54 (1991) 229–253
- HOLLAND, K.L., Projective geometries of algebraically closed fields of characteristic zero 60 (1993) 237–260
- HOLLY, J., *see* VAN DEN DRIES, L. 57 (1992) 161–179
- HOLMES, M.R., Systems of combinatory logic related to Quine's 'New Foundations' 53 (1991) 103–133

- HOLMES, M.R., Systems of combinatory logic related to predicative and ‘mildly impredicative’ fragments of Quine’s ‘New Foundations’ 59 (1993) 45– 53
- HURLBURT, K.R., Sufficiency conditions for theories with recursive models 55 (1992) 305–320
- HYTTINEN, T. and TUURI, H., Constructing strongly equivalent nonisomorphic models for unstable theories 52 (1991) 203–248
- INTRIGILA, B., *see* BERARDUCCI, A. 55 (1992) 35– 50
- ISHIHARA, H., Constructive compact operators on a Hilbert space 52 (1991) 31– 37
- JÄGER, G., Fixed points in Peano arithmetic with ordinals 60 (1993) 119–132
- JIN, R. and KEISLER, H.J., Game sentences and ultrapowers 60 (1993) 261–274
- JOCKUSCH Jr, C.G. and SOARE, R.I., Degrees of orderings not isomorphic to recursive linear orderings 52 (1991) 39– 64
- JOCKUSCH, C., *see* CENZER, D. 59 (1993) 79–139
- JUDAH, H., *see* BRENDLE, J. 58 (1992) 185–199
- JUST, W., A more direct proof of a result of Shelah 53 (1991) 261–267
- KANAMORI, A., Regressive partition relations,  $n$ -subtle cardinals, and Borel diagonalization 52 (1991) 65– 77
- KAYE, R., KOSSAK, R. and KOTLARSKI, H., Automorphisms of recursively saturated models of arithmetic 55 (1992) 67– 99
- KECHRIS, A.S., Boundedness theorems for dilators and ptykes 52 (1991) 79– 92
- KECHRIS, A.S. and WOODIN, W.H., A strong boundedness theorem for dilators 52 (1991) 93– 97
- KEISLER, H.J., From discrete to continuous time 52 (1991) 99–141
- KEISLER, H.J., *see* JIN, R. 60 (1993) 261–274
- KOJMAN, M. and SHELAH, S., The universality spectrum of stable unsuperstable theories 58 (1992) 57– 72
- KO, K., On the computational complexity of integral equations 58 (1992) 201–228
- KOPPELBERG, S., A construction of Boolean algebras from first-order structures 59 (1993) 239–256
- KOPPELBERG, S., *see* FUCHINO, S. 55 (1992) 265–284
- KOSSAK, R., *see* KAYE, R. 55 (1992) 67– 99
- KOTLARSKI, H., *see* KAYE, R. 55 (1992) 67– 99
- KRAJÍČEK, J., PUDLÁK, P. and TAKEUTI, G., Bounded arithmetic and the polynomial hierarchy 52 (1991) 143–153
- KREISEL, G., On the idea(l) of logical closure 56 (1992) 19– 41
- KRYNICKI, M. and MOSTOWSKI, M., Decidability problems in languages with Henkin quantifiers 58 (1992) 149–172
- KUMABE, M., Generic degrees are complemented 59 (1993) 257–272
- KUMMER, M. and STEPHAN, F., Weakly semirecursive sets and r.e. orderings 60 (1993) 133–150
- LACHLAN, A.H., *see* COOPER, S.B. 55 (1992) 125–151
- LANO, K., The intuitionistic alternative set theory 59 (1993) 141–156
- LEITSCH, A., *see* BAAZ, M. 57 (1992) 181–215
- LEMPP, S., *see* COOPER, S.B. 55 (1992) 125–151
- LI, L., LI, H. and LIU, Y., A decision algorithm for linear sentences on a PFM 59 (1993) 273–286
- LI, H., *see* LI, L. 59 (1993) 273–286
- LINCOLN, P., MITCHELL, J., SCEDROV, A. and SHANKAR, N., Decision problems for propositional linear logic 56 (1992) 239–311
- LINCOLN, P., SCEDROV, A. and SHANKAR, N., Linearizing intuitionistic implication 60 (1993) 151–177
- LIU, Y., *see* LI, L. 59 (1993) 273–286
- LOVE, J., Stability among r.e. quotient algebras 59 (1993) 55– 63
- LOVEYS, J., Locally finite weakly minimal theories 55 (1992) 153–203

- MACINTYRE, A., Schanuel's Conjecture and free exponential rings 51 (1991) 241–246  
 MANCOSU, P., Generalizing classical and effective model theory in theories of operations and classes 52 (1991) 249–308  
 MARCONE, A., Borel quasi-orderings in subsystems of second-order arithmetic 54 (1991) 265–291  
 MAREK, W., NERODE, A. and REMMEL, J., How complicated is the set of stable models of a recursive logic program? 56 (1992) 119–135  
 MASINI, A., 2-Sequent calculus: a proof theory of modalities 58 (1992) 229–246  
 MAZZANTI, S., *see* GERMANO, G.M.  
 McLAUGHLIN, T.G., Eight problems about Nerode semirings (recursive ultrapowers) 54 (1991) 137–178  
 MENDLER, N.P., Inductive types and type constraints in the second-order lambda calculus 56 (1992) 137–146  
 MILLER, D., NADATHUR, G., PFENNING, F. and SCEDROV, A., Uniform proofs as a foundation for logic programming 51 (1991) 159–172  
 MITCHELL, J.C. and MOGGI, E., Kripke-style models for typed lambda calculus 51 (1991) 125–157  
 MITCHELL, J., *see* LINCOLN, P.  
 MITCHELL, W.J., An infinitary Ramsey property 51 (1991) 99–124  
 MOGGI, E., *see* MITCHELL, J.C.  
 MOSTOWSKI, M., *see* KRYNICKI, M.  
 NADATHUR, G., *see* MILLER, D. 51 (1991) 125–157  
 NERODE, A., *see* MAREK, W. 56 (1992) 119–135  
 NESIN, A., PILLAY, A. and RAZENJ, V., Groups of dimension two and three over o-minimal structures 53 (1991) 279–296  
 NEVINS, T.A., Degrees of convex dependence in recursively enumerable vector spaces 60 (1993) 31– 47  
 NG, S.-A., Loeb extensions and ultrapowers of measures on fragments 60 (1993) 179–189  
 OTERO, M., The Joint embedding property in normal open induction 60 (1993) 275–290  
 PFENNING, F., *see* MILLER, D. 51 (1991) 125–157  
 PILLAY, A., *see* NESIN, A. 53 (1991) 279–296  
 PUDLÁK, P., *see* KRAJÍČEK, J. 52 (1991) 143–153  
 RATHJEN, M. and WEIERMANN, A., Proof-theoretic investigations on Kruskal's theorem 60 (1993) 49– 88  
 RAZENJ, V., One-dimensional groups over an o-minimal structure 53 (1991) 269–277  
 RAZENJ, V., *see* NESIN, A. 53 (1991) 279–296  
 REED, R.C., A decidable Ehrenfeucht theory with exactly two hyperarithmetic models 53 (1991) 135–168  
 REMMEL, J., *see* CENZER, D. 54 (1991) 17– 58  
 REMMEL, J., *see* CENZER, D. 56 (1992) 313–363  
 REMMEL, J., *see* CROSSLEY, J.N. 56 (1992) 147–172  
 REMMEL, J., *see* MAREK, W. 56 (1992) 119–135  
 SCEDROV, A., *see* BLASS, A. 57 (1992) 1– 26  
 SCEDROV, A., *see* LINCOLN, P. 56 (1992) 239–311  
 SCEDROV, A., *see* LINCOLN, P. 60 (1993) 151–177  
 SCEDROV, A., *see* MILLER, D. 51 (1991) 125–157  
 SEESE, D., The structure of the models of decidable monadic theories of graphs 53 (1991) 169–195  
 SHANKAR, N., *see* LINCOLN, P. 56 (1992) 239–311  
 SHANKAR, N., *see* LINCOLN, P. 60 (1993) 151–177  
 SHELAH, S., *see* ABRAHAM, U. 59 (1993) 1– 32  
 SHELAH, S., *see* BALDWIN, J.T. 55 (1992) 1– 34  
 SHELAH, S., *see* BARTOSZYNSKI, T. 58 (1992) 93–110  
 SHELAH, S., *see* BRENDLE, J. 58 (1992) 185–199

- SHELAH, S., *see* GITIK, M. 59 (1993) 219–238  
 SHELAH, S., *see* KOJMAN, M. 58 (1992) 57– 72  
 SHEPHERDSON, J.C., Mints type deductive calculi for logic programming 56 (1992) 7– 17  
 SHORE, R.A., *see* CENZER, D. 59 (1993) 79–139  
 SLAMAN, T.A., The density of infima in the recursively enumerable degrees 52 (1991) 155–179  
 SLAMAN, T.A., *see* DOWNEY, R. 56 (1992) 221–237  
 SOARE, R.I., *see* COOPER, S.B. 55 (1992) 125–151  
 SOARE, R.I., *see* JOCKUSCH Jr, C.G. 52 (1991) 39– 64  
 SPECTOR, M., Iterated extended ultrapowers and supercompactness without choice 54 (1991) 179–194  
 STEPHAN, F., *see* KUMMER, M. 60 (1993) 133–150  
 STOB, M., *see* DOWNEY, R. 59 (1993) 175–199  
 SURESON, C., About Prikry generic extensions 51 (1991) 247–278  
 SURESON, C., Symmetric submodels of a Cohen generic extension 58 (1992) 247–261
- TAKAHASHI, M., *see* FUCHINO, S. 55 (1992) 265–284  
 TAKEUTI, G., *see* CLOTE, P. 56 (1992) 73–117  
 TAKEUTI, G., *see* KRAJÍČEK, J. 52 (1991) 143–153  
 TANAKA, K., Weak systems of determinacy and subsystems of analysis II ( $\Sigma_2^0$  games) 52 (1991) 181–193  
 TONINO, H. and FUJITA, K., On the adequacy of representing higher order intuitionistic logic as a pure type system 57 (1992) 251–276  
 TUURI, H., *see* HYTTINEN, T. 52 (1991) 203–248
- VALENTINI, S., *see* BOSSI, A. 57 (1992) 93–149  
 VAN DEN BERG, I.P., Extended use of IST 58 (1992) 73– 92  
 VAN DEN DRIES, L. and HOLLY, J., Quantifier elimination for modules with scalar variables 57 (1992) 161–179  
 VARDI, M.Y., Verification of concurrent programs: the automata-theoretic framework 51 (1991) 79– 98
- WEIERMANN, A., *see* RATHJEN, M. 60 (1993) 49– 88  
 WOODIN, W.H., *see* KECHRIS, A.S. 52 (1991) 93– 97
- YAKHNIS, A., *see* GONCHAROV, S. 60 (1993) 207–235  
 YAKHNIS, V., *see* GONCHAROV, S. 60 (1993) 207–235  
 YASUMOTO, M., Nonstandard arithmetic of Hilbert subsets 52 (1991) 195–202  
 YU, X., Riesz representation theorem, Borel measures and subsystems of second-order arithmetic 59 (1993) 65– 78
- ZAIIONC, M.,  $\lambda$ -Definability on free algebras 51 (1991) 279–300  
 ŽIVALJEVIĆ, B., Every Borel function is monotone Borel 54 (1991) 87– 99