


Available online at www.sciencedirect.com

Vision Research 45 (2005) 1–44

**Vision
Research**

www.elsevier.com/locate/visres

AUTHOR INDEX

ABADI, R.V.

Abadi, R.V. and Gowen, E. Characteristics of saccadic intrusions, 2675

ABE, H.

Usui, T., Tanimoto, N., Ueki, S., Takagi, M., Hasegawa, S., Abe, H., Sekiya, K. and Nakazawa, M. ERG rod a-wave in Oguchi disease, 535

ADAMS, A.J.

Switkes, E. and Adams, A.J. Obituary: Professor Russell L. De Valois 1926–2003, 2745

AFRAZ, S.-R.

Rajimehr, R., Vaziri-Pashkam, M., Afraz, S.-R. and Esteky, H. Adaptation to apparent motion in crowding condition, 925

AHISSAR, M.

Ben-Yehudah, G. and Ahissar, M. Sequential spatial frequency discrimination is consistently impaired among adult dyslexics, 1047

AKSAY, E.

Mensh, B.D., Aksay, E., Lee, D.D., Seung, H.S. and Tank, D.W. Spontaneous eye movements in goldfish: oculomotor integrator performance, plasticity, and dependence on visual feedback, 711

ALA-LAURILA, P.

Ala-Laurila, P., Pahlberg, J., Koskelainen, A. and Donner, K. On the relation between the photoactivation energy and the absorbance spectrum of visual pigments, 2153

ALDEBASI, Y.H.

Aldebasi, Y.H., Drasdo, N., Morgan, J.E. and North, R.V. S-cone, L + M-cone, and pattern, electroretinograms in ocular hypertension and glaucoma, 2749

ALEXANDER, D.M.

Alexander, D.M., Bourke, P.D., Sheridan, P., Konstandatos, O. and Wright, J.J. Intrinsic connections in tree shrew V1 imply a global to local mapping, 857

ALLEN, H.A.

Allen, H.A., Ledgeway, T. and Hess, R.F. Poor encoding of position by contrast-defined motion, 1985

Ellemberg, D., Allen, H.A. and Hess, R.F. Investigating local network interactions underlying first- and second-order processing, 1787

Mansouri, B., Allen, H.A., Hess, R.F., Dakin, S.C. and Ehrt, O. Integration of orientation information in amblyopia, 2955

ANDERSON, C.M.

Fine, I., Anderson, C.M., Boynton, G.M. and Dobkins, K.R. The invariance of directional tuning with contrast and coherence, 903

ANGELAKI, D.E.

Wei, M. and Angelaki, D.E. Viewing distance dependence of the vestibulo-ocular reflex during translation: extra-otolith influences, 933

ANKIEWCZ, A.

Maddess, T., Nagai, Y., James, A.C. and Ankiwicz, A. Binary and ternary textures containing higher-order spatial correlations, 1093

ANSTIS, S.

Anstis, S. Factors affecting footsteps: contrast can change the apparent speed, amplitude and direction of motion, 2171

Becker, M.W. and Anstis, S. Metacontrast masking is specific to luminance polarity, 2537

ARDEN, G.B.

Stiefelmeyer, S., Neubauer, A.S., Berninger, T., Arden, G.B. and Rudolph, G. The multifocal pattern electroretinogram in glaucoma, 103

ARTEMYEV, N.O.

Muradov, H., Boyd, K.K. and Artemyev, N.O. Structural determinants of the PDE6 GAF A domain for binding the inhibitory γ -subunit and noncatalytic cGMP, 2437

ASLIN, R.N.

Aslin, R.N., Battaglia, P.W. and Jacobs, R.A. Depth-dependent contrast gain-control, 685

Battaglia, P.W., Jacobs, R.A. and Aslin, R.N. Depth-dependent blur adaptation, 113

AYMOZ, C.

Aymoz, C. and Viviani, P. Perceptual asynchronies for biological and non-biological visual events, 1547

AZAÏS-BRAESCO, V.

Cia, D., Bonhomme, B., Azaïs-Braesco, V., Cluzel, J. and Doly, M. Uptake and esterification of vitamin A by RCS rat retinal pigment epithelial cells in primary culture, 247

BACH, M.

Lachapelle, J., Ouimet, C., Bach, M., Ptito, A. and McKerral, M. Texture segregation in traumatic brain injury – a VEP study, 2835

BACHMANN, T.

Bachmann, T., Pöder, E. and Luiga, I. Illusory reversal of temporal order: the bias to report a dimmer stimulus as the first, 241

BACON, B.A.

Gosselin, F., Bacon, B.A. and Mamassian, P. Internal surface representations approximated by reverse correlation, 2515

BAEHR, W.

Wu, S.M., Baehr, W. and Crair, M.C. The mouse visual system: from photoreceptors to cortex, 3233 (editorial)

BAKER, M.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

BALA, J.K.

Dassonville, P. and Bala, J.K. Are the original Roelofs effect and the induced Roelofs effect confounded by the same expansion of remembered space? 1025 (letter)

Dassonville, P., Bridgeman, B., Bala, J.K., Thiem, P. and Sampanes, A. The induced Roelofs effect: two visual systems or the shift of a single reference frame? 603

BALDASSI, S.

Baldassi, S. and Burr, D.C. “Pop-out” of targets modulated in luminance or colour: the effect of intrinsic and extrinsic uncertainty, 1227

Baldassi, S., Burr, D., Carrasco, M., Eckstein, M. and Verghese, P. Visual Attention, 1189 (editorial)

BANKS, M.S.

Banks, M.S., Ghose, T. and Hillis, J.M. Relative image size, not eye position, determines eye dominance switches, 229

BARRETT, B.T.

Garcia-Suarez, L., Barrett, B.T. and Pacey, I. A comparison of the effects of ageing upon vernier and bisection acuity, 1039

BASARAB, J.R.

Howland, H.C., Merola, S. and Basarab, J.R. The allometry and scaling of the size of vertebrate eyes, 2043

BATTAGLIA, P.W.

Aslin, R.N., Battaglia, P.W. and Jacobs, R.A. Depth-dependent contrast gain-control, 685

Battaglia, P.W., Jacobs, R.A. and Aslin, R.N. Depth-dependent blur adaptation, 113

BECKER, M.W.

Becker, M.W. and Anstis, S. Metaccontrast masking is specific to luminance polarity, 2537

BEDELL, H.E.

Bedell, H.E., Chung, S.T.L. and Patel, S.S. Attenuation of perceived motion smear during vergence and pursuit tracking, 895

- Ögmen, H., Patel, S.S., Bedell, H.E. and Camuz, K. Differential latencies and the dynamics of the position computation process for moving targets, assessed with the flash-lag effect, 2109
- BEHREND, K.
Mora-Ferrer, C. and Behrend, K. Dopaminergic modulation of photopic temporal transfer properties in goldfish retina investigated with the ERG, 2067
- BEN-SHAHAR, O.
Ben-Shahar, O. and Zucker, S.W. Sensitivity to curvatures in orientation-based texture segmentation, 257
- BENTON, C.P.
Benton, C.P. A role for contrast-normalisation in second-order motion perception, 91
- BEN-YEHUDAH, G.
Ben-Yehudah, G. and Ahissar, M. Sequential spatial frequency discrimination is consistently impaired among adult dyslexics, 1047
- BERNINGER, T.
Stiefelmeyer, S., Neubauer, A.S., Berninger, T., Arden, G.B. and Rudolph, G. The multifocal pattern electroretinogram in glaucoma, 103
- BERTAMINI, M.
Bertamini, M., Bruno, N. and Mosca, F. Illusory surfaces affect the integration of local motion signals, 297
- BERTHOLD, G.
Rascher, K., Servos, G., Berthold, G., Hartwig, H.-G., Warskulat, U., Heller-Stilb, B. and Häussinger, D. Light deprivation slows but does not prevent the loss of photoreceptors in taurine transporter knockout mice, 2091
- BEX, P.J.
Simmers, A.J. and Bex, P.J. The representation of global spatial structure in amblyopia, 523
- BINDMAN, D.
Bindman, D. and Chubb, C. Brightness assimilation in bullseye displays, 309
Bindman, D. and Chubb, C. Mechanisms of contrast induction in heterogeneous displays, 1601
- BIRCH, E.E.
Jeffrey, B.G., Wang, Y.-Z. and Birch, E.E. Altered global shape discrimination in deprivation amblyopia, 167
- BLAIR, N.
Doshier, B.A., Liu, S.-H., Blair, N. and Lu, Z.-L. The spatial window of the perceptual template and endogenous attention, 1257
- BLAKE, R.
Lee, S.H. and Blake, R. A fresh look at interocular grouping during binocular rivalry, 983
Watanabe, K., Paik, Y. and Blake, R. Preserved gain control for luminance contrast during binocular rivalry suppression, 3065
- BLAKESLEE, B.
Blakeslee, B. and McCourt, M.E. A unified theory of brightness contrast and assimilation incorporating oriented multiscale spatial filtering and contrast normalization, 2483
- BLANCO, M.J.
Soto, D. and Blanco, M.J. Spatial attention and object-based attention: a comparison within a single task, 69
- BLASER, E.
Sohn, W., Papathomas, T.V., Blaser, E. and Vidnyánszky, Z. Object-based cross-feature attentional modulation from color to motion, 1437
- BLEKHER, T.M.
Blekher, T.M., Yee, R.D., Kirkwood, S.C., Hake, A.M., Stout, J.C., Weaver, M.R. and Foroud, T.M. Oculomotor control in asymptomatic and recently diagnosed individuals with the genetic marker for Huntington's disease, 2729
- BLOOMFIELD, S.A.
Bloomfield, S.A. and Völgyi, B. Function and plasticity of homologous coupling between AII amacrine cells, 3297
- BODEN, C.
Visser, T.A.W., Boden, C. and Giaschi, D.E. Children with dyslexia: evidence for visual attention deficits in perception of rapid sequences of objects, 2521
- BOLLINGER, K.
Bollinger, K., Sjöberg, S.A., Neitz, M. and Neitz, J. Topographical cone photopigment gene expression in deutan-type red-green color vision defects, 135
- BONE, R.A.
Bone, R.A., Landrum, J.T. and Gibert, J.C. Macular pigment and the edge hypothesis of flicker photometry, 3045

BONHOMME, B.

Cia, D., Bonhomme, B., Azais-Braesco, V., Cluzel, J. and Doly, M. Uptake and esterification of vitamin A by RCS rat retinal pigment epithelial cells in primary culture, 247

BONNEH, Y.S.

Bonneh, Y.S., Sagi, D. and Polat, U. Local and non-local deficits in amblyopia: acuity and spatial interactions, 3099

BÖRJESSON, E.

Poom, L. and Börjesson, E. Good continuation with kinetic edges, 2101

BOURKE, P.D.

Alexander, D.M., Bourke, P.D., Sheridan, P., Konstandatos, O. and Wright, J.J. Intrinsic connections in tree shrew V1 imply a global to local mapping, 857

BOYD, K.K.

Muradov, H., Boyd, K.K. and Artemyev, N.O. Structural determinants of the PDE6 GAF A domain for binding the inhibitory γ -subunit and noncatalytic cGMP, 2437

BOYNTON, G.M.

Fine, I., Anderson, C.M., Boynton, G.M. and Dobkins, K.R. The invariance of directional tuning with contrast and coherence, 903

BRABYN, J.A.

Schneck, M.E., Haegerstrom-Portnoy, G., Lott, L.A., Brabyn, J.A. and Gildengorin, G. Low contrast vision function predicts subsequent acuity loss in an aged population: the SKI study, 2317

BRAUNSTEIN, M.L.

Zhong, H. and Braunstein, M.L. Effect of background motion on the perceived shape of a 3-D object, 2505

BRAVO, M.J.

Bravo, M.J. and Farid, H. Recognizing and segmenting objects in clutter, 385

BRENNER, E.

Champion, R.A., Brenner, E., Mamassian, P. and Simmons, D.R. No evidence for sequential effects of the interaction of stereo and motion cues in judgements of perceived shape, 483

De Grave, D.D.J., Brenner, E. and Smeets, J.B.J. An apparent compression cannot explain the difference between the original and the induced Roelofs effect, 1031 (reply to letter)

López-Moliner, J., Smeets, J.B.J. and Brenner, E. Components of motion perception revealed: two different after-effects from a single moving object, 2545

BRIDGEMAN, B.

Dassonville, P., Bridgeman, B., Bala, J.K., Thiem, P. and Sampanes, A. The induced Roelofs effect: two visual systems or the shift of a single reference frame? 603

BRUNO, A.

Melcher, D., Crespi, S., Bruno, A. and Morrone, M.C. The role of attention in central and peripheral motion integration, 1367

BRUNO, N.

Bertamini, M., Bruno, N. and Mosca, F. Illusory surfaces affect the integration of local motion signals, 297

BURGESS, A.M.

Mezey, L.E., Curthoys, I.S., Burgess, A.M., Goonetilleke, S.C. and MacDougall, H.G. Changes in ocular torsion position produced by a single visual line rotating around the line of sight – visual “entrainment” of ocular torsion, 397

Ooi, D., Cornell, E.D., Curthoys, I.S., Burgess, A.M. and MacDougall, H.G. Convergence reduces ocular counterroll (OCR) during static roll-tilt, 2825

BURKHALTER, A.

Dong, H., Wang, Q., Valkova, K., Gonchar, Y. and Burkhalter, A. Experience-dependent development of feedforward and feedback circuits between lower and higher areas of mouse visual cortex, 3389

BURR, D.C.

Baldassi, S. and Burr, D.C. “Pop-out” of targets modulated in luminance or colour: the effect of intrinsic and extrinsic uncertainty, 1227

Baldassi, S., Burr, D., Carrasco, M., Eckstein, M. and Verghese, P. Visual Attention, 1189 (editorial)

BYTH, W.

Logvinenko, A.D., Byth, W. and Vityaev, E.E. In search of an elusive hard threshold: a test of observer’s ability to order sub-threshold stimuli, 287

CALVER, R.I.

Radhakrishnan, H., Pardhan, S., Calver, R.I. and O'Leary, D.J. Effect of positive and negative defocus on contrast sensitivity in myopes and non-myopes, 1869

Simunovic, M.P. and Calver, R. Crowding under scotopic conditions, 963

CAMUZ, K.

Ögmen, H., Patel, S.S., Bedell, H.E. and Camuz, K. Differential latencies and the dynamics of the position computation process for moving targets, assessed with the flash-lag effect, 2109

CANTOR, C.

Zhang, Z.-L., Cantor, C., Ghose, T. and Schor, C.M. Temporal aspects of spatial interactions affecting stereo-matching solutions, 3183

CARELLO, C.D.

Krauzlis, R.J., Liston, D. and Carello, C.D. Target selection and the superior colliculus: goals, choices and hypotheses, 1445

CARR, R.E.

Greenstein, V.C., Holopigian, K., Seiple, W., Carr, R.E. and Hood, D.C. Atypical multifocal ERG responses in patients with diseases affecting the photoreceptors, 2867

CARRASCO, M.

Baldassi, S., Burr, D., Carrasco, M., Eckstein, M. and Verghese, P. Visual Attention, 1189 (editorial)

Carrasco, M., Giordano, A.M. and McElree, B. Temporal performance fields: visual and attentional factors, 1351

CATTANEO, C.

Lorusso, M.L., Facoetti, A., Pesenti, S., Cattaneo, C., Molteni, M. and Geiger, G. Wider recognition in peripheral vision common to different subtypes of dyslexia, 2413

CAUDEK, C.

Di Luca, M., Domini, F. and Caudek, C. Spatial integration in structure from motion, 3001

Schlerf, J., Domini, F. and Caudek, C. 3D shape-contingent processing of luminance gratings, 1079

CAVANAGH, P.

Shim, W.M. and Cavanagh, P. The motion-induced position shift depends on the perceived direction of bistable quartet motion, 2393

CHAMPION, R.A.

Champion, R.A., Brenner, E., Mamassian, P. and Simmons, D.R. No evidence for sequential effects of the interaction of stereo and motion cues in judgements of perceived shape, 483

CHAPMAN, C.

Chapman, C., Hoag, R. and Giaschi, D. The effect of disrupting the human magnocellular pathway on global motion perception, 2551

CHAPPELL, M.

Chappell, M. and Hine, T.J. Events before the flash *Do* influence the flash-lag magnitude, 235

CHAPPELL, R.L.

Redenti, S. and Chappell, R.L. Localization of zinc transporter-3 (ZnT-3) in mouse retina, 3317

CHARMAN, W.N.

Heron, G. and Charman, W.N. Accommodation as a function of age and the linearity of the response dynamics, 3119

CHEN, C.-C.

Chen, C.-C. and Foley, J.M. Pattern detection: interactions between oriented and concentric patterns, 915

CHEN, Y.

Meng, X., Chen, Y. and Qian, N. Both monocular and binocular signals contribute to motion rivalry, 45

CHEUNG, S.-H.

Chung, S.T.L., Legge, G.E. and Cheung, S.-h. Letter-recognition and reading speed in peripheral vision benefit from perceptual learning, 695

CHLUBNOVÁ, J.

Kremláček, K., Kuba, M., Chlubnová, J. and Kubová, Z. Effect of stimulus localisation on motion-onset VEP, 2989

CHUBB, C.

Bindman, D. and Chubb, C. Brightness assimilation in bullseye displays, 309

Bindman, D. and Chubb, C. Mechanisms of contrast induction in heterogeneous displays, 1601

Chubb, C., Landy, M.S. and Econopouly, J. A visual mechanism tuned to black, 3223

CHUNG, S.T.L.

Bedell, H.E., Chung, S.T.L. and Patel, S.S. Attenuation of perceived motion smear during vergence and pursuit tracking, 895

Chung, S.T.L., Legge, G.E. and Cheung, S.-h. Letter-recognition and reading speed in peripheral vision benefit from perceptual learning, 695

CIA, D.

Cia, D., Bonhomme, B., Azais-Braesco, V., Cluzel, J. and Doly, M. Uptake and esterification of vitamin A by RCS rat retinal pigment epithelial cells in primary culture, 247

CIUFFREDA, K.J.

Mordi, J.A. and Ciuffreda, K.J. Dynamic aspects of accommodation: age and presbyopia, 591, 2315 (reply to letter)

Wang, B. and Ciuffreda, K.J. Depth-of-focus of the human eye in the near retinal periphery, 1115

CLIFFORD, C.W.G.

Clifford, C.W.G., Spehar, B. and Pearson, J. Motion transparency promotes synchronous perceptual binding, 3073

CLUZEL, J.

Cia, D., Bonhomme, B., Aza-Braesco, V., Cluzel, J. and Doly, M. Uptake and esterification of vitamin A by RCS rat retinal pigment epithelial cells in primary culture, 247

COLLINS, T.

Vergilino-Perez, D., Collins, T. and Doré-Mazars, K. Decision and metrics of refixations in reading isolated words, 2009

CONTE, M.M.

Victor, J.D. and Conte, M.M. Visual working memory for image statistics, 541

COPPENS, J.E.

Coppens, J.E. and van den Berg, T.J.T.P. A new source of variance in visual acuity, 951

CORNELL, E.D.

Ooi, D., Cornell, E.D., Curthoys, I.S., Burgess, A.M. and MacDougall, H.G. Convergence reduces ocular counterroll (OCR) during static roll-tilt, 2825

CORNISH, E.E.

Cornish, E.E., Hendrickson, A.E. and Provis, J.M. Distribution of short-wavelength-sensitive cones in human fetal and postnatal retina: early development of spatial order and density profiles, 2019

CRABB, D.P.

Gardiner, S.K., Crabb, D.P., Fitzke, F.W. and Hitchings, R.A. Reducing noise in suspected glaucomatous visual fields by using a new spatial filter, 839

CRAIR, M.C.

Plas, D.T., Visel, A., Gonzalez, E., She, W.-C. and Crair, M.C. Adenylate Cyclase 1 dependent refinement of retinotopic maps in the mouse, 3357

Wu, S.M., Baehr, W. and Crair, M.C. The mouse visual system: from photoreceptors to cortex, 3233 (editorial)

CRESPI, S.

Melcher, D., Crespi, S., Bruno, A. and Morrone, M.C. The role of attention in central and peripheral motion integration, 1367

CROSSLAND, M.D.

Crossland, M.D., Sims, M., Galbraith, R.F. and Rubin, G.S. Evaluation of a new quantitative technique to assess the number and extent of preferred retinal loci in macular disease, 1537

CUMMINGS, M.E.

Cummings, M.E. Modeling divergence in luminance and chromatic detection performance across measured divergence in surfperch (Embiotocidae) habitats, 1127

CURTHOYS, I.S.

Mezey, L.E., Curthoys, I.S., Burgess, A.M., Goonetilleke, S.C. and MacDougall, H.G. Changes in ocular torsion position produced by a single visual line rotating around the line of sight – visual “entrainment” of ocular torsion, 397

Ooi, D., Cornell, E.D., Curthoys, I.S., Burgess, A.M. and MacDougall, H.G. Convergence reduces ocular counterroll (OCR) during static roll-tilt, 2825

DAIN, S.J.

Floyd, R.A., Dain, S.J. and Elliott, R.T. Is the perception of brightness different in poor readers? 221

DAKIN, S.C.

Mansouri, B., Allen, H.A., Hess, R.F., Dakin, S.C. and Ehrt, O. Integration of orientation information in amblyopia, 2955

DANIELE, L.L.

Lyubarsky, A.L., Daniele, L.L. and Pugh, E.N., Jr. From candelas to photoisomerizations in the mouse eye by rhodopsin bleaching in situ and the light-rearing dependence of the major components of the mouse ERG, 3235

DA SILVA, J.A.

Foley, J.M., Ribeiro-Filho, N.P. and Da Silva, J.A. Visual perception of extent and the geometry of visual space, 147

DASSONVILLE, P.

Dassonville, P. and Bala, J.K. Are the original Roelofs effect and the induced Roelofs effect confounded by the same expansion of remembered space? 1025 (letter)

Dassonville, P., Bridgeman, B., Bala, J.K., Thiem, P. and Sampanes, A. The induced Roelofs effect: two visual systems or the shift of a single reference frame? 603

DAW, N.

Daw, N., Rao, Y., Wang, X.-F., Fischer, Q. and Yang, Y. LTP and LTD vary with layer in rodent visual cortex, 3377

DECO, G.

Deco, G. and Rolls, E.T. A neurodynamical cortical model of visual attention and invariant object recognition, 621

DE GRAVE, D.D.J.

De Grave, D.D.J., Brenner, E. and Smeets, J.B.J. An apparent compression cannot explain the difference between the original and the induced Roelofs effect, 1031 (reply to letter)

DE HALLER, R.

Sommerhalder, J., Rappaz, B., Haller, R. de, Fornos, A.P., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: II. Eccentric reading of full-page text and the learning of this task, 1693

DELBRÜCK, T.

Delbrück, T. and Liu, S.-C. A silicon early visual system as a model animal, 2083

DELL'OSSO, L.F.

Dell'Osso, L.F. Tenotomy and congenital nystagmus: a failure to answer the wrong question, 3091 (letter)

Shallo-Hoffmann, J., Dell'Osso, L.F. and Dun, S. Time-varying, slow-phase component interaction in congenital nystagmus, 209

DENTI, V.

Morrone, M.C., Denti, V. and Spinelli, D. Different attentional resources modulate the gain mechanisms for color and luminance contrast, 1389

DEPENDAHL, S.

Herzog, M.H., Dependahl, S., Schmonsees, U. and Fahle, M. Valences in contextual vision, 3131

DE VALOIS, K.K.

Takeuchi, T., Yokosawa, K. and De Valois, K.K. Texture segregation by motion under low luminance levels, 157

DE VALOIS, R.L.

Wilson, J.A., Switkes, E. and De Valois, R.L. Glass pattern studies of local and global processing of contrast variations, 2629

DI LENARDO, D.

Gurnsey, R., Di Lenardo, D. and Potechin, C. Backward masking and the central performance drop, 2587

DI LUCA, M.

Di Luca, M., Domini, F. and Caudek, C. Spatial integration in structure from motion, 3001

DIRKS, M.

Elleberg, D., Lewis, T.L., Dirks, M., Maurer, D., Ledgeway, T., Guillemot, J.-P. and Lepore, F. Putting order into the development of sensitivity to global motion, 2403

DITRE, J.

Gerhardstein, P., Kovacs, I., Ditre, J. and Feher, A. Detection of contour continuity and closure in three-month-olds, 2981

DOBKINS, K.R.

Fine, I., Anderson, C.M., Boynton, G.M. and Dobkins, K.R. The invariance of directional tuning with contrast and coherence, 903

Pashler, H., Dobkins, K. and Huang, L. Is contrast just another feature for visual selective attention? 1403

Rezec, A., Kregelberg, B. and Dobkins, K.R. Attention enhances adaptability: evidence from motion adaptation experiments, 3035

DOBSON, V.

Harvey, E.M., Dobson, V., Miller, J.M. and Sherrill, D.L. Treatment of astigmatism-related amblyopia in 3- to 5-year-old children, 1623

DOHRMANN, U.

Wachtler, T., Dohrmann, U. and Hertel, R. Modeling color percepts of dichromats, 2843

DOLY, M.

Cia, D., Bonhomme, B., Aza-Braesco, V., Cluzel, J. and Doly, M. Uptake and esterification of vitamin A by RCS rat retinal pigment epithelial cells in primary culture, 247

DOMINI, F.

Di Luca, M., Domini, F. and Caudek, C. Spatial integration in structure from motion, 3001

Schlerf, J., Domini, F. and Caudek, C. 3D shape-contingent processing of luminance gratings, 1079

DONG, H.

Dong, H., Wang, Q., Valkova, K., Gonchar, Y. and Burkhalter, A. Experience-dependent development of feedforward and feedback circuits between lower and higher areas of mouse visual cortex, 3389

DONNER, K.

Ala-Laurila, P., Pahlberg, J., Koskelainen, A. and Donner, K. On the relation between the photoactivation energy and the absorbance spectrum of visual pigments, 2153

DONOVAN, S.L.

Donovan, S.L. and Dyer, M.A. Developmental defects in Rb-deficient retinæ, 3323

DORÉ-MAZARS, K.

Vergilino-Perez, D., Collins, T. and Doré-Mazars, K. Decision and metrics of refixations in reading isolated words, 2009

DORNER, G.T.

Garhöfer, G., Zawinka, C., Resch, H., Huemer, K.H., Dorner, G.T. and Schmetterer, L. Diffuse luminance flicker increases blood flow in major retinal arteries and veins, 833

DOSHER, B.A.

Dosher, B.A., Liu, S.-H., Blair, N. and Lu, Z.-L. The spatial window of the perceptual template and endogenous attention, 1257

Gersch, T.M., Kowler, E. and Dosher, B. Dynamic allocation of visual attention during the execution of sequences of saccades, 1469

Lu, Z.-L., Jeon, S.-T. and Dosher, B.A. Temporal tuning characteristics of the perceptual template and endogenous cuing of spatial attention, 1333

DOUGLAS, R.M.

McGill, T.J., Lund, R.D., Douglas, R.M., Wang, S., Lu, B. and Prusky, G.T. Preservation of vision following cell-based therapies in a model of retinal degenerative disease, 2559

Prusky, G.T. and Douglas, R.M. Characterization of mouse cortical spatial vision, 3411

DRASDO, N.

Aldebasi, Y.H., Drasdo, N., Morgan, J.E. and North, R.V. S-cone, L + M-cone, and pattern, electroretinograms in ocular hypertension and glaucoma, 2749

DU LAC, S.

Faulstich, B.M., Onori, K.A. and du Lac, S. Comparison of plasticity and development of mouse optokinetic and vestibulo-ocular reflexes suggests differential gain control mechanisms, 3419

DUN, S.

Shallo-Hoffmann, J., Dell'Osso, L.F. and Dun, S. Time-varying, slow-phase component interaction in congenital nystagmus, 209

DURANT, S.

Durant, S. and Johnston, A. Temporal dependence of local motion induced shifts in perceived position, 357

DYER, M.A.

Donovan, S.L. and Dyer, M.A. Developmental defects in Rb-deficient retinæ, 3323

EAGLEMAN, D.M.

Kline, K., Holcombe, A.O. and Eagleman, D.M. Illusory motion reversal is caused by rivalry, not by perceptual snapshots of the visual field, 2653

ECKSTEIN, M.P.

Baldassi, S., Burr, D., Carrasco, M., Eckstein, M. and Verghese, P. Visual Attention, 1189 (editorial)

Eckstein, M.P., Pham, B.T. and Shimozaki, S.S. The footprints of visual attention during search with 100% valid and 100% invalid cues, 1193

ECONOPOULY, J.

Chubb, C., Landy, M.S. and Econopouly, J. A visual mechanism tuned to black, 3223

EDWARDS, M.

Edwards, M. and Nishida, S. Contrast-reversing global-motion stimuli reveal local interactions between first- and second-order motion signals, 1941

EGGERS, E.D.

Lukasiewicz, P.D., Eggers, E.D., Sagdullaev, B.T. and McCall, M.A. GABA_c receptor-mediated inhibition in the retina, 3289

EHRENSTEIN, W.H.

Pinna, B., Ehrenstein, W.H. and Spillmann, L. Illusory contours and surfaces without amodal completion and depth stratification, 1851

EHRT, O.

Mansouri, B., Allen, H.A., Hess, R.F., Dakin, S.C. and Ehrt, O. Integration of orientation information in amblyopia, 2955

EKROLL, V.

Ekroll, V., Faul, F. and Niederée, R. The peculiar nature of simultaneous colour contrast in uniform surrounds, 1765

ELDER, J.H.

Elder, J.H. and Sachs, A.J. Psychophysical receptive fields of edge detection mechanisms, 795

ELLEMBERG, D.

Ellemborg, D., Allen, H.A. and Hess, R.F. Investigating local network interactions underlying first- and second-order processing, 1787

Ellemborg, D., Lewis, T.L., Dirks, M., Maurer, D., Ledgeway, T., Guillemot, J.-P. and Lepore, F. Putting order into the development of sensitivity to global motion, 2403

ELLIOTT, R.T.

Floyd, R.A., Dain, S.J. and Elliott, R.T. Is the perception of brightness different in poor readers? 221

ENNS, J.T.

Enns, J.T. Object substitution and its relation to other forms of visual masking, 1321

ERKELENS, C.J.

Gheorghiu, E. and Erkelens, C.J. Spatial-scale interaction in human stereoscopic vision in response to sustained and transient stimuli, 563

ESTEKEY, H.

Rajimehr, R., Vaziri-Pashkam, M., Afraz, S.-R. and Esteky, H. Adaptation to apparent motion in crowding condition, 925

FABRE-THORPE, M.

Rousselet, G.A., Thorpe, S.J. and Fabre-Thorpe, M. Processing of one, two or four natural scenes in humans: the limits of parallelism, 877

FACOETTI, A.

Lorusso, M.L., Facoetti, A., Pesenti, S., Cattaneo, C., Molteni, M. and Geiger, G. Wider recognition in peripheral vision common to different subtypes of dyslexia, 2413

FAHLE, M.

Herzog, M.H., Dependahl, S., Schmonsees, U. and Fahle, M. Valences in contextual vision, 3131

Kandil, F.I. and Fahle, M. Figure-ground segregation can rely on differences in motion direction, 3177

FARID, H.

Bravo, M.J. and Farid, H. Recognizing and segmenting objects in clutter, 385

FAUL, F.

Ekroll, V., Faul, F. and Niederée, R. The peculiar nature of simultaneous colour contrast in uniform surrounds, 1765

FAULSTICH, B.M.

Faulstich, B.M., Onori, K.A. and du Lac, S. Comparison of plasticity and development of mouse optokinetic and vestibulo-ocular reflexes suggests differential gain control mechanisms, 3419

FEHER, A.

Gerhardstein, P., Kovacs, I., Ditre, J. and Feher, A. Detection of contour continuity and closure in three-month-olds, 2981

FELLER, M.B.

Torborg, C., Wang, C.-T., Muir-Robinson, G. and Feller, M.B. L-type calcium channel agonist induces correlated depolarizations in mice lacking the $\beta 2$ subunit nAChRs, 3347

FENNER, D.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

FENWICK, J.A.

Jacobs, G.H., Williams, G.A. and Fenwick, J.A. Influence of cone pigment coexpression on spectral sensitivity and color vision in the mouse, 1615

FERMÜLLER, C.

Fermüller, C. and Malm, H. Uncertainty in visual processes predicts geometrical optical illusions, 727

FINDLAY, J.M.

Liversedge, S.P., Rayner, K., White, S.J., Vergilino-Perez, D., Findlay, J.M. and Kentridge, R.W. Eye movements when reading disappearing text: is there a gap effect in reading? 1013

FINDLAY, K.

Manahilov, V., Findlay, K. and Simpson, W.A. Factors limiting suprathreshold vision measured by a flash–sound simultaneity paradigm, 2577

FINE, I.

Fine, I., Anderson, C.M., Boynton, G.M. and Dobkins, K.R. The invariance of directional tuning with contrast and coherence, 903

FISCHER, Q.

Daw, N., Rao, Y., Wang, X.-F., Fischer, Q. and Yang, Y. LTP and LTD vary with layer in rodent visual cortex, 3377

FITZGIBBON, E.J.

Optican, L.M., Miura, K. and FitzGibbon, E.J. Tenotomy and congenital nystagmus: a null result is not a failure, for “It is not the answer that enlightens, but the question,” 3095 (reply to letter)

FITZKE, F.W.

Gardiner, S.K., Crabb, D.P., Fitzke, F.W. and Hitchings, R.A. Reducing noise in suspected glaucomatous visual fields by using a new spatial filter, 839

FLANAGAN, J.G.

Quaid, P.T., Simpson, T. and Flanagan, J.G. Monocular and dichoptic masking effects on the frequency doubling illusion, 661

FLOYD, R.A.

Floyd, R.A., Dain, S.J. and Elliott, R.T. Is the perception of brightness different in poor readers? 221

FOLEY, J.M.

Chen, C.-C. and Foley, J.M. Pattern detection: interactions between oriented and concentric patterns, 915

Foley, J.M., Ribeiro-Filho, N.P. and Da Silva, J.A. Visual perception of extent and the geometry of visual space, 147

FORNOS, A.P.

Sommerhalder, J., Rappaz, B., Haller, R. de, Fornos, A.P., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: II. Eccentric reading of full-page text and the learning of this task, 1693

FOROUD, T.M.

Blekher, T.M., Yee, R.D., Kirkwood, S.C., Hake, A.M., Stout, J.C., Weaver, M.R. and Foroud, T.M. Oculomotor control in asymptomatic and recently diagnosed individuals with the genetic marker for Huntington’s disease, 2729

FREEMAN, E.

Khoe, W., Freeman, E., Woldorff, M.G. and Mangun, G.R. Electrophysiological correlates of lateral interactions in human visual cortex, 1659

FREEMAN, T.C.A.

Naji, J.J. and Freeman, T.C.A. Perceiving depth order during pursuit eye movement, 3025

FRISHMAN, L.J.

Robson, J.G., Maeda, H., Saszik, S.M. and Frishman, L.J. In vivo studies of signaling in rod pathways of the mouse using the electroretinogram, 3253

GÁL, J.

Meyer-Rochow, V.B. and Gál, J. Dimensional limits for arthropod eyes with superposition optics, 2213

GALBRAITH, R.F.

Crossland, M.D., Sims, M., Galbraith, R.F. and Rubin, G.S. Evaluation of a new quantitative technique to assess the number and extent of preferred retinal loci in macular disease, 1537

- GAO, F.
Wu, S.M., Gao, F. and Pang, J.-J. Synaptic circuitry mediating light-evoked signals in dark-adapted mouse retina, 3277
- GAO, H.
Gao, H., Qiao, X., Gao, R., Mieler, W.F., McPherson, A.R. and Holz, E.R. Intravitreal triamcinolone does not alter basal vascular endothelial growth factor mRNA expression in rat retina, 349
- GAO, R.
Gao, H., Qiao, X., Gao, R., Mieler, W.F., McPherson, A.R. and Holz, E.R. Intravitreal triamcinolone does not alter basal vascular endothelial growth factor mRNA expression in rat retina, 349
- GARCIA-SUAREZ, L.
Garcia-Suarez, L., Barrett, B.T. and Pacey, I. A comparison of the effects of ageing upon vernier and bisection acuity, 1039
- GARDINER, S.K.
Gardiner, S.K., Crabb, D.P., Fitzke, F.W. and Hitchings, R.A. Reducing noise in suspected glaucomatous visual fields by using a new spatial filter, 839
- GARHÖFER, G.
Garhöfer, G., Zawinka, C., Resch, H., Huemer, K.H., Dorner, G.T. and Schmetterer, L. Diffuse luminance flicker increases blood flow in major retinal arteries and veins, 833
- GAUTHIER, I.
James, T.W. and Gauthier, I. Brain areas engaged during visual judgments by involuntary access to novel semantic information, 429
- GAVETT, B.E.
Mounts, J.R.W. and Gavett, B.E. The role of salience in localized attentional interference, 1575
- GEGENFURTNER, K.R.
Kerzel, D. and Gegenfurtner, K.R. Spatial distortions and processing latencies in the onset repulsion and Fröhlich effects, 577
- GEIGER, G.
Lorusso, M.L., Facoetti, A., Pesenti, S., Cattaneo, C., Molteni, M. and Geiger, G. Wider recognition in peripheral vision common to different subtypes of dyslexia, 2413
- GEISLER, W.S.
Tversky, T., Geisler, W.S. and Perry, J.S. Contour grouping: closure effects are explained by good continuation and proximity, 2769
- GERBINO, W.
Kanai, R., Paffen, C.L.E., Gerbino, W. and Verstraten, F.A.J. Blindness to inconsistent local signals in motion transparency from oscillating dots, 2207
- GERHARDSTEIN, P.
Gerhardstein, P., Kovacs, I., Ditre, J. and Feher, A. Detection of contour continuity and closure in three-month-olds, 2981
- GERSCH, T.M.
Gersch, T.M., Kowler, E. and Doshier, B. Dynamic allocation of visual attention during the execution of sequences of saccades, 1469
- GHEORGHIU, E.
Gheorghiu, E. and Erkelens, C.J. Spatial-scale interaction in human stereoscopic vision in response to sustained and transient stimuli, 563
- GHOSE, T.
Banks, M.S., Ghose, T. and Hillis, J.M. Relative image size, not eye position, determines eye dominance switches, 229
Zhang, Z.-L., Cantor, C., Ghose, T. and Schor, C.M. Temporal aspects of spatial interactions affecting stereo-matching solutions, 3183
- GIASCHI, D.E.
Chapman, C., Hoag, R. and Giaschi, D. The effect of disrupting the human magnocellular pathway on global motion perception, 2551
Visser, T.A.W., Boden, C. and Giaschi, D.E. Children with dyslexia: evidence for visual attention deficits in perception of rapid sequences of objects, 2521
- GIBERT, J.C.
Bone, R.A., Landrum, J.T. and Gibert, J.C. Macular pigment and the edge hypothesis of flicker photometry, 3045

GILCHRIST, I.D.

Ludwig, C.J.H., Gilchrist, I.D. and McSorley, E. The influence of spatial frequency and contrast on saccade latencies, 2597

GILDENGORIN, G.

Schneck, M.E., Haegerstrom-Portnoy, G., Lott, L.A., Brabyn, J.A. and Gildengorin, G. Low contrast vision function predicts subsequent acuity loss in an aged population: the SKI study, 2317

GILLAM, B.

Gillam, B. and Grove, P.M. Slant or occlusion: global factors resolve stereoscopic ambiguity in sets of horizontal lines, 2359

GILROY, L.A.

Gilroy, L.A. and Hock, H.S. Multiplicative nonlinearity in the perception of apparent motion, 2001

GIORDANO, A.M.

Carrasco, M., Giordano, A.M. and McElree, B. Temporal performance fields: visual and attentional factors, 1351

GIORGI, R.G.

Giorgi, R.G., Soong, G.P., Woods, R.L. and Peli, E. Facilitation of contrast detection in near-peripheral vision, 3193

GISELBRECHT, D.

Rogé, J., Pébayle, T., Lambilliotte, E., Spitzenstetter, F., Giselbrecht, D. and Muzet, A. Influence of age, speed and duration of monotonous driving task in traffic on the driver's useful visual field, 2737

GISLÉN, A.

Kröger, R.H.H. and Gislén, A. Compensation for longitudinal chromatic aberration in the eye of the firefly squid, *Watasenia scintillans*, 2129

GLEESON, H.F.

Roberts, N.W. and Gleeson, H.F. The absorption of polarized light by vertebrate photoreceptors, 2643

GLENNERSTER, A.

Petrov, Y. and Glennerster, A. The role of a local reference in stereoscopic detection of depth relief, 367

GOBELL, J.L.

Gobell, J.L., Tseng, C.-h. and Sperling, G. The spatial distribution of visual attention, 1273

GODIJN, R.

Theeuwes, J. and Godijn, R. Inhibition-of-return and oculomotor interference, 1485

GOLD, J.M.

Murray, R.F. and Gold, J.M. Reply to Gosselin and Schyns, 479

Murray, R.F. and Gold, J.M. Troubles with bubbles, 461

GOLLA, H.

Golla, H., Ignashchenkova, A., Haarmeier, T. and Thier, P. Improvement of visual acuity by spatial cueing: a comparative study in human and non-human primates, 1589

GONCHAR, Y.

Dong, H., Wang, Q., Valkova, K., Gonchar, Y. and Burkhalter, A. Experience-dependent development of feedforward and feedback circuits between lower and higher areas of mouse visual cortex, 3389

GONZALEZ, E.

Plas, D.T., Visel, A., Gonzalez, E., She, W.-C. and Crair, M.C. Adenylate Cyclase 1 dependent refinement of retinotopic maps in the mouse, 3357

GONZÁLEZ, E.G.

Steeves, J.K.E., Wilkinson, F., González, E.G., Wilson, H.R. and Steinbach, M.J. Global shape discrimination at reduced contrast in enucleated observers, 943

GOONETILLEKE, S.C.

Mezey, L.E., Curthoys, I.S., Burgess, A.M., Goonetilleke, S.C. and MacDougall, H.G. Changes in ocular torsion position produced by a single visual line rotating around the line of sight – visual “entrainment” of ocular torsion, 397

GÖPFERT, E.

Müller, R., Göpfert, E., Leineweber, M. and Greenlee, M.W. Effect of adaptation direction on the motion VEP and perceived speed of drifting gratings, 2381

GORDON, B.

Lickey, M.E., Pham, T.A. and Gordon, B. Swept contrast visual evoked potentials and their plasticity following monocular deprivation in mice, 3381

- GOSSELIN, F.
Gosselin, F. and Schyns, P.G. No troubles with bubbles: a reply to Murray and Gold, 471
Gosselin, F., Bacon, B.A. and Mamassian, P. Internal surface representations approximated by reverse correlation, 2515
- GOWEN, E.
Abadi, R.V. and Gowen, E. Characteristics of saccadic intrusions, 2675
- GRAHAM, N.
Graham, N. and Wolfson, S.S. Is there opponent-orientation coding in the second-order channels of pattern vision? 3145
- GRAVE, D.D.J. DE
De Grave, D.D.J., Brenner, E. and Smeets, J.B.J. An apparent compression cannot explain the difference between the original and the induced Roelofs effect, 1031 (reply to letter)
- GRAY, R.
Gray, R., Macuga, K. and Regan, D. Long range interactions between object-motion and self-motion in the perception of movement in depth, 179
- GREENLEE, M.W.
Müller, R., Göpfert, E., Leineweber, M. and Greenlee, M.W. Effect of adaptation direction on the motion VEP and perceived speed of drifting gratings, 2381
- GREENSTEIN, V.C.
Greenstein, V.C., Holopigian, K., Seiple, W., Carr, R.E. and Hood, D.C. Atypical multifocal ERG responses in patients with diseases affecting the photoreceptors, 2867
- GREENWOOD, J.A.
Price, N.S.C., Greenwood, J.A. and Ibbotson, M.R. Tuning properties of radial phantom motion aftereffects, 1971
- GRIFFIN, L.D.
Griffin, L.D., Lillholm, M. and Nielsen, M. Natural image profiles are most likely to be step edges, 407
- GROSSBERG, S.
Grossberg, S. and Swaminathan, G. A laminar cortical model for 3D perception of slanted and curved surfaces and of 2D images: development, attention, and bistability, 1147
- GROVE, P.M.
Gillam, B. and Grove, P.M. Slant or occlusion: global factors resolve stereoscopic ambiguity in sets of horizontal lines, 2359
- GRUBB, M.S.
Grubb, M.S. and Thompson, I.D. Biochemical and anatomical subdivision of the dorsal lateral geniculate nucleus in normal mice and in mice lacking the $\beta 2$ subunit of the nicotinic acetylcholine receptor, 3365
- GRUNEWALD, A.
Grunewald, A. Motion repulsion is monocular, 959
- GUILLEMOT, J.-P.
Elleberg, D., Lewis, T.L., Dirks, M., Maurer, D., Ledgeway, T., Guillemot, J.-P. and Lepore, F. Putting order into the development of sensitivity to global motion, 2403
- GUO, K.
Guo, K., Nevado, A., Robertson, R.G., Pulgarin, M., Thiele, A. and Young, M.P. Effects on orientation perception of manipulating the spatio-temporal prior probability of stimuli, 2349
- GURNSEY, R.
Gurnsey, R., Di Lenardo, D. and Potechin, C. Backward masking and the central performance drop, 2587
Sally, S.L. and Gurnsey, R. Orientation discrimination across the visual field: matching perceived contrast near threshold, 2719
- GUTTMAN, S.E.
Guttman, S.E. and Kellman, P.J. Contour interpolation revealed by a dot localization paradigm, 1799
- HAARMEIER, T.
Golla, H., Ignashchenkova, A., Haarmeier, T. and Thier, P. Improvement of visual acuity by spatial cueing: a comparative study in human and non-human primates, 1589
- HABAK, C.
Habak, C., Wilkinson, F., Zakher, B. and Wilson, H.R. Curvature population coding for complex shapes in human vision, 2815

HAEGERSTROM-PORTNOY, G.

Schneck, M.E., Haegerstrom-Portnoy, G., Lott, L.A., Brabyn, J.A. and Gildengorin, G. Low contrast vision function predicts subsequent acuity loss in an aged population: the SKI study, 2317

HAKE, A.M.

Blekher, T.M., Yee, R.D., Kirkwood, S.C., Hake, A.M., Stout, J.C., Weaver, M.R. and Foroud, T.M. Oculomotor control in asymptomatic and recently diagnosed individuals with the genetic marker for Huntington's disease, 2729

HALLER, R. DE

Sommerhalder, J., Rappaz, B., Haller, R. de, Fornos, A.P., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: II Eccentric reading of full-page text and the learning of this task, 1693

HAMKER, F.H.

Hamker, F.H. A dynamic model of how feature cues guide spatial attention, 501

HANADA, M.

Hanada, M. Effects of the noise level on induced motion, 1757

HANCOCK, P.J.B.

Hancock, P.J.B. and Phillips, W.A. Pop-out from abrupt visual onsets, 2285

HANITZSCH, R.

Wrigstad, A. and Hanitzsch, R. Pigment epithelial changes in a strain of pigmented rabbits with low ERG b-wave amplitudes, 99

HARRIS, J.M.

Welchman, A.E., Tuck, V.L. and Harris, J.M. Human observers are biased in judging the angular approach of a projectile, 2027

HARTWIG, H.-G.

Rascher, K., Servos, G., Berthold, G., Hartwig, H.-G., Warskulat, U., Heller-Stilb, B. and Häussinger, D. Light deprivation slows but does not prevent the loss of photoreceptors in taurine transporter knockout mice, 2091

HARUTA, Y.

Ohde, H., Shinoda, K., Nishiyama, T., Kado, H., Haruta, Y., Mashima, Y. and Oguchi, Y. New method for detecting misrouted retinofugal fibers in humans with albinism by magnetoencephalography, 1033

HARVEY, E.M.

Harvey, E.M., Dobson, V., Miller, J.M. and Sherrill, D.L. Treatment of astigmatism-related amblyopia in 3- to 5-year-old children, 1623

HASEGAWA, S.

Usui, T., Tanimoto, N., Ueki, S., Takagi, M., Hasegawa, S., Abe, H., Sekiya, K. and Nakazawa, M. ERG rod a-wave in Oguchi disease, 535

HAUSER, M.

Schefrin, B.E., Hauser, M. and Werner, J.S. Evidence against age-related enlargements of ganglion cell receptive field centers under scotopic conditions, 423

HÄUSSINGER, D.

Rascher, K., Servos, G., Berthold, G., Hartwig, H.-G., Warskulat, U., Heller-Stilb, B. and Häussinger, D. Light deprivation slows but does not prevent the loss of photoreceptors in taurine transporter knockout mice, 2091

HAYASHI, R.

Hayashi, R., Maeda, T., Shimojo, S. and Tachi, S. An integrative model of binocular vision: a stereo model utilizing interocularly unpaired points produces both depth and binocular rivalry, 2367

HEFFRON, E.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

HEGEDÜS, R.

Hegedüs, R. and Horváth, G. Polarizational colours could help polarization-dependent colour vision systems to discriminate between shiny and matt surfaces, but cannot unambiguously code surface orientation, 2337

HELLER-STILB, B.

Rascher, K., Servos, G., Berthold, G., Hartwig, H.-G., Warskulat, U., Heller-Stilb, B. and Häussinger, D. Light deprivation slows but does not prevent the loss of photoreceptors in taurine transporter knockout mice, 2091

HENDRICKSON, A.E.

Cornish, E.E., Hendrickson, A.E. and Provis, J.M. Distribution of short-wavelength-sensitive cones in human fetal and postnatal retina: early development of spatial order and density profiles, 2019

HENDRIKS, A.W.

Omtzigt, D. and Hendriks, A.W. Magnocellular involvement in flanked-letter identification relates to the allocation of attention, 1927

HERON, G.

Heron, G. and Charman, W.N. Accommodation as a function of age and the linearity of the response dynamics, 3119

HERON, J.

Heron, J., Whitaker, D. and McGraw, P.V. Sensory uncertainty governs the extent of audio-visual interaction, 2875

HERTEL, R.

Wachtler, T., Dohrmann, U. and Hertel, R. Modeling color percepts of dichromats, 2843

HERZOG, M.H.

Herzog, M.H., Dependahl, S., Schmonsees, U. and Fahle, M. Valences in contextual vision, 3131

HESS, R.F.

Allen, H.A., Ledgeway, T. and Hess, R.F. Poor encoding of position by contrast-defined motion, 1985

Elleberg, D., Allen, H.A. and Hess, R.F. Investigating local network interactions underlying first- and second-order processing, 1787

Mansouri, B., Allen, H.A., Hess, R.F., Dakin, S.C. and Ehrt, O. Integration of orientation information in amblyopia, 2955

HILLIS, J.M.

Banks, M.S., Ghose, T. and Hillis, J.M. Relative image size, not eye position, determines eye dominance switches, 229

HINE, T.J.

Chappell, M. and Hine, T.J. Events before the flash Do influence the flash-lag magnitude, 235

HIRAMATSU, C.

Hiramatsu, C., Radlwimmer, F.B., Yokoyama, S. and Kawamura, S. Mutagenesis and reconstitution of middle-to-long-wave-sensitive visual pigments of New World monkeys for testing the tuning effect of residues at sites 229 and 233, 2225

HITCHINGS, R.A.

Gardiner, S.K., Crabb, D.P., Fitzke, F.W. and Hitchings, R.A. Reducing noise in suspected glaucomatous visual fields by using a new spatial filter, 839

HOAG, R.

Chapman, C., Hoag, R. and Giaschi, D. The effect of disrupting the human magnocellular pathway on global motion perception, 2551

HOCK, H.S.

Gilroy, L.A. and Hock, H.S. Multiplicative nonlinearity in the perception of apparent motion, 2001

HOLCOMBE, A.O.

Kline, K., Holcombe, A.O. and Eagleman, D.M. Illusory motion reversal is caused by rivalry, not by perceptual snapshots of the visual field, 2653

HOLOPIGIAN, K.

Greenstein, V.C., Holopigian, K., Seiple, W., Carr, R.E. and Hood, D.C. Atypical multifocal ERG responses in patients with diseases affecting the photoreceptors, 2867

HOLZ, E.R.

Gao, H., Qiao, X., Gao, R., Mieler, W.F., McPherson, A.R. and Holz, E.R. Intravitreal triamcinolone does not alter basal vascular endothelial growth factor mRNA expression in rat retina, 349

HONG, S.W.

Hong, S.W. and Shevell, S.K. Brightness contrast and assimilation from patterned inducing backgrounds, 35

HOOD, D.C.

Greenstein, V.C., Holopigian, K., Seiple, W., Carr, R.E. and Hood, D.C. Atypical multifocal ERG responses in patients with diseases affecting the photoreceptors, 2867

HOROWITZ, T.S.

Wolfe, J.M., Horowitz, T.S., Kenner, N., Hyle, M. and Vasan, N. How fast can you change your mind? The speed of top-down guidance in visual search, 1411

HORVÁTH, G.

Hegedüs, R. and Horváth, G. Polarizational colours could help polarization-dependent colour vision systems to discriminate between shiny and matt surfaces, but cannot unambiguously code surface orientation, 2337

HOWLAND, H.C.

Howland, H.C., Merola, S. and Basarab, J.R. The allometry and scaling of the size of vertebrate eyes, 2043

HOWLETT, M.H.C.

McFadden, S.A., Howlett, M.H.C. and Mertz, J.R. Retinoic acid signals the direction of ocular elongation in the guinea pig eye, 643

HSU, O.-C.

Hsu, L.-C., Yeh, S.-L. and Kramer, P. Linking motion-induced blindness to perceptual filling-in, 2857

HUANG, L.

Pashler, H., Dobkins, K. and Huang, L. Is contrast just another feature for visual selective attention? 1403

HUEMER, K.H.

Garhöfer, G., Zawinka, C., Resch, H., Huemer, K.H., Dorner, G.T. and Schmetterer, L. Diffuse luminance flicker increases blood flow in major retinal arteries and veins, 833

HULLEMAN, J.

Hulleman, J. and Humphreys, G.W. A new cue to figure–ground coding: top–bottom polarity, 2779

HUMPHREYS, G.W.

Hulleman, J. and Humphreys, G.W. A new cue to figure–ground coding: top–bottom polarity, 2779

HUPÉ, J.-M.

Hupé, J.-M. and Rubin, N. The oblique plaid effect, 489

HUTCHINSON, C.V.

Hutchinson, C.V. and Ledgeway, T. Spatial frequency selective masking of first-order and second-order motion in the absence of off-frequency ‘looking,’ 1499

HUXLIN, K.R.

Huxlin, K.R., Yoon, G., Nagy, L., Porter, J. and Williams, D. Monochromatic ocular wavefront aberrations in the awake-behaving cat, 2159

HYLE, M.

Wolfe, J.M., Horowitz, T.S., Kenner, N., Hyle, M. and Vasan, N. How fast can you change your mind? The speed of top-down guidance in visual search, 1411

HYÖNÄ, J.

Koivisto, M., Hyönä, J. and Revonsuo, A. The effects of eye movements, spatial attention, and stimulus features on inattention blindness, 3211

IBBOTSON, M.R.

Price, N.S.C., Greenwood, J.A. and Ibbotson, M.R. Tuning properties of radial phantom motion aftereffects, 1971

ICHIKAWA, M.

Ichikawa, M., Nishida, S. and Ono, H. Depth perception from second-order-motion stimuli yoked to head movement, 2945

IGNASHCHENKOVA, A.

Golla, H., Ignashchenkova, A., Haarmeier, T. and Thier, P. Improvement of visual acuity by spatial cueing: a comparative study in human and non-human primates, 1589

IMAI, A.

Imai, A. and Tsuji, K. Event-related potential correlates of judgment categories and detection sensitivity in a visual detection task, 763

IMAI, H.

Ueyama, H., Kuwayama, S., Imai, H., Oda, S., Nishida, Y., Tanabe, S., Shichida, Y. and Yamada, S. Analysis of L-cone/M-cone visual pigment gene arrays in Japanese males with protan color-vision deficiency, 2241

IMHOFF, S.M.

Imhoff, S.M., Volbrecht, V.J. and Nerger, J.L. A new look at the Bezold–Brücke hue shift in the peripheral retina, 1891

INZELBERG, R.

Inzelberg, R., Ramirez, J.A., Nisipeanu, P. and Ophir, A. Retinal nerve fiber layer thinning in Parkinson disease, 2793

ISHII, M.

Ishii, M., Seekkuarachchi, H., Tamura, H. and Tang, Z. 3D flash lag illusion, 1981

JACOBS, G.H.

Jacobs, G.H., Williams, G.A. and Fenwick, J.A. Influence of cone pigment coexpression on spectral sensitivity and color vision in the mouse, 1615

JACOBS, R.A.

Aslin, R.N., Battaglia, P.W. and Jacobs, R.A. Depth-dependent contrast gain-control, 685

Battaglia, P.W., Jacobs, R.A. and Aslin, R.N. Depth-dependent blur adaptation, 113

JAMES, A.C.

Maddess, T., Nagai, Y., James, A.C. and Ankiewicz, A. Binary and ternary textures containing higher-order spatial correlations, 1093

JAMES, T.W.

James, T.W. and Gauthier, I. Brain areas engaged during visual judgments by involuntary access to novel semantic information, 429

JEFFREY, B.G.

Jeffrey, B.G., Wang, Y.-Z. and Birch, E.E. Altered global shape discrimination in deprivation amblyopia, 167

JEON, S.-T.

Lu, Z.-L., Jeon, S.-T. and Doshier, B.A. Temporal tuning characteristics of the perceptual template and endogenous cuing of spatial attention, 1333

JOHNSTON, A.

Durant, S. and Johnston, A. Temporal dependence of local motion induced shifts in perceived position, 357

JONES, C.D.

Jones, C.D. and Osorio, D. Discrimination of oriented visual textures by poultry chicks, 83

KADO, H.

Ohde, H., Shinoda, K., Nishiyama, T., Kado, H., Haruta, Y., Mashima, Y. and Oguchi, Y. New method for detecting misrouted retinofugal fibers in humans with albinism by magnetoencephalography, 1033

KANAI, R.

Kanai, R. and Verstraten, F.A.J. Visual transients without feature changes are sufficient for the percept of a change, 2233

Kanai, R., Paffen, C.L.E., Gerbino, W. and Verstraten, F.A.J. Blindness to inconsistent local signals in motion transparency from oscillating dots, 2207

Kanai, R., Sheth, B.R. and Shimojo, S. Stopping the motion and sleuthing the flash-lag effect: spatial uncertainty is the key to perceptual mislocalization, 2605

Paffen, C.L.E., Pas, S.F. te, Kanai, R., van der Smagt, M.J. and Verstraten, F.A.J. Center-surround interactions in visual motion processing during binocular rivalry, 1635

KANAZAWA, S.

Shirai, N., Kanazawa, S. and Yamaguchi, M.K. Sensitivity to linear-speed-gradient of radial expansion flow in infancy, 3111

KANDIL, F.I.

Kandil, F.I. and Fahle, M. Figure-ground segregation can rely on differences in motion direction, 3177

KAPOULA, Z.

Vitu, F., Kapoula, Z., Lancelin, D. and Lavigne, F. Eye movements in reading isolated words: evidence for strong biases towards the center of the screen, 321

KAWAMURA, S.

Hiramatsu, C., Radlwimmer, F.B., Yokoyama, S. and Kawamura, S. Mutagenesis and reconstitution of middle-to-long-wave-sensitive visual pigments of New World monkeys for testing the tuning effect of residues at sites 229 and 233, 2225

KEEBLE, D.R.T.

Whitaker, D., McGraw, P.V., Keeble, D.R.T. and Skillen, J. Pulling the other one: 1st- and 2nd-order visual information interact to determine perceived location, 279

KELLMAN, P.J.

Guttman, S.E. and Kellman, P.J. Contour interpolation revealed by a dot localization paradigm, 1799

KENNER, N.

Wolfe, J.M., Horowitz, T.S., Kenner, N., Hyle, M. and Vasan, N. How fast can you change your mind? The speed of top-down guidance in visual search, 1411

KENTRIDGE, R.W.

Liversedge, S.P., Rayner, K., White, S.J., Vergilino-Perez, D., Findlay, J.M. and Kentridge, R.W. Eye movements when reading disappearing text: is there a gap effect in reading? 1013

KERSTEN, D.

Olman, C.A., Ugurbil, K., Schrater, P. and Kersten, D. BOLD fMRI and psychophysical measurements of contrast response to broadband images, 669

KERZEL, D.

Kerzel, D. and Gegenfurtner, K.R. Spatial distortions and processing latencies in the onset repulsion and Fröhlich effects, 577

Müsseler, J. and Kerzel, D. The trial context determines adjusted localization of stimuli: reconciling the Fröhlich and onset repulsion effects, 2201

KHAYAT, P.S.

Khayat, P.S., Spekreijse, H. and Roelfsema, P.R. Visual information transfer across eye movements in the monkey, 2901

KHOE, W.

Khoe, W., Freeman, E., Woldorff, M.G. and Mangun, G.R. Electrophysiological correlates of lateral interactions in human visual cortex, 1659

KIRKWOOD, S.C.

Blecker, T.M., Yee, R.D., Kirkwood, S.C., Hake, A.M., Stout, J.C., Weaver, M.R. and Foroud, T.M. Oculomotor control in asymptomatic and recently diagnosed individuals with the genetic marker for Huntington's disease, 2729

KLING, K.

Kline, K., Holcombe, A.O. and Eagleman, D.M. Illusory motion reversal is caused by rivalry, not by perceptual snapshots of the visual field, 2653

KOCKI, T.

Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655

KOHLER, K.

Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655

Rejdak, R., Shenk, Y., Schuettauf, F., Turski, W.A., Okuno, E., Zagorski, Z., Zrenner, E. and Kohler, K. Expression of kynurenine aminotransferases in the rat retina during development, 1

KOIVISTO, M.

Koivisto, M., Hyönä, J. and Revonsuo, A. The effects of eye movements, spatial attention, and stimulus features on inattention blindness, 3211

KONSTANDATOS, O.

Alexander, D.M., Bourke, P.D., Sheridan, P., Konstandatos, O. and Wright, J.J. Intrinsic connections in tree shrew V1 imply a global to local mapping, 857

KONTSEVICH, L.L.

Kontsevich, L.L. and Tyler, C.W. What makes Mona Lisa smile? 1493

KOSKELAINEN, A.

Ala-Laurila, P., Pahlberg, J., Koskelainen, A. and Donner, K. On the relation between the photoactivation energy and the absorbance spectrum of visual pigments, 2153

KOVACS, I.

Gerhardstein, P., Kovacs, I., Ditre, J. and Feher, A. Detection of contour continuity and closure in three-month-olds, 2981

KOWLER, E.

Gersch, T.M., Kowler, E. and Doshier, B. Dynamic allocation of visual attention during the execution of sequences of saccades, 1469

KRAMER, P.

Hsu, L.-C., Yeh, S.-L. and Kramer, P. Linking motion-induced blindness to perceptual filling-in, 2857

KRAUZLIS, R.J.

Krauzlis, R.J., Liston, D. and Carello, C.D. Target selection and the superior colliculus: goals, choices and hypotheses, 1445

KREKELBERG, B.

Rezec, A., Krekelberg, B. and Dobkins, K.R. Attention enhances adaptability: evidence from motion adaptation experiments, 3035

KREMLÁČEK, J.

Kremláček, K., Kuba, M., Chlubnová, J. and Kubová, Z. Effect of stimulus localisation on motion-onset VEP, 2989

KRÖGER, R.H.H.

Kröger, R.H.H. and Gislén, A. Compensation for longitudinal chromatic aberration in the eye of the firefly squid, *Watasenia scintillans*, 2129

KRUGER, P.B.

Kruger, P.B., Stark, L.R. and Nguyen, H.N. Small foveal targets for studies of accommodation and the Stiles–Crawford effect, 2757

Rucker, F.J. and Kruger, P.B. Accommodation responses to stimuli in cone contrast space, 2931

Rucker, F.J. and Kruger, P.B. The role of short-wavelength sensitive cones and chromatic aberration in the response to stationary and step accommodation stimuli, 197

KUBA, M.

Kremláček, K., Kuba, M., Chlubnová, J. and Kubová, Z. Effect of stimulus localisation on motion-onset VEP, 2989

KUBOVÁ, Z.

Kremláček, K., Kuba, M., Chlubnová, J. and Kubová, Z. Effect of stimulus localisation on motion-onset VEP, 2989

KUWAYAMA, S.

Ueyama, H., Kuwayama, S., Imai, H., Oda, S., Nishida, Y., Tanabe, S., Shichida, Y. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in Japanese males with protan color-vision deficiency, 2241

LA CARA, G.-E.

Ursino, M. and La Cara, G.-E. Comparison of different models of orientation selectivity based on distinct intracortical inhibition rules, 1641

LACHAPELLE, J.

Lachapelle, J., Ouimet, C., Bach, M., Ptito, A. and McKerral, M. Texture segregation in traumatic brain injury – a VEP study, 2835

LAI, C.-M.

Shen, W.-Y., Lai, Y.K.Y., Lai, C.-M. and Rakoczy, P.E. Impurity of recombinant adeno-associated virus type 2 affects the transduction characteristics following subretinal injection in the rat, 339

LAI, Y.K.Y.

Shen, W.-Y., Lai, Y.K.Y., Lai, C.-M. and Rakoczy, P.E. Impurity of recombinant adeno-associated virus type 2 affects the transduction characteristics following subretinal injection in the rat, 339

LAKHA, L.

Lakha, L. and Wright, M.J. Capacity limitations of visual memory in two-interval comparison of Gabor arrays, 1707

LAMBILLIOTTE, E.

Rogé, J., Pébayle, T., Lambilliotte, E., Spitzenstetter, F., Giselbrecht, D. and Muzet, A. Influence of age, speed and duration of monotonous driving task in traffic on the driver's useful visual field, 2737

LANCELIN, D.

Vitu, F., Kapoula, Z., Lancelin, D. and Lavigne, F. Eye movements in reading isolated words: evidence for strong biases towards the center of the screen, 321

LANDRUM, J.T.

Bone, R.A., Landrum, J.T. and Gibert, J.C. Macular pigment and the edge hypothesis of flicker photometry, 3045

LANDY, M.S.

Chubb, C., Landy, M.S. and Econopouly, J. A visual mechanism tuned to black, 3223

Warren, P.A., Maloney, L.T. and Landy, M.S. Interpolating sampled contours in 3D: perturbation analyses, 815

LANKHEET, M.J.M.

Muller, C., Lankheet, M.J.M. and van de Grind, W.A. Binocular correlation does not improve coherence detection for fronto-parallel motion, 1961

LAPPE, M.

Michels, L. and Lappe, M. Contrast dependency of saccadic compression and suppression, 2327

LAURINEN, P.I.

Peromaa, T.L. and Laurinen, P.I. Separation of edge detection and brightness perception, 1919

LAVIGNE, F.

Vitu, F., Kapoula, Z., Lancelin, D. and Lavigne, F. Eye movements in reading isolated words: evidence for strong biases towards the center of the screen, 321

LEDGEWAY, T.

Allen, H.A., Ledgeway, T. and Hess, R.F. Poor encoding of position by contrast-defined motion, 1985

Elleberg, D., Lewis, T.L., Dirks, M., Maurer, D., Ledgeway, T., Guillemot, J.-P. and Lepore, F. Putting order into the development of sensitivity to global motion, 2403

Hutchinson, C.V. and Ledgeway, T. Spatial frequency selective masking of first-order and second-order motion in the absence of off-frequency 'looking,' 1499

LEE, B.B.

Sun, H., Rüttiger, L. and Lee, B.B. The spatiotemporal precision of ganglion cell signals: a comparison of physiological and psychophysical performance with moving gratings, 19

LEE, D.D.

Mensh, B.D., Aksay, E., Lee, D.D., Seung, H.S. and Tank, D.W. Spontaneous eye movements in goldfish: oculomotor integrator performance, plasticity, and dependence on visual feedback, 711

LEE, S.-H.

Lee, S.H. and Blake, R. A fresh look at interocular grouping during binocular rivalry, 983

LEGGE, G.E.

Chung, S.T.L., Legge, G.E. and Cheung, S.-h. Letter-recognition and reading speed in peripheral vision benefit from perceptual learning, 695

LEHACI, C.

Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655

LEINEWEBER, M.

Müller, R., Göpfert, E., Leineweber, M. and Greenlee, M.W. Effect of adaptation direction on the motion VEP and perceived speed of drifting gratings, 2381

LEPORE, F.

Elleberg, D., Lewis, T.L., Dirks, M., Maurer, D., Ledgeway, T., Guillemot, J.-P. and Lepore, F. Putting order into the development of sensitivity to global motion, 2403

LEVI, D.M.

Levi, D.M. and Saarinen, J. Perception of mirror symmetry in amblyopic vision, 2475

Levi, D.M. Editorial, 1731

Popple, A.V. and Levi, D.M. Combining cues in contour orientation discrimination, 3081

LEVINE, M.W.

McAnany, J.J. and Levine, M.W. The blanking phenomenon: a novel form of visual disappearance, 993

LEWIS, T.L.

Elleberg, D., Lewis, T.L., Dirks, M., Maurer, D., Ledgeway, T., Guillemot, J.-P. and Lepore, F. Putting order into the development of sensitivity to global motion, 2403

LI, L.

Li, L. and Warren, W.H., Jr. Path perception during rotation: influence of instructions, depth range, and dot density, 1879

Ren, J.Q. and Li, L. A circadian clock regulates the process of ERG b- and d-wave dominance transition in dark-adapted zebrafish, 2147

LICKEY, M.E.

Lickey, M.E., Pham, T.A. and Gordon, B. Swept contrast visual evoked potentials and their plasticity following monocular deprivation in mice, 3381

LILLHOLM, M.

Griffin, L.D., Lillholm, M. and Nielsen, M. Natural image profiles are most likely to be step edges, 407

LISTON, D.

Krauzlis, R.J., Liston, D. and Carello, C.D. Target selection and the superior colliculus: goals, choices and hypotheses, 1445

LIU, B.

Liu, B. and Todd, J.T. Perceptual biases in the interpretation of 3D shape from shading, 2135

- LIU, S.-C.
Delbrück, T and Liu, S.-C. A silicon early visual system as a model animal, 2083
- LIU, S.-H.
Doshier, B.A., Liu, S.-H., Blair, N. and Lu, Z.-L. The spatial window of the perceptual template and endogenous attention, 1257
- LIU, Z.
Lu, H., Qian, N. and Liu, Z. Learning motion discrimination with suppressed MT, 1817
- LIVERSEDGE, S.P.
Liversedge, S.P., Rayner, K., White, S.J., Vergilino-Perez, D., Findlay, J.M. and Kentridge, R.W. Eye movements when reading disappearing text: is there a gap effect in reading? 1013
- LOGOTHETIS, N.K.
Silver, M.A. and Logothetis, N.K. Grouping and segmentation in binocular rivalry, 1675
- LOGVINENKO, A.D.
Logvinenko, A.D., Byth, W. and Vityaev, E.E. In search of an elusive hard threshold: a test of observer's ability to order sub-threshold stimuli, 287
- LÓPEZ-MOLINER, J.
López-Moliner, J., Smeets, J.B.J. and Brenner, E. Components of motion perception revealed: two different after-effects from a single moving object, 2545
- LORUSSO, M.L.
Lorusso, M.L., Facoetti, A., Pesenti, S., Cattaneo, C., Molteni, M. and Geiger, G. Wider recognition in peripheral vision common to different subtypes of dyslexia, 2413
- LOTT, L.A.
Schneck, M.E., Haegerstrom-Portnoy, G., Lott, L.A., Brabyn, J.A. and Gildengorin, G. Low contrast vision function predicts subsequent acuity loss in an aged population: the SKI study, 2317
- LU, B.
McGill, T.J., Lund, R.D., Douglas, R.M., Wang, S., Lu, B. and Prusky, G.T. Preservation of vision following cell-based therapies in a model of retinal degenerative disease, 2559
Sauvé, Y., Lu, B. and Lund, R.D. The relationship between full field electroretinogram and perimetry-like visual thresholds in RCS rats during photoreceptor degeneration and rescue by cell transplants, 9
- LU, H.
Lu, H., Qian, N. and Liu, Z. Learning motion discrimination with suppressed MT, 1817
- LU, Z.-L.
Doshier, B.A., Liu, S.-H., Blair, N. and Lu, Z.-L. The spatial window of the perceptual template and endogenous attention, 1257
Lu, Z.-L., Jeon, S.-T. and Doshier, B.A. Temporal tuning characteristics of the perceptual template and endogenous cuing of spatial attention, 1333
- LUDWIG, C.J.H.
Ludwig, C.J.H., Gilchrist, I.D. and McSorley, E. The influence of spatial frequency and contrast on saccade latencies, 2597
- LUIGA, I.
Bachmann, T., Pöder, E. and Luiga, I. Illusory reversal of temporal order: the bias to report a dimmer stimulus as the first, 241
- LUKASIEWICZ, P.D.
Lukasiewicz, P.D., Eggers, E.D., Sagdullaev, B.T. and McCall, M.A. GABA_c receptor-mediated inhibition in the retina, 3289
- LUMAYAG, S.
Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335
- LUND, R.D.
McGill, T.J., Lund, R.D., Douglas, R.M., Wang, S., Lu, B. and Prusky, G.T. Preservation of vision following cell-based therapies in a model of retinal degenerative disease, 2559
Pinilla, I., Lund, R.D. and Sauvé, Y. Contribution of rod and cone pathways to the dark-adapted electroretinogram (ERG) b-wave following retinal degeneration in RCS rats, 2467
Sauvé, Y., Lu, B. and Lund, R.D. The relationship between full field electroretinogram and perimetry-like visual thresholds in RCS rats during photoreceptor degeneration and rescue by cell transplants, 9

LYUBARSKY, A.L.

Lyubarsky, A.L., Daniele, L.L. and Pugh, E.N., Jr. From candelas to photoisomerizations in the mouse eye by rhodopsin bleaching in situ and the light-rearing dependence of the major components of the mouse ERG, 3235

MACDOUGALL, H.G.

Mezey, L.E., Curthoys, I.S., Burgess, A.M., Goonetilleke, S.C. and MacDougall, H.G. Changes in ocular torsion position produced by a single visual line rotating around the line of sight – visual “entrainment” of ocular torsion, 397

Ooi, D., Cornell, E.D., Curthoys, I.S., Burgess, A.M. and MacDougall, H.G. Convergence reduces ocular counterroll (OCR) during static roll-tilt, 2825

MACUGA, K.

Gray, R., Macuga, K. and Regan, D. Long range interactions between object-motion and self-motion in the perception of movement in depth, 179

MADDESS, T.

Maddess, T., Nagai, Y., James, A.C. and Ankiwicz, A. Binary and ternary textures containing higher-order spatial correlations, 1093

MADISON, R.D.

Robinson, G.A. and Madison, R.D. Axotomized mouse retinal ganglion cells containing melanopsin show enhanced survival, but not enhanced axon regrowth into a peripheral nerve graft, 2667

MAEDA, H.

Robson, J.G., Maeda, H., Saszik, S.M. and Frishman, L.J. In vivo studies of signaling in rod pathways of the mouse using the electroretinogram, 3253

MAEDA, T.

Hayashi, R., Maeda, T., Shimojo, S. and Tachi, S. An integrative model of binocular vision: a stereo model utilizing interocularly unpaired points produces both depth and binocular rivalry, 2367

MAGNUSSEN, S.

Magnussen, S., Spillmann, L., Stürzel, F. and Werner, J.S. Unveiling the foveal blue scotoma through an afterimage, 377

MALIK, J.

Renninger, L.W. and Malik, J. When is scene identification just texture recognition? 2301

MALM, H.

Fermüller, C. and Malm, H. Uncertainty in visual processes predicts geometrical optical illusions, 727

MALMBERG, K.J.

Sanborn, A.N., Malmberg, K.J. and Shiffrin, R.M. High-level effects of masking on perceptual identification, 1427

MALONEY, L.T.

Warren, P.A., Maloney, L.T. and Landy, M.S. Interpolating sampled contours in 3D: perturbation analyses, 815

MAMASSIAN, P.

Champion, R.A., Brenner, E., Mamassian, P. and Simmons, D.R. No evidence for sequential effects of the interaction of stereo and motion cues in judgements of perceived shape, 483

Gosselin, F., Bacon, B.A. and Mamassian, P. Internal surface representations approximated by reverse correlation, 2515

Wallace, J.M. and Mamassian, P. The efficiency of depth discrimination for non-transparent and transparent stereoscopic surfaces, 2253

MANAHILOV, V.

Manahilov, V., Findlay, K. and Simpson, W.A. Factors limiting suprathreshold vision measured by a flash–sound simultaneity paradigm, 2577

MANGUN, G.R.

Khoe, W., Freeman, E., Woldorff, M.G. and Mangun, G.R. Electrophysiological correlates of lateral interactions in human visual cortex, 1659

MANSOURI, B.

Mansouri, B., Allen, H.A., Hess, R.F., Dakin, S.C. and Ehrt, O. Integration of orientation information in amblyopia, 2955

MARESCHAL, I.

Mareschal, I. and Shapley, R.M. Effects of contrast and size on orientation discrimination, 57

MASHIMA, Y.

Ohde, H., Shinoda, K., Nishiyama, T., Kado, H., Haruta, Y., Mashima, Y. and Oguchi, Y. New method for detecting misrouted retinofugal fibers in humans with albinism by magnetoencephalography, 1033

MATHER, G.

Mather, G. and Smith, D.R.R. Combining depth cues: effects upon accuracy and speed of performance in a depth-ordering task, 557

MAURER, D.

Ellemborg, D., Lewis, T.L., Dirks, M., Maurer, D., Ledgeway, T., Guillemot, J.-P. and Lepore, F. Putting order into the development of sensitivity to global motion, 2403

MAXWELL, J.S.

Maxwell, J.S. and Schor, C.M. Symmetrical horizontal vergence contributes to the asymmetrical pursuit of targets in depth, 3015

MCANANY, J.J.

McAnany, J.J. and Levine, M.W. The blanking phenomenon: a novel form of visual disappearance, 993

MCCALL, M.A.

Lukasiewicz, P.D., Eggers, E.D., Sagdullaev, B.T. and McCall, M.A. GABA_c receptor-mediated inhibition in the retina, 3289

MCCOURT, M.E.

Blakeslee, B. and McCourt, M.E. A unified theory of brightness contrast and assimilation incorporating oriented multiscale spatial filtering and contrast normalization, 2483

MCELREE, B.

Carrasco, M., Giordano, A.M. and McElree, B. Temporal performance fields: visual and attentional factors, 1351

MCFADDEN, S.A.

McFadden, S.A., Howlett, M.H.C. and Mertz, J.R. Retinoic acid signals the direction of ocular elongation in the guinea pig eye, 643

MCGILL, T.J.

McGill, T.J., Lund, R.D., Douglas, R.M., Wang, S., Lu, B. and Prusky, G.T. Preservation of vision following cell-based therapies in a model of retinal degenerative disease, 2559

MCGRAW, P.V.

Heron, J., Whitaker, D. and McGraw, P.V. Sensory uncertainty governs the extent of audio-visual interaction, 2875
Whitaker, D., McGraw, P.V., Keeble, D.R.T. and Skillen, J. Pulling the other one: 1st- and 2nd-order visual information interact to determine perceived location, 279

MCILHAGGA, W.

McIlhagga, W. Denoising and contrast constancy, 2659

MCKEE, S.P.

Verghese, P. and McKee, S.P. Visual search in clutter, 1217

MCKERRAL, M.

Lachapelle, J., Ouimet, C., Bach, M., Ptito, A. and McKerral, M. Texture segregation in traumatic brain injury – a VEP study, 2835

MCPHERSON, A.R.

Gao, H., Qiao, X., Gao, R., Mieler, W.F., McPherson, A.R. and Holz, E.R. Intravitreal triamcinolone does not alter basal vascular endothelial growth factor mRNA expression in rat retina, 349

MCSORLEY, E.

Ludwig, C.J.H., Gilchrist, I.D. and McSorley, E. The influence of spatial frequency and contrast on saccade latencies, 2597

MEINHARDT, G.

Meinhardt, G., Schmidt, M., Persike, M. and Röers, B. Feature synergy depends on feature contrast and objecthood, 1843

MELCHER, D.

Melcher, D., Crespi, S., Bruno, A. and Morrone, M.C. The role of attention in central and peripheral motion integration, 1367

MENG, X.

Meng, X., Chen, Y. and Qian, N. Both monocular and binocular signals contribute to motion rivalry, 45

MENSH, B.D.

Mensh, B.D., Aksay, E., Lee, D.D., Seung, H.S. and Tank, D.W. Spontaneous eye movements in goldfish: oculomotor integrator performance, plasticity, and dependence on visual feedback, 711

MEROLA, S.

Howland, H.C., Merola, S. and Basarab, J.R. The allometry and scaling of the size of vertebrate eyes, 2043

MERTZ, J.R.

McFadden, S.A., Howlett, M.H.C. and Mertz, J.R. Retinoic acid signals the direction of ocular elongation in the guinea pig eye, 643

MEYER-ROCHOW, V.B.

Meyer-Rochow, V.B. and Gál, J. Dimensional limits for arthropod eyes with superposition optics, 2213

MEZEY, L.E.

Mezey, L.E., Curthoys, I.S., Burgess, A.M., Goonetilleke, S.C. and MacDougall, H.G. Changes in ocular torsion position produced by a single visual line rotating around the line of sight – visual “entrainment” of ocular torsion, 397

MICHELS, L.

Michels, L. and Lappe, M. Contrast dependency of saccadic compression and suppression, 2327

MIELER, W.F.

Gao, H., Qiao, X., Gao, R., Mieler, W.F., McPherson, A.R. and Holz, E.R. Intravitreal triamcinolone does not alter basal vascular endothelial growth factor mRNA expression in rat retina, 349

MILLER, J.M.

Harvey, E.M., Dobson, V., Miller, J.M. and Sherrill, D.L. Treatment of astigmatism-related amblyopia in 3- to 5-year-old children, 1623

MIURA, K.

Optican, L.M., Miura, K. and FitzGibbon, E.J. Tenotomy and congenital nystagmus: a null result is not a failure, for “It is not the answer that enlightens, but the question,” 3095 (reply to letter)

MOLLON, J.D.

Smithson, H.E. and Mollon, J.D. Is the S-opponent chromatic sub-system sluggish? 2919

MOLTENI, M.

Lorusso, M.L., Facoetti, A., Pesenti, S., Cattaneo, C., Molteni, M. and Geiger, G. Wider recognition in peripheral vision common to different subtypes of dyslexia, 2413

MONNIER, P.

Monnier, P. and Shevell, S.K. Chromatic induction from S-cone patterns, 849

MORADI, F.

Moradi, F. and Shimojo, S. Perceptual-binding and persistent surface segregation, 2885

Moradi, F. and Shimojo, S. Suppressive effect of sustained low-contrast adaptation followed by transient high-contrast on peripheral target detection, 449

MORA-FERRER, C.

Mora-Ferrer, C. and Behrend, K. Dopaminergic modulation of photopic temporal transfer properties in goldfish retina investigated with the ERG, 2067

MORDI, J.A.

Mordi, J.A. and Ciuffreda, K.J. Dynamic aspects of accommodation: age and presbyopia, 591, 2315 (reply to letter)

MORGAN, J.E.

Aldebasi, Y.H., Drasdo, N., Morgan, J.E. and North, R.V. S-cone, L + M-cone, and pattern, electroretinograms in ocular hypertension and glaucoma, 2749

MORRONE, M.C.

Melcher, D., Crespi, S., Bruno, A. and Morrone, M.C. The role of attention in central and peripheral motion integration, 1367

Morrone, M.C., Denti, V. and Spinelli, D. Different attentional resources modulate the gain mechanisms for color and luminance contrast, 1389

MOSCA, F.

Bertamini, M., Bruno, N. and Mosca, F. Illusory surfaces affect the integration of local motion signals, 297

MOTOYOSHI, I.

Motoyoshi, I. and Nishida, S. Cross-orientation summation in texture segregation, 2567

MOUNTS, J.R.W.

Mounts, J.R.W. and Gavett, B.E. The role of salience in localized attentional interference, 1575

MUIR-ROBINSON, G.

Torborg, C., Wang, C.-T., Muir-Robinson, G. and Feller, M.B. L-type calcium channel agonist induces correlated depolarizations in mice lacking the $\beta 2$ subunit nAChRs, 3347

MULLER, C.

Muller, C., Lankheet, M.J.M. and van de Grind, W.A. Binocular correlation does not improve coherence detection for fronto-parallel motion, 1961

MÜLLER, R.

Müller, R., Göpfert, E., Leineweber, M. and Greenlee, M.W. Effect of adaptation direction on the motion VEP and perceived speed of drifting gratings, 2381

MULLINS, R.F.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

MURADOV, H.

Muradov, H., Boyd, K.K. and Artemyev, N.O. Structural determinants of the PDE6 GAF A domain for binding the inhibitory γ -subunit and noncatalytic cGMP, 2437

MURAKAMI, I.

Murakami, I. Correlations between fixation stability and visual motion sensitivity, 751

MURRAY, R.F.

Murray, R.F. and Gold, J.M. Reply to Gosselin and Schyns, 479

Murray, R.F. and Gold, J.M. Troubles with bubbles, 461

MURTHY, A.

Ray, S., Schall, J.D. and Murthy, A. Programming of double-step saccade sequences: modulation by cognitive control, 2707

MÜSSELER, J.

Müsseler, J. and Kerzel, D. The trial context determines adjusted localization of stimuli: reconciling the Fröhlich and onset repulsion effects, 2201

MUZET, A.

Rogé, J., Pébayle, T., Lambilliotte, E., Spitzenstetter, F., Giselbrecht, D. and Muzet, A. Influence of age, speed and duration of monotonous driving task in traffic on the driver's useful visual field, 2737

NAGAI, Y.

Maddess, T., Nagai, Y., James, A.C. and Ankiewicz, A. Binary and ternary textures containing higher-order spatial correlations, 1093

NAGY, A.L.

Nagy, A.L., Young, T. and Neriani, K. Combining information in different color-coding mechanisms to facilitate visual search, 2971

NAGY, L.

Huxlin, K.R., Yoon, G., Nagy, L., Porter, J. and Williams, D. Monochromatic ocular wavefront aberrations in the awake-behaving cat, 2159

NAJI, J.J.

Naji, J.J. and Freeman, T.C.A. Perceiving depth order during pursuit eye movement, 3025

NAKAMURA, S.

Nakamura, S. Effects of spatial arrangement of visual stimulus on inverted self-motion perception induced by the foreground motion: examination of OKN-suppression hypothesis, 1951

NAKAZAWA, M.

Usui, T., Tanimoto, N., Ueki, S., Takagi, M., Hasegawa, S., Abe, H., Sekiya, K. and Nakazawa, M. ERG rod a-wave in Oguchi disease, 535

NEITZ, J.

Bollinger, K., Sjöberg, S.A., Neitz, M. and Neitz, J. Topographical cone photopigment gene expression in deutan-type red-green color vision defects, 135

NEITZ, M.

Bollinger, K., Sjöberg, S.A., Neitz, M. and Neitz, J. Topographical cone photopigment gene expression in deutan-type red-green color vision defects, 135

NERGER, J.L.

Imhoff, S.M., Volbrecht, V.J. and Nerger, J.L. A new look at the Bezold–Brücke hue shift in the peripheral retina, 1891

NERI, P.

Neri, P. Attentional effects on sensory tuning for single-feature detection and double-feature conjunction, 3053

NERIANI, K.

Nagy, A.L., Young, T. and Neriani, K. Combining information in different color-coding mechanisms to facilitate visual search, 2971

NEUBAUER, A.S.

Stiefelmeyer, S., Neubauer, A.S., Berninger, T., Arden, G.B. and Rudolph, G. The multifocal pattern electroretinogram in glaucoma, 103

NEVADO, A.

Guo, K., Nevado, A., Robertson, R.G., Pulgarin, M., Thiele, A. and Young, M.P. Effects on orientation perception of manipulating the spatio-temporal prior probability of stimuli, 2349

NGUYEN, H.N.

Kruger, P.B., Stark, L.R. and Nguyen, H.N. Small foveal targets for studies of accommodation and the Stiles–Crawford effect, 2757

NIEDERÉE, R.

Ekroll, V., Faul, F. and Niederée, R. The peculiar nature of simultaneous colour contrast in uniform surrounds, 1765

NIELSEN, M.

Griffin, L.D., Lillholm, M. and Nielsen, M. Natural image profiles are most likely to be step edges, 407

NISHIDA, S.

Edwards, M. and Nishida, S. Contrast-reversing global-motion stimuli reveal local interactions between first- and second-order motion signals, 1941

Ichikawa, M., Nishida, S. and Ono, H. Depth perception from second-order-motion stimuli yoked to head movement, 2945

Motoyoshi, I. and Nishida, S. Cross-orientation summation in texture segregation, 2567

NISHIDA, Y.

Ueyama, H., Kuwayama, S., Imai, H., Oda, S., Nishida, Y., Tanabe, S., Shichida, Y. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in Japanese males with protan color-vision deficiency, 2241

NISHIYAMA, T.

Ohde, H., Shinoda, K., Nishiyama, T., Kado, H., Haruta, Y., Mashima, Y. and Oguchi, Y. New method for detecting misrouted retinofugal fibers in humans with albinism by magnetoencephalography, 1033

NISIPEANU, P.

Inzelberg, R., Ramirez, J.A., Nisipeanu, P. and Ophir, A. Retinal nerve fiber layer thinning in Parkinson disease, 2793

NORTH, R.V.

Aldebasi, Y.H., Drasdo, N., Morgan, J.E. and North, R.V. S-cone, L + M-cone, and pattern, electroretinograms in ocular hypertension and glaucoma, 2749

ODA, S.

Ueyama, H., Kuwayama, S., Imai, H., Oda, S., Nishida, Y., Tanabe, S., Shichida, Y. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in Japanese males with protan color-vision deficiency, 2241

OGUCHI, Y.

Ohde, H., Shinoda, K., Nishiyama, T., Kado, H., Haruta, Y., Mashima, Y. and Oguchi, Y. New method for detecting misrouted retinofugal fibers in humans with albinism by magnetoencephalography, 1033

OHDE, H.

Ohde, H., Shinoda, K., Nishiyama, T., Kado, H., Haruta, Y., Mashima, Y. and Oguchi, Y. New method for detecting misrouted retinofugal fibers in humans with albinism by magnetoencephalography, 1033

OHTSUKA, S.

Suyama, S., Ohtsuka, S., Takada, H., Uehira, K. and Sakai, S. Apparent 3-D image perceived from luminance-modulated two 2-D images displayed at different depths, 785

OKUNO, E.

Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655

Rejdak, R., Shenk, Y., Schuettauf, F., Turski, W.A., Okuno, E., Zagorski, Z., Zrenner, E. and Kohler, K. Expression of kynurenine aminotransferases in the rat retina during development, 1

O'LEARY, D.J.

Radhakrishnan, H., Pardhan, S., Calver, R.I. and O'Leary, D.J. Effect of positive and negative defocus on contrast sensitivity in myopes and non-myopes, 1869

OLMAN, C.A.

Oلمان, C.A., Ugurbil, K., Schrater, P. and Kersten, D. BOLD fMRI and psychophysical measurements of contrast response to broadband images, 669

ÖGMEN, H.

Ögmen, H., Patel, S.S., Bedell, H.E. and Camuz, K. Differential latencies and the dynamics of the position computation process for moving targets, assessed with the flash-lag effect, 2109

OMTZIGT, D.

Omtzigt, D. and Hendriks, A.W. Magnocellular involvement in flanked-letter identification relates to the allocation of attention, 1927

ONO, H.

Ichikawa, M., Nishida, S. and Ono, H. Depth perception from second-order-motion stimuli yoked to head movement, 2945

ONORI, K.A.

Faulstich, B.M., Onori, K.A. and du Lac, S. Comparison of plasticity and development of mouse optokinetic and vestibulo-ocular reflexes suggests differential gain control mechanisms, 3419

OOI, D.

Ooi, D., Cornell, E.D., Curthoys, I.S., Burgess, A.M. and MacDougall, H.G. Convergence reduces ocular counterroll (OCR) during static roll-tilt, 2825

OPHIR, A.

Inzelberg, R., Ramirez, J.A., Nisipeanu, P. and Ophir, A. Retinal nerve fiber layer thinning in Parkinson disease, 2793

OPTICAN, L.M.

Optican, L.M., Miura, K. and FitzGibbon, E.J. Tenotomy and congenital nystagmus: a null result is not a failure, for “It is not the answer that enlightens, but the question,” 3095 (reply to letter)

OSORIO, D.

Jones, C.D. and Osorio, D. Discrimination of oriented visual textures by poultry chicks, 83

OUIMET, C.

Lachapelle, J., Ouimet, C., Bach, M., Ptito, A. and McKerral, M. Texture segregation in traumatic brain injury – a VEP study, 2835

PACEY, I.

Garcia-Suarez, L., Barrett, B.T. and Pacey, I. A comparison of the effects of ageing upon vernier and bisection acuity, 1039

PAFFEN, C.L.E.

Kanai, R., Paffen, C.L.E., Gerbino, W. and Verstraten, F.A.J. Blindness to inconsistent local signals in motion transparency from oscillating dots, 2207

Paffen, C.L.E., Pas, S.F. te, Kanai, R., van der Smagt, M.J. and Verstraten, F.A.J. Center-surround interactions in visual motion processing during binocular rivalry, 1635

PAHLBERG, J.

Ala-Laurila, P., Pahlberg, J., Koskelainen, A. and Donner, K. On the relation between the photoactivation energy and the absorbance spectrum of visual pigments, 2153

PAIK, Y.

Watanabe, K., Paik, Y. and Blake, R. Preserved gain control for luminance contrast during binocular rivalry suppression, 3065

PANG, J.-J.

Wu, S.M., Gao, F. and Pang, J.-J. Synaptic circuitry mediating light-evoked signals in dark-adapted mouse retina, 3277

PAPATHOMAS, T.V.

Sohn, W., Papathomas, T.V., Blaser, E. and Vidnyánszky, Z. Object-based cross-feature attentional modulation from color to motion, 1437

PARDHAN, S.

Radhakrishnan, H., Pardhan, S., Calver, R.I. and O’Leary, D.J. Effect of positive and negative defocus on contrast sensitivity in myopes and non-myopes, 1869

PAS, S.F. TE

Paffen, C.L.E., Pas, S.F. te, Kanai, R., van der Smagt, M.J. and Verstraten, F.A.J. Center-surround interactions in visual motion processing during binocular rivalry, 1635

PASHLER, H.

Pashler, H., Dobkins, K. and Huang, L. Is contrast just another feature for visual selective attention? 1403

PATEL, S.S.

Bedell, H.E., Chung, S.T.L. and Patel, S.S. Attenuation of perceived motion smear during vergence and pursuit tracking, 895

Ögmen, H., Patel, S.S., Bedell, H.E. and Camuz, K. Differential latencies and the dynamics of the position computation process for moving targets, assessed with the flash-lag effect, 2109

PEARSON, J.

Clifford, C.W.G., Spehar, B. and Pearson, J. Motion transparency promotes synchronous perceptual binding, 3073

PÉBAYLE, T.

Rogé, J., Pébayle, T., Lambilliotte, E., Spitzenstetter, F., Giselsbrecht, D. and Muzet, A. Influence of age, speed and duration of monotonous driving task in traffic on the driver's useful visual field, 2737

PELI, E.

Giorgi, R.G., Soong, G.P., Woods, R.L. and Peli, E. Facilitation of contrast detection in near-peripheral vision, 3193

PELIZZONE, M.

Sommerhalder, J., Rappaz, B., Haller, R. de, Fornos, A.P., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: II. Eccentric reading of full-page text and the learning of this task, 1693

PEREZ-FORNOS, A.

Varsori, M., Perez-Fornos, A., Safran, A.B. and Whatham, A.R. Development of a viewing strategy during adaptation to an artificial central scotoma, 2691

PEROMAA, T.-L.

Peromaa, T.L. and Laurinen, P.I. Separation of edge detection and brightness perception, 1919

PERRONE, J.A.

Perrone, J.A. A visual motion sensor based on the properties of V1 and MT neurons, 1733

PERRY, J.S.

Tversky, T., Geisler, W.S. and Perry, J.S. Contour grouping: closure effects are explained by good continuation and proximity, 2769

PERSIKE, M.

Meinhardt, G., Schmidt, M., Persike, M. and Röers, B. Feature synergy depends on feature contrast and objecthood, 1843

PESENTI, S.

Lorusso, M.L., Facoetti, A., Pesenti, S., Cattaneo, C., Molteni, M. and Geiger, G. Wider recognition in peripheral vision common to different subtypes of dyslexia, 2413

PETROV, Y.

Petrov, Y. and Glennerster, A. The role of a local reference in stereoscopic detection of depth relief, 367

Petrov, Y. Higher-contrast is preferred to equal-contrast in stereo-matching, 775

PHAM, B.T.

Eckstein, M.P., Pham, B.T. and Shimozaki, S.S. The footprints of visual attention during search with 100% valid and 100% invalid cues, 1193

PHAM, T.A.

Lickey, M.E., Pham, T.A. and Gordon, B. Swept contrast visual evoked potentials and their plasticity following monocular deprivation in mice, 3381

PHILLIPS, W.A.

Hancock, P.J.B. and Phillips, W.A. Pop-out from abrupt visual onsets, 2285

PINILLA, I.

Pinilla, I., Lund, R.D. and Sauvé, Y. Contribution of rod and cone pathways to the dark-adapted electroretinogram (ERG) b-wave following retinal degeneration in RCS rats, 2467

PINNA, B.

Pinna, B., Ehrenstein, W.H. and Spillmann, L. Illusory contours and surfaces without amodal completion and depth stratification, 1851

PINTO, L.H.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

PLAS, D.T.

Plas, D.T., Visel, A., Gonzalez, E., She, W.-C. and Crair, M.C. Adenylate Cyclase 1 dependent refinement of retinotopic maps in the mouse, 3357

PÖDER, E.

Bachmann, T., Pöder, E. and Luiga, I. Illusory reversal of temporal order: the bias to report a dimmer stimulus as the first, 241

POLA, J.

Pola, J. Models of the mechanism underlying perceived location of a perisaccadic flash, 2799

POLAT, U.

Bonneh, Y.S., Sagi, D. and Polat, U. Local and non-local deficits in amblyopia: acuity and spatial interactions, 3099

POOM, L.

Poom, L. and Börjesson, E. Good continuation with kinetic edges, 2101

POPPLE, A.V.

Popple, A.V. and Levi, D.M. Combining cues in contour orientation discrimination, 3081

PORTER, J.

Huxlin, K.R., Yoon, G., Nagy, L., Porter, J. and Williams, D. Monochromatic ocular wavefront aberrations in the awake-behaving cat, 2159

POTECHIN, C.

Gurnsey, R., Di Lenardo, D. and Potechin, C. Backward masking and the central performance drop, 2587

PRICE, N.S.C.

Price, N.S.C., Greenwood, J.A. and Ibbotson, M.R. Tuning properties of radial phantom motion aftereffects, 1971

PROVIS, J.M.

Cornish, E.E., Hendrickson, A.E. and Provis, J.M. Distribution of short-wavelength-sensitive cones in human fetal and postnatal retina: early development of spatial order and density profiles, 2019

PRUSKY, G.T.

McGill, T.J., Lund, R.D., Douglas, R.M., Wang, S., Lu, B. and Prusky, G.T. Preservation of vision following cell-based therapies in a model of retinal degenerative disease, 2559

Prusky, G.T. and Douglas, R.M. Characterization of mouse cortical spatial vision, 3411

PTITO, A.

Lachapelle, J., Ouimet, C., Bach, M., Ptito, A. and McKerral, M. Texture segregation in traumatic brain injury – a VEP study, 2835

PUGH, E.N., JR.

Lyubarsky, A.L., Daniele, L.L. and Pugh, E.N., Jr. From candelas to photoisomerizations in the mouse eye by rhodopsin bleaching in situ and the light-rearing dependence of the major components of the mouse ERG, 3235

PULGARIN, M.

Guo, K., Nevado, A., Robertson, R.G., Pulgarin, M., Thiele, A. and Young, M.P. Effects on orientation perception of manipulating the spatio-temporal prior probability of stimuli, 2349

QIAN, N.

Lu, H., Qian, N. and Liu, Z. Learning motion discrimination with suppressed MT, 1817

Meng, X., Chen, Y. and Qian, N. Both monocular and binocular signals contribute to motion rivalry, 45

QIAO, X.

Gao, H., Qiao, X., Gao, R., Mieler, W.F., McPherson, A.R. and Holz, E.R. Intravitreal triamcinolone does not alter basal vascular endothelial growth factor mRNA expression in rat retina, 349

QUAID, P.T.

Quaid, P.T., Simpson, T. and Flanagan, J.G. Monocular and dichoptic masking effects on the frequency doubling illusion, 661

RADHAKRISHNAN, H.

Radhakrishnan, H., Pardhan, S., Calver, R.I. and O’Leary, D.J. Effect of positive and negative defocus on contrast sensitivity in myopes and non-myopes, 1869

RADLWIMMER, F.B.

Hiramatsu, C., Radlwimmer, F.B., Yokoyama, S. and Kawamura, S. Mutagenesis and reconstitution of middle-to-long-wave-sensitive visual pigments of New World monkeys for testing the tuning effect of residues at sites 229 and 233, 2225

RAINVILLE, S.J.M.

Rainville, S.J.M. and Wilson, H.R. The influence of motion-defined form on the perception of spatially-defined form, 1065

RAJIMEHR, R.

Rajimehr, R., Vaziri-Pashkam, M., Afraz, S.-R. and Esteky, H. Adaptation to apparent motion in crowding condition, 925

RAMIREZ, J.A.

Inzelberg, R., Ramirez, J.A., Nisipeanu, P. and Ophir, A. Retinal nerve fiber layer thinning in Parkinson disease, 2793

RAO, Y.

Daw, N., Rao, Y., Wang, X.-F., Fischer, Q. and Yang, Y. LTP and LTD vary with layer in rodent visual cortex, 3377

RAPPAZ, B.

Sommerhalder, J., Rappaz, B., Haller, R. de, Fornos, A.P., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: II. Eccentric reading of full-page text and the learning of this task, 1693

RASCHER, K.

Rascher, K., Servos, G., Berthold, G., Hartwig, H.-G., Warskulat, U., Heller-Stilb, B. and Häussinger, D. Light deprivation slows but does not prevent the loss of photoreceptors in taurine transporter knockout mice, 2091

RATCLIFF, R.

Smith, P.L., Ratcliff, R. and Wolfgang, B.J. Attention orienting and the time course of perceptual decisions: response time distributions with masked and unmasked displays, 1297

RAY, S.

Ray, S., Schall, J.D. and Murthy, A. Programming of double-step saccade sequences: modulation by cognitive control, 2707

RAYNER, K.

Liversedge, S.P., Rayner, K., White, S.J., Vergilino-Perez, D., Findlay, J.M. and Kentridge, R.W. Eye movements when reading disappearing text: is there a gap effect in reading? 1013

REDENTI, S.

Redenti, S. and Chappell, R.L. Localization of zinc transporter-3 (ZnT-3) in mouse retina, 3317

REEVES, A.

Reeves, A. and Wu, S. Transient lumanopia at high intensities, 3203

Santhi, N. and Reeves, A. The roles of distractor noise and target certainty in search: A signal detection model, 1235

REGAN, D.

Gray, R., Macuga, K. and Regan, D. Long range interactions between object-motion and self-motion in the perception of movement in depth, 179

REITS, D.

Schellart, N.A.M., Trindade, M.J.G., Reits, D., Verbunt, J.P.A. and Spekreijse, H. Temporal and spatial congruence of components of motion-onset evoked responses investigated by whole-head magneto-electroencephalography, 119

REJDAK, R.

Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655

Rejdak, R., Shenk, Y., Schuettauf, F., Turski, W.A., Okuno, E., Zagorski, Z., Zrenner, E. and Kohler, K. Expression of kynurenine aminotransferases in the rat retina during development, 1

REN, J.Q.

Ren, J.Q. and Li, L. A circadian clock regulates the process of ERG b- and d-wave dominance transition in dark-adapted zebrafish, 2147

RENNINGER, L.W.

Renninger, L.W. and Malik, J. When is scene identification just texture recognition? 2301

RESCH, H.

Garhöfer, G., Zawinka, C., Resch, H., Huemer, K.H., Dorner, G.T. and Schmetterer, L. Diffuse luminance flicker increases blood flow in major retinal arteries and veins, 833

REVONSUO, A.

Koivisto, M., Hyönä, J. and Revonsuo, A. The effects of eye movements, spatial attention, and stimulus features on inattentional blindness, 3211

- REZEC, A.
Rezec, A., Krekelberg, B. and Dobkins, K.R. Attention enhances adaptability: evidence from motion adaptation experiments, 3035
- RIBEIRO-FILHO, N.P.
Foley, J.M., Ribeiro-Filho, N.P. and Da Silva, J.A. Visual perception of extent and the geometry of visual space, 147
- ROBERTS, N.W.
Roberts, N.W. and Gleeson, H.F. The absorption of polarized light by vertebrate photoreceptors, 2643
- ROBERTSON, R.G.
Guo, K., Nevado, A., Robertson, R.G., Pulgarin, M., Thiele, A. and Young, M.P. Effects on orientation perception of manipulating the spatio-temporal prior probability of stimuli, 2349
- ROBINSON, G.A.
Robinson, G.A. and Madison, R.D. Axotomized mouse retinal ganglion cells containing melanopsin show enhanced survival, but not enhanced axon regrowth into a peripheral nerve graft, 2667
- ROBSON, J.G.
Robson, J.G., Maeda, H., Saszik, S.M. and Frishman, L.J. In vivo studies of signaling in rod pathways of the mouse using the electroretinogram, 3253
- ROELFSEMA, P.R.
Khayat, P.S., Spekreijse, H. and Roelfsema, P.R. Visual information transfer across eye movements in the monkey, 2901
- RÖERS, B.
Meinhardt, G., Schmidt, M., Persike, M. and Röers, B. Feature synergy depends on feature contrast and objecthood, 1843
- ROGÉ, J.
Rogé, J., Pébayle, T., Lambilliotte, E., Spitzenstetter, F., Giselbrecht, D. and Muzet, A. Influence of age, speed and duration of monotonous driving task in traffic on the driver's useful visual field, 2737
- ROKOCZY, P.E.
Shen, W.-Y., Lai, Y.K.Y., Lai, C.-M. and Rakoczy, P.E. Impurity of recombinant adeno-associated virus type 2 affects the transduction characteristics following subretinal injection in the rat, 339
- ROLLS, E.T.
Deco, G. and Rolls, E.T. A neurodynamical cortical model of visual attention and invariant object recognition, 621
- ROSAS, P.
Rosas, P., Wichmann, F.A. and Wagemans, J. Some observations on the effects of slant and texture type on slant-from-texture, 1511
- ROSS, J.
Ross, J. The perceived direction and speed of global motion in Glass pattern sequences, 441
- ROUSSELET, G.A.
Rousselet, G.A., Thorpe, S.J. and Fabre-Thorpe, M. Processing of one, two or four natural scenes in humans: the limits of parallelism, 877
- RUBIN, G.S.
Crossland, M.D., Sims, M., Galbraith, R.F. and Rubin, G.S. Evaluation of a new quantitative technique to assess the number and extent of preferred retinal loci in macular disease, 1537
- RUBIN, N.
Hupé, J.-M. and Rubin, N. The oblique plaid effect, 489
- RUCKER, F.J.
Rucker, F.J. and Kruger, P.B. Accommodation responses to stimuli in cone contrast space, 2931
Rucker, F.J. and Kruger, P.B. The role of short-wavelength sensitive cones and chromatic aberration in the response to stationary and step accommodation stimuli, 197
- RUDD, M.E.
Rudd, M.E. and Zemach, I.K. Quantitative properties of achromatic color induction: an edge integration analysis, 971
- RUDOLPH, G.
Stiefelmeyer, S., Neubauer, A.S., Berninger, T., Arden, G.B. and Rudolph, G. The multifocal pattern electroretinogram in glaucoma, 103
- RÜTTIGER, L.
Sun, H., Rüttiger, L. and Lee, B.B. The spatiotemporal precision of ganglion cell signals: a comparison of physiological and psychophysical performance with moving gratings, 19

SAARINEN, J.

Levi, D.M. and Saarinen, J. Perception of mirror symmetry in amblyopic vision, 2475

SACHS, A.J.

Elder, J.H. and Sachs, A.J. Psychophysical receptive fields of edge detection mechanisms, 795

SAFRAN, A.B.

Sommerhalder, J., Rappaz, B., Haller, R. de, Fornos, A.P., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: II. Eccentric reading of full-page text and the learning of this task, 1693

Varsori, M., Perez-Fornos, A., Safran, A.B. and Whatham, A.R. Development of a viewing strategy during adaptation to an artificial central scotoma, 2691

SAGDULLAEV, B.T.

Lukasiewicz, P.D., Eggers, E.D., Sagdullaev, B.T. and McCall, M.A. GABA_c receptor-mediated inhibition in the retina, 3289

SAGI, D.

Bonneh, Y.S., Sagi, D. and Polat, U. Local and non-local deficits in amblyopia: acuity and spatial interactions, 3099

SAKAI, S.

Suyama, S., Ohtsuka, S., Takada, H., Uehira, K. and Sakai, S. Apparent 3-D image perceived from luminance-modulated two 2-D images displayed at different depths, 785

SALLY, S.L.

Sally, S.L. and Gurnsey, R. Orientation discrimination across the visual field: matching perceived contrast near threshold, 2719

SAMPANES, A.

Dassonville, P., Bridgeman, B., Bala, J.K., Thiem, P. and Sampanes, A. The induced Roelofs effect: two visual systems or the shift of a single reference frame? 603

SANBORN, A.N.

Sanborn, A.N., Malmberg, K.J. and Shiffrin, R.M. High-level effects of masking on perceptual identification, 1427

SANTHI, N.

Santhi, N. and Reeves, A. The roles of distractor noise and target certainty in search: A signal detection model, 1235

SASZIK, S.M.

Robson, J.G., Maeda, H., Saszik, S.M. and Frishman, L.J. In vivo studies of signaling in rod pathways of the mouse using the electroretinogram, 3253

SAUVÉ, Y.

Pinilla, I., Lund, R.D. and Sauvé, Y. Contribution of rod and cone pathways to the dark-adapted electroretinogram (ERG) b-wave following retinal degeneration in RCS rats, 2467

Sauvé, Y., Lu, B. and Lund, R.D. The relationship between full field electroretinogram and perimetry-like visual thresholds in RCS rats during photoreceptor degeneration and rescue by cell transplants, 9

SCHACHAR, R.A.

Schachar, R.A. Dynamic aspects of accommodation: age and presbyopia, 2313 (letter)

SCHAEFFEL, F.

Schmucker, C. and Schaeffel, F. A paraxial schematic eye model for the growing C57BL/6 mouse, 1857

Schmucker, C. and Schaeffel, F. In vivo biometry in the mouse eye with low coherence interferometry, 2445

SCHALL, J.D.

Ray, S., Schall, J.D. and Murthy, A. Programming of double-step saccade sequences: modulation by cognitive control, 2707

Schall, J.D. On the role of frontal eye field in guiding attention and saccades, 1453

SCHEFRIN, B.E.

Schefrin, B.E., Hauser, M. and Werner, J.S. Evidence against age-related enlargements of ganglion cell receptive field centers under scotopic conditions, 423

SCHELLART, N.A.M.

Schellart, N.A.M., Trindade, M.J.G., Reits, D., Verbunt, J.P.A. and Spekreijse, H. Temporal and spatial congruence of components of motion-onset evoked responses investigated by whole-head magneto-electroencephalography, 119

SCHLERF, J.

Schlerf, J., Domini, F. and Caudek, C. 3D shape-contingent processing of luminance gratings, 1079

- SCHMETTERER, L.
 Garhöfer, G., Zawinka, C., Resch, H., Huemer, K.H., Dorner, G.T. and Schmetterer, L. Diffuse luminance flicker increases blood flow in major retinal arteries and veins, 833
- SCHMIDT, M.
 Meinhardt, G., Schmidt, M., Persike, M. and Röers, B. Feature synergy depends on feature contrast and objecthood, 1843
- SCHMONSEES, U.
 Herzog, M.H., Dependahl, S., Schmonsees, U. and Fahle, M. Valences in contextual vision, 3131
- SCHMUCKER, C.
 Schmucker, C. and Schaeffel, F. A paraxial schematic eye model for the growing C57BL/6 mouse, 1857
 Schmucker, C. and Schaeffel, F. In vivo biometry in the mouse eye with low coherence interferometry, 2445
- SCHNECK, M.E.
 Schneck, M.E., Haegerstrom-Portnoy, G., Lott, L.A., Brabyn, J.A. and Gildengorin, G. Low contrast vision function predicts subsequent acuity loss in an aged population: the SKI study, 2317
- SCHOR, C.M.
 Maxwell, J.S. and Schor, C.M. Symmetrical horizontal vergence contributes to the asymmetrical pursuit of targets in depth, 3015
 Zhang, Z.-L., Cantor, C., Ghose, T. and Schor, C.M. Temporal aspects of spatial interactions affecting stereo-matching solutions, 3183
- SCHRATER, P.
 Olman, C.A., Ugurbil, K., Schrater, P. and Kersten, D. BOLD fMRI and psychophysical measurements of contrast response to broadband images, 669
- SCHUETTAUF, F.
 Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655
 Rejdak, R., Shenk, Y., Schuettauf, F., Turski, W.A., Okuno, E., Zagorski, Z., Zrenner, E. and Kohler, K. Expression of kynurenine aminotransferases in the rat retina during development, 1
- SCHYNS, P.G.
 Gosselin, F. and Schyns, P.G. No troubles with bubbles: a reply to Murray and Gold, 471
- SEEKKUARACHCHI, H.
 Ishii, M., Seekkuarachchi, H., Tamura, H. and Tang, Z. 3D flash lag illusion, 1981
- SEIPLE, W.
 Greenstein, V.C., Holopigian, K., Seiple, W., Carr, R.E. and Hood, D.C. Atypical multifocal ERG responses in patients with diseases affecting the photoreceptors, 2867
- SEKIYA, K.
 Usui, T., Tanimoto, N., Ueki, S., Takagi, M., Hasegawa, S., Abe, H., Sekiya, K. and Nakazawa, M. ERG rod a-wave in Oguchi disease, 535
- SERVOS, G.
 Rascher, K., Servos, G., Berthold, G., Hartwig, H.-G., Warskulat, U., Heller-Stilb, B. and Häussinger, D. Light deprivation slows but does not prevent the loss of photoreceptors in taurine transporter knockout mice, 2091
- SEUNG, H.S.
 Mensh, B.D., Aksay, E., Lee, D.D., Seung, H.S. and Tank, D.W. Spontaneous eye movements in goldfish: oculomotor integrator performance, plasticity, and dependence on visual feedback, 711
- SHALLO-HOFFMANN, J.
 Shallo-Hoffmann, J., Dell'Osso, L.F. and Dun, S. Time-varying, slow-phase component interaction in congenital nystagmus, 209
- SHAPLEY, R.M.
 Mareschal, I. and Shapley, R.M. Effects of contrast and size on orientation discrimination, 57
- SHE, W.-C.
 Plas, D.T., Visel, A., Gonzalez, E., She, W.-C. and Crair, M.C. Adenylate Cyclase 1 dependent refinement of retinotopic maps in the mouse, 3357
- SHEFFIELD, V.C.
 Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

SHELHAMER, M.

Walker, M.F., Shelhamer, M. and Zee, D.S. Eye-position dependence of torsional velocity during interaural translation, horizontal pursuit, and yaw-axis rotation in humans, 613

SHEN, W.-Y.

Shen, W.-Y., Lai, Y.K.Y., Lai, C.-M. and Rakoczy, P.E. Impurity of recombinant adeno-associated virus type 2 affects the transduction characteristics following subretinal injection in the rat, 339

SHENK, Y.

Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655

Rejdak, R., Shenk, Y., Schuettauf, F., Turski, W.A., Okuno, E., Zagorski, Z., Zrenner, E. and Kohler, K. Expression of kynurenine aminotransferases in the rat retina during development, 1

SHERIDAN, P.

Alexander, D.M., Bourke, P.D., Sheridan, P., Konstandatos, O. and Wright, J.J. Intrinsic connections in tree shrew V1 imply a global to local mapping, 857

SHERRILL, D.L.

Harvey, E.M., Dobson, V., Miller, J.M. and Sherrill, D.L. Treatment of astigmatism-related amblyopia in 3- to 5-year-old children, 1623

SHETH, B.R.

Kanai, R., Sheth, B.R. and Shimojo, S. Stopping the motion and sleuthing the flash-lag effect: spatial uncertainty is the key to perceptual mislocalization, 2605

Sheth, B.R. and Shimojo, S. Sound-aided recovery from and persistence against visual filling-in, 1907

SHEVELL, S.K.

Hong, S.W. and Shevell, S.K. Brightness contrast and assimilation from patterned inducing backgrounds, 35

Monnier, P. and Shevell, S.K. Chromatic induction from S-cone patterns, 849

SHICHIDA, Y.

Ueyama, H., Kuwayama, S., Imai, H., Oda, S., Nishida, Y., Tanabe, S., Shichida, Y. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in Japanese males with protan color-vision deficiency, 2241

SHIFFRIN, R.M.

Sanborn, A.N., Malmberg, K.J. and Shiffrin, R.M. High-level effects of masking on perceptual identification, 1427

SHIM, W.M.

Shim, W.M. and Cavanagh, P. The motion-induced position shift depends on the perceived direction of bistable quartet motion, 2393

SHIMOJO, S.

Hayashi, R., Maeda, T., Shimojo, S. and Tachi, S. An integrative model of binocular vision: a stereo model utilizing interocularly unpaired points produces both depth and binocular rivalry, 2367

Kanai, R., Sheth, B.R. and Shimojo, S. Stopping the motion and sleuthing the flash-lag effect: spatial uncertainty is the key to perceptual mislocalization, 2605

Moradi, F. and Shimojo, S. Perceptual-binding and persistent surface segregation, 2885

Moradi, F. and Shimojo, S. Suppressive effect of sustained low-contrast adaptation followed by transient high-contrast on peripheral target detection, 449

Sheth, B.R. and Shimojo, S. Sound-aided recovery from and persistence against visual filling-in, 1907

SHIMOMURA, K.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

SHIMOZAKI, S.S.

Eckstein, M.P., Pham, B.T. and Shimozaki, S.S. The footprints of visual attention during search with 100% valid and 100% invalid cues, 1193

SHINODA, K.

Ohde, H., Shinoda, K., Nishiyama, T., Kado, H., Haruta, Y., Mashima, Y. and Oguchi, Y. New method for detecting misrouted retinofugal fibers in humans with albinism by magnetoencephalography, 1033

SHIRAI, N.

Shirai, N. and Yamaguchi, M.K. Asymmetry in the perception of motion-in-depth, 1003

Shirai, N., Kanazawa, S. and Yamaguchi, M.K. Sensitivity to linear-speed-gradient of radial expansion flow in infancy, 3111

SIEPKA, S.M.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

SILVER, M.A.

Silver, M.A. and Logothetis, N.K. Grouping and segmentation in binocular rivalry, 1675

SIMMERS, A.J.

Simmers, A.J. and Bex, P.J. The representation of global spatial structure in amblyopia, 523

SIMMONS, D.R.

Champion, R.A., Brenner, E., Mamassian, P. and Simmons, D.R. No evidence for sequential effects of the interaction of stereo and motion cues in judgements of perceived shape, 483

SIMPSON, T.

Quaid, P.T., Simpson, T. and Flanagan, J.G. Monocular and dichoptic masking effects on the frequency doubling illusion, 661

SIMPSON, W.A.

Manahilov, V., Findlay, K. and Simpson, W.A. Factors limiting suprathreshold vision measured by a flash–sound simultaneity paradigm, 2577

SIMS, M.

Crossland, M.D., Sims, M., Galbraith, R.F. and Rubin, G.S. Evaluation of a new quantitative technique to assess the number and extent of preferred retinal loci in macular disease, 1537

SIMUNOVIC, M.P.

Simunovic, M.P. and Calver, R. Crowding under scotopic conditions, 963

SINGH, M.

Singh, M. Lightness constancy through transparency: internal consistency in layered surface representations, 1827

SJOBERG, S.A.

Bollinger, K., Sjoberg, S.A., Neitz, M. and Neitz, J. Topographical cone photopigment gene expression in deutan-type red-green color vision defects, 135

SKILLEN, J.

Whitaker, D., McGraw, P.V., Keeble, D.R.T. and Skillen, J. Pulling the other one: 1st- and 2nd-order visual information interact to determine perceived location, 279

SMEETS, J.B.J.

De Grave, D.D.J., Brenner, E. and Smeets, J.B.J. An apparent compression cannot explain the difference between the original and the induced Roelofs effect, 1031 (reply to letter)

López-Moliner, J., Smeets, J.B.J. and Brenner, E. Components of motion perception revealed: two different after-effects from a single moving object, 2545

SMITH, D.R.R.

Mather, G. and Smith, D.R.R. Combining depth cues: effects upon accuracy and speed of performance in a depth-ordering task, 557

SMITH, P.L.

Smith, P.L., Ratcliff, R. and Wolfgang, B.J. Attention orienting and the time course of perceptual decisions: response time distributions with masked and unmasked displays, 1297

SMITH, R.G.

Taylor, W.R. and Smith, R.G. Transmission of scotopic signals from the rod to rod-bipolar cell in the mammalian retina, 3269

SMITHSON, H.E.

Smithson, H.E. and Mollon, J.D. Is the S-opponent chromatic sub-system sluggish? 2919

SOHN, W.

Sohn, W., Papathomas, T.V., Blaser, E. and Vidnyánszky, Z. Object-based cross-feature attentional modulation from color to motion, 1437

SOLOMON, J.A.

Solomon, J.A. The effect of spatial cues on visual sensitivity, 1209

SOMMERHALDER, J.

Sommerhalder, J., Rappaz, B., Haller, R. de, Fornos, A.P., Safran, A.B. and Pelizzone, M. Simulation of artificial vision: II. Eccentric reading of full-page text and the learning of this task, 1693

SOONG, G.P.

Giorgi, R.G., Soong, G.P., Woods, R.L. and Peli, E. Facilitation of contrast detection in near-peripheral vision, 3193

SOTO, D.

Soto, D. and Blanco, M.J. Spatial attention and object-based attention: a comparison within a single task, 69

SPEHAR, B.

Clifford, C.W.G., Spehar, B. and Pearson, J. Motion transparency promotes synchronous perceptual binding, 3073

SPEKREIJSE, H.

Khayat, P.S., Spekreijse, H. and Roelfsema, P.R. Visual information transfer across eye movements in the monkey, 2901

Schellart, N.A.M., Trindade, M.J.G., Reits, D., Verbunt, J.P.A. and Spekreijse, H. Temporal and spatial congruence of components of motion-onset evoked responses investigated by whole-head magneto-electroencephalography, 119

SPERLING, G.

Gobell, J.L., Tseng, C.-h. and Sperling, G. The spatial distribution of visual attention, 1273

SPILLMANN, L.

Magnussen, S., Spillmann, L., Stürzel, F. and Werner, J.S. Unveiling the foveal blue scotoma through an afterimage, 377

Pinna, B., Ehrenstein, W.H. and Spillmann, L. Illusory contours and surfaces without amodal completion and depth stratification, 1851

Stürzel, F. and Spillmann, L. Perceptual limits of common fate, 1565

SPINELLI, D.

Morrone, M.C., Denti, V. and Spinelli, D. Different attentional resources modulate the gain mechanisms for color and luminance contrast, 1389

SPITZENSTETTER, F.

Rogé, J., Pébayle, T., Lambilliotte, E., Spitzenstetter, F., Giselbrecht, D. and Muzet, A. Influence of age, speed and duration of monotonous driving task in traffic on the driver's useful visual field, 2737

STAHL, J.S.

Stahl, J.S. Using eye movements to assess brain function in mice, 3401

STARK, L.R.

Kruger, P.B., Stark, L.R. and Nguyen, H.N. Small foveal targets for studies of accommodation and the Stiles–Crawford effect, 2757

STEEVES, J.K.E.

Steeves, J.K.E., Wilkinson, F., González, E.G., Wilson, H.R. and Steinbach, M.J. Global shape discrimination at reduced contrast in enucleated observers, 943

STEINBACH, M.J.

Steeves, J.K.E., Wilkinson, F., González, E.G., Wilson, H.R. and Steinbach, M.J. Global shape discrimination at reduced contrast in enucleated observers, 943

STIEFELMEYER, S.

Stiefelmeyer, S., Neubauer, A.S., Berninger, T., Arden, G.B. and Rudolph, G. The multifocal pattern electroretinogram in glaucoma, 103

STONE, E.M.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

STOUT, J.C.

Blekher, T.M., Yee, R.D., Kirkwood, S.C., Hake, A.M., Stout, J.C., Weaver, M.R. and Foroud, T.M. Oculomotor control in asymptomatic and recently diagnosed individuals with the genetic marker for Huntington's disease, 2729

STÜRZEL, F.

Magnussen, S., Spillmann, L., Stürzel, F. and Werner, J.S. Unveiling the foveal blue scotoma through an afterimage, 377

Stürzel, F. and Spillmann, L. Perceptual limits of common fate, 1565

SUN, H.

Sun, H., Rüttiger, L. and Lee, B.B. The spatiotemporal precision of ganglion cell signals: a comparison of physiological and psychophysical performance with moving gratings, 19

SUYAMA, S.

Suyama, S., Ohtsuka, S., Takada, H., Uehira, K. and Sakai, S. Apparent 3-D image perceived from luminance-modulated two 2-D images displayed at different depths, 785

SWAMINATHAN, G.

Grossberg, S. and Swaminathan, G. A laminar cortical model for 3D perception of slanted and curved surfaces and of 2D images: development, attention, and bistability, 1147

SWITKES, E.

Switkes, E. and Adams, A.J. Obituary: Professor Russell L. De Valois 1926–2003, 2745

Wilson, J.A., Switkes, E. and De Valois, R.L. Glass pattern studies of local and global processing of contrast variations, 2629

TACHI, S.

Hayashi, R., Maeda, T., Shimojo, S. and Tachi, S. An integrative model of binocular vision: a stereo model utilizing interocularly unpaired points produces both depth and binocular rivalry, 2367

TAKADA, H.

Suyama, S., Ohtsuka, S., Takada, H., Uehira, K. and Sakai, S. Apparent 3-D image perceived from luminance-modulated two 2-D images displayed at different depths, 785

TAKAGI, M.

Usui, T., Tanimoto, N., Ueki, S., Takagi, M., Hasegawa, S., Abe, H., Sekiya, K. and Nakazawa, M. ERG rod a-wave in Oguchi disease, 535

TAKAHASHI, J.S.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

TAKEUCHI, T.

Takeuchi, T., Yokosawa, K. and De Valois, K.K. Texture segregation by motion under low luminance levels, 157

TAMURA, H.

Ishii, M., Seekkuarachchi, H., Tamura, H. and Tang, Z. 3D flash lag illusion, 1981

TANABE, S.

Ueyama, H., Kuwayama, S., Imai, H., Oda, S., Nishida, Y., Tanabe, S., Shichida, Y. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in Japanese males with protan color-vision deficiency, 2241

TANG, Z.

Ishii, M., Seekkuarachchi, H., Tamura, H. and Tang, Z. 3D flash lag illusion, 1981

TANIMOTO, N.

Usui, T., Tanimoto, N., Ueki, S., Takagi, M., Hasegawa, S., Abe, H., Sekiya, K. and Nakazawa, M. ERG rod a-wave in Oguchi disease, 535

TANK, D.W.

Mensh, B.D., Aksay, E., Lee, D.D., Seung, H.S. and Tank, D.W. Spontaneous eye movements in goldfish: oculomotor integrator performance, plasticity, and dependence on visual feedback, 711

TARR, M.J.

Vuong, Q.C. and Tarr, M.J. Rotation direction affects object recognition, 1717

TAYLOR, W.R.

Taylor, W.R. and Smith, R.G. Transmission of scotopic signals from the rod to rod-bipolar cell in the mammalian retina, 3269

TE PAS, S.F.

Paffen, C.L.E., Pas, S.F. te, Kanai, R., van der Smagt, M.J. and Verstraten, F.A.J. Center-surround interactions in visual motion processing during binocular rivalry, 1635

TEUFEL, H.J.

Teufel, H.J. and Wehrhahn, C. Chromatic induction in humans: how are the cone signals combined to provide opponent processing? 2425

THEEUWES, J.

Theeuwes, J. and Godijn, R. Inhibition-of-return and oculomotor interference, 1485

THIELE, A.

Guo, K., Nevado, A., Robertson, R.G., Pulgarin, M., Thiele, A. and Young, M.P. Effects on orientation perception of manipulating the spatio-temporal prior probability of stimuli, 2349

THIEM, P.

Dassonville, P., Bridgeman, B., Bala, J.K., Thiem, P. and Sampanes, A. The induced Roelofs effect: two visual systems or the shift of a single reference frame? 603

THIER, P.

Golla, H., Ignashchenkova, A., Haarmeier, T. and Thier, P. Improvement of visual acuity by spatial cueing: a comparative study in human and non-human primates, 1589

THOMPSON, I.D.

Grubb, M.S. and Thompson, I.D. Biochemical and anatomical subdivision of the dorsal lateral geniculate nucleus in normal mice and in mice lacking the $\beta 2$ subunit of the nicotinic acetylcholine receptor, 3365

THORPE, S.J.

Rousselet, G.A., Thorpe, S.J. and Fabre-Thorpe, M. Processing of one, two or four natural scenes in humans: the limits of parallelism, 877

TIAN, N.

Tian, N. Visual experience and maturation of retinal synaptic pathways, 3307

TODD, J.T.

Liu, B. and Todd, J.T. Perceptual biases in the interpretation of 3D shape from shading, 2135

TORBORG, C.

Torborg, C., Wang, C.-T., Muir-Robinson, G. and Feller, M.B. L-type calcium channel agonist induces correlated depolarizations in mice lacking the $\beta 2$ subunit nAChRs, 3347

TRINDADE, M.J.G.

Schellart, N.A.M., Trindade, M.J.G., Reits, D., Verbunt, J.P.A. and Spekreijse, H. Temporal and spatial congruence of components of motion-onset evoked responses investigated by whole-head magneto-electroencephalography, 119

TSENG, C.-H.

Gobell, J.L., Tseng, C.-h. and Sperling, G. The spatial distribution of visual attention, 1273

TSUJI, K.

Imai, A. and Tsuji, K. Event-related potential correlates of judgment categories and detection sensitivity in a visual detection task, 763

TUCK, V.L.

Welchman, A.E., Tuck, V.L. and Harris, J.M. Human observers are biased in judging the angular approach of a projectile, 2027

TURSKI, W.A.

Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655

Rejdak, R., Shenk, Y., Schuettauf, F., Turski, W.A., Okuno, E., Zagorski, Z., Zrenner, E. and Kohler, K. Expression of kynurenine aminotransferases in the rat retina during development, 1

TVERSKY, T.

Tversky, T., Geisler, W.S. and Perry, J.S. Contour grouping: closure effects are explained by good continuation and proximity, 2769

TYLER, C.W.

Kontsevich, L.L. and Tyler, C.W. What makes Mona Lisa smile? 1493

Tyler, C.W. Beyond fourth-order texture discrimination: generation of extreme-order and statistically-balanced textures, 2187

Tyler, C.W. Theory of texture discrimination of based on higher-order perturbations in individual texture samples, 2179

UEHIRA, K.

Suyama, S., Ohtsuka, S., Takada, H., Uehira, K. and Sakai, S. Apparent 3-D image perceived from luminance-modulated two 2-D images displayed at different depths, 785

UEKI, S.

Usui, T., Tanimoto, N., Ueki, S., Takagi, M., Hasegawa, S., Abe, H., Sekiya, K. and Nakazawa, M. ERG rod a-wave in Oguchi disease, 535

UEYAMA, H.

Ueyama, H., Kuwayama, S., Imai, H., Oda, S., Nishida, Y., Tanabe, S., Shichida, Y. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in Japanese males with protan color-vision deficiency, 2241

UGURBIL, K.

Olman, C.A., Ugurbil, K., Schrater, P. and Kersten, D. BOLD fMRI and psychophysical measurements of contrast response to broadband images, 669

URSINO, M.

Ursino, M. and La Cara, G.-E. Comparison of different models of orientation selectivity based on distinct intracortical inhibition rules, 1641

USUI, T.

Usui, T., Tanimoto, N., Ueki, S., Takagi, M., Hasegawa, S., Abe, H., Sekiya, K. and Nakazawa, M. ERG rod a-wave in Oguchi disease, 535

VALKOVA, K.

Dong, H., Wang, Q., Valkova, K., Gonchar, Y. and Burkhalter, A. Experience-dependent development of feedforward and feedback circuits between lower and higher areas of mouse visual cortex, 3389

VAN DE GRIND, W.A.

Muller, C., Lankheet, M.J.M. and van de Grind, W.A. Binocular correlation does not improve coherence detection for fronto-parallel motion, 1961

van de Grind, W.A., van der Smagt, M.J. and Verstraten, F.A.J. Storage for free: a surprising property of a simple gain-control model of motion aftereffects, 2269

VAN DEN BERG, T.J.T.P.

Coppens, J.E. and van den Berg, T.J.T.P. A new source of variance in visual acuity, 951

VAN DER SMAGT, M.J.

Paffen, C.L.E., Pas, S.F. te, Kanai, R., van der Smagt, M.J. and Verstraten, F.A.J. Center-surround interactions in visual motion processing during binocular rivalry, 1635

van de Grind, W.A., van der Smagt, M.J. and Verstraten, F.A.J. Storage for free: a surprising property of a simple gain-control model of motion aftereffects, 2269

VARSORI, M.

Varsori, M., Perez-Fornos, A., Safran, A.B. and Whatham, A.R. Development of a viewing strategy during adaptation to an artificial central scotoma, 2691

VASAN, N.

Wolfe, J.M., Horowitz, T.S., Kenner, N., Hyle, M. and Vasan, N. How fast can you change your mind? The speed of top-down guidance in visual search, 1411

VAZIRI-PASHKAM, M.

Rajimehr, R., Vaziri-Pashkam, M., Afraz, S.-R. and Esteky, H. Adaptation to apparent motion in crowding condition, 925

VERBUNT, J.P.A.

Schellart, N.A.M., Trindade, M.J.G., Reits, D., Verbunt, J.P.A. and Spekreijse, H. Temporal and spatial congruence of components of motion-onset evoked responses investigated by whole-heads magneto-electroencephalography, 119

VERGHESE, P.

Baldassi, S., Burr, D., Carrasco, M., Eckstein, M. and Verghese, P. Visual Attention, 1189 (editorial)

Verghese, P. and McKee, S.P. Visual search in clutter, 1217

VERGILINO-PEREZ, D.

Liversedge, S.P., Rayner, K., White, S.J., Vergilino-Perez, D., Findlay, J.M. and Kentridge, R.W. Eye movements when reading disappearing text: is there a gap effect in reading? 1013

Vergilino-Perez, D., Collins, T. and Doré-Mazars, K. Decision and metrics of refixations in reading isolated words, 2009

VERSTRATEN, F.A.J.

Kanai, R. and Verstraten, F.A.J. Visual transients without feature changes are sufficient for the percept of a change, 2233

Kanai, R., Paffen, C.L.E., Gerbino, W. and Verstraten, F.A.J. Blindness to inconsistent local signals in motion transparency from oscillating dots, 2207

Paffen, C.L.E., Pas, S.F. te, Kanai, R., van der Smagt, M.J. and Verstraten, F.A.J. Center-surround interactions in visual motion processing during binocular rivalry, 1635

van de Grind, W.A., van der Smagt, M.J. and Verstraten, F.A.J. Storage for free: a surprising property of a simple gain-control model of motion aftereffects, 2269

VICTOR, J.D.

Victor, J.D. and Conte, M.M. Visual working memory for image statistics, 541

VIDNYÁNSZKY, Z.

Sohn, W., Papathomas, T.V., Blaser, E. and Vidnyánszky, Z. Object-based cross-feature attentional modulation from color to motion, 1437

VISEL, A.

Plas, D.T., Visel, A., Gonzalez, E., She, W.-C. and Crair, M.C. Adenylate Cyclase 1 dependent refinement of retinotopic maps in the mouse, 3357

VISSER, T.A.W.

Visser, T.A.W., Boden, C. and Giaschi, D.E. Children with dyslexia: evidence for visual attention deficits in perception of rapid sequences of objects, 2521

VITATERNA, M.H.

Pinto, L.H., Vitaterna, M.H., Siepka, S.M., Shimomura, K., Lumayag, S., Baker, M., Fenner, D., Mullins, R.F., Sheffield, V.C., Stone, E.M., Heffron, E. and Takahashi, J.S. Results from screening over 9000 mutation-bearing mice for defects in the electroretinogram and appearance of the fundus, 3335

VITU, F.

Vitu, F., Kapoula, Z., Lancelin, D. and Lavigne, F. Eye movements in reading isolated words: evidence for strong biases towards the center of the screen, 321

VITYAEV, E.E.

Logvinenko, A.D., Byth, W. and Vityaev, E.E. In search of an elusive hard threshold: a test of observer's ability to order sub-threshold stimuli, 287

VIVIANI, P.

Aymoz, C. and Viviani, P. Perceptual asynchronies for biological and non-biological visual events, 1547

VOLBRECHT, V.J.

Imhoff, S.M., Volbrecht, V.J. and Nerger, J.L. A new look at the Bezold–Brücke hue shift in the peripheral retina, 1891

VÖLGYI, B.

Bloomfield, S.A. and Völgyi, B. Function and plasticity of homologous coupling between AII amacrine cells, 3297

VUONG, Q.C.

Vuong, Q.C. and Tarr, M.J. Rotation direction affects object recognition, 1717

WACHTLER, T.

Wachtler, T., Dohrmann, U. and Hertel, R. Modeling color percepts of dichromats, 2843

WAGEMANS, J.

Rosas, P., Wichmann, F.A. and Wagemans, J. Some observations on the effects of slant and texture type on slant-from-texture, 1511

WALKER, M.F.

Walker, M.F., Shelhamer, M. and Zee, D.S. Eye-position dependence of torsional velocity during interaural translation, horizontal pursuit, and yaw-axis rotation in humans, 613

WALLACE, J.M.

Wallace, J.M. and Mamassian, P. The efficiency of depth discrimination for non-transparent and transparent stereoscopic surfaces, 2253

WANG, B.

Wang, B. and Ciuffreda, K.J. Depth-of-focus of the human eye in the near retinal periphery, 1115

WANG, C.-T.

Torborg, C., Wang, C.-T., Muir-Robinson, G. and Feller, M.B. L-type calcium channel agonist induces correlated depolarizations in mice lacking the $\beta 2$ subunit nAChRs, 3347

WANG, Q.

Dong, H., Wang, Q., Valkova, K., Gonchar, Y. and Burkhalter, A. Experience-dependent development of feedforward and feedback circuits between lower and higher areas of mouse visual cortex, 3389

WANG, S.

McGill, T.J., Lund, R.D., Douglas, R.M., Wang, S., Lu, B. and Prusky, G.T. Preservation of vision following cell-based therapies in a model of retinal degenerative disease, 2559

WANG, X.-F.

Daw, N., Rao, Y., Wang, X.-F., Fischer, Q. and Yang, Y. LTP and LTD vary with layer in rodent visual cortex, 3377

WANG, Y.-Z.

Jeffrey, B.G., Wang, Y.-Z. and Birch, E.E. Altered global shape discrimination in deprivation amblyopia, 167

WARREN, P.A.

Warren, P.A., Maloney, L.T. and Landy, M.S. Interpolating sampled contours in 3D: perturbation analyses, 815

WARREN, W.H., JR.

Li, L. and Warren, W.H., Jr. Path perception during rotation: influence of instructions, depth range, and dot density, 1879

WARSKULAT, U.

Rascher, K., Servos, G., Berthold, G., Hartwig, H.-G., Warskulat, U., Heller-Stilb, B. and Häussinger, D. Light deprivation slows but does not prevent the loss of photoreceptors in taurine transporter knockout mice, 2091

WATANABE, K.

Watanabe, K., Paik, Y. and Blake, R. Preserved gain control for luminance contrast during binocular rivalry suppression, 3065

WATANABE, T.

Yazdanbakhsh, A. and Watanabe, T. Asymmetry between horizontal and vertical illusory lines in determining the depth of their embedded surface, 2621

WEAVER, M.R.

Blekher, T.M., Yee, R.D., Kirkwood, S.C., Hake, A.M., Stout, J.C., Weaver, M.R. and Foroud, T.M. Oculomotor control in asymptomatic and recently diagnosed individuals with the genetic marker for Huntington's disease, 2729

WEHRHAHN, C.

Teufel, H.J. and Wehrhahn, C. Chromatic induction in humans: how are the cone signals combined to provide opponent processing? 2425

WEI, M.

Wei, M. and Angelaki, D.E. Viewing distance dependence of the vestibulo-ocular reflex during translation: extra-otolith influences, 933

WELCHMAN, A.E.

Welchman, A.E., Tuck, V.L. and Harris, J.M. Human observers are biased in judging the angular approach of a projectile, 2027

WERNER, J.S.

Magnussen, S., Spillmann, L., Stürzel, F. and Werner, J.S. Unveiling the foveal blue scotoma through an afterimage, 377

Schefrin, B.E., Hauser, M. and Werner, J.S. Evidence against age-related enlargements of ganglion cell receptive field centers under scotopic conditions, 423

WESTHEIMER, G.

Westheimer, G. Center-surround antagonism in spatial vision: Retinal or cortical locus? 2457

WHATHAM, A.R.

Varsori, M., Perez-Fornos, A., Safran, A.B. and Whatham, A.R. Development of a viewing strategy during adaptation to an artificial central scotoma, 2691

WHITAKER, D.

Heron, J., Whitaker, D. and McGraw, P.V. Sensory uncertainty governs the extent of audio-visual interaction, 2875

Whitaker, D., McGraw, P.V., Keeble, D.R.T. and Skillen, J. Pulling the other one: 1st- and 2nd-order visual information interact to determine perceived location, 279

WHITE, S.J.

Liversedge, S.P., Rayner, K., White, S.J., Vergilino-Perez, D., Findlay, J.M. and Kentridge, R.W. Eye movements when reading disappearing text: is there a gap effect in reading? 1013

WICHMANN, F.A.

Rosas, P., Wichmann, F.A. and Wagemans, J. Some observations on the effects of slant and texture type on slant-from-texture, 1511

WILKINSON, F.

Habak, C., Wilkinson, F., Zakher, B. and Wilson, H.R. Curvature population coding for complex shapes in human vision, 2815

Steeves, J.K.E., Wilkinson, F., González, E.G., Wilson, H.R. and Steinbach, M.J. Global shape discrimination at reduced contrast in enucleated observers, 943

WILLIAMS, D.

Huxlin, K.R., Yoon, G., Nagy, L., Porter, J. and Williams, D. Monochromatic ocular wavefront aberrations in the awake-behaving cat, 2159

WILLIAMS, G.A.

Jacobs, G.H., Williams, G.A. and Fenwick, J.A. Influence of cone pigment coexpression on spectral sensitivity and color vision in the mouse, 1615

WILSON, H.R.

Habak, C., Wilkinson, F., Zakher, B. and Wilson, H.R. Curvature population coding for complex shapes in human vision, 2815

Rainville, S.J.M. and Wilson, H.R. The influence of motion-defined form on the perception of spatially-defined form, 1065

Steeves, J.K.E., Wilkinson, F., González, E.G., Wilson, H.R. and Steinbach, M.J. Global shape discrimination at reduced contrast in enucleated observers, 943

WILSON, J.A.

Wilson, J.A., Switkes, E. and De Valois, R.L. Glass pattern studies of local and global processing of contrast variations, 2629

WOLDORFF, M.G.

Khoe, W., Freeman, E., Woldorff, M.G. and Mangun, G.R. Electrophysiological correlates of lateral interactions in human visual cortex, 1659

WOLFE, J.M.

Wolfe, J.M., Horowitz, T.S., Kenner, N., Hyle, M. and Vasan, N. How fast can you change your mind? The speed of top-down guidance in visual search, 1411

WOLFGANG, B.J.

Smith, P.L., Ratcliff, R. and Wolfgang, B.J. Attention orienting and the time course of perceptual decisions: response time distributions with masked and unmasked displays, 1297

WOLFSON, S.S.

Graham, N. and Wolfson, S.S. Is there opponent-orientation coding in the second-order channels of pattern vision? 3145

WOODS, R.L.

Giorgi, R.G., Soong, G.P., Woods, R.L. and Peli, E. Facilitation of contrast detection in near-peripheral vision, 3193

WRIGHT, J.J.

Alexander, D.M., Bourke, P.D., Sheridan, P., Konstandatos, O. and Wright, J.J. Intrinsic connections in tree shrew V1 imply a global to local mapping, 857

WRIGHT, M.J.

Lakha, L. and Wright, M.J. Capacity limitations of visual memory in two-interval comparison of Gabor arrays, 1707

WRIGSTAD, A.

Wrigstad, A. and Hanitzsch, R. Pigment epithelial changes in a strain of pigmented rabbits with low ERG b-wave amplitudes, 99

WU, S.

Reeves, A. and Wu, S. Transient lumanopia at high intensities, 3203

WU, S.M.

Wu, S.M., Baehr, W. and Crair, M.C. The mouse visual system: from photoreceptors to cortex, 3233 (editorial)

Wu, S.M., Gao, F. and Pang, J.-J. Synaptic circuitry mediating light-evoked signals in dark-adapted mouse retina, 3277

YAMADE, S.

Ueyama, H., Kuwayama, S., Imai, H., Oda, S., Nishida, Y., Tanabe, S., Shichida, Y. and Yamade, S. Analysis of L-cone/M-cone visual pigment gene arrays in Japanese males with protan color-vision deficiency, 2241

YAMAGUCHI, M.K.

Shirai, N. and Yamaguchi, M.K. Asymmetry in the perception of motion-in-depth, 1003

Shirai, N., Kanazawa, S. and Yamaguchi, M.K. Sensitivity to linear-speed-gradient of radial expansion flow in infancy, 3111

- YANG, Y.
Daw, N., Rao, Y., Wang, X.-F., Fischer, Q. and Yang, Y. LTP and LTD vary with layer in rodent visual cortex, 3377
- YAZDANBAKHS, A.
Yazdanbakhsh, A. and Watanabe, T. Asymmetry between horizontal and vertical illusory lines in determining the depth of their embedded surface, 2621
- YEE, R.D.
Blekher, T.M., Yee, R.D., Kirkwood, S.C., Hake, A.M., Stout, J.C., Weaver, M.R. and Foroud, T.M. Oculomotor control in asymptomatic and recently diagnosed individuals with the genetic marker for Huntington's disease, 2729
- YEH, S.-L.
Hsu, L.-C., Yeh, S.-L. and Kramer, P. Linking motion-induced blindness to perceptual filling-in, 2857
- YESHURUN, Y.
Yeshurun, Y. Isoluminant stimuli and red background attenuate the effects of transient spatial attention on temporal resolution, 1375
- YOKOSAWA, K.
Takeuchi, T., Yokosawa, K. and De Valois, K.K. Texture segregation by motion under low luminance levels, 157
- YOKOYAMA, S.
Hiramatsu, C., Radlwimmer, F.B., Yokoyama, S. and Kawamura, S. Mutagenesis and reconstitution of middle-to-long-wave-sensitive visual pigments of New World monkeys for testing the tuning effect of residues at sites 229 and 233, 2225
- YOON, G.
Huxlin, K.R., Yoon, G., Nagy, L., Porter, J. and Williams, D. Monochromatic ocular wavefront aberrations in the awake-behaving cat, 2159
- YOUNG, M.P.
Guo, K., Nevado, A., Robertson, R.G., Pulgarin, M., Thiele, A. and Young, M.P. Effects on orientation perception of manipulating the spatio-temporal prior probability of stimuli, 2349
- YOUNG, T.
Nagy, A.L., Young, T. and Neriani, K. Combining information in different color-coding mechanisms to facilitate visual search, 2971
- ZAGORSKI, Z.
Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655
Rejdak, R., Shenk, Y., Schuettauf, F., Turski, W.A., Okuno, E., Zagorski, Z., Zrenner, E. and Kohler, K. Expression of kynurenine aminotransferases in the rat retina during development, 1
- ZAKHER, B.
Habak, C., Wilkinson, F., Zakher, B. and Wilson, H.R. Curvature population coding for complex shapes in human vision, 2815
- ZAWINKA, C.
Garhöfer, G., Zawinka, C., Resch, H., Huemer, K.H., Dorner, G.T. and Schmetterer, L. Diffuse luminance flicker increases blood flow in major retinal arteries and veins, 833
- ZEE, D.S.
Walker, M.F., Shelhamer, M. and Zee, D.S. Eye-position dependence of torsional velocity during interaural translation, horizontal pursuit, and yaw-axis rotation in humans, 613
- ZEMACH, I.K.
Rudd, M.E. and Zemach, I.K. Quantitative properties of achromatic color induction: an edge integration analysis, 971
- ZHANG, Z.-L.
Zhang, Z.-L., Cantor, C., Ghose, T. and Schor, C.M. Temporal aspects of spatial interactions affecting stereo-matching solutions, 3183
- ZHONG, H.
Zhong, H. and Braunstein, M.L. Effect of background motion on the perceived shape of a 3-D object, 2505

ZRENNER, E.

Rejdak, R., Kohler, K., Kocki, T., Shenk, Y., Turski, W.A., Okuno, E., Lehaci, C., Zagorski, Z., Zrenner, E. and Schuettauf, F. Age-dependent decrease of retinal kynurenate and kynurenine aminotransferases in DBA/2J mice, a model of ocular hypertension, 655

Rejdak, R., Shenk, Y., Schuettauf, F., Turski, W.A., Okuno, E., Zagorski, Z., Zrenner, E. and Kohler, K. Expression of kynurenine aminotransferases in the rat retina during development, 1

ZUCKER, S.W.

Ben-Shahar, O. and Zucker, S.W. Sensitivity to curvatures in orientation-based texture segmentation, 257