

Asian Pacific Journal of Tropical Biomedicine

journal homepage: www.apjtb.com

Document heading doi:10.12980/APJTB.4.2014C1069 © 2014 by the Asian Pacific Journal of Tropical Biomedicine. All rights reserved.

Ethno botanical and Phytopharmacological potential of *Abrus precatorius* L.: A review

Narendra Garaniya*, Atul Bapodra

M. D. Science College, Porbandar, Saurashtra University, Rajkot, Gujarat, India

PEER REVIEW

Peer reviewer

Mr. Narendra H Garaniya

Tel: 097254 56394

E-mail: narendra.biochem@gmail.com

Comments

This is a valuable research work in which authors have demonstrated the importance of *Abrus precatorius* plant as it contains various phytochemicals due to which this plant is very much applicable to cure various diseases. This article also makes data strengthen regarding this plant which can lead other research to proper direction in the field of research.

Details on Page S31

ABSTRACT

Medicinal plants are being widely used, either as a single drug or in combination in health care delivery system. Medicinal plants can be important source of previously unknown chemical substances with potential therapeutic effects. *Abrus precatorius* L. is commonly known as Gunja or Jequirity and abundantly found all throughout the plains of India, from Himalaya down to Southern India and Ceylon. This plant is having medicinal potential to cure various diseases. The roots, leaves and seeds of this plant are used for different medicinal purpose. It principally contains flavonoids, triterpene glycosides, abrin and alkaloids. The plant have been reported for neuromuscular effects, neuro-protective, abortifacient, antiepileptic, anti-viral, anti-malarial, antifertility, nephroprotective, immunomodulator, immunostimulatory properties, anti-inflammatory activity, antidiabetic effect, etc. As this is a potential medicinal plant, present review reveals chemical constituents of leaf, root and seeds of *Abrus precatorius*. The plant is considered as a valuable source of unique natural products for development of medicines against various diseases and also for the development of industrial products.

KEYWORDS

Abrus precatorius, Abrin, Alkaloids, Isoflavonoquinones, Ethnobotanical

1. Introduction

Medicinal plants are part and parcel of human society to combat diseases, from the dawn of civilization[1]. India is one of the largest producers of herbs and herbal products. Nature around us provided everything of necessity of mankind. The large resources of vegetables, medicinal plants have been used continuously for the treatment of various diseases[2]. Medicinal plants can be important source of previously unknown chemical substances with potential therapeutic effects. The world health organization has estimated that over 75% of the world's population still relies on plant derived medicines, usually obtained from

traditional healers, for its basic health care needs[3]. Herbal medicines are in great demand in the developed as well as developing countries for primary healthcare because of their wide biological and medicinal activities, higher safety margins and lesser costs[4].

The present review attempt is to strengthen the data regarding active potent compounds present in *Abrus precatorius* (*A. precatorius*) and compile updated information on pharmacognostic characteristics, traditional uses, phytochemistry and pharmacological actions of the plant and its various applications all over the world. This information may lead to some valuable research in the field of medicine and phytopharmacology.

*Corresponding author: Narendra Garaniya, M. D. Science College, Porbandar, Saurashtra University, Rajkot, Gujarat, India; At. Damanagar, Police Quarter, Station Road, Damanagar, Taluka: Lathi, Dist: Amreli-365220, Gujarat, India.
E-mail: narendra.biochem@gmail.com
Tel: 097254 56394

Article history:

Received 1 Jan 2014

Received in revised form 8 Jan, 2nd revised form 12 Jan, 3rd revised form 20 Jan 2014

Accepted 20 Feb 2014

Available online 5 April 2014

2. Plant profiles

Table 1 presents *A. precatorius* plant profile:[5,6,8,9]

Table 1

Abrus precatorius plant profile.

Plant taxonomy	Kingdom	Plantae
	Division	Magnoliophyta
	Order	Fabales
	Family	Fabaceae
	Subfamily	Faboideae
	Tribe	Abreae
	Genus	<i>Abrus</i>
	Species	<i>Abrus precatorius</i>
Common names	Jequirity (English), Gumchi, Chanothi (Gujarati), Gunchi, Gunja, Gaunchi, Rati (Hindi), Gunja (Marathi), Mulati (Punjab), Gunja (Sanskrit), Guruginia (Telugu), Ghunchi (Urdu), Kunch, Koonch, Chunhali (Bengali), Gurugunji (Kannada), Shangir (Kashmiri), Kunni, Gundumani (Malyalam), Gunchi, Chashami –Khurosa (Persian).	
	Common name according to different countries	
Rosary pea (Egypt), Crab's eye (Nepal), Jequirity (Philippines), Precatory bean (USA), Saga (Indonesia), Gunchi (Pakistan), Rati gedi (Nepal), Weglis (Indonesia).		

2.1. Plant description

A. precatorius is a woody twinning plant with characteristic toxic red seeds with black mark at the base (Figure 1)[10,11]. Leaves resemble tamarind leaves having 20–40 leaflets. It is native to India, at altitudes up to 1200 m on the outer Himalayas but now found in all tropical countries[12]. It is a beautiful, much-branched, slender, perennial, deciduous, woody, prickly twining or climbing herb. Stem cylindrical, wrinkled, bark smooth-textured, brown. Leaves stipulate, pinnately compound; leaflets 7–24 pairs, 0.6–2.5 cm×0.4–1.2 cm, turgid, oblong, obtuse, truncate at both ends, appressed hairy. Flowers in auxiliary racemes, shorter than leaves, pink or pinkish–white. Pods 1.5–5.0 cm ×0.8–1.5 cm, turgid, oblong, appressed hairy, with a sharp deflexed beak, silky-textured, 3 to 5-seeded[13].

2.2. Habitat

A. precatorius is found in South Africa, China, Islands, West Indies, India, Brazil, etc. Plant found all throughout the plains of India, from Himalaya down to Southern India and Ceylon[5,6].

2.3. Phenology

Flowers in winter; fruits ripen in summer[6].

2.4. Parts used

The roots, leaves and seeds of the plant are used

medicinally[5,14].

Ethnobotanical use: *A. precatorius* is traditionally used to treat tetanus, and to prevent rabies. The plant is used in some traditional medicine to treat scratches and sores and wounds caused by dogs, cats and mice, and are also used with other ingredients to treat leucoderma. The leaves of the herb are used to cure fever, cough and cold. The roots are used to treat jaundice and haemoglobinuric bile. Paste of roots is used to cure abdominal pains, tumors and also for abortion. Root is chewed as a snake bite remedy. Hot water extract of fresh root is an anti-malarial and anti-convulsant. Decoction of dried root is used to treat bronchitis and hepatitis. For graying of hair, a paste of leaves and seeds is applied. Dry seeds of *A. precatorius* are used to cure worm infection. In veterinary medicine, it is used in the treatment of fractures. Seeds have also the potential of good insecticide and antimicrobial activity. Various African tribes use powdered seeds as oral contraceptives. *Abrus* seeds are also taken for tuberculosis and painful swellings[8]. In the Ayurvedic medicine leaves of *A. precatorius* are laxative, expectorant and aphrodisiac medicines and are used in urticaria, eczema, stomatitis, conjunctivitis, alopecia areata, migraine, lymphomas/ leukemia and dysmenorrhoea[15]. Seeds are said to be purgative, emetic, tonic, antiphlogistic, aphrodisiac and anti-ophthalmic. Seed of this plant are very beautiful and they attract children. These seed are used to make Necklaces and other ornaments. Leaves and seeds are nutritious as boiled seeds are eaten in certain parts of India. It is said that cooking destroys the poison of seeds[16,17] Seeds have uniform weight of 1/10th of a gram, hence used as weighing unit[18].

2.5. Chemical constituents

Several groups of secondary compounds have been isolated from this species, including alkaloids[19], steroids and other triterpenoids[20,21], isoflavanoquinones, anthocyanins, starch, tannin[22–24], protein, flavanoids[25], phenolic compound, fixed oil, amino acid[26] and the flavones luteolin, abrectorin, orientin, isoorientin and desmethoxycentaureidin 7–0–rutinoside[27].

2.5.1. Leaves

Several compounds like abrine, trigonelline[28], abruslactone A, hemiphloin[29], abrusoside A[30], abrusoside B, abrusoside C, abrusoside D[31], arabinose, galactose, xylose[32], choline, hypaphorine, precatorine [19],



Figure 1. *A. precatorius* flower, pod and fruits[114].

glycyrrhizin[33], montanyl alcohol[34], inositol, D monomethyl ether, pinitol[35] are identified in the leaves of *A. precatorius*.

2.5.2. Root

Abrus is rich in various chemical constituents such as abrol, abrasine, precasine and precol[36,37] present in the roots. Protein, abraline, abricin, abrusgenic acid, abrusgenic acid-methyl-ester, abruslactone, abrusic acid, anthocyanins, calcium, campesterol, cycloartenol, delphinidin, gallic acid, trigonelline, hypaphorine[19,28], choline, N, N dimethyl-tryptophan, N, N dimethyl-tryptophan-metho-cation-methyl-ester, P coumaroylgalloyl glucodelphinidin, pectin, pentosans, phosphorus, delphinidin, gallic acid, picatorine, polygalacturonic acids, precatorine[19], polysaccharide[38], isoflavonoids and quinones-abruquinones A, B, C, D, E, F[39], O, G, abruslactone a, abrusgenic acid-methanol-solvate[21,40], arabinose, galactose, xylose[29] are present in the root. Triterpenoids and saponins[21], glycyrrhizin[33] and oleanolic acid are found in the root and abrusosides A, B, C, D[30,31] and E[41] in the aerial parts. Carbohydrates-Galactose, arabinose, and xylose 25 are also present in the aerial parts. New 7,5-dihydroxy-6,49-dimethoxy isoflavone 7-O-b-D-galactopyranoside (I) from the roots of *A. precatorius* are reported by V.K. Saxena, D.N. Sharma, 1999[42].

2.5.3. Seed

Seeds are rich in several essential amino acids like serine, Abrusin, Abrusin-2'-O-apioside, hederagenin, kaikasaponin III, sophoradiol, sophoradiol-22-O-acetate, tryptophan[43], trimethyl[44], alanine[45], amyirin, alpha, ursolic acid[46], valine[44,45], and methyl ester. They contain poisonous protein, a fat-splitting enzyme, aglucoside abrusic acid, haemagglutinin, albuminous substance named abrin[47] and a quantity of ureas[5]. Seeds are poisonous and contain principle compound, abrine[19], abrin A, abrin B[48], abrin C[49], abrin I, abrin II, abrin III, abrus agglutinin APA-I, *Abrus* agglutinin APA-

II[50], abrus-saponins I and II, abrisapogenol, β -amyirin, arachidyl alcohol, brassicasterol, decan-1-ol, docos-13-enoic acid, docosan-1-ol, docosane, N, dodecan-1-ol, dotriacontane, N, eicos-11-enoic acid, eicosane, N, elaidic alcohol, heneicosan-1-ol, lignoceric acid, heneicosane, N, heptacosan-1-ol, heptadecan-1-ol, hexacosane, N, hexacosan-1-ol, hexadec-9-enoic acid, hexadecane, N, hexadecan-1-ol, nonacosane, N, nonadecan-1-ol, octacosan-1-ol, octacosane, N, octadeca-9,12-dienoic acid, octadecane, n, octanoic acid, pentacosan-1-ol, pentacosane, N, pentatriacontane, N, pentadecan-1-ol[34,51], squalene, abricin, abridin[52], abruilin[53], cycloartenol, campesterol, cholesterol and β -sitosterol have all been found in the seeds. Alkaloids and nitrogen compounds- methyl ester of N, N-dimethyltryptophan metho cation (I) and precatorine (II), hypaphorine, trigonelline[28], choline [19], flavonoids and triterpenoids, steroids, saponins, flavones, flavonol glycosides, reducing sugars, phenolic compounds glycosides[54-57], and precatorine are present in the seeds and leaves. Lectin[58-60], flavonoids and anthocyanins-abrectorin, dimethoxycentaureidin-7-O-rutinoside, precatorins I, II[19], and III, abrectorin, centaureidin, demethoxy 7-O-beta-drutinoside, luteolin, orientin, iso, orientin[27], *A. precatorius* plant growth inhibitor[61], and xyloglucosyl-delphinidin have been isolated from the seeds. A new triterpinoid saponin 3-O- β -D-glucopyranosyl-(1 \rightarrow 2)- β -D-glucopyranosyl subprogenin D together with six known terpinoids[62]. C-glucosylscutelarein 6,7-dimethylether (abrusin) and its 2''-O-apioside have been identified as minor components in the seeds of *A. precatorius*. Both are new natural products and are the first examples of flavone-cglycosides containing a trioxxygenated A-ring. Abrusin 2''-O-apioside is the only known apioside of a flavone-cglycoside[63]. Seed of this plant also contain calcim, magnesium, sodium, potassium, phosphorous, manganese, zinc, iron, copper, cellulose and muscilase[7] Crystalline abrin contained 4-9 per cent of neutral sugar in addition to 9-3 residues of glucosamine per mole of

abrin (molecular weight 65000). The neutral sugars consist of mannose, xylose and fucose in ratios of 2.08:1.00:0.94[64]. Tetracos-15-enoic acid, tetracosan-1-ol, tetracosane, N, tetradecan-1-ol, tetradecanoic acid, tetratriacontane, N, triacosan-1-ol, triacontane, N, tricosane, N, tridecan-1-ol, tritriacontan-1-ol, tritriacontane, N, undecan-1-ol[34], anthocyanins[65], arabinose[32], arachidic acid, behenic acid, linolenic acid, palmitic acid: stearic acid (Begum), oleic acid[34,66,67], aspartic acid, cysteine, glutamic acid, glutamine, glycine, lysine, phenylalanine, serine[68], callistephin, chrysanthemine, delphin, pelargonidin-3,5-diglucoside[69], heneicosane,7,9,15-trimethyl, pentacosanoic acid, cholanic acid, 5-beta[51,70], cystine, galacturonic acid, glucuronic acid, leucine, tyrosine[43], delphinidin glycoside[71], delphinidin, (para-coumaroyl-galloyl) glucoside, delphinidin-3-sambubioside[32], docosadienoic acid, docosenoic acid, eicosadienoic acid, eicosenoic acid, eicosatrienoic acid, hexadecenoic acid, lignoceric acid, octadecadienoic acid, octadecatrienoic acid, octadecenoic acid, pentadecanoic acid[72,73], docosatetraenoic acid, docosatrienoic acid, myristic acid[72,73,67], galactose, xylose [32], gallic acid, lauric acid, linoleic acid[74], p-sterone[75], rhamnose, N-N-dimethyl metho-cation[43] have been found in the seed of this plant.

2.6. Pharmacological activities

Various parts of *A. precatorius* are having different pharmacological activity. This plant is having anti-diabetic [76], anti-oxidative[77], neuroprotective, anti-viral[78], neuromuscular, anti-convulsant, anti-epileptic, immune-modulating, abortifacient[11,79], anti-implantation[52,80], anti-helminthic, anti-depression[8], memory enhancing 13, anti-serotonin 14, diuretic[8,81], anti-microbial[82-86,42,74,76] anti-yeast[8,87,88], anti-inflammatory[8,11,89,90], anti-arthritic and analgesic[11,90-92], anti-cancer[11, 93-98], anti fertility[8,52,87,99-104], anti-spermatogenic[101,105], anti estrogenic[74], anti-malarial[8,106], anti-allergic[90,107], anti-asthmatics[108], anti-cataract[109], anti-insecticide[110], anti-toxicity activity[111-113].

3. Conclusion

There are many drugs have entered the international market through exploration of ethnopharmacology and traditional medicine. The present review reveal that *A. precatorius* is a unique source of many potential

phytochemicals which makes this plant very important and versatile for its large number of medicinal properties *i.e.* antidiabetic, neuro-protective, anti-microbial, analgesic and many more. For present review, I couldn't find very latest articles and most of the review this article are very old. This may indicate that extensive research yet to be done in this very potent medicinal plant. Hence extensive research should be done to exploit the therapeutic utility to fight against various diseases. Above collected literature conclude that *A. precatorius* is quite promising as a multipurpose medicinal agent as it is having very potential pharmacognostical and pharmacological applications.

Conflict of interest statement

Authors do not have any conflict of interest.

Acknowledgements

Authors are grateful to Dr. B.A. Golakia (Prof. & Head, Dept. of Biotechnology, Junagadh Agricultural University, Junagadh, Gujarat) and Dr. Rohan Pandya (Research Associate, Gujarat State Biotech Mission [GSBTM], Gandhinagar, Gujarat) and Dr. Jigna R. Pandya (Research Fellow-GSBTM, Gandhinagar-Gujarat) who shared their valuable knowledge and other friends Mr. H. R. Ramani, Mr. A. O. Sanghani and Mr. A. G. Khunt, who provided advice and necessary help during the period of the study.

Comments

Background

The present review attempt is to strengthen the data regarding active potent compounds present in *A. precatorius* and compile updated information on pharmacognostic characteristics, traditional uses, phytochemistry and pharmacological actions of the plant and its various applications all over the world. This information may leads to some valuable research in the field of medicine and phytopharmacology.

Research frontiers

The present review reveal that *A. precatorius* is a unique source of many potential phytochemicals which makes this plant very important and versatile for its large number of

medicinal properties. This plant is having antidiabetic, neuro-protective, anti-microbial, analgesic and many more potential activity. As various phytochemicals have been found in this plant and henceforth it is having various potential activity, this article reveals that still research are yet to be done on its practical applications *i.e.* on clinical bases.

Related reports

As this is a review article, authors have extensively reviewed several articles which say about the potential application of this plant. More than hundred articles have been used as reference for same.

Innovations and breakthroughs

A. precatorius commonly known as jequirity, is a medicinal plant used in various ayurvedic formulations used to treat various diseases. In the present study, authors have demonstrated the applicability of this plant as it is having several potential phytochemicals and henceforth clinical applications. Beauty of this review is that it covers almost all the applications and chemical constituents of this plant and by reviewing this article someone can use this article as guidance for further research *i.e.* it gives a proper direction to the research.

Applications

From the literature survey it has been found that *A. precatorius* is very valuable medicinal plant for its chemical constituents. This scientific study supports and suggests the use of this plant as an alternative medicine in the field of medicine. This article also strengthens data regarding *A. precatorius* and it may help research for further advanced research in the field of phytopharmacology.

Peer review

This is a valuable research work in which authors have demonstrated the importance of *A. precatorius* plant as it contains various phytochemicals due to which this plant is very much applicable to cure various diseases. This article also makes data stronger regarding this plant which can lead other research to proper direction in the field of research.

References

- [1] Bandyopadhyay U, Biswas K, Chattopadhyay I, Banerjee RK. Biological activities and medicinal properties of neem (*Azadirachta indica*). *Curr Sci* 2002; **82**(11): 1336–1345.
- [2] Mazumdar KP. Pharmaceutical science in homoeopathy and pharmacodynamics. New Delhi: B. Jain Publishers Pvt. Ltd.; 2001.
- [3] Martín-Herrera D, Abdala S, Benjumea D, Gutiérrez-Luis J. Diuretic activity of some *Withania aristata* Ait. fraction. *J Ethnopharmacol* 2008; **117**: 496–499.
- [4] Chaudhary G, Goyal S, Poonia P. *Lawsonia inermis* Linnaeus: a phytopharmacological review. *Int J Pharm Sci Drug Res* 2010; **2**(2): 91–98.
- [5] Nadkarni KM. *Indian materia medica Vol-I*. Mumbai: Popular Prakashan; 1994, p. 4–7.
- [6] Kirtikar KR, Basu BD. *Indian medicinal plant Vol I*. 2nd ed. Dehradun: International Book Distributors; 2005.
- [7] Prathyusha P, Subramaniam MS, Sivakumar R. Pharmacognostical studies on white and red forms of *Abrus precatorius* Linn. *Indian J Nat Prod Resour* 2010; **1**(4): 476–480.
- [8] Attal AR, Otari KV, Shete RV, Upasani CD, Nandgude TD. *Abrus precatorius* Linnaeus: a phytopharmacological review. *J Pharm Res* 2010; **3**(11): 2585–2587.
- [9] Ross IA. *Medicinal plants of the world: Volume 1 chemical constituents, traditional and modern medicinal uses*. New York: Humana Press; 2003.
- [10] Mensah AY, Bonsu AS, Fleischer TC. Investigation of the bronchodilator activity of *Abrus precatorius*. *Int J Pharmaceut Sci Rev Res* 2011; **6**(2): 9.
- [11] Gogte VM. *Ayurvedic Pharmacology and therapeutic uses of medicinal plants (Dravyagunavignyam)*. India: Bharatiya Vidya Bhavan; 2000, p. 600–601.
- [12] Acharya D. Medicinal plants for curing common ailments in India. *Positive Health* 2004; (102): 28–30.
- [13] Frohne D, Pfander HJ. *A colour atlas of poisonous plants*. London: Wolfe Publishing Ltd.; 1983, p. 291.
- [14] Daniel M. *Medicinal plants: chemistry and properties*. Jodhpur: Science Publishers; 2006, p. 118–119.
- [15] Pade SD. *Arya-Bhishekh, Sasty Sahitya, Ahmedabad*. 1957; p. 232–233. Hindi.
- [16] Rajaram N, Janardhanan K. The chemical composition and nutritional potential of the tribble pulse, *Abrus precatorius* L. *Plant Foods Hum Nutr* 1992; **42**(4): 285–290.
- [17] Pandey VN. Leaf protein content and yield of some Indian legumes. *Plant Foods Hum Nutr* 1994; **46**(4): 313–322.
- [18] Tropilab® Inc. Message from the president. Florida, USA: Tropilab® Inc. 2004. [Online] Available from: <http://www.tropilab.com/companyprofile.html>. [Accessed on 20 October, 2013].
- [19] Ghosal S, Dutta SK. Alkaloids of *Abrus precatorius*. *Phytochemistry* 1971; **10**: 195–198.
- [20] Gupta NC, Singh B, Bhakuni DS. Steroids and triterpenes from

[1] Bandyopadhyay U, Biswas K, Chattopadhyay I, Banerjee

- Alangium lamarkii*, *Allamanda cathartica*, *Abrus precatorius* and *Holoptelea integrifolia*. *Phytochemistry* 1969; **8**: 791–792.
- [21] Chang HM, Chiang TC, Mak TCW. Isolation and structure elucidation of abruslactone A: a new oleanene-type triterpene from the roots and vines of *Abrus precatorius* L. *J Chem Soc Chem Commun* 1982; (20): 1197–1198.
- [22] Lin LC, Yang LL, Chou CJ. Cytotoxic naphthoquinones and plumbagic acid glucosides from *Plumbago zeylanica*. *Phytochemistry* 2003; **62**: 619–622.
- [23] Shahat AA, Hassan RA, Nazif NM, Van Miert S, Pieters L, Hammuda FM, et al. Isolation of mangiferin from *Bombax malabaricum* and structure revision of shamimin. *Planta Med* 2003; **69**: 1068–1070.
- [24] Reddy VBM, Reddy K, Gunasekar D, Murthy M, Caux C, Bodo B. A new sesquiterpene lactone from *Bombax malabaricum*. *Chem Pharm Bull (Tokyo)*. 2003; **51**: 458–459.
- [25] Sujit K, Tanusri B, Sourav P, Jadupati M, Amites G, Amitava G, et al. Pharmacognostical studies and chromatographic evaluation of the different extracts of *Abrus precatorius* Linn. *Int J Pharmaceut Res Dev* 2012; **4**(03): 225–233.
- [26] Arora R, Gill NS, Kaur S, Jain AD. Phytopharmacological evaluation of ethanolic extraction of the seed of *Abrus precatorius* Linn. *J Pharmacol Toxicol* 2011; **6**(6): 580–588.
- [27] Bhardwaj DK, Bisht MS, Mehta CK. Flavonoids from *Abrus precatorius*. *Phytochemistry* 1980; **19**: 2040–2041.
- [28] Ibrahim N. Phytochemical studies of *Abrus precatorius* alkaloids. *Herba Hung* 1980; **19**(3): 21–26.
- [29] Ragasa CY, Lorena GS, Mandia EH, Raga DD, Shen CC. Chemical constituents of *Abrus precatorius*. *Am J Essent Oils Nat Prod* 2013; **1**(2): 7–10.
- [30] Choi YH, Hussain RA, Pezzuto JM, Kinghorn AD, Morton JF. Abrusosides A–D, four novel sweet-tasting triterpene glycosides from the leaves of *Abrus precatorius*. *J Nat Prod* 1989; **52**(5): 1118–1127.
- [31] Choi YH, Kinghorn AD, Shi XB, Zhang H, Teo BK. Abrusoside A: a new type of highly sweet triterpene glycoside. *J Chem Soc Chem Commun* 1989; (13): 887–888.
- [32] Karawya MS, El Gengaihi S, Wassel G, Ibrahim NA. Carbohydrates of *Abrus precatorius*. *Fitoterapia* 1981; **52**: 179–181.
- [33] Akinloye BA, Adalumo LA. *Abrus precatorius* leaves—a source of glycyrrhizin. *Niger J Pharm* 1981; **12**: 405.
- [34] Lefar MS, Firestone D, Coleman EC, Brown N, Shaw DW. Lipids from the seeds of *Abrus precatorius*. *J Pharm Sci* 1968; **57**: 1442–1444.
- [35] Ali E, Malek A. Chemical investigations on *Abrus precatorius* Linn. (Beng. Kunch). *Sci Res Ill* 1966; **3**: 141–145
- [36] Khaleq A, Aminuddin M, Mulk SAU. Investigations of *Abrus precatorius* L. constituents of dry root. *Pak C S I R Bull Monogr* 1966; **3**: 203.
- [37] Willaman JJ, Li HL. *Alkaloid-bearing plants and their contained alkaloids*. USA: Agricultural Research Service, U. S. Department of Agriculture; 1970, p. 1–286.
- [38] Singh RB, Shelley. Polysaccharide structure of degraded glucomannan from *Abrus precatorius* Linn. seeds. *J Environ Biol* 2007; **28**(2): 461–464.
- [39] Kuo SC, Chen SC, Chen LH, Wu JB, Wang JP, Teng CM. Potent antiplatelet, anti-inflammatory and antiallergic isoflavanquinones from the roots of *Abrus precatorius*. *Planta Med* 1995; **61**: 307–312.
- [40] Chang HM, Chiang TC, Mak TC. New oleanene-type triterpenes from *Abrus precatorius* and x-ray crystal structure of abrusgenic acid-methanol 1:1 solvate. *Planta Med* 1983; **49**(11): 165–169.
- [41] Kennelly EJ, Cai L, Kim NC, Kinghorn AD. Abrusoside e, a further sweet-tasting cycloartane glycoside from the leaves of *Abrus precatorius*. *Phytochemistry* 1996; **41**(5): 1381–1383.
- [42] Saxena VK, Sharma DN. A new isoflavone from the roots of *Abrus precatorius*. *Fitoterapia* 1999; **70**: 328–329
- [43] Desai VB, Sirsi M, Shankarappa M, Kasturibai AR. Chemical and pharmacological investigations on the seeds of *Abrus precatorius* Linn. II. Effect of seeds on mitosis and meiosis in grasshopper, *Poecilocera picta* and some ciliates. *Indian J Exp Biol* 1971; **9**(3): 369–371
- [44] Kinjo J, Matsumoto K, Inoue M, Takeshita T, Nohara T. A new saponin and other constituents in abrin semen, the seeds of *Abrus precatorius* L. 1. *Chem Pharm Bull* 1991; **39**(1): 116–119.
- [45] Glasby JH. *Dictionary of plants containing secondary metabolites*. New York: Taylor and Francis; 1991, p. 488.
- [46] Maiti PC, Mukherjee S, Chatterjee A. Chemical examination of seeds of *Abrus precatorius*. *J Indian Acad Forensic Sci* 1970; **9**: 64–68.
- [47] Lin JY, Lei LL, Tung TC. Purification of abrin from *Abrus precatorius* L. Leguminosae. *Taiwan Yi Xue Hui Za Zhi* 1969; **68**: 518–521.
- [48] Lin JY, Lee TC, Hu ST, Tung TC. Isolation of four isotoxic proteins and one agglutinin from jequiriti bean (*Abrus precatorius*). *Toxicon* 1981; **19**: 41–51.
- [49] Wei CH, Hartman FC, Pfuderer P, Yang WK. Purification and characterization of two major toxic proteins from seeds of *Abrus precatorius*. *J Biol Chem* 1974; **249**: 3061–3067.
- [50] Hegde R, Maiti TK, Podder SK. Purification and characterization of three toxins and two agglutinins from *Abrus precatorius* seed by using lactamyl-sepharose affinity chromatography. *Anal Biochem* 1991; **194**(1): 101–109.
- [51] Bhaumik HL. Hydrocarbons, fatty acids, triterpenoid and sterols in the seeds of *Abrus precatorius*. *Sci Cult* 1987; **53**(1): 23–24.
- [52] Zia-Ul-Haque A, Qazi MH, Hamdard ME. Studies on the antifertility properties of active components isolated from the

- seeds of *Abrus precatorius* Linn I. *Pakistan J Zool* 1983; **15**(2): 129–139.
- [53] Hameed AK, Hasmi MA, Khan MI. *Abrus precatorius*. I. Isolation and toxic properties of abruin, a protein fraction from the seeds. *Pak J Sci Ind Res* 1961; **4**: 53–56.
- [54] Shatish M, Balaji R, Aruna A, Niraimathi V, Manikadan G, Babu MBV, et al. Preliminary phytochemical and cytotoxic property on leaves of *Abrus precatorius*. *J Herbal Med Toxicol* 2010; **4**(1): 21–24.
- [55] Devasagayam TP, Sainis KB. Immune system and antioxidants, especially those derived from Indian medicinal plants. *Indian J Exp Biol* 2002; **40**: 639–655.
- [56] Govindarajan R, Vijayakumar M, Pushpangadan P. Antioxidant approach to disease management and the role of 'Rasayana' herbs of Ayurveda. *J Ethnopharmacol* 2005; **99**: 165–178.
- [57] Scartezzini P, Speroni E. Review on some plants of Indian traditional medicine with antioxidant activity. *J Ethnopharmacol* 2000; **71**: 23–43.
- [58] Chatterjee BP, Sarkar N, Rao AS. Serological and chemical investigations of the anomeric configuration of the sugar units in the D–galacto–D–mannan of fenugreek (*Trigonella foenum–gracum*) seed. *Carbohydr Res* 1982; **104**(2): 348–353.
- [59] Wei CH, Koh C, Pfuderer P, Einstein JR. Purification, properties and crystallographic data for a principal nontoxic lectin from seeds of *Abrus precatorius*. *J Biol Chem* 1975; **250**: 4790–4795.
- [60] Roy J, Som S, Sen A. Isolation, purification, and some properties of a lectin and abrin from *Abrus precatorius* linn. *Arch Biochem Biophys* 1976; **174**: 359–361.
- [61] Anderson JD, Mandava N, Gunn CR. Plant growth inhibitor from *Abrus precatorius* seeds. *Plant Physiol* 1972; **49**: 1024–1026.
- [62] Xiao ZH, Wang FZ, Sun AJ, Li CR, Huang CG, Zhang S. A new triterpenoid saponin from *Abrus precatorius* Linn. *Molecules* 2011; **17**: 295–302.
- [63] Markham KR, Wallace JW, Babu YN, Krishnamurthy V, Rao MG. 8–C–Glucosylscutellarein 6, 7–Dimethyl ether and its 2''–O–apioside from *Abrus precatorius*. *Phytochemistry* 1989; **28**(1): 299–301.
- [64] Lin JY, Cheng YC, Liu K, Tung TC. Carbohydrate in abrin. *Toxicon* 1971; **9**: 333–360.
- [65] List PH, Horhammer L. *Hager's handbuch der pharmazeutischen praxis, Vols. 2–6*. Berlin: Springer–Verlag; 1969–1979.
- [66] Begum S. Chemical investigation of white seeded variety of *Abrus precatorius* Linn. *Pakistan J Sci Indus Res* 1992; **35**(7/8): 270–271.
- [67] Derby M, Busson F. The lipids of certain West African species. *Oleagineux* 1968; **23**: 191.
- [68] Riaz M. and Khan AH. Studies on *Abrus precatorius* Linn, III. free amino acids of jequirity seeds. *Pak J Sci Res* 1964; **16**: 99.
- [69] Heines V. A study of pigments in seed coat of *Abrus precatorius*, Linn. *Trans Ky Acad Sci* 1971; **32**: 1.
- [70] Mandava N, Anderson JD, Dutky SR, Thompson MJ. Novel occurrence of 5 Beta–cholic acid in plants: isolation from jequirity bean seeds (*Abrus precatorius*). *Steroids* 1974; **23**: 357–361.
- [71] Krishnamoorthy V, Seshadri TR. Survey of anthocyanins from Indian sources: Part III. *J Sci Ind Res* 1962; **21**: 591–593.
- [72] Khan AH, Khalio Q, Ali SS. Studies on the seed oil of *Abrus precatorius* L. II. composition of the lipid classes. *Pakistan J Sci Indus Res* 1970; **13**: 391–394.
- [73] Khan AH, Khalio Q, Ali SS. Studies on the seed oil of *Abrus precatorius*. L. I. composition of total fatty acids. *Pakistan J Sci Indus Res* 1970; **13**: 388–390.
- [74] Desai VB, Sirsi M. Antimicrobial activity of *Abrus precatorius*. *Indian J Pharmacy* 1966; **28**: 164.
- [75] Ahmad K, Rahman AFM. P' Sterone, a keto steroid from *Abrus precatorius*. *Pak J Biol Agr Sci* 1965; **8**: 218.
- [76] Dhawan BN, Patnaik GK, Rastogi RP, Singh KK, Tandon JS. Screening of Indian plants for biological activity. *Indian J Exp Biol* 1977; **15**: 208–219.
- [77] Arora R. Phytopharmacological evaluation of ethanolic extract of the seeds of *Abrus precatorius* L. *J Pharmacol Toxicol* 2011; **6**(6): 580–588.
- [78] Premanand R, Ganesh T. Neuroprotective effects of *Abrus precatorius* Linn. aerial extract on hypoxic neurotoxicity induced rats. *Int J Chem Pharmac Sci* 2010; **1**(1): 9–15.
- [79] Sethi N, Nath D, Singh RK. Teratological aspects of *Abrus precatorius* seeds in rats. *Fitoterapia* 1990; **61**(1): 61–63.
- [80] Agarwal SS, Ghatak N, Arora RB, Bhardwaj MM. Antifertility activity of the roots of *Abrus precatorius*. *Pharmacol Res Comm* 1970; **2**: 159–163.
- [81] Ae L, Bnrl J, Nf N. Protective effect of *Abrus precatorius* seed extract following alcohol induced renal damage. *Eur J Sci Res* 2009; **25**(3): 428–436.
- [82] Adelowotan O, Aibinu I, Aednipekun E, Odugbemi T. The *in-vitro* antimicrobial activity of *Abrus precatorius* (L) fabaceae extract on some clinical pathogens. *Niger Postgrad Med J* 2008; **15**(1): 32–37.
- [83] Bobbarala V, Vadlapudi V. *Abrus precatorius* L. seed extracts antimicrobial properties against clinically important bacteria. *Int J PharmTech Res* 2009; **1**(4): 1115–1118.
- [84] Parekh J, Jadeja D, Chanda S. Efficacy of aqueous and methanol extracts of some medicinal plants for potential antibacterial activity. *Turk J Biol* 2005; **29**: 203–210.
- [85] De Britto AJ, Jeya PB, Kumar R, Gracelin S, Herin D. *Abrus precatorius* L.: a medicinal plant with potential as antibacterial agent A. *J Pharmacy Res* 2012; **5**(2): 1207–1209.
- [86] Prashith Kekuda TR, Vinayaka KS, Soumya KV, Ashwini SK, Kiran R. Antibacterial and antifungal activity of methanolic extract of *Abrus pulchellus* Wall and *Abrus precatorius* Linn—a comparative study. *Int J Toxicol Pharmacol Res* 2010; **2**(1): 26–29.

- [87] Jahan S, Rasool S, Khan MA, Ahemad M, Zafar M, Arsaht M, et al. Antifertility effects of ethanolic seed extract of *Abrus precatorius* L. on sperm production and DNA integrity in adult male mice. *J Med Plant Res* 2009; **3**: 809–814.
- [88] Sirsi M. *In vitro* study of the inhibitory action of some chemotherapeutic agents on a freshly isolated strain of *Cryptococcus neoformans*. *Hindustan Antibiot Bull* 1963; **6**(2): 39–40.
- [89] Georgewill OA, Georgewill UO. Evaluation of the anti-inflammatory activity of extract of *Abrus precatorious*. *Eastern J Med* 2009; **14**: 23–25.
- [90] Kuo SC, Chen SC, Chen LH, Wu JB, Wang JP, Teng CM. Potent antiplatelet, anti-inflammatory and antiallergic isoflavanquinones from the roots of *Abrus precatorius*. *Planta Med* 1995; **61**: 307–312.
- [91] Sudaroli M and Chatterjee TK. Evaluation of red and white seed extracts of *Abrus precatorius* Linn. against freund's complete adjuvant induced arthritis in rats. *J Med Plants Res* 2007; **1**(4): 86–94.
- [92] Nagaveni P, Saravana Kumar K, Ramesh Y, Ramesh CN. Pharmacognostic properties and analgesic activity studies of *Abrus precatorius* leaves. *JITPS* 2012; **3**(1): 18–23.
- [93] Panneerselvam K, lin SC, Liu CL, Liaw YC, Lin JY, Lu TH. Crystallization of agglutinin from the seeds of *Abrus precatorius*. *Acta Crystallogr D Biol Crystallogr* 2000; **56**(7): 898–899.
- [94] Bhutia SK, Mallick SK, Stevens SM, Prokai L, Vishwantha JK, Maiti TK. Induction of mitochondria dependent apoptosis by *Abrus agglutinin* derived peptides in human cervical cancer cell. *Toxicol In Vitro* 2008; **22**: 344–351.
- [95] Anbu J, Ravichandiran V, Sumithra M, Chowdary SB, Kumar S, Kannadhasan R, et al. Anticancer activity of petroleum ether extract of *Abrus Precatorius* on ehrlich ascitis carcinoma in mice. *Int J Pharm Bio Sci* 2011; **2**: 24–31.
- [96] Bhaskar AS, Deb U, Kumar O, Lakshmana Rao PV. Abrin induced oxidative stress mediated DNA damage in human leukemic cells and its reversal by N-acetylcysteine. *Toxicol In Vitro* 2008; **22**: 1902–1908.
- [97] Kamboj VP, Dhawan BN. Research on plants for fertility regulation in India. *J Ethnopharmacol* 1982; **6**(2): 191–226.
- [98] Lalithakumari H, Reddy VV, Rao GR, Sirsi M. Purification of proteins from *Abrus precatorius* and their biological properties. *Indian J Biochem* 1971; **8**: 321–323.
- [99] Kusumot IT, Shimada I, Kakiuchi N, Hattori M, Namba T, Supriyatna S. Inhibitory effect of Indonesian plant extracts on reverse transcriptase of an RNA tumour virus. *Phytother Res* 1992; **6**(5): 241–244.
- [100] Rao MV. Antifertility effects of alcoholic seed extracts of *Abrus precatorius* Linn. in male albino rats. *Acta Eur Fertil* 1987; **18**(3): 217–220.
- [101] Sinha R. Post-testicular antifertility effects of *Abrus precatorius* seed extract in albino rats. *J Ethnopharmacol* 1990; **28**(2): 173–181.
- [102] Sarwat J, Rasool S, Khan MA, Ahmad M, Zafar M, Arsaht M, et al. Antifertility effects of ethanolic seed extract of *Abrus pracoitius* L on sperm production and DNA integrity in adult mice. *J Med Plant Res* 2009; **3**: 809–814.
- [103] Talukder S, Hossain MA, Sarker S, Khan MAH. Investigation into effect of crude mixture of *Abrus precatorius* seed on hypothalamopituitary gonadal axis and development of antifertility in male rats. *Bangladesh J Agric Res* 2011; **36**(1): 103–109.
- [104] Bhaduri B, Ghose CR, Bose AN, Moza BK, Basu UP. Antifertility activity of some medicinal plants. *Indian J Exp Biol* 1968; **6**: 252–253.
- [105] Munshi SR, Shetye TA, Nair RK. Antifertility activity of three indigenous plant preparations. *Planta Med* 1977; **31**(1): 73–75.
- [106] Saganuwan SA, Onyeyili PA, Ameh EG, Etuk EU. *In vivo* antiplasmodial activity by aqueous extract of *Abrus precatorius* in mice. *Rev Latinoamer Quím* 2011; **39**(1–2): 32–44.
- [107] Chinnappan A, Rathinam S. Studies on wound healing activity of red and block coloured seed, white coloured seed extracts of *Abrus precatorius* L. *Int J Pharm Bio Sci* 2011; **2**: 302–312.
- [108] Taur DJ, Patil RY. Mast cell stabilizing and antiallergic activity of *Abrus precatorius* in the management of asthma. *Asian Pac J Trop Med* 2011; **4**(1): 46–49.
- [109] Umamaheswari M, Dhinesh S, Asokkumar K, Sivashanmugam T, Subhadradevi V, Puliyaath J, et al. Anticataractic and antioxidant activities of *Abrus precatorius* Linn. against calcium-induced cataractogenesis using goat lenses. *Eur J Exp Biol* 2012; **2**(2): 378–384.
- [110] Khanna P, Kaushik P, Bansal V, Sharma A. New sources of insecticides: rotenoids. *Proc Natl Acad Sci India, B* 1989; **59**(1): 83–86.
- [111] Subbaiah MV, Yuvaraja G, Vijaya Y, Krishnaiah A. Equilibrium, kinetic and thermodynamic studies on biosorption of Cu(II), Cd(II), Pb(II) and Ni(II) from aqueous solution by chitosan *Abrus precatorius* blended beads. *J Chem Pharm Res* 2011; **3**(2): 365–378.
- [112] Nubilde M, Aguilar A, Alvarado M, Batista R, Edmundo C. Toxic effects of *Abrus precatorius* L. seeds on laboratory rats. *Emir J Food Agric* 2012; **24**(2): 159–164.
- [113] Sivakumar R, Alagesabooopathi C. Studies on cytotoxicity and antitumor screening of red and white forms of *Abrus precatorius* L. *Afri J Biotech* 2008; **7**(22): 3984–3988.
- [114] The University of Queensland. QAAFI Biological Information Technology. Australia: The University of Queensland. [Online] Available from: <http://www.cb.it.uq.edu.au>. [Accessed on 20 October, 2013].