

# Indigenous Bacteria from the Gut Microbiota Regulate Host Serotonin Biosynthesis

Jessica M. Yano, Kristie Yu, Gregory P. Donaldson, Gauri G. Shastri, Phoebe Ann, Liang Ma, Cathryn R. Nagler, Rustem F. Ismagilov, Sarkis K. Mazmanian, and Elaine Y. Hsiao\*

\*Correspondence: [ehsiao@caltech.edu](mailto:ehsiao@caltech.edu)

<http://dx.doi.org/10.1016/j.cell.2015.09.017>

(Cell 161, 264–276; April 9, 2015)

In Figure S5D of this article, the representative flow cytometry plot of forward versus side scatter for unstimulated platelets was incorrectly duplicated during the final formatting of the paper for SPF+PCPA and GF conditions. The figure has been corrected online, and the originally published descriptions of the results in the text and figure legend are accurate.

In Figure 3A, the “GF+conv” bar represents germ-free (GF) mice conventionalized with standard pathogen-free (SPF) microbiota on postnatal day 21 (P21). The published main text incorrectly referred to conventionalization on P42. Though we show in Figure 1B very similar levels of colonic serotonin after conventionalization on P21 versus P42, the “GF+conv” data in Figure 3A is specifically from GF mice conventionalized on P21. This error in the text has also been corrected online.

Overall, these changes have no bearing on the experimental results or conclusions presented in the manuscript. We apologize for any inconvenience that these errors have caused.