

75	Abstract
76	Introduction
85	Methods
95	Results
103	Discussion
110	Conclusion

ERRATUM

Erratum to: "Under-correction of Human Myopia – Is It Myopigenic?: A Retrospective Analysis of Clinical Refraction Data" [J Optom 7(3) (2014) 147–152]



Fe de errores a: "Corrección insuficiente de la miopía humana – ¿Es miopigénica?: Análisis retrospectivo de datos sobre refracción clínica" [J Optom 7(3) (2014) 147–152]

Balamurali Vasudevan^{a,*}, Christina Esposito^a, Cody Peterson^a, Cory Coronado^a, Kenneth J. Ciuffreda^b

^a College of Optometry, Mid Western University, Glendale, AZ 85308, USA

^b Department of Biological and Vision Sciences, SUNY State College of Optometry, New York, NY 10036, USA

In the published article, unfortunately, [Fig. 1](#) contained wrong information in the X-axis. The correct figure ([Fig. 1](#)) is reproduced below. We apologize for the inconvenience caused to our readers.




Figure 1 Plot of under-correction of myopia and mean refractive error progression. Plotted is the mean+1SEM.

DOI of original article: <http://dx.doi.org/10.1016/j.optom.2013.12.007>

* Corresponding author at: College of Optometry, Midwestern University, Glendale, AZ 85308, USA.

E-mail address: bvasud@midwestern.edu (B. Vasudevan).

<http://dx.doi.org/10.1016/j.optom.2014.09.004>

1888-4296/© 2014 Spanish General Council of Optometry. Published by Elsevier España, S.L.U. All rights reserved.