

# Journal of Vascular Surgery®

Copyright © 2014 by the Society for Vascular Surgery®

**CONTENTS**

Volume 60, Number 2      August 2014

	<i>page</i>
<b>CLINICAL RESEARCH STUDIES</b>	
<b>Outcome of the pivotal study of the Aptus endovascular abdominal aortic aneurysms repair system</b>	<b>275</b>
Manish Mehta, MD, John Henretta, MD, Marc Glickman, MD, David Deaton, MD, Thomas C. Naslund, MD, Bruce Gray, DO, Richard McCann, MD, William Jordan, MD, and Ronald Fairman, MD, <i>Albany, NY; Ashville, NC; Norfolk, Va; Washington, D.C.; Nashville, Tenn; Greenville, SC; Durham, NC; Birmingham, Ala; and Philadelphia, Pa</i>	
<b>Elective endovascular aortic repair conversion for type Ia endoleak is not associated with increased morbidity or mortality compared with primary juxtarenal aneurysm repair</b>	<b>286</b>
Salvatore T. Scali, MD, Michael M. McNally, MD, Robert J. Feezor, MD, Catherine K. Chang, MD, Alyson L. Waterman, MD, MPH, Scott A. Berceli, MD, PhD, Thomas S. Huber, MD, PhD, and Adam W. Beck, MD, <i>Gainesville, Fla</i>	
<b>Postapproval outcomes of juxtarenal aortic aneurysms treated with the Zenith fenestrated endovascular graft</b>	<b>295</b>
Chandu Vemuri, MD, Gustavo S. Oderich, MD, Jason T. Lee, MD, Mark A. Farber, MD, Andres Fajardo, MD, Edward Y. Woo, MD, Neal Cayne, MD, and Luis A. Sanchez, MD, <i>St. Louis, Mo; Rochester, Minn; Palo Alto, Calif; Chapel Hill, NC; Indianapolis, Ind; Philadelphia, Pa; and New York, NY</i>	
<b>Dutch experience with the fenestrated Anaconda endograft for short-neck infrarenal and juxtarenal abdominal aortic aneurysm repair</b>	<b>301</b>
Martijn L. Dijkstra, MD, Ignace F. J. Tielliu, MD, PhD, Robbert Meerwaldt, MD, PhD, Maurice Pierie, MD, Jerome van Brussel, MD, PhD, Geert Willem H. Schurink, MD, PhD, Jan-Willem Lardenoye, MD, PhD, and Clark J. Zeebregts, MD, PhD, <i>Groningen, Enschede, Zwolle, Rotterdam, Maastricht, and, Arnhem, The Netherlands</i>	
<b>Outcome and quality of life after endovascular abdominal aortic aneurysm repair in octogenarians</b>	<b>308</b>
Robert A. Pol, MD, PhD, Clark J. Zeebregts, MD, PhD, Steven M. M. van Sterkenburg, MD, Luis M. Ferreira, MD, Yigit Goktay, MD, and Michel M. P. J. Reijnen, MD, PhD, for the Endurant Stent Graft Natural Selection Global Postmarket Registry (ENGAGE) Investigators, <i>Groningen and Arnhem, The Netherlands; Buenos Aires, Argentina; and Alsancak, Turkey</i>	

**Cover Image:** See Vascular Images, page 503

The *Journal of Vascular Surgery* (ISSN 0741-5214) is published monthly by Elsevier Inc., 360 Park Avenue South, New York, NY 10010-1710. Periodicals postage paid at New York, NY and at additional mailing offices. POSTMASTER: Send address changes to the *Journal of Vascular Surgery*, Elsevier Health Sciences Division, Subscription Customer Service, 3251 Riverport Lane, Maryland Heights, MO 63043.

## CONTENTS CONTINUED

<b>Effects of weekend admission on the outcomes and management of ruptured aortic aneurysms</b>	318
Elliott M. Groves, MD, MEng, Mahdi Khoshchehreh, MD, MS, Christine Le, BS, and Shaista Malik, MD, PhD, <i>Irvine and Los Angeles, Calif</i>	
<b>Predictive value of negative initial postoperative imaging after endovascular aortic aneurysm repair</b>	325
Heather L. Gill, MD, Stephanie Ladowski, MD, Monisha Sudarshan, MD, Kent S. Mackenzie, MD, Marc M. Corriveau, MD, Cherrie Z. Abraham, MD, Daniel I. Obrand, MD, and Oren K. Steinmetz, MD, <i>Montreal, Quebec, Canada</i>	
<b>New-generation stent grafts for endovascular management of thoracic pseudoaneurysms after aortic coarctation repair</b>	330
Anisha H. Perera, MRCS, Nung Rudarakanchana, PhD, MRCS, Mohamad Hamady, FRCR, Elika Kashef, FRCR, Maziar Mireskandari, MD, FRCS, Anselm Uebing, MD, PhD, Nicholas J. Cheshire, MD, FRCS, and Colin D. Bicknell, MD, FRCS, <i>London, United Kingdom</i>	
<b>Outcomes of covered versus bare-metal balloon-expandable stents for aortoiliac occlusive disease</b>	337
Misty D. Humphries, MD, Ehrin Armstrong, MD, John Laird, MD, Jessica Paz, BS, and William Pevec, MD, <i>Sacramento, Calif; and Denver, Colo</i>	
 <b>Outcomes after redo aortobifemoral bypass for aortoiliac occlusive disease</b>	346
Salvatore T. Scali, MD, Bradley M. Schmit, MD, Robert J. Feezor, MD, Adam W. Beck, MD, Catherine K. Chang, MD, Alyson L. Waterman, MD, MPH, Scott A. Berceli, MD, PhD, and Thomas S. Huber, MD, PhD, <i>Gainesville, Fla</i>	
<b>Endovascular treatment of lesions in the below-knee popliteal artery</b>	356
Jeffrey J. Siracuse, MD, Heather L. Gill, MD, Stephen P. Cassidy, BA, Mark D. Messina, BS, Diana Catz, PhD, Natalia Egorova, PhD, Inkyong Parrack, MD, and James F. McKinsey, MD, <i>New York, NY</i>	
<b>Endovascular treatment for symptomatic stent failures in long-segment chronic total occlusion of femoropopliteal arteries</b>	362
Xinrui Yang, MD, Xinwu Lu, MD, PhD, Weimin Li, MD, Ying Huang, MD, PhD, Xintian Huang, MD, Min Lu, MD, and Mi'er Jiang, MD, <i>Shanghai, China</i>	
<b>Cost-effectiveness of revascularization for limb preservation in patients with end-stage renal disease</b>	369
Neal R. Barshes, MD, MPH, Panos Kougias, MD, C. Keith Ozaki, MD, Philip P. Goodney, MD, MS, and Michael Belkin, MD, <i>Houston, Tex; Boston, Mass; and Lebanon, NH</i>	
<b>Retrograde pedal access for patients with critical limb ischemia</b>	375
Hernan A. Bazan, MD, Linda Le, MD, Melissa Donovan, MD, Tara Sidhom, RN, Taylor A. Smith, MD, and W. Charles Sternbergh III, MD, <i>New Orleans, La</i>	
<b>Predictive scoring model of mortality after surgical or endovascular revascularization in patients with critical limb ischemia</b>	383
Tatsuya Shiraki, MD, Osamu Iida, MD, Mitsuyoshi Takahara, MD, PhD, Shin Okamoto, MD, Ikurou Kitano, MD, PhD, Yoshihiko Tsuji, MD, PhD, Hiroto Terashi, MD, PhD, and Masaaki Uematsu, MD, PhD, <i>Hyogo and Osaka, Japan</i>	

## CONTENTS CONTINUED

<b>Ankle-brachial index, toe-brachial index, and cardiovascular mortality in persons with and without diabetes mellitus</b>	390
Suzanne Hyun, MD, Nketi I. Forbang, MD, Matthew A. Allison, MD, MPH, Julie O. Denenberg, MAS, Michael H. Criqui, MD, MPH, <i>and</i> Joachim H. Ix, MD, MAS, <i>Loma Linda and San Diego, Calif</i>	
<b>Peripheral arterial disease, gender, and depression in the Heart and Soul Study</b>	396
S. Marlene Grenon, MDCM, Beth E. Cohen, MD, Kim Smolderen, PhD, Eric Vittinghoff, PhD, Mary A. Wooley, MD, <i>and</i> Jade Hiramoto, MD, <i>San Francisco, Calif; Tilburg, The Netherlands; and Kansas City, Mo</i>	
<b>Six-minute walk test closely correlates to “real-life” outdoor walking capacity and quality of life in patients with intermittent claudication</b>	404
Joakim Nordanstig, MD, Monica Broeren, RN, Marlene Hensäter, RN, Angelica Perlander, MD, Klas Österberg, MD, PhD, <i>and</i> Lennart Jivegård, MD, PhD, <i>Göthenburg, Sweden</i>	
<b>Anatomic findings and outcomes associated with upper extremity arteriography and selective thrombolysis for acute finger ischemia</b>	410
Arsalla Islam, MD, Colston Edgerton, BS, Jeanette M. Stafford, MS, Andrew Koman, MD, Zhongyu Li, MD, Beth P. Smith, PhD, Matthew S. Edwards, MD, MS, <i>and</i> Matthew A. Corriere, MD, MS, <i>Winston-Salem, NC</i>	
<b>Closure technique after carotid endarterectomy influences local hemodynamics</b>	418
Gareth J. Harrison, MBChB, MRCS, Thien V. How, PhD, Robert J. Poole, PhD, John A. Brennan, MD, Jagjeeth B. Naik, MD, S. Rao Vallabhaneni, MD, <i>and</i> Robert K. Fisher, MD, <i>Liverpool, United Kingdom</i>	
<b>Antiplatelet effects of clopidogrel dose adjustment (75 mg/d vs 150 mg/d) after carotid stenting</b>	428
Alejandro González, MD, PhD, Francisco Moniche, MD, PhD, Aurelio Cayuela, MD, PhD, Jose Ramón Gonzalez-Marcos, MD, PhD, Antonio Mayol, MD, <i>and</i> Joan Montaner, MD, PhD, <i>Seville, Spain</i>	
<b>Efficacy of right axillary artery perfusion for antegrade cerebral perfusion in open total arch repair</b>	436
Arudo Hiraoka, MD, Genta Chikazawa, MD, PhD, Toshinori Totsugawa, MD, PhD, Kentaro Tamura, MD, Taichi Sakaguchi, MD, PhD, Kosuke Nakajima, CE, <i>and</i> Hidenori Yoshitaka, MD, PhD, <i>Okayama, Japan</i>	
<b>Observation and surgery are associated with low risk of amputation for blunt brachial artery injury in pediatric patients</b>	443
Tze-Woei Tan, MD, Denis Rybin, PhD, Gheorghe Doros, PhD, Jeffrey A. Kalish, MD, Alik Farber, MD, <i>and</i> Mohammad H. Eslami, MD, FACS, <i>Shreveport, La; and Boston, Mass</i>	
<b>Anatomic characteristics and natural history of renal artery aneurysms during longitudinal imaging surveillance</b>	448
Erik J. Wayne, MD, Matthew S. Edwards, MD, MS, Jeanette M. Stafford, MS, Kimberley J. Hansen, MD, <i>and</i> Matthew A. Corriere, MD, MS, <i>Winston-Salem, NC</i>	

## CONTENTS CONTINUED

<b>Human type I pancreatic elastase treatment of arteriovenous fistulas in patients with chronic kidney disease</b>	454
Robert J. Hye, MD, Eric K. Peden, MD, Timothy P. O'Connor, MD, Barry J. Browne, MD, Bradley S. Dixon, MD, Andres S. Schanzer, MD, Stephen C. Jensik, MD, Laura M. Dember, MD, Michael R. Jaff, DO, and Steven K. Burke, MD, <i>San Diego, Calif; Houston, Tex; Peoria and Chicago, Ill; Iowa City, Iowa; Worcester, Waltham, and Boston, Mass; and Philadelphia, Pa</i>	
<b>Invited Commentary:</b> Lewis B. Schwartz, MD, <i>Chicago, Ill</i>	461
<b>Correlation of pre-existing radial artery macrocalcifications with late patency of primary radiocephalic fistulas in diabetic hemodialysis patients</b>	462
George S. Georgiadis, MD, Efstratios I. Georgakarakos, MD, George A. Antoniou, MD, Stelios Panagoutsos, MD, Christos Argyriou, MD, Eftimia Mourvati, MD, Ploumis Passadakis, MD, and Miltos K. Lazarides, MD, <i>EBQSVasc, Alexandroupolis, Greece</i>	
<b>BASIC RESEARCH STUDIES</b>	
<b>Flow reversal promotes intimal thickening in vein grafts</b>	471
Yong He, PhD, Chessy M. Fernandez, MS, Zhihua Jiang, MD, PhD, Ming Tao, MD, Kerri A. O'Malley, PhD, and Scott A. Berceli, MD, PhD, <i>Gainesville, Fla</i>	
<b>Role of Girdin in intimal hyperplasia in vein grafts and efficacy of atelocollagen-mediated application of small interfering RNA for vein graft failure</b>	479
Hiroki Miyachi, MD, Shinji Mii, MD, PhD, Atsushi Enomoto, MD, PhD, Yoshiki Murakumo, MD, PhD, Takuya Kato, PhD, Naoya Asai, MD, PhD, Kimihiro Komori, MD, PhD, and Masahide Takahashi, MD, PhD, <i>Nagoya and Sagamihara, Japan</i>	
<b>Trehalose protects against spinal cord ischemia in rabbits</b>	490
Shinya Takahashi, MD, Mitsuhiro Isaka, MD, Makoto Hamaishi, MD, Katsuhiko Imai, MD, Kazumasa Orihashi, MD, and Taijiro Sueda, MD, <i>Hiroshima, Japan</i>	
<b>CASE REPORTS</b>	
<b>“Cheese wire” fenestration of a chronic aortic dissection flap for endovascular repair of a contained aneurysm rupture</b>	497
Jun Tashiro, MD, MPH, Atif Baqai, MD, Lee J. Goldstein, MD, Jason T. Salsamendi, MD, Michele Taubman, MD, and Jorge Rey, MD, <i>Miami, Fla</i>	
<b>Endovascular treatment of a giant hepatic artery aneurysm with Amplatzer vascular plug</b>	500
Rafael Noronha Cavalcante, MD, Viviane Augusto Pereira Couto, MD, André Vinicius da Fonseca, MD, Robson Barbosa de Miranda, MD, Agenor José Vasconcelos Costa, MD, and João Antonio Correa, PhD, <i>Santo André, São Paulo, Brazil</i>	
<b>VASCULAR IMAGES</b>	
<b>Asymptomatic aortic occlusion secondary to abdominal aortic aneurysm</b>	503
Mila H. Ju, MD, MS, and William H. Pearce, MD, <i>Chicago, Ill</i>	
<b>Transiliac wing alternate route bypass for infected groin vascular graft</b>	504
Eitan Heldenberg, MD, Jonathan Lorber, MD, David Cheyn, MD, and Arie Bass, MD, <i>Zerifin, Israel</i>	

# CONTENTS CONTINUED

## REVIEW ARTICLE

- A meta-analysis to compare Dacron versus polytetrafluoroethylene grafts for above-knee femoropopliteal artery bypass** 506  
Igor J. Rychlik, MB, MRCS, Philip Davey, MB, MRCS, Jamie Murphy, BChir, PhD, and Mark E. O'Donnell, MMedSc, MD, FRCS, *Belfast and Jordanstown, United Kingdom; and Phoenix, Ariz*

## PRESIDENTIAL ADDRESS

- Excellence in vascular surgery: Maintaining high standards** 516  
M. Ashraf Mansour, MD, *Grand Rapids, Mich*

## SURGICAL ETHICS CHALLENGES

- Extending life or prolonging death: When is enough actually too much?** 521  
James W. Jones, MD, PhD, MHA, and Laurence B. McCullough, PhD, *Houston, Tex*

## VASCULAR AND ENDOVASCULAR TECHNIQUES

- Preliminary experience of laparoscopic renal artery aneurysm clipping surgery** 523  
Hao Yan, MD, Xin Cui, MD, Tongwen Ou, MD, PhD, Qi Wang, MD, Bo Cui, MD, and Jiangtao Wu, MD, *Beijing, China*

## PRACTICE MANAGEMENT

- Peripheral occlusive disease may provide the highest hospital margins despite rising costs** 528  
Nadia Awad, MD, Joseph V. Lombardi, MD, Jeffrey P. Carpenter, MD, Jose Trani, MD, Francis Caputo, MD, and Nyali Taylor, MD, *Philadelphia, Pa; and Camden, NJ*

- ABSTRACTS** 532

- EJVES-JVS ABSTRACTS** 535

- ABSTRACTS FROM THE 2014 WESTERN VASCULAR SOCIETY ANNUAL MEETING** 537

## LETTER TO THE EDITOR

- The need for a validated pathway for the diagnosis and management of prosthetic vascular graft infection** 551  
Timothy Miles Rawson, MBBS, BSc (Hons), Ming J. Lee, MBBS, BSc (Hons), Sophie Renton, MBBS, BSc, MS, FRCS, and Jim Buckley, BSc, MBBS, MRCP, PhD, *Harrow, United Kingdom*

# CONTENTS CONTINUED

## READERS SERVICES

Information for authors	17A
Information for readers	18A
Editorial Policies: See July 2014; Vol 60, Issue No. 1, pp 22A-26A; or <a href="http://www.jvascsurg.org">www.jvascsurg.org</a> , Journal Information, Editorial Policies and Procedures	
Events of interest	20A

### CME Credit Available to JVS Readers

Readers can obtain CME credit by reading a selected article and correctly answering four multiple choice questions on the Journal Web site ([www.jvascsurg.org](http://www.jvascsurg.org)). The CME article is identified in the Table of Contents of each issue. After correctly answering the questions and completing the evaluation, readers will be awarded one *AMA PRA Category 1 Credit™*.



**Current Procedural Terminology**  
Discussion included at the end of this issue.



**Continuing Medical Education**  
Test available online at [www.jvascsurg.org](http://www.jvascsurg.org)



**Online-only Articles**  
Available online at [www.jvascsurg.org](http://www.jvascsurg.org)