



Applied Mathematical Modelling 23 (1999) 949-960

## Subject Index to Volume 23

A-stability		Europe, X.F. Zhang, A.W. Heemink, L.H.J.M. Janssen, P.H.M. Janssen and	
One parameter quadratic $C^1$ -spline collocation method for solving first order ordin-		F.J. Sauter	23 (1999) 109
ary initial value problems, S. Sallam and M. Naim Anwar	23 (1999) 153	Analytical model	
New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail	22 (1000) 250	Sediment threshold, S. Dey	23 (1999) 399
and I.H. Ibrahim	23 (1999) 279	Analytical solutions	
$A(\alpha)$ -stability		Analytical solution of a spatially variable coefficient advection–diffusion equation in	
New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail		up to three dimensions, C. Zoppou and J.H. Knight	23 (1999) 667
and I.H. Ibrahim	23 (1999) 279	Applications	
Absolute stability		Working with differential, functional and	
One parameter quadratic $C^1$ -spline collocation method for solving first order ordinary initial value problems, S. Sallam and		difference equations using functional networks, E. Castillo, A. Cobo, J.M. Gutiérrez and E. Pruneda	23 (1999) 89
M. Naim Anwar	23 (1999) 153	Aubita and and I a I	
Actuator stroke		Arbitrary external loads	
A tuning criterion for the inertial tuned dam- per. Design using phasors in the Argand– Gauss plane, A. Carotti and E. Turci	23 (1999) 199	A boundary element method in elastody- namics for geometrically axisymmetric problems, Z. Yang and H. Zhou	23 (1999) 501
Adaptive grid		ARMA models	
An adaptive grid technique for the vertical structure of shallow water models, A.B. Fortunato and A. Oliveira	23 (1999) 639	Using ARMA models to forecast workpiece roundness error in a turning operation, E.H.K. Fung and A.P.L. Chung	23 (1999) 567
Advection-diffusion equation		Arrival rates	
Analytical solution of a spatially variable coefficient advection–diffusion equation in up to three dimensions, C. Zoppou and		The effect of different arrival rates on the <i>N</i> -policy of M/G/1 with server setup, S. Hur and SJ. Paik	23 (1999) 289
J.H. Knight	23 (1999) 667	Arteries	
Air pollution		Propagation of weakly nonlinear waves	
A computationally efficient Kalman smoother for the evaluation of the CH <sub>4</sub> budget in		in fluid-filled thick viscoelastic tubes, H. Demiray	23 (1999) 779

Axisymmetric geometry		Cellular radio	
A boundary element method in elastody- namics for geometrically axisymmetric problems, Z. Yang and H. Zhou	23 (1999) 501	Finite population cellular radio systems with directed retry, M. Jain  CFD	23 (1999) 77
Batch sedimentation			
Two-phase modeling of batch sedimentation, M. Latsa, D. Assimacopoulos, A. Stamou and N. Markatos	23 (1999) 881	The numerical simulation of the noncharring pyrolysis process and fire development within a compartment, F. Jia, E.R. Galea and M.K. Patel	23 (1999) 587
Bending moment		Channel assignment	
A comparison between continuous and discrete modelling of cables with bending stiffness, T.P. Dreyer and J.H. Van Vuuren	23 (1999) 527	Finite population cellular radio systems with directed retry, M. Jain	23 (1999) 77
Bioprocess		Chemical reaction	
Sliding mode control of a denitrifying bio- filter, J.P. Babary and S. Bourrel	23 (1999) 609	Effect of chemical reaction on the dispersion of a solute in a porous medium, D. Pal	23 (1999) 557
DI - al-in-		Clinker formation	
Finite population cellular radio systems with directed retry, M. Jain  Queueing analysis of a mobile trunked system with mixed traffic and finite population,	23 (1999) 77	CFD predictions of cement kilns including flame modelling, heat transfer and clinker chemistry, E. Mastorakos, A. Massias, C.D. Tsakiroglou, D.A. Goussis, V.N. Burganos and A.C. Payatakes	23 (1999) 55
M. Jain	23 (1999) 621	Coal combustion	
Blood flow		Comparisons of two commercial computa-	
Propagation of weakly nonlinear waves in fluid-filled thick viscoelastic tubes, H. Demiray	23 (1999) 779	tional fluid dynamics codes in modelling pulverised coal combustion for a 2.5 MW burner, C.N. Eastwick, S.J. Pickering and A. Aroussi	23 (1999) 437
Boundary element method		Code comparisons	
A boundary element method in elastody- namics for geometrically axisymmetric problems, Z. Yang and H. Zhou Approximation of functions and their deri-	23 (1999) 501	Comparisons of two commercial computational fluid dynamics codes in modelling pulverised coal combustion for a 2.5 MW	
vatives: A neural network implementation with applications, T. Nguyen-Thien and T. Tran-Cong	23 (1999) 687	burner, C.N. Eastwick, S.J. Pickering and A. Aroussi  Collocation methods	23 (1999) 437
Cable shape			
A comparison between continuous and discrete modelling of cables with bending stiffness, T.P. Dreyer and J.H. Van Vuuren	23 (1999) 527	One parameter quadratic C <sup>1</sup> -spline collocation method for solving first order ordinary initial value problems, S. Sallam and M. Naim Anwar	23 (1999) 153
Casting		Computer	
Transient thermal model for the hot chamber injection system in the pressure die casting process, I. Rosindale and K. Davey		Mathematical modelling for optimized control of Moscow's sewer network, Y.A.	

Constrained motion		Demand	
Dynamic modelling of a rigid-flexible manipulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C. Li	23 (1999) 509	An inventory model of deteriorating items with lot-size dependent replenishment cost and a linear trend in demand, A.K. Bhunia and M. Maiti	23 (1999) 301
Contention-collision elimination access mode	•	ma and M. Manu	23 (1777) 301
The mathematical modelling for the access mode of the Vth system model to a multiple star LAN, L. Zhaoyi, Z. Jianshu and L. Mai	23 (1999) 231	Deteriorating hysteresis  The generalized Masing models for deteriorating hysteresis and cyclic plasticity, DY. Chiang	23 (1999) 847
Control		Deterioretion	
Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin	23 (1999) 543	An inventory model of deteriorating items with lot-size dependent replenishment cost and a linear trend in demand, A.K. Bhunia and M. Maiti	23 (1999) 301
Optimal control of a removable and non-re-		Differential equations	
liable server in an infinite and a finite M/H <sub>2</sub> /1 queueing system, KH. Wang, KW. Chang and B.D. Sivazlian,	23 (1999) 651	Working with differential, functional and difference equations using functional networks, E. Castillo, A. Cobo, J.M. Gu-	
Crossover		tiérrez and E. Pruneda	23 (1999) 89
Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral	23 (1999) 329	Differential quadrature  The differential quadrature element method irregular element torsion analysis model,	
Cyclic plasticity		C. Chen	23 (1999) 309
The generalized Masing models for deteriorating hysteresis and cyclic plasticity, DY. Chiang	23 (1999) 847	Differential quadrature element method  The differential quadrature element method irregular element torsion analysis model,	
Damagable items		C. Chen	23 (1999) 309
Inventory of damagable items with variable replenishment rate, stock-dependent demand and some units in hand,		Directed retry	
M. Mandal and M. Maiti	23 (1999) 799	Finite population cellular radio systems with directed retry, M. Jain	23 (1999) 77
Data assimilation		Dispersion	
A computationally efficient Kalman smoother for the evaluation of the CH <sub>4</sub> budget in Europe, X.F. Zhang, A.W. Heemink, L.H.J.M. Janssen, P.H.M. Janssen and F.J. Sauter	23 (1999) 109	Effect of chemical reaction on the dispersion of a solute in a porous medium, D. Pal	23 (1999) 557
Delay	. ,	Dynamic damper	
Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain	23 (1999) 621	A tuning criterion for the inertial tuned damper. Design using phasors in the Argand–Gauss plane, A. Carotti and E. Turci	23 (1999) 199

Dynamic modelling		within a compartment, F. Jia, E.R. Galea and M.K. Patel	23 (1999) 587
Dynamic modelling of a rigid-flexible manipulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C.		Fixed-bed reacto	
Li	23 (1999) 509	Sliding mode control of a denitrifying bio- filter, J.P. Babary and S. Bourrel	23 (1999) 609
Dynamics		Flashover	
The rotor dynamics of reeling machinery, H. Bartlett and R. Whalley	23 (1999) 757	The numerical simulation of the noncharring pyrolysis process and fire development	
Elastodynamics		within a compartment, F. Jia, E.R. Galea and M.K. Patel	23 (1999) 587
A boundary element method in elastody- namics for geometrically axisymmetric problems, Z. Yang and H. Zhou	23 (1999) 501	Flow distribution	
Energy consumption	23 (1999) 301	Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin	23 (1999) 543
Mathematical modelling for optimized control of Moscow's sewer network, Y.A.	22 (1000) 542	Fluvial hydraulics	
Ermolin	23 (1999) 543	Sediment threshold, S. Dey	23 (1999) 399
Erosion		Forecasting	
Sediment threshold, S. Dey  Error moddling and simulation	23 (1999) 399	Using ARMA models to forecast workpiece roundness error in a turning operation, E.H.K. Fung and A.P.L. Chung	23 (1999) 567
Using ARMA models to forecast workpiece roundness error in a turning operation, E.H.K. Fung and A.P.L. Chung	23 (1999) 567	Foundation engineering	23 (1999) 307
Feedback (-gains)	23 (1999) 307	A boundary element method in elastody- namics for geometrically axisymmetric problems, Z. Yang and H. Zhou	23 (1999) 501
A tuning criterion for the inertial tuned damper. Design using phasors in the Ar-		Function approximation	
gand–Gauss plane, A. Carotti and E. Turci	23 (1999) 199	Approximation of functions and their deri- vatives: A neural network implementation	
Finite buffer		with applications, T. Nguyen-Thien and T. Tran-Cong	23 (1999) 687
Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain	23 (1999) 621	Function derivatives approximation	
Finite integral transforms	( ) .	Approximation of functions and their deri- vatives: A neural network implementation with applications, T. Nguyen-Thien and	
Modelling non-Fourier heat conduction with periodic thermal oscillation using the fi-		T. Tran-Cong	23 (1999) 687
nite integral transform, B. Abdel-Hamid	23 (1999) 899	Functional equations	
Fire field model  The numcerical simulation of the noncharring		Working with differential, functional and difference equations using functional net- works, E. Castillo, A. Cobo, J.M. Gu-	
pyrolysis process and fire development		tiérrez and E. Pruneda	23 (1999) 89

Functional networks		Hyper-exponential	
Working with differential, functional and difference equations using functional networks, E. Castillo, A. Cobo, J.M. Gutiérrez and E. Pruneda	23 (1999) 89	Optimal control of a removable and non-reliable server in an infinite and a finite M/H <sub>2</sub> /1 queueing system, KH. Wang, KW. Chang and B.D. Sivazlian,	23 (1999) 651
Generic differential quadrature		Inclined settlers	
The differential quadrature element method irregular element torsion analysis model, C. Chen	23 (1999) 309	Two-phase modeling of batch sedimentation, M. Latsa, D. Assimacopoulos, A. Stamou and N. Markatos	23 (1999) 881
Genetic algorithm		Inclusion theory	
Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral	23 (1999) 329	Digital modeling and hybrid control of sampled-data uncertain system with input time delay using the law of mean, C.S. Shieh, J.S.H. Tsai and Y.Y. Sun	23 (1999) 131
Green's element method		Industrial CFD	
Green's function-based integral approaches to nonlinear transient boundary-value problems (II), A.E. Taigbenu and O.O. Onyejekwe	23 (1999) 241	CFD predictions of cement kilns including flame modelling, heat transfer and clinker chemistry, E. Mastorakos, A. Massias, C.D. Tsakiroglou, D.A. Goussis, V.N. Burganos and A.C. Payatakes	23 (1999) 55
Green's functions		Initial value problems	
Green's function-based integral approaches to nonlinear transient boundary-value problems (II), A.E. Taigbenu and O.O. Onyejekwe	23 (1999) 241	One parameter quadratic C <sup>1</sup> -spline collocation method for solving first order ordinary initial value problems, S. Sallam and M. Naim Anwar	23 (1999) 153
$H_2$ norm		Injection system	
Design and robustness analysis of decentralized constant volume-control for open-channels, C. Seatzu	23 (1999) 479	Transient thermal model for the hot chamber injection system in the pressure die casting process, I. Rosindale and K. Davey	23 (1999) 255
Handoffs		Integer programming	
Finite population cellular radio systems with directed retry, M. Jain	23 (1999) 77	A stochastic programming model for sche- duling maintenance personnel, S.O. Duf- fuaa and K.S. Al-Sultan	23 (1999) 385
Heat diffusion modelling		Importory	,
Modelling non-Fourier heat conduction with periodic thermal oscillation using the finite integral transform, B. Abdel-Hamid  Hyperbolic partial differential equations	23 (1999) 899	An inventory model of deteriorating items with lot-size dependent replenishment cost and a linear trend in demand, A.K.Bhunia	
Modelling non-Fourier heat conduction with periodic thermal oscillation using the finite integral transform, B. Abdel-Hamid	23 (1999) 899	and M.Maiti  Inventory of damagable items with variable replenishment rate, stock-dependent demand and some units in hand, M. Mandal and M. Maiti	23 (1999) 301 23 (1999) 799

Kalman filtering  A computationally efficient Kalman smoother		Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin	23 (1999) 543
for the evaluation of the CH <sub>4</sub> budget in Europe, X.F. Zhang, A.W. Heemink,		Mathematical modelling	
L.H.J.M. Janssen, P.H.M. Janssen and F.J. Sauter	23 (1999) 109	Comparisons of two commercial computa- tional fluid dynamics codes in modelling	
Kalman smoother		pulverised coal combustion for a 2.5 MW burner, C.N. Eastwick, S.J. Pickering and	
A computationally efficient Kalman smoother for the evaluation of the CH <sub>4</sub> budget in		A. Aroussi	23 (1999) 437
Europe, X.F. Zhang, A.W. Heemink, L.H.J.M. Janssen, P.H.M. Janssen and		Mixed traffic	
F.J. Sauter	23 (1999) 109	Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain	23 (1999) 621
LAN			23 (1999) 021
The mathematical modelling for the access		Model reduction	
mode of the Vth system model to a multiple star LAN, L. Zhaoyi, Z. Jianshu and L. Mai	23 (1999) 231	Thermal systems modelling via singular value decomposition: direct and modular approach, A. Yahia and E. Barrio	23 (1999) 447
Law of mean		Model uncertainty	
Digital modeling and hybrid control of sampled-data uncertain system with input time delay using the law of mean, C.S. Shieh, J.S.H. Tsai and Y.Y. Sun	23 (1999) 131	Robust continuous-time and discrete-time flow control of a dam–river system. (I) Modelling, X. Litrico and D. Georges	23 (1999) 809
		Modelling	
Linearization  Progressive genetic algorithm for solution of		The rotor dynamics of reeling machinery, H. Bartlett and R. Whalley	23 (1999) 757
optimization problems with nonlinear equality and inequality constraints,		Modular modelling	
J. Guan and M.M. Aral	23 (1999) 329	Thermal systems modelling via singular value	
Maintenance scheduling		decomposition: direct and modular approach, A. Yahia and E. Barrio	23 (1999) 447
A stochastic programming model for scheduling maintenance personnel, S.O. Duf-		Moving boundary problem	
fuaa and K.S. Al-Sultan	23 (1999) 385	Numerical solution of a non-linear model for self-weight solids settlement, A.N. Papa-	
Masing model		nicolaou and P. Diplas	23 (1999) 345
The generalized Masing models for deteriorating hysteresis and cyclic plasticity, DY.		Multiderivative	
Chiang	23 (1999) 847	New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail	
Mathematical model		and I.H. Ibrahim	23 (1999) 279
A comparison between continuous and discrete modelling of cables with bending		Multiple star LAN	
stiffness, T.P. Dreyer and J.H. Van Vuuren	23 (1999) 527	The mathematical modelling for the access mode of the Vth system model to a mul-	

tiple star LAN, L. Zhaoyi, Z. Jianshu and L. Mai	23 (1999) 231	Nonhomogeneous traffic	
Multistep		Finite population cellular radio systems with directed retry, M. Jain	23 (1999) 77
New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail		Nonlinear diffusion	
and I.H. Ibrahim  Multivariable control	23 (1999) 279	Green's function-based integral approaches to nonlinear transient boundary-value problems (II), A.E. Taigbenu and O.O.	22 (1000) 241
Dynamic modelling of a rigid-flexible manipulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C. Li	23 (1999) 509	Onyejekwe  Non-linear finite element formulation	23 (1999) 241
Mutation		Numerical solution of a non-linear model for self-weight solids settlement, A.N. Papa- nicolaou and P. Diplas	23 (1999) 345
Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints,		Non-uniform beams	( ( , , , , ) , , , ,
J. Guan and M.M. Aral  N-policy	23 (1999) 329	Vibration and stability of non-uniform beams with abrupt changes of cross-section by using $C^1$ modified beam vibration func-	
The effect of different arrival rates on the <i>N</i> -policy of M/G/1 with server setup, S. Hur		tions, F.T.K. Au, D.Y. Zheng and Y.K. Cheung	23 (1999) 19
and SJ. Paik	23 (1999) 289	Numerical modeling	
Network  Mathematical modelling for optimized control of Moscow's sewer network, Y.A.  Ermolin	23 (1999) 543	Recalculation of surface slopes as forcing for numerical water column models of tidal flow, H. Burchard Two-phase modeling of batch sedimentation,	23 (1999) 737
Neural network	, ,	M. Latsa, D. Assimacopoulos, A. Stamou and N. Markatos	23 (1999) 881
Approximation of functions and their derivatives: A neural network implementation with applications, T. Nguyen-Thien and T. Tran-Cong	23 (1999) 687	Nyquist criterion  Design and robustness analysis of decentralized constant volume-control for openchannels, C. Seatzu	23 (1999) 479
Neural networks		Open-channel hydraulic system	
Working with differential, functional and difference equations using functional networks, E. Castillo, A. Cobo, J.M. Gutiérrez and E. Pruneda	23 (1999) 89	Robust continuous-time and discrete-time flow control of a dam–river system. (I) Modelling, X. Litrico and D. Georges	23 (1999) 809
Non-Fourier heat conduction		Open-channel irrigation system	
Modelling non-Fourier heat conduction with periodic thermal oscillation using the finite integral transform, B. Abdel-Hamid	23 (1999) 899	Robust continuous-time and discrete-time flow control of a dam–river system. (II) Controller design, X. Litrico and D. Georges	23 (1999) 829
Nonhomogeneous Poisson process		Open-channels	
The effect of different arrival rates on the <i>N</i> -policy of M/G/1 with server setup, S. Hur and SJ. Paik	23 (1999) 289	Design and robustness analysis of decentralized constant volume-control for open-channels, C. Seatzu	23 (1999) 479

Optimization		Polynomial demand	
Progressive genetic algorithm for solution of optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral	23 (1999) 329	Inventory of damagable items with variable replenishment rate, stock-dependent demand and some units in hand, M. Mandal and M. Maiti	23 (1999) 799
Pade approximate method		Porous medium	
Digital modeling and hybrid control of sam- pled-data uncertain system with input time delay using the law of mean, C.S.		Effect of chemical reaction on the dispersion of a solute in a porous medium, D. Pal	23 (1999) 557
Shieh, J.S.H. Tsai and Y.Y. Sun	23 (1999) 131	Pressure gradient force	
Parallel cylinders		Recalculation of surface slopes as forcing for numerical water column models of tidal flow, H. Burchard	23 (1999) 737
Longitudinal flow past cylinders arranged in a triangular array, C.Y. Wang	23 (1999) 219	Processes	
Periodic thermal oscillation		The rotor dynamics of reeling machinery, H. Bartlett and R. Whalley	23 (1999) 757
Modelling non-Fourier heat conduction with periodic thermal oscillation using the fi- nite integral transform, B. Abdel-Hamid	23 (1999) 899	Pumping station	
Permeability		Mathematical modelling for optimized control of Moscow's sewer network, Y.A.	22 (1000) 542
Longitudinal flow past cylinders arranged in a triangular array, C.Y. Wang	23 (1999) 219	Ermolin  Pyrolysis	23 (1999) 543
Phasors in the Argand–Gauss plane		The numerical simulation of the noncharring pyrolysis process and fire development	
A tuning criterion for the inertial tuned damper. Design using phasors in the Argand-Gauss plane, A. Carotti and		within a compartment, F. Jia, E.R. Galea and M.K. Patel	23 (1999) 587
E. Turci	23 (1999) 199	Quadratic spline	
PID controller		One parameter quadratic $C^1$ -spline collocation method for solving first order ordin-	
Robust continuous-time and discrete-time flow control of a dam-river system.		ary initial value problems, S. Sallam and M. Naim Anwar	23 (1999) 153
(II) Controller design, X. Litrico and D. Georges	23 (1999) 829	Queue	
Pole placement		Finite population cellular radio systems with directed retry, M. Jain	23 (1999) 77
Robust continuous-time and discrete-time flow control of a dam—river system.		Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain	23 (1999) 621
(II) Controller design, X. Litrico and D. Georges	23 (1999) 829	Optimal control of a removable and non-reliable server in an infinite and a finite	
Poles and zeroes		M/H <sub>2</sub> /1 queueing system, KH. Wang, KW. Chang and B.D. Sivazlian,	23 (1999) 651
A tuning criterion for the inertial tuned damper. Design using phasors in the		Radiative heat transfer	
Argand-Gauss plane, A. Carotti and E. Turci	23 (1999) 199	CFD predictions of cement kilns including flame modelling, heat transfer and clinker	

chemistry, E. Mastorakos, A. Massias, C.D. Tsakiroglou, D.A. Goussis, V.N.	22 (1999) 55	Sampling  Robust continuous-time and discrete-time	
Burganos and A.C. Payatakes  Reduced gradient	23 (1999) 55	flow control of a dam–river system. (I) Modelling, X. Litrico and D. Georges	23 (1999) 809
Progressive genetic algorithm for solution of		SDBDF	
optimization problems with nonlinear equality and inequality constraints, J. Guan and M.M. Aral	23 (1999) 329	New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim	23 (1999) 279
Replenishment		Sediment	
An inventory model of deteriorating items with lot-size dependent replenishment cost		Sediment threshold, S. Dey	23 (1999) 399
and a linear trend in demand, A.K. Bhunia and M. Maiti	23 (1999) 301	Sediment threshold	
Rigid-flexible manipulator		Sediment threshold, S. Dey	23 (1999) 399
Dynamic modelling of a rigid-flexible manip-		Sediment transport	
ulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C. Li	23 (1999) 509	Sediment threshold, S. Dey	23 (1999) 399
Robust control		Sedimentary bed	
Sliding mode control of a denitrifying bio-		Sediment threshold, S. Dey	23 (1999) 399
filter, J.P. Babary and S. Bourrel Robust continuous-time and discrete-time	23 (1999) 609	Self-weight consolidation	
flow control of a dam–river system. (II) Controller design, X. Litrico and D. Georges	23 (1999) 829	Numerical solution of a non-linear model for self-weight solids settlement, A.N. Papanicolaou and P. Diplas	23 (1999) 345
Robustness analysis		Server breakdown	
Design and robustness analysis of decentralized constant volume-control for open-channels, C. Seatzu	23 (1999) 479	Optimal control of a removable and non-reliable server in an infinite and a finite M/H <sub>2</sub> /1 queueing system, KH. Wang, KW. Chang and B.D. Sivazlian,	23 (1999) 651
Rod model		Setup cost	
A comparison between continuous and discrete modelling of cables with bending stiffness, T.P. Dreyer and J.H. Van Vuuren	23 (1999) 527	The effect of different arrival rates on the <i>N</i> -policy of M/G/1 with server setup, S. Hur and SJ. Paik	23 (1999) 289
Rotary kilns		Sewage	
CFD predictions of cement kilns including flame modelling, heat transfer and clinker chemistry, E. Mastorakos, A. Massias, C.D. Tsakiroglou, D.A. Goussis, V.N. Burganos and A.C. Payatakes	23 (1999) 55	Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin	23 (1999) 543
	(//) 55	Sewer	
Rotors  The rotor dynamics of reeling machinery, H. Bartlett and R. Whalley	23 (1999) 757	Mathematical modelling for optimized control of Moscow's sewer network, Y.A. Ermolin	23 (1999) 543

Shallow water model		Stiff-equations	
An adaptive grid technique for the vertical structure of shallow water models, A.B. Fortunato and A. Oliveira	23 (1999) 639	One parameter quadratic $C^1$ -spline collocation method for solving first order ordinary initial value problems, S. Sallam and M. Naim Anwar	23 (1999) 153
Simulation		Stiff stability	, ,
Thermal systems modelling via singular value decomposition: direct and modular approach, A. Yahia and E. Barrio  The rotor dynamics of reeling machinery,	23 (1999) 447	New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim	23 (1999) 279
H. Bartlett and R. Whalley	23 (1999) 757	Stiff systems	
Singular value  Design and robustness analysis of decentralized constant volume-control for open-		New efficient second derivative multistep methods for stiff systems, G.A.F. Ismail and I.H. Ibrahim	23 (1999) 279
channels, C. Seatzu	23 (1999) 479	Stochastic programming	
Singular value decomposition  Thermal systems modelling via singular value		A stochastic programming model for scheduling maintenance personnel, S.O. Duffuaa and K.S. Al-Sultan	23 (1999) 385
decomposition: direct and modular approach, A. Yahia and E. Barrio	23 (1999) 447	Stock-dependent demand	
Sliding mode		Inventory of damagable items with variable replenishment rate, stock-dependent de-	
Sliding mode control of a denitrifying bio- filter, J.P. Babary and S. Bourrel	23 (1999) 609	mand and some units in hand, M. Mandal and M. Maiti	23 (1999) 799
Smith predictor		Supplementary variables	
Robust continuous-time and discrete-time flow control of a dam–river system.  (II) Controller design, X. Litrico and		The effect of different arrival rates on the <i>N</i> -policy of M/G/1 with server setup, S. Hur and SJ. Paik	23 (1999) 289
D. Georges	23 (1999) 829	Taper turning	
Solid fuel combustion  The numerical simulation of the noncharring pyrolysis process and fire development		Using ARMA models to forecast workpiece roundness error in a turning operation, E.H.K. Fung and A.P.L. Chung	23 (1999) 567
within a compartment, F. Jia, E.R. Galea and M.K. Patel	22 (1000) 597	Telecommunications	
Solitary waves	23 (1999) 587	Queueing analysis of a mobile trunked system with mixed traffic and finite population, M. Jain	23 (1999) 621
Propagation of weakly nonlinear waves in fluid-filled thick viscoelastic tubes,		Thermal	
H. Demiray  Stability	23 (1999) 779	Transient thermal model for the hot chamber injection system in the pressure die casting process, I. Rosindale and K. Davey	23 (1999) 255
Vibration and stability of non-uniform beams with abrupt changes of cross-section by		Thermal systems	
using $C^1$ modified beam vibration functions, F.T.K. Au, D.Y. Zheng and Y.K. Cheung	23 (1999) 19	Thermal systems modelling via singular value decomposition: direct and modular approach, A. Yahia and E. Barrio	23 (1999) 447

Three-dimensional		stiffness, T.P. Dreyer and J.H. Van Vuuren	23 (1999) 527
An adaptive grid technique for the vertical structure of shallow water models, A.B. Fortunato and A. Oliveira	23 (1999) 639	Variable coefficients	
Tidal flow		Analytical solution of a spatially variable coefficient advection–diffusion equation in up to three dimensions, C. Zoppou and	
Recalculation of surface slopes as forcing for numerical water column models of tidal flow, H. Burchard	23 (1999) 737	J.H. Knight	23 (1999) 667
Time delay		Variable replenishment	
Robust continuous-time and discrete-time		Inventory of damagable items with variable	
flow control of a dam–river system. (I)  Modelling, X. Litrico and D. Georges  Robust continuous-time and discrete-time	23 (1999) 809	replenishment rate, stock-dependent demand and some units in hand, M. Mandal and M. Maiti	23 (1999) 799
flow control of a dam-river system.  (II) Controller design, X. Litrico and		Variable structure control	
D. Georges  Trajectory tracking	23 (1999) 829	Sliding mode control of a denitrifying bio- filter, J.P. Babary and S. Bourrel	23 (1999) 609
Dynamic modelling of a rigid-flexible ma-		Vertical discretization	
nipulator for constrained motion task control, Z.X. Shi, E.H.K. Fung and Y.C. Li	23 (1999) 509	An adaptive grid technique for the vertical structure of shallow water models, A.B. Fortunato and A. Oliveira	23 (1999) 639
Two-, three-dimensional problems			, ,
Analytical solution of a spatially variable coefficient advection-diffusion equation in up to three dimensions, C. Zoppou and J.H. Knight	23 (1999) 667	Vertical mixing  Recalculation of surface slopes as forcing for numerical water column models of tidal flow, H. Burchard	23 (1999) 737
Two-phase flow			
Two-phase modeling of batch sedimentation,		Vibration	
M. Latsa, D. Assimacopoulos, A. Stamou and N. Markatos	23 (1999) 881	Vibration and stability of non-uniform beams with abrupt changes of cross-section by using $C^1$ modified beam vibration func-	
Uncertain system		tions, F.T.K. Au, D.Y. Zheng and Y.K. Cheung	23 (1999) 19
Digital modeling and hybrid control of sam- pled-data uncertain system with input time delay using the law of mean, C.S.		Vibration functions	20 (1999) 19
Shieh, J.S.H. Tsai and Y.Y. Sun	23 (1999) 131	Vibration and stability of non-uniform beams with abrupt changes of cross-section by	
Universal stress–strain curve		using $C^1$ modified beam vibration func-	
The generalized Masing models for deterior- ating hysteresis and cyclic plasticity, DY. Chiang	23 (1999) 847	tions, F.T.K. Au, D.Y. Zheng and Y.K. Cheung	23 (1999) 19
C		Viscoelastic tubes	
Validation  A comparison between continuous and discrete modelling of cables with bending		Propagation of weakly nonlinear waves in fluid-filled thick viscoelastic tubes, H. Demiray	23 (1999) 779

Viscous flow

Weighting coefficients

Longitudinal flow past cylinders arranged in a triangular array, C.Y. Wang

23 (1999) 219

The differential quadrature element method irregular element torsion analysis model, C. Chen

23 (1999) 309