

Author Index Volume 230 (2009)

- Agarwal, R.P.**, see **Sun, Y.** 738–750
- Ahmad, R.** and **F. Usman**, System of generalized variational inclusions with H -accretive operators in uniformly smooth Banach spaces 424–432
- Ali, M.M.**, see **Zhu, W.** 491–503
- Amiri, M.**, see **Zandieh, M.** 463–476
- Andrei, N.**, Accelerated conjugate gradient algorithm with finite difference Hessian/vector product approximation for unconstrained optimization 570–582
- Andriopoulos, K.**, **S. Dimas**, **P.G.L. Leach** and **D. Tsoubelis**, On the systematic approach to the classification of differential equations by group theoretical methods 224–232
- Ansari, Q.H.**, see **Ceng, L.-C.** 813–822
- Ariyawansa, K.A.** and **W.L. Tabor**, A class of collinear scaling algorithms for bound-constrained optimization: Derivation and computational results 143–163
- Bagherzadeh Valami, H.**, Group performance evaluation, an application of data envelopment analysis 485–490
- Baker, A.H.**, **E.R. Jessup** and **Tz.V. Kolev**, A simple strategy for varying the restart parameter in GMRES(m) 751–761
- Cen, Z.**, see **Xu, A.** 418–423
- Ceng, L.-C.**, **Q.H. Ansari** and **J.C. Yao**, On relaxed viscosity iterative methods for variational inequalities in Banach spaces 813–822
- Chakravarty, S.**, see **Ikbal, Md.A.** 243–259
- Chen, K.**, see **Harris, P.J.** 433–442
- Chen, A.**, **W. Huang** and **J. Li**, Qualitative behavior and exact travelling wave solutions of the Zhiber–Shabat equation 559–569
- Chen, J.-S.**, see **Hu, S.-L.** 69–82
- Cho, Y.J.**, see **Qin, X.** 121–127
- Cui, M.**, see **Zhou, Y.** 770–780
- Daniel, S.** and **P. Shunmugaraj**, An interpolating 6-point C^2 non-stationary subdivision scheme 164–172
- Dehghan, M.** and **A. Shokri**, Numerical solution of the nonlinear Klein–Gordon equation using radial basis functions 400–410
- Denuit, M.M.**, An index for longevity risk transfer 411–417
- Dimas, S.**, see **Andriopoulos, K.** 224–232
- Ding, H.** and **Y. Zhang**, A new difference scheme with high accuracy and absolute stability for solving convection–diffusion equations 600–606
- Ding, H.** and **Y. Zhang**, A new fourth-order compact finite difference scheme for the two-dimensional second-order hyperbolic equation 626–632
- Dong, Y.**, **G. Wang** and **K.C. Yuen**, On the renewal risk model under a threshold strategy 22–33
- Dou, F.-F.**, **C.-L. Fu** and **F.-L. Yang**, Optimal error bound and Fourier regularization for identifying an unknown source in the heat equation 728–737
- Duan, G.-R.**, see **Wu, A.-G.** 690–698
- Fan, Q.**, **W. Wang** and **X. Yi**, Anti-periodic solutions for a class of nonlinear n th-order differential equations with delays 762–769
- Fang, W.**, see **Wang, Y.** 135–142
- Farid, M.**, see **Hassan, M.A.** 300–305
- Feng, Z.**, see **Wang, J.** 283–299
- Fu, S.**, see **Wen, Z.** 34–43
- Fu, C.-L.**, see **Dou, F.-F.** 728–737
- Gan, Q.**, see **Xu, R.** 187–203
- Gong, Y.**, Galerkin solution of a singular integral equation with constant coefficients 393–399
- Graves-Morris, P.R.**, VPAStab(J, L): An iterative method with look-ahead for the solution of large sparse linear systems 674–689
- Han, B.**, see **Wang, W.** 607–613
- Harris, P.J.** and **K. Chen**, An efficient method for evaluating the integral of a class of highly oscillatory functions 433–442
- Hassan, M.A.**, **W.J. Leong** and **M. Farid**, A new gradient method via quasi-Cauchy relation which guarantees descent 300–305
- He, Y.**, see **Zhu, L.** 504–512
- Hollevoet, D.**, **M. Van Daele** and **G. Vanden Berghe**, The optimal exponentially-fitted Numerov method for solving two-point boundary value problems 260–269
- Hsiao, C.-H.**, Hybrid function method for solving Fredholm and Volterra integral equations of the second kind 59–68
- Hu, B.**, **J. Liang** and **L. Jiang**, Optimal convergence rate of the explicit finite difference scheme for American option valuation 583–599
- Hu, S.-L.**, **Z.-H. Huang** and **J.-S. Chen**, Properties of a family of generalized NCP-functions and a derivative free algorithm for complementarity problems 69–82
- Huang, W.**, see **Chen, A.** 559–569
- Huang, Z.-H.**, see **Hu, S.-L.** 69–82

- Ikbal, Md.A., S. Chakravarty, K.K. Wong, J. Mazumdar and P.K. Mandal**, Unsteady response of non-Newtonian blood flow through a stenosed artery in magnetic field 243–259
- Jessup, E.R.**, see **Baker, A.H.** 751–761
- Jiang, L.**, see **Hu, B.** 583–599
- Jiang, Y.**, see **Ma, J.** 8– 21
- jiang, Y.-J.**, On spectral methods for Volterra-type integro-differential equations 333–340
- Jin, S.**, see **Lu, S.** 513–520
- Kang, J.I.**, see **Qin, X.** 121–127
- Kang, S.M.**, see **Qin, X.** 121–127
- Kapania, R.K.**, see **Slemp, W.C.H.** 371–392
- Keshavarz, E. and E. Khorram**, A fuzzy shortest path with the highest reliability 204–212
- Khodabakhshi, M.**, A one-model approach based on relaxed combinations of inputs for evaluating input congestion in DEA 443–450
- Khorram, E.**, see **Keshavarz, E.** 204–212
- Kojadinovic, I. and J.-L. Marichal**, On the moments and distribution of discrete Choquet integrals from continuous distributions 83– 94
- Kolev, Tz.V.**, see **Baker, A.H.** 751–761
- Kröner, A. and B. Vexler**, A priori error estimates for elliptic optimal control problems with a bilinear state equation 781–802
- Kumar, V. and M. Mehra**, Wavelet optimized finite difference method using interpolating wavelets for self-adjoint singularly perturbed problems 803–812
- Leach, P.G.L.**, see **Andriopoulos, K.** 224–232
- Leong, W.J.**, see **Hassan, M.A.** 300–305
- Li, X. and J. Zhu**, A Galerkin boundary node method and its convergence analysis 314–328
- Li, S.-H. and M.-B. Sun**, A fast numerical method for a natural boundary integral equation for the Helmholtz equation 341–350
- Li, S.**, see **Wen, L.** 351–359
- Li, S.J.**, see **Zeng, J.** 477–484
- Li, J.**, see **Chen, A.** 559–569
- Li, S.**, see **Zhang, Z.** 643–655
- Li, M.-R.**, see **Shieh, T.-H.** 656–673
- Liang, J.**, see **Hu, B.** 583–599
- Lin, Y.**, see **Zhou, Y.** 770–780
- Liu, L.**, see **Sun, Y.** 738–750
- Loisel, S. and N. Privault**, Sensitivity analysis and density estimation for finite-time ruin probabilities 107–120
- Lu, Q.**, see **Wang, J.** 283–299
- Lu, X.**, see **Yuan, G.** 44– 58
- Lu, S. and S. Jin**, Existence of periodic solutions for a fourth-order p -Laplacian equation with a deviating argument 513–520
- Ma, Z.**, see **Xu, R.** 187–203
- Ma, H.-P.**, see **Zhang, Z.-Q.** 614–625
- Ma, C. and C. Wang**, A nonsmooth Levenberg–Marquardt method for solving semi-infinite programming problems 633–642
- Ma, J., Y. Jiang and K. Xiang**, Numerical simulation of blowup in nonlocal reaction–diffusion equations using a moving mesh method 8– 21
- Madden, N.**, see **Stephens, M.** 360–370
- Mandal, P.K.**, see **Ikbal, Md.A.** 243–259
- Mao, S. and Z. Shi**, Error estimates of triangular finite elements under a weak angle condition 329–331
- Marichal, J.-L.**, see **Kojadinovic, I.** 83– 94
- Mazumdar, J.**, see **Ikbal, Md.A.** 243–259
- Mehra, M.**, see **Kumar, V.** 803–812
- Molla-Alizadeh-Zavardehi, S.**, see **Zandieh, M.** 546–558
- Nguyen, H. and R. Stevenson**, Finite element wavelets with improved quantitative properties 706–727
- Nilsrakoo, W. and S. Saejung**, Weak convergence theorems for a countable family of Lipschitzian mappings 451–462
- Olde Daalhuis, A.B.**, On the computation of parameter derivatives of solutions of linear difference equations 128–134
- Petković, M.D. and P.S. Stanimirović**, Generalized matrix inversion is not harder than matrix multiplication 270–282
- Privault, N.**, see **Loisel, S.** 107–120
- Qin, X., Y.J. Cho, J.I. Kang and S.M. Kang**, Strong convergence theorems for an infinite family of nonexpansive mappings in Banach spaces 121–127
- Qin, J.**, The new alternating direction implicit difference methods for the wave equations 213–223
- Rafiei, A. and F. Toutounian**, Breakdown-free version of ILU factorization for nonsymmetric positive definite matrices 699–705
- Saejung, S.**, see **Nilsrakoo, W.** 451–462
- San Martín, J., L. Smaranda and T. Takahashi**, Convergence of a finite element/ALE method for the Stokes equations in a domain depending on time 521–545
- She, Z. and Z. Zheng**, Condition number based complexity estimate for computing local extrema 233–242
- Shen, J.**, see **Wang, W.** 1– 7
- Shi, Z.**, see **Mao, S.** 329–331
- Shieh, T.-H. and M.-R. Li**, Numeric treatment of contact discontinuity with multi-gases 656–673
- Shokri, A.**, see **Dehghan, M.** 400–410
- Shunmugaraj, P.**, see **Daniel, S.** 164–172
- Slemp, W.C.H. and R.K. Kapania**, Imposing boundary conditions in Sinc method using highest derivative approximation 371–392
- Smaranda, L.**, see **San Martín, J.** 521–545
- Soltani, R.**, see **Zandieh, M.** 463–476
- Stanimirović, P.S.**, see **Petković, M.D.** 270–282
- Stephens, M. and N. Madden**, A parameter-uniform Schwarz method for a coupled system of reaction–diffusion equations 360–370
- Stevenson, R.**, see **Nguyen, H.** 706–727
- Sun, M.-B.**, see **Li, S.-H.** 341–350
- Sun, Y., L. Liu, J. Zhang and R.P. Agarwal**, Positive solutions of singular three-point boundary value problems for second-order differential equations 738–750

Sun, H. , see Xiao, Y.	95–106	Xu, R., Q. Gan and Z. Ma , Stability and bifurcation analysis on a ratio-dependent predator–prey model with time delay	187–203
Tabor, W.L. , see Ariyawansa, K.A.	143–163	Xu, A. and Z. Cen , A remainder formula of numerical differentiation for the generalized Lagrange interpolation	418–423
Takahashi, T. , see San Martín, J.	521–545		
Toutounian, F. , see Rafiei, A.	699–705		
Tsoubelis, D. , see Andriopoulos, K.	224–232		
Usman, F. , see Ahmad, R.	424–432	Yang, X. , see Wang, W.	1– 7
Vahdani, B. , see Zandieh, M.	463–476	Yang, H. , see Zhang, Z.	643–655
Van Daele, M. , see Hollevoet, D.	260–269	Yang, F.-L. , see Dou, F.-F.	728–737
Vanden Berghe, G. , see Hollevoet, D.	260–269	Yao, Q. , An iterative method for a class of quasilinear boundary value problems	306–313
Vexler, B. , see Kröner, A.	781–802	Yao, J.C. , see Ceng, L.-C.	813–822
Wang, W., X. Yang and J. Shen , Boundary value problems involving upper and lower solutions in reverse order	1– 7	Yi, X. , see Fan, Q.	762–769
Wang, Y., W. Fang and T. Wu , A cut-peak function method for global optimization	135–142	Yu, X. and Q. Zhang , The fuzzy core in games with fuzzy coalitions	173–186
Wang, G. , see Dong, Y.	22– 33	Yu, Y. , see Wen, L.	351–359
Wang, J., Q. Lu and Z. Feng , A nonautonomous predator–prey system with stage structure and double time delays	283–299	Yuan, G., X. Lu and Z. Wei , BFGS trust-region method for symmetric nonlinear equations	44– 58
Wang, W. and B. Han , An implicit Landweber method for nonlinear ill-posed operator equations	607–613	Yuen, K.C. , see Dong, Y.	22– 33
Wang, C. , see Ma, C.	633–642		
Wang, H.-Q. , see Wu, A.-G.	690–698	Zandieh, M., M. Amiri, B. Vahdani and R. Soltani , A robust parameter design for multi-response problems	463–476
Wang, W. , see Fan, Q.	762–769	Zandieh, M. and S. Molla-Alizadeh-Zavardehi , Synchronizing production and air transportation scheduling using mathematical programming models	546–558
Wang, Z. , see Xiao, Y.	95–106	Zeng, J. and S.J. Li , An Ekeland’s variational principle for set-valued mappings with applications	477–484
Wei, Z. , see Yuan, G.	44– 58	Zhang, Q. , see Yu, X.	173–186
Wen, Z. and S. Fu , Global solutions to a class of multi-species reaction-diffusion systems with cross-diffusions arising in population dynamics	34– 43	Zhang, Y. , see Ding, H.	600–606
Wen, L., Y. Yu and S. Li , Stability and asymptotic stability of θ -methods for nonlinear stiff Volterra functional differential equations in Banach spaces	351–359	Zhang, Z.-Q. and H.-P. Ma , A rational spectral method for the KdV equation on the half line	614–625
Wong, K.K. , see Ikbāl, Md.A.	243–259	Zhang, Y. , see Ding, H.	626–632
Wu, T. , see Wang, Y.	135–142	Zhang, Z., S. Li and H. Yang , The Gerber–Shiu discounted penalty functions for a risk model with two classes of claims	643–655
Wu, A.-G., H.-Q. Wang and G.-R. Duan , On matrix equations $X - AXF = C$ and $X - A\bar{X}F = C$	690–698	Zhang, J. , see Sun, Y.	738–750
Xiang, K. , see Ma, J.	8– 21	Zheng, Z. , see She, Z.	233–242
Xiao, Y., H. Sun and Z. Wang , A globally convergent BFGS method with nonmonotone line search for non-convex minimization	95–106	Zhou, Y., M. Cui and Y. Lin , Numerical algorithm for parabolic problems with non-classical conditions	770–780
		Zhu, J. , see Li, X.	314–328
		Zhu, W. and M.M. Ali , Solving nonlinearly constrained global optimization problem via an auxiliary function method	491–503
		Zhu, L. and Y. He , Two-level Galerkin–Lagrange multipliers method for the stationary Navier–Stokes equations	504–512