



ELSEVIER

Journal of Pure and Applied Algebra 130 (1998) 327–333

**JOURNAL OF
PURE AND
APPLIED ALGEBRA**

Master Index Volumes 121–130

- Abarbanel, J. and S. Rosset, Some non-finitely presented Lie algebras 127 (1998) 105–112
- Aberbach, I.M. and M. Hochster, Finite Tor dimension and failure of coherence in absolute integral closures 122 (1997) 171–184
- Adams, W.W. and P. Loustau, Gröbner bases and primary decomposition in polynomial rings in one variable over Dedekind domains 121 (1997) 1–15
- Almeida, J. and P. Weil, Profinite categories and semidirect products 123 (1998) 1–50
- Alonso, C., J. Gutierrez and T. Recio, A note on separated factors of separated polynomials 121 (1997) 217–222
- Altobelli, J.A., The word problem for Artin groups of FC type 129 (1998) 1–22
- Anderson, D.D., S.T. Chapman, F. Halter-Koch and M. Zafrullah, Criteria for unique factorization in integral domains 127 (1998) 205–218
- Anquela, J.A., M. Cabrera and A. Moreno, Eater ideals in Jordan algebras 125 (1998) 1–17
- Arone, G. and M. Kankaanrinta, The homology of certain subgroups of the symmetric group with coefficients in $\mathcal{L}ie(n)$ 127 (1998) 1–14
- Auinger, K., A method for the construction of complete congruences on lattices of pseudovarieties 126 (1998) 1–17
- Ballester-Bolinches, A. and M.C. Pedraza-Aguilera, Sufficient conditions for supersolubility of finite groups 127 (1998) 113–118
- Ballico, E., On the Picard group of the moduli scheme of stable curves in positive characteristic 124 (1998) 1–5
- Ballico, E. and C. Keem, Variety of linear systems on double covering curves 128 (1998) 213–224
- Batanin, M.A., Homotopy coherent category theory and A_n -structures in monoidal categories 123 (1998) 67–103
- Baues, H.J., M. Hartl and T. Pirashvili, Quadratic categories and square rings 122 (1997) 1–40
- Benkart, G., C.L. Shader and A. Ram, Tensor product representations for orthosymplectic Lie superalgebras 130 (1998) 1–48
- Benson, D.J. and J.P.C. Greenlees, Commutative algebra for cohomology rings of classifying spaces of compact Lie groups 122 (1997) 41–53
- Berarducci, A., D. Dikranjan, M. Forti and S. Watson, Cardinal invariants and independence results in the poset of precompact group topologies 126 (1998) 19–49
- Berr, R., Null- and Positivstellensätze for generalized real closed fields 125 (1998) 19–53
- Bespalov, Y. and B. Drabant, Hopf (bi-)modules and crossed modules in braided monoidal categories 123 (1998) 105–129
- Blancafort, C., Hilbert functions of graded algebras over Artinian rings 125 (1998) 55–78
- Beiler, S.A. and A.C. Jones, The free product of groups with amalgamated subgroup malnormal in a single factor 127 (1998) 119–136
- Bökstedt, M., M. Brun and J. Dupont, Homology of $O(n)$ and $O^1(1, n)$ made discrete: An application of edgewise subdivision 123 (1998) 131–152
- Boratyński, M. and A. Tyc, A note on linearization of actions of finitely semisimple Hopf algebra on local algebras 130 (1998) 217–222
- Bresinsky, H., P. Schenzel and J. Stückrad, Quasi-complete intersection ideals of height 2 127 (1998) 137–145
- Briales, E., A. Campillo, C. Marijuán and P. Pisón, Minimal systems of generators for ideals of semigroups 124 (1998) 7–30

- Brodskii, G.M. and R. Wisbauer, On duality theory and AB_5^* modules 121 (1997) 17– 27
- Brown, R and D.K. Harrison, Abelian Frobenius kernels and modules over number rings 126 (1998) 51– 86
- Brun, M., see M. Bökstedt 123 (1998) 131–152
- Bruns, W. and J. Herzog, Semigroup rings and simplicial complexes 122 (1997) 185–208
- Bucalo, A. and G. Rosolini, Repleteness and the associated sheaf 127 (1998) 147–151
- Bullejos, M., J.G. Cabello and E. Faro, On the equivariant 2-type of a G -space 129 (1998) 215–245
- Bunge, M. and J. Funk, Spreads and the symmetric topos II 130 (1998) 49– 84
- Burns, R.G., T.C. Chau and S.-M. Kam, On the rank of intersection of subgroups of a free product of groups 124 (1998) 31– 45
- Butz, C. and I. Moerdijk, Representing topoi by topological groupoids 130 (1998) 223– 235
- Cabello, J.G., see M. Bullejos 129 (1998) 215–245
- Cabrera, M., see J.A. Anquela 125 (1998) 1– 17
- Campbell, C.M., E.F. Robertson, N. Ruškuc and R.M. Thomas, Presentations for subsemigroups – applications to ideals of semigroups 124 (1998) 47– 64
- Campillo, A., see E. Briales 124 (1998) 7– 30
- Carboni, A. and E.M. Vitale, Regular and exact completions 125 (1998) 79–116
- Carlisle, D.P., G. Walker and R.M.W. Wood, The intersection of the admissible basis and the Milnor basis of the Steenrod algebra 128 (1998) 1– 10
- Chapman, S.T., see D.D. Anderson 127 (1998) 205–218
- Chau, T.C., see R.G. Burns 124 (1998) 31– 45
- Cibils, C. and M. Rosso, Hopf bimodules are modules 128 (1998) 225–231
- Cohen, D.C. and A.I. Suciu, Homology of iterated semidirect products of free groups 126 (1998) 87–120
- Colombo, E. and G.P. Pirola, An intersection result for families of abelian varieties 129 (1998) 111–122
- Conca, A., Gröbner bases of powers of ideals of maximal minors 121 (1997) 223–231
- Corso, A. and C. Polini, Reduction number of links of irreducible varieties 121 (1997) 29– 43
- Corso, A., W.V. Vasconcelos, R.H. Villarreal, Generic Gaussian ideals 125 (1998) 117–127
- Čubrić, D., Embedding of a free cartesian-closed category into the category of sets 126 (1998) 121–147
- Daigle, D., Homogeneous locally nilpotent derivations of $\mathbf{k}[X, Y, Z]$ 128 (1998) 109–132
- de Boer, M.A., The generalized Hamming weights of some hyperelliptic codes 123 (1998) 153–163
- De Negri, E., Pfaffian ideals of ladders 125 (1998) 141–153
- Dekov, D.V., The class of all embeddable semigroup amalgams is not finitely axiomatizable 125 (1998) 135–139
- Dekov, D.V., Free products with amalgamation of monoids 125 (1998) 129–133
- Delfino, D. and T. Marley, Cofinite modules and local cohomology 121 (1997) 45– 52
- Devoto, J.A., An algebraic description of the elliptic cohomology of classifying spaces 130 (1998) 237–264
- Dhillon, A., see S.-H. Sun 122 (1997) 135–157
- Dikranjan, D., Chains of pseudocompact group topologies 124 (1998) 65–100
- Dikranjan, D., see A. Berarducci 126 (1998) 19– 49
- Dikranjan, D.N. and V.V. Uspenskij, Categorically compact topological groups 126 (1998) 149–168
- Đoković, D.Ž. and K. Zhao, Some infinite-dimensional simple Lie algebras in characteristic 0 related to those of Block 127 (1998) 153–165
- Donin, J. and L. Makar-Limanov, Quantization of quadratic Poisson brackets on a polynomial algebra of three variables 129 (1998) 247–261
- Doran IV, W.F., On Foulkes' conjecture 130 (1998) 85– 98
- Doty, S., Polynomial representations, algebraic monoids, and Schur algebras of classical type 123 (1998) 165–199
- Drápal, A., Finite left distributive algebras with one generator 121 (1997) 233–251
- Drabant, B., see Y. Bespalov 123 (1998) 105–129
- Dubois-Violette, M. and P.W. Michor, More on the Frölicher-Nijenhuis bracket in noncommutative differential geometry 121 (1997) 107–135
- Dundas, B.I., K-theory theorems in topological cyclic homology 129 (1998) 23– 33

- Dupont, J., see M. Bökstedt 123 (1998) 131–152
- Eagon, J.A. and V. Reiner, Resolutions of Stanley-Reisner rings and Alexander duality 130 (1998) 265–275
- Fagnani, F. and S. Zampieri, Difference equations, shift operators and systems over Noetherian factorial domains 122 (1997) 55–86
- Faran, V.J.J., A synthetic Frobenius theorem 128 (1998) 11–32
- Farkas, D.R. and G. Letzter, Ring theory from symplectic geometry 125 (1998) 155–190
- Faro, E., see M. Ballejos 129 (1998) 215–245
- Forti, M., see A. Berarducci 126 (1998) 19–49
- Foskey, M., Split dual Dyer–Lashof operations 128 (1998) 233–249
- Frabetti, A., Leibniz homology of dialgebras of matrices 129 (1998) 123–141
- Freudentburg, G., Actions of G_n on A^3 defined by homogeneous derivations 126 (1998) 169–181
- Funk, J., see M. Bunge 130 (1998) 49–84
- Furter, J.-P., On the degree of the inverse of an automorphism of the affine space 130 (1998) 277–292
- Gasharov, V., Green and Gotzmann theorems for polynomial rings with restricted powers of the variables 130 (1998) 113–118
- Gates, R., On the generic solution to $P(X) \cong X$ in distributive categories 125 (1998) 191–212
- Geramita, A.V., M. Pucci and Y.S. Shin, Smooth points of $\mathcal{G}or(T)$ 122 (1997) 209–241
- Giaquinto, A. and J.J. Zhang, Bialgebra actions, twists, and universal deformation formulas 128 (1998) 133–151
- Giusti, M., J. Heintz, J.E. Morais, J. Morgenstern and L.M. Pardo, Straight-line programs in geometric elimination theory 124 (1998) 101–146
- Gomes, G.M.S. and M.B. Szendrei, Idempotent pure extensions by inverse semigroups via quivers 127 (1998) 15–38
- Gómez, J.R., A. Jimenez-Merchán and Y. Khakimjanov, Low-dimensional filiform Lie algebras 130 (1998) 133–158
- Gonzalez-Vega, L., H. Lombardi and L. Mahé, Virtual roots of real polynomials 124 (1998) 147–166
- Goodwillie, T.G., A remark on the homology of cosimplicial spaces 127 (1998) 167–175
- Gordon, R. and A.J. Power, Algebraic structure for bicategory enriched categories 130 (1998) 119–132
- Greenlees, J.P.C., see D.J. Benson 122 (1997) 41–53
- Griffith, P., On the splitting of big Cohen–Macaulay modules 128 (1998) 251–279
- Grillet, P. A., On Birget’s regular embedding 130 (1998) 293–311
- Gromadzki, G., On a Harnack–Natanzon theorem for the family of real forms of Riemann surfaces 121 (1997) 253–269
- Gubeladze, J., The isomorphism problem for commutative monoid rings 129 (1998) 35–65
- Guo, X., On Deskins’s conjecture 124 (1998) 167–171
- Gutierrez, J., see C. Alonso 121 (1997) 217–222
- Hager, A.W. and J. Martinez, Pushout-invariant extensions and monoreflections 129 (1998) 263–295
- Hai, B.X., On subgroups in the special linear group over a division algebra that contain the subgroup of diagonal matrices 121 (1997) 53–67
- Halter-Koch, F., see D.D. Anderson 127 (1998) 205–218
- Harbourne, B., Free resolutions of fat point ideals on \mathbf{P}^2 125 (1998) 213–234
- Harrison, D.K., see R. Brown 126 (1998) 51–86
- Hartl, M., see H.J. Baues 122 (1997) 1–40
- Hébert, M., Purity and injectivity in accessible categories 129 (1998) 143–147
- Heegard, C., see J. Little 121 (1997) 293–314
- Heintz, J., see M. Giusti 124 (1998) 101–146
- Heinzer, W., D. Lantz and R. Wiegand, The residue fields of a zero-dimensional ring 129 (1998) 67–85
- Herzog, J., see W. Bruns 122 (1997) 185–208
- Hibi, T. and C. Weibel, Editorial (To the memory of Professor Hideyuki Matsumura) 122 (1998) 169
- Hochster, M., see I.M. Aberbach 122 (1997) 171–184
- Hsu, T. and D.T. Wise, Embedding theorems for non-positively curved polygons of finite groups 123 (1998) 201–221
- Huebschmann, J., Smooth structures on certain moduli spaces for bundles on a surface 126 (1998) 183–221

- Huisgen-Zimmermann, B., The geometry of uniserial representations of finite dimensional algebras I 127 (1998) 39–72
- Huneke, C., Tight closure and strong test ideals 122 (1997) 243–250
- Hunton, J.R. and P.R. Turner, Coalgebraic algebra 129 (1998) 297–313
- Iglesias, F.C., J.G. Torrecillas and C. Năstăsescu, Separable functors in graded rings 127 (1998) 219–230
- Ivanenko, N., Some classes of linearizable polynomial maps 126 (1998) 223–232
- Janelidze, G., L. Márki and W. Tholen, Locally semisimple coverings 128 (1998) 281–289
- Jiménez-Merchán, A., see J.R. Gómez 130 (1998) 133–158
- Jones, A.C., see S.A. Bleiler 127 (1998) 119–136
- Jurisich, E., Generalized Kac-Moody Lie algebras, free Lie algebras and the structure of the Monster Lie algebra 126 (1998) 233–266
- Kam, S.-M., see R.G. Burns 124 (1998) 31–45
- Kamoi, Y. and W. Vogel, On Buchsbaum algebras 122 (1997) 251–263
- Kankaanrinta, M., see G. Arone 127 (1998) 1–14
- Karazeris, P., Gabriel topologies on coherent quantales 127 (1998) 177–192
- Katz, D. and L.J. Ratliff, Jr., Sequences and $\text{Ker}(R[X_1, \dots, X_g] \rightarrow R[t])$ 122 (1997) 265–275
- Keem, C., see E. Ballico 128 (1998) 213–224
- Keller, B., Invariance and localization for cyclic homology of DG algebras 123 (1998) 223–273
- Khakimjanov, Y., see J.R. Gómez 130 (1998) 133–158
- Kleppe, J.O. and R.M. Miró-Roig, The dimension of the Hilbert scheme of Gorenstein codimension 3 subschemes 127 (1998) 73–82
- Kobayashi, Y., Homotopy reduction systems for monoid presentations: Asphericity and low-dimensional homology 130 (1998) 159–195
- Kojima, H. and M. Miyanishi, On Roberts' counterexample to the fourteenth problem of Hilbert 122 (1997) 277–292
- Kubo, F., Non-commutative Poisson algebra structures on affine Kac-Moody algebras 126 (1998) 267–286
- Lantz, D., see W. Heinzer 129 (1998) 67–85
- Le, T.T.Q. and J. Murakami, Parallel version of the universal Vassiliev-Kontsevich invariant 121 (1997) 271–291
- Letzter, G., see D.R. Farkas 125 (1998) 155–190
- Li, A. and S. Wiegand, Prime ideals in two-dimensional domains over the integers 130 (1998) 313–324
- Lin, Z. and D.K. Nakano, Good filtrations for representations of Lie algebras of Cartan type 127 (1998) 231–256
- Little, J., K. Saints and C. Heegard, On the structure of Hermitian codes 121 (1997) 293–314
- Lizasoain, I. and G. Ochoa, Projective G -sets 126 (1998) 287–296
- Lombardi, H., see L. Gonzalez-Vega 124 (1998) 147–166
- Lomonaco, L., The diagonal cohomology of the universal Steenrod algebra 121 (1997) 315–323
- Loustaunau, P., see W.W. Adams 121 (1997) 1–15
- Mahé, L., see L. Gonzalez-Vega 124 (1998) 147–166
- Makar-Limanov, L., see J. Donin 129 (1998) 247–261
- Marcos, J.E., The field of rational numbers is algebraically closed in some of its topological completions 129 (1998) 149–172
- Marijuán, C., Birational equivalence of reduced graphs 124 (1998) 173–199
- Marijuán, C., see E. Briaies 124 (1998) 7–30
- Márki, L., see G. Janelidze 128 (1998) 281–289
- Marley, T., see D. Delfino 121 (1997) 45–52
- Marmolejo, F., Continuous families of coalgebras 130 (1998) 197–215
- Martinez, J., see A.W. Hager 129 (1998) 263–295
- Matuschke, A., A geometric example of non-trivially mixed Hodge structures 124 (1998) 201–210
- Maxson, C.J. and A.B. van der Merwe, Rings of homogeneous functions 124 (1998) 211–226
- May, J.P., Equivariant and nonequivariant module spectra 127 (1998) 83–97
- McClure, J., R. Schwänzl and R. Vogt, $\text{THH}(R) \cong R \otimes S^1$ for E_∞ ring spectra 121 (1997) 137–159

- Mercier, D.-J. and R. Rolland, Polynômes homogènes qui s'annulent sur l'espace projectif $\mathbb{P}^m(\mathbb{F}_q)$ 124 (1998) 227–240
- Merisi, P. and P. Vámos, On rings whose Morita class is represented by matrix rings 126 (1998) 297–315
- Michor, P.W., see M. Dubois-Violette 121 (1997) 107–135
- Miller, C., Recovering divisor classes via their (T) -adic filtrations 127 (1998) 257–271
- Miró-Roig, R.M., see J.O. Kleppe 127 (1998) 73–82
- Miyachi, J.-i., Derived categories and Morita duality theory 128 (1998) 153–170
- Miyanishi, M., see H. Kojima 122 (1997) 277–292
- Moerdijk, I., see C. Butz 130 (1998) 223–235
- Monks, K.G., Change of basis, monomial relations, and P_t^s bases for the Steenrod algebra 125 (1998) 235–260
- Montgomery, S. and S.J. Witherspoon, Irreducible representations of crossed products 129 (1998) 315–326
- Morais, J.E., see M. Giusti 124 (1998) 101–146
- Moreno, A., see J.A. Anquela 125 (1998) 1–17
- Morgenstern, J., see M. Giusti 124 (1998) 101–146
- Murakami, J., see T.T.Q. Le 121 (1997) 271–291
- Nakano, D.K., see Z. Lin 127 (1998) 231–256
- Năstăsescu, C., see F.C. Iglesias 127 (1998) 219–230
- Ndombol, B., Algèbres de cochaînes quasi-commutatives et fibrations algébriques 125 (1998) 261–276
- Neuchl, M. and P. Schauenburg, Reconstruction in braided categories and a notion of commutative bialgebra 124 (1998) 241–259
- Neuhaus, R., Computation of real radicals of polynomial ideals – II 124 (1998) 261–280
- Neusel, M.D. and L. Smith, Polynomial invariants of groups associated to configurations of hyperplanes over finite fields 122 (1997) 87–105
- Ochoa, G., see I. Lizasoain 126 (1998) 287–296
- Osse, A., λ -structures and representation rings of compact connected Lie groups 121 (1997) 69–93
- Pardo, L.M., see M. Giusti 124 (1998) 101–146
- Paré, R. and L. Román, Dinatural numbers 128 (1998) 33–92
- Pedraza-Aguilera, M.C., see A. Ballester-Bolínches 127 (1998) 113–118
- Peeva, I., Exponential growth of Betti numbers 126 (1998) 317–323
- Piras, F., Some remarks on the inverse systems of polynomial modules 129 (1998) 87–99
- Pirashvili, T., see H.J. Baues 122 (1997) 1–40
- Pirola, G.P., see E. Colombo 129 (1998) 111–122
- Pisón, P., see E. Briales 124 (1998) 7–30
- Polini, C., see A. Corso 121 (1997) 29–43
- Powell, G.M.L., The Artinian conjecture for $I^{\otimes 2}$ 128 (1998) 291–310
- Power, A.J., see R. Gordon 130 (1998) 119–132
- Powers, V. and T. Wörmann, An algorithm for sums of squares of real polynomials 127 (1998) 99–104
- Pucci, M., see A.V. Geramita 122 (1997) 209–241
- Puddu, S. and J. Sabia, An effective algorithm for quantifier elimination over algebraically closed fields using straight line programs 129 (1998) 173–200
- Ram, A., see G. Benkart 130 (1998) 1–48
- Ratliff Jr., L.J., see D. Katz 122 (1997) 265–275
- Recio, T., see C. Alonso 121 (1997) 217–222
- Reguera, A.-J., Curves and proximity on rational surface singularities 122 (1997) 107–126
- Reiner, V., see J.A. Eagon 130 (1998) 265–275
- Repka, J. and P. Selick, On the subalgebra of $H_*((\mathbb{R}P^r)^n; \mathbb{F}_2)$ annihilated by Steenrod operations 127 (1998) 273–288
- Riley, D.M. and V. Tasić, Lie identities for Hopf algebras 122 (1997) 127–134
- Robertson, E.F., see C.M. Campbell 124 (1998) 47–64
- Rognes, J., Trace maps from the algebraic K -theory of the integers (after Marcel Bökstedt) 125 (1998) 277–286

- Rolland, R., see D.-J. Mercier 124 (1998) 227–240
 Román, L., see R. Paré 128 (1998) 33–92
 Rosolini, G., see A. Bucalo 127 (1998) 147–151
 Rosset, S., see J. Abarbanel 127 (1998) 105–112
 Rossi, M.E. and G. Valla, Cohen–Macaulay local rings of dimension
 two and an extended version of a conjecture of J. Sally 122 (1997) 293–311
 Rosso, M., see C. Cibils 128 (1998) 225–231
 Rush, D.E., The conditions $\text{Int}(R) \subseteq R_S[X]$ and $\text{Int}(R_S) = \text{Int}(R)_S$ for integer-valued
 polynomials 125 (1998) 287–303
 Ruškuc, N., see C.M. Campbell 124 (1998) 47–64
 Sabia, J., see S. Puddu 129 (1998) 173–200
 Saints, K., see J. Little 121 (1997) 293–314
 Santa-Clara, C., Extending modules with injective of semisimple summands 127 (1998) 193–203
 Schauenburg, P., see M. Neuchl 124 (1998) 241–259
 Schenzel, P., see H. Bresinsky 127 (1998) 137–145
 Schwänzl, R., see J. McClure 121 (1997) 137–159
 Selick, P., see J. Repka 127 (1998) 273–288
 Shader, C.L., see G. Benkart 130 (1998) 1–48
 Shin, Y.S., see A.V. Geramita 122 (1997) 209–241
 Silverman, J.H., Stripping and conjugation in the Steenrod algebra 121 (1997) 95–106
 Simis, A., N.V. Trung and G. Valla, The diagonal subalgebra of a blow-up algebra 125 (1998) 305–328
 Simões, M.E.A. and P.F. Smith, Rings whose free modules satisfy the ascending
 chain condition on submodules with a bounded number of generators 123 (1998) 51–66
 Smith, L., see M.D. Neusel 122 (1997) 87–105
 Smith, P.F., see M.E.A. Simões 123 (1998) 51–66
 Sousa, L., Note on multisolid categories 129 (1998) 201–205
 Strickland, N.P., Finite subgroups of formal groups 121 (1997) 161–208
 Stückrad, J., see H. Bresinsky 127 (1998) 137–145
 Suciu, A.I., see D.C. Cohen 126 (1998) 87–120
 Sun, S.-H. and A. Dhillon, Prime spectra of additive categories (I) 122 (1997) 135–157
 Su Shin, Y., The construction of some Gorenstein ideals of codimension 4 127 (1998) 289–307
 Szendrei, M.B., see G.M.S. Gomes 127 (1998) 15–38
 Takeda, Y., Groups of Russell type over a curve 128 (1998) 93–108
 Tang, L.-Z., A Gröbner basis criterion for birational equivalence of affine varieties 123 (1998) 275–283
 Tasić, V., see D.M. Riley 122 (1997) 127–134
 Tháing, N.Q., Erratum to “On weak approximation in algebraic groups
 and related varieties defined by systems of forms”
 [J. Pure Appl. Algebra 113 (1996) 67–90] 121 (1997) 215
 Tholen, W., see G. Janelidze 128 (1998) 281–289
 Thomas, R.M., see C.M. Campbell 124 (1998) 47–64
 Thürey, V., A simplification of the Eilenberg–Steenrod axioms, 2 129 (1998) 207–213
 Tkačenko, M.G. and L.M. Villegas-Silva, Refining connected topological
 group topologies on Abelian torsion-free groups 124 (1998) 281–288
 Torrecillas, B., F. Van Oystaeyen and Y.H. Zhang, Coflat monomorphisms of
 coalgebras 128 (1998) 171–182
 Torrecillas, J.G., see F.C. Iglesias 127 (1998) 219–230
 Trung, N.V., see A. Simis 125 (1998) 305–328
 Turbek, P., Sufficient conditions for a group of automorphisms of a Riemann
 surface to be its full automorphism group 123 (1998) 285–300
 Turner, P.R., see J.R. Hunton 129 (1998) 297–313
 Tyc, A., see M. Boratyński 130 (1998) 217–222
 Uspenskij, V.V., see D.N. Dikranjan 126 (1998) 149–168
 Valla, G., see A. Simis 125 (1998) 305–328
 Valla, G., see M.E. Rossi 122 (1997) 293–311
 Vámos, P., see P. Merisi 126 (1998) 297–315

- van der Merwe, A.B., see C.J. Maxson 124 (1998) 211–226
- Van Oystaeyen, F., see B. Torrecillas 128 (1998) 171–182
- Vasconcelos, W.V., Flatness testing and torsionfree morphisms 122 (1997) 313–321
- Vasconcelos, W.V., see A. Corso 125 (1998) 117–127
- Villarreal, R.H., see A. Corso 125 (1998) 117–127
- Villegas-Silva, L.M., see M.G. Tkačenko 124 (1998) 281–288
- Vitale, E.M., see A. Carboni 125 (1998) 79–116
- Vogel, W., see Y. Kamoi 122 (1997) 251–263
- Vogt, R., see J. McClure 121 (1997) 137–159
- Walker, G., see D.P. Carlisle 128 (1998) 1–10
- Walter, V., Linear groups rich in finite quotients 121 (1997) 209–214
- Wang, H.-J., A note on powers of ideals 123 (1998) 301–312
- Watanabe, K.-I., F -rationality of certain Rees algebras and counterexamples
to “Boutot’s Theorem” for F -rational rings 122 (1997) 323–328
- Watson, S., see A. Berarducci 126 (1998) 19–49
- Weibel, C., see T. Hibi 122 (1998) 169
- Weil, P., see J. Almeida 123 (1998) 1–50
- Wendt, M.A., Change of base for measure spaces 128 (1998) 185–212
- Wiegand, R., see W. Heinzer 129 (1998) 67–85
- Wiegand, S., see A. Li 130 (1998) 313–324
- Wisbauer, R., see G.M. Brodskii 121 (1997) 17–27
- Wise, D.T., see T. Hsu 123 (1998) 201–221
- Witherspoon, S.J., see S. Montgomery 129 (1998) 315–326
- Wörmann, T., see V. Powers 127 (1998) 99–104
- Wolbert, J.J., Classifying modules over K -theory spectra 124 (1998) 289–323
- Wood, R.M.W., see D.P. Carlisle 128 (1998) 1–10
- Xue, W., On a theorem of Fuller 122 (1997) 159–168
- Yoshida, K.-i., Tensor products of perfect modules and maximal surjective
Buchsbaum modules 123 (1998) 313–326
- Zafrullah, M., see D.D. Anderson 127 (1998) 205–218
- Zampieri, S., see F. Fagnani 122 (1997) 55–86
- Zhang, J.J., The quantum Cayley–Hamilton theorem 129 (1998) 101–109
- Zhang, J.J., see A. Giaquinto 128 (1998) 133–151
- Zhang, Y.H., see B. Torrecillas 128 (1998) 171–182
- Zhao, K., see D.Ž. Đoković 127 (1998) 153–165
- Zhao, Y., On Deskins’s conjecture concerning the supersolvability
of a finite group 124 (1998) 325–338
- Zou, Y.M., Integrable representations of $U_q(\mathfrak{osp}(1, 2n))$ 130 (1998) 99–112