



## Master index volumes 181–190

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words)

- Abello, J. and S. Dolev, On the computational power of self-stabilizing systems 182 (1–2) (1997) 159–170  
Afek, Y., S. Kutten and M. Yung, The local detection paradigm and its applications to self-stabilization 186 (1–2) (1997) 199–229  
Alagar, V.S., Foreword 183 (2) (1997) 155–156  
Albrecht, D., J.N. Crossley and J.S. Jeavons, New Curry–Howard terms for full linear logic 185 (2) (1997) 217–235  
Allouche, J.-P., F. von Haeseler, H.-O. Peitgen, A. Petersen and G. Skordev, Automaticity of double sequences generated by one-dimensional linear cellular automata 188 (1–2) (1997) 195–209  
Amrhein, B., O. Gloor and W. Küchlin, On the Walk 187 (1–2) (1997) 179–202  
Andrews, J., A logical semantics for depth-first Prolog with ground negation 184 (1–2) (1997) 105–143  
Arimura, H., H. Ishizaka and T. Shinohara, Learning unions of tree patterns using queries 185 (1) (1997) 47–62  
Asano, T., D. Ranjan, T. Roos, E. Welzl and P. Widmayer, Space-filling curves and their use in the design of geometric data structures 181 (1) (1997) 3–15  
Atkinson, M.D. and D. Tulley, Bounded capacity priority queues 182 (1–2) (1997) 145–157  
Auer, P., Learning nested differences in the presence of malicious noise 185 (1) (1997) 159–175  
Badouel, E., L. Bernardinello and P. Darondeau, The synthesis problem for elementary net systems is NP-complete 186 (1–2) (1997) 107–134  
Baeza-Yates, R. and E. Goles, Preface 181 (1) (1997) 1–2  
Bafna, V., E.L. Lawler and P.A. Pevzner, Approximation algorithms for multiple sequence alignment (*Note*) 182 (1–2) (1997) 233–244  
Belanger, J. and J. Wang, No NP problems averaging over ranking of distributions are harder 181 (2) (1997) 229–245  
Bergeron, A., On the rational behaviors of concurrent timers (*Note*) 189 (1–2) (1997) 229–237  
Bernardin, L., On square-free factorization of multivariate polynomials over a finite field 187 (1–2) (1997) 105–116  
Bernardinello, L., *see* E. Badouel 186 (1–2) (1997) 107–134  
Bidoit, N. and S. De Amo, A first step towards implementing dynamic algebraic dependences 190 (2) (1997) 115–149  
Botelho, F. and M. Garzon, Erratum to “Boolean neural nets are observable”, [Theoret. Comput. Sci. 134 (1994) 51–61] (*Erratum*) 182 (1–2) 257  
Bougé, L., D. Cachera, Y. Le Guyadec, G. Utard and B. Virot, Formal validation of data-parallel programs: a two-component assertional proof system for a simple language (*Fundamental Study*) 189 (1–2) (1997) 71–107  
Brémont-Grégoire, P. and I. Lee, A process algebra of communicating shared resources with dense time and priorities 189 (1–2) (1997) 179–219  
Breitbart, Y., *see* R. Vingralek 190 (2) (1997) 363–396  
Brogi, A., E. Lamma, P. Mancarella and P. Mello, A unifying view for logic programming with non-monotonic reasoning (*Fundamental Study*) 184 (1–2) (1997) 1–59  
Bruyère, V. and G. Hansel, Bertrand numeration systems and recognizability 181 (1) (1997) 17–43  
Burkhard, H.-D., Fairness and control in multi-agent systems 189 (1–2) (1997) 109–127

- Burmeister, P., F. Rosselló, J. Torrens and G. Valiente, Algebraic transformation of unary partial algebras.  
I. Double-pushout approach 184 (1–2) (1997) 145–193
- Cachera, D., *see* L. Bougé 189 (1–2) (1997) 71–107
- Cadoli, M., F.M. Donini, M. Schaerf and R. Silvestri, On compact representations of propositional circumscription 182 (1–2) (1997) 183–202
- Calmet, J. and A. Carrière, Foreword 187 (1–2) (1997) 1
- Calmet, J. and K. Homann, Towards the Mathematics Software Bus 187 (1–2) (1997) 221–230
- Carrière, A. *see* J. Calmet 187 (1–2) (1997) 1
- Carrière, A. and L.-R. Oudin, Applications du calcul formel à la balistique 187 (1–2) (1997) 263–284
- Černý, A., On sequences resulting from iteration of modified quadratic and palindromic mappings 188 (1–2) (1997) 161–174
- Chaudhuri, S. and D. Dubhashi, Probabilistic recurrence relations revisited 181 (1) (1997) 45–56
- Chen, J., Algorithmic graph embeddings 181 (2) (1997) 247–266
- Cheng, A. and M. Nielsen, Open maps, behavioural equivalences, and congruences 190 (1) (1997) 87–112
- Cheng, A., Petri nets, traces, and local model checking 183 (2) (1997) 229–251
- Choffrut, C., T. Harju and J. Karhumäki, A note on decidability questions on presentations of word semigroups 183 (1) (1997) 83–92
- Cicerone, S. and F. Parisi-Presicce, On the complexity of specification morphisms (*Note*) 189 (1–2) (1997) 239–248
- Collette, P. and E. Knapp, A foundation for modular reasoning about safety and progress properties of state-based concurrent programs 183 (2) (1997) 253–279
- Crossley, J.N., *see* D. Albrecht 185 (2) (1997) 217–235
- Czech, Z.J., G. Havas and B.S. Majewski, Perfect hashing (*Fundamental Study*) 182 (1–2) (1997) 1–143
- Dam, M., On the decidability of process equivalences for the  $\pi$ -calculus 183 (2) (1997) 215–228
- Darondeau, P., *see* E. Badouel 186 (1–2) (1997) 107–134
- De Amo, S., *see* N. Bidoit 190 (2) (1997) 115–149
- de Figueiredo, C.M.H., J. Meidanis and C.P. de Mello, On edge-colouring indifference graphs 181 (1) (1997) 91–106
- de Graaf, W.A., An algorithm for the decomposition of semisimple Lie algebras 187 (1–2) (1997) 117–122
- De Luca, A., Sturmian words: structure, combinatorics, and their arithmetics 183 (1) (1997) 45–82
- de Mello, C.P., *see* C.M.H. de Figueiredo 181 (1) (1997) 91–106
- de Rijke, M., *see* A. Montanari 183 (2) (1997) 187–214
- Demetrovics, J., G.O.H. Katona, D. Miklos, O. Seleznev and B. Thalheim, Asymptotic properties of keys and functional dependencies in random databases 190 (2) (1997) 151–166
- Díaz, J., A. Gibbons, G.E. Pantziou, M.J. Serna, P.G. Spirakis and J. Toran, Parallel algorithms for the minimum cut and the minimum length tree layout problems 181 (2) (1997) 267–287
- Dolev, S., *see* J. Abello 182 (1–2) (1997) 159–170
- Donini, F.M., *see* M. Cadoli 182 (1–2) (1997) 183–202
- Du, D. and M. Li, Foreword 181 (2) (1997) 227
- Du, W., *see* M.A. Orgun 185 (2) (1997) 319–345
- Dubhashi, D., *see* S. Chaudhuri 181 (1) (1997) 45–56
- Eiter, T., G. Gottlob and N. Leone, Abduction from logic programs: Semantics and complexity 189 (1–2) (1997) 129–177
- El Hamidi, A. and M. Garbey, Using MAPLE for the analysis of bifurcation phenomena in gas combustion 187 (1–2) (1997) 249–262
- Fakler, W., On second order homogeneous linear differential equations with Liouvillian solutions 187 (1–2) (1997) 27–48
- Falaschi, M., M. Gabbrielli, K. Marriott and C. Palamidessi, Confluence in concurrent constraint programming 183 (2) (1997) 281–315
- Fernández M. and I. Mackie, Interaction nets and term-rewriting systems 190 (1) (1997) 3–39
- Fernández-Baca, D. and G. Slutzik, Linear-time algorithms for parametric minimum spanning tree problems on planar graphs 181 (1) (1997) 57–74
- Feuerstein, E., Paging more than one page 181 (1) (1997) 75–90
- Flammini, M. and G. Gambosi, On devising Boolean Routing Schemes 186 (1–2) (1997) 171–198
- Freivalds, R. and S. Jain, Kolmogorov numberings and minimal identification 188 (1–2) (1997) 175–194

- Gabbrielli, M., *see* M. Falaschi 183 (2) (1997) 281–315  
Galbiati, G., A. Morzenti and F. Maffioli, On the approximability of some Maximum Spanning Tree Problems 181 (1) (1997) 107–118  
Gambosi, G., *see* M. Flammini 186 (1–2) (1997) 171–198  
Gao, B. and F.K. Hwang, Wide-sense nonblocking for multirate 3-stage Clos networks 182 (1–2) (1997) 171–182  
Garbey, M., *see* A. El Hamidi 187 (1–2) (1997) 249–262  
Garzon, M., *see* F. Botelho 182 (1–2) (1997) 257  
Gasarch W.I. and K.S. Guimaraes, Binary search and recursive graph problems 181 (1) (1997) 119–139  
Geiselman, W. and F. Ulmer, Constructing a third-order linear differential equation 187 (1–2) (1997) 3–6  
Gibbons, A., *see* J. Diaz 181 (2) (1997) 267–287  
Gloster, O., *see* B. Amrhein 187 (1–2) (1997) 179–202  
Goles, E. and I. Rapaport, Complexity of tile rotation problems 188 (1–2) (1997) 129–159  
Goles, E., *see* R. Baczka-Yates 181 (1) (1997) 1–2  
Gottlob, G. and M.Y. Vardi, Foreword 190 (2) (1997) 113  
Gottlob, G., *see* T. Eiter 189 (1–2) (1997) 129–177  
Großmusp, V., On the power of circuits with gates of low  $L_1$  norms 188 (1–2) (1997) 117–128  
Guimaraes, K.S., *see* W.I. Gasarch 181 (1) (1997) 119–139  
Gyuris, V., A short proof of representability of fork algebras 188 (1–2) (1997) 211–220  
Hansel, G., *see* V. Bruyère 181 (1) (1997) 17–43  
Harju, T., *see* C. Choffrut 183 (1) (1997) 83–92  
Hasse-Ye, H., *see* R. Vingralek 190 (2) (1997) 363–396  
Havas, G., *see* Z.J. Czech 182 (1–2) (1997) 1–143  
Haxthausen, A.E., Order-sorted algebraic specifications with higher-order functions 183 (2) (1997) 157–185  
Heen, O., Linear speed-up for cellular automata synchronizers and applications 188 (1–2) (1997) 45–57  
Herzog, C., Pushdown automata with bounded nondeterminism and bounded ambiguity 181 (1) (1997) 141–157  
Homann, K., *see* J. Calmet 187 (1–2) (1997) 221–230  
Honkala, J. and W. Kuich, On Lindenmayerian algebraic power series 183 (1) (1997) 113–142  
Honkala, J., On Lindenmayerian algebraic sequences 183 (1) (1997) 143–154  
Hubert, E., Detecting degenerate behaviors in first order algebraic differential equations 187 (1–2) (1997) 7–25  
Hwang, F.K., *see* B. Gao 182 (1–2) (1997) 171–182  
Ilie, L., On computational complexity of contextual languages 183 (1) (1997) 33–44  
Ishizaka, H., *see* H. Arimura 185 (1) (1997) 47–62  
Ito, M., L. Kari and G. Thierrin, Insertion and deletion closure of languages 183 (1) (1997) 3–19  
Jain, S., *see* R. Freivalds 188 (1–2) (1997) 175–194  
Jay, C.B., Covariant types 185 (2) (1997) 237–258  
Jeavons, J.S., *see* D. Albrecht 185 (2) (1997) 217–235  
Kaivola, R., Axiomatising extended computation tree logic 190 (1) (1997) 41–60  
Karczmarczuk, J., Generating power of lazy semantics 187 (1–2) (1997) 203–219  
Karhumäki, J., *see* C. Choffrut 183 (1) (1997) 83–92  
Kari, L., *see* M. Ito 183 (1) (1997) 3–19  
Katona, G.O.H., *see* J. Demetrovics 190 (2) (1997) 151–166  
Kececioglu, J., M. Li and J. Tromp, Inferring a DNA sequence from erroneous copies 185 (1) (1997) 3–13  
Kelley, D., *see* P.-J. Wan 181 (2) (1997) 347–356  
Kim, C., A hierarchy of eNCE families of graph languages 186 (1–2) (1997) 157–169  
Knapp, E., *see* P. Collette 183 (2) (1997) 253–279  
Kobayashi, K., Transformations that preserve malignness of universal distributions 181 (2) (1997) 289–306  
Koole, G., Assigning a single server to inhomogeneous queues with switching costs 182 (1–2) (1997) 203–216  
Korelc, J., Automatic generation of finite-element code by simultaneous optimization of expressions 187 (1–2) (1997) 231–248

- Koshiba, T., E. Mäkinen and Y. Takada, Learning deterministic even linear languages from positive examples 185 (1) (1997) 63–79
- Krishna Rao, M.R.K., A framework for incremental learning of logic programs 185 (1) (1997) 191–213
- Krumke, S.O., M.V. Marathe, H. Noltemeier, V. Radhakrishnan, S.S. Ravi and D.J. Rosenkrantz, Compact location problems 181 (2) (1997) 379–404
- Küchlin, W., *see* B. Amrhein 187 (1–2) (1997) 179–202
- Kuchner, H., Editorial 190 (1) (1997) 1–2
- Kuich, W., *see* J. Honkala 183 (1) (1997) 113–142
- Kutten, S., *see* Y. Afek 186 (1–2) (1997) 199–229
- Lacoste, T., 0–1 laws by preservation (*Note*) 184 (1–2) (1997) 237–245
- Lam, N.H., Hajós factorizations and completion of codes (*Note*) 182 (1–2) (1997) 245–256
- Lamma, E., *see* A. Brogi 184 (1–2) (1997) 1–59
- Lawler, E.L., *see* V. Bafna 182 (1–2) (1997) 233–244
- Le Guyadec, Y., *see* L. Bougé 189 (1–2) (1997) 71–107
- Lee, I., *see* P. Brémont-Grégoire 189 (1–2) (1997) 179–219
- Leiss, E.L., Solving systems of explicit language relations 186 (1–2) (1997) 83–105
- Leone, N., *see* T. Eiter 189 (1–2) (1997) 129–177
- Li, M., *see* J. Kececioglu 185 (1) (1997) 3–13
- Li, M., *see* D. Du 181 (2) (1997) 227
- Libkin, L., Models of approximation in databases 190 (2) (1997) 167–210
- Lifschitz, S. and V. Lifschitz, A probabilistic view of Datalog parallelization 190 (2) (1997) 211–239
- Lin, X., A fully distributed quorum consensus method with high fault-tolerance and low communication overhead 185 (2) (1997) 259–275
- Lingas, A., Maximum tree-packing in time  $O(n^{5/2})$  181 (2) (1997) 307–316
- Lisper, B., *see* Computing in unpredictable environments: semantics, reduction strategies, and program transformations 190 (1) (1997) 61–85
- Liu, R., An improved Shellsort algorithm (*Note*) 188 (1–2) (1997) 241–247
- Long, D.Y., J. Ma and D. Zhou, Structure of 3-infix-outfix maximal codes (*Note*) 188 (1–2) (1997) 231–240
- Lopresti, D. and A. Tomkins, Block edit models for approximate string matching 181 (1) (1997) 159–179
- Ma, J., *see* D.Y. Long 188 (1–2) (1997) 231–240
- Mackie, I., *see* M. Fernández 190 (1) (1997) 3–39
- Maffioli, F., *see* G. Galbiati 181 (1) (1997) 107–118
- Majewski, B.S., *see* Z.J. Czech 182 (1–2) (1997) 1–143
- Mäkinen, E., *see* T. Koshiba 185 (1) (1997) 63–79
- Makhlof, A., Algèbres associatives et calcul formel (Associative algebras and computer algebra) 187 (1–2) (1997) 123–145
- Maler, O. and L. Staiger, On syntactic congruences for  $\omega$ -languages 183 (1) (1997) 93–112
- Malgouyres, R., A definition of surfaces of  $\mathbb{Z}^3$ . A new 3D discrete Jordan theorem (*Fundamental Study*) 186 (1–2) (1997) 1–41
- Mall, D., Covers and fans of polynomial ideals 187 (1–2) (1997) 167–178
- Mancarella, P., *see* A. Brogi 184 (1–2) (1997) 1–59
- Marathe, M.V., *see* S.O. Krumke 181 (2) (1997) 379–404
- Marek, V.W. and M. Truszczyński, Revision programming 190 (2) (1997) 241–277
- Marriott, K., *see* M. Falaschi 183 (2) (1997) 281–315
- Maruoka, A., *see* E. Takimoto 185 (1) (1997) 177–190
- Mason, I.A., A first order logic of effects 185 (2) (1997) 277–318
- Meidanis, J., *see* C.M.H. de Figueiredo 181 (1) (1997) 91–106
- Mello, P., *see* A. Brogi 184 (1–2) (1997) 1–59
- Meyer, L., Probabilistic language learning under monotonicity constraints 185 (1) (1997) 81–128
- Mezghiche, M.,  $c\beta$ -Machine with  $\lambda\beta$ -reduction (*Note*) 189 (1–2) (1997) 221–228
- Miklos, D., *see* J. Demetrovics 190 (2) (1997) 151–166
- Miyashiro, A., *see* E. Takimoto 185 (1) (1997) 177–190
- Montanari, A. and M. de Rijke, Two-sorted metric temporal logics 183 (2) (1997) 187–214
- Morzenti, A., *see* G. Galbiati 181 (1) (1997) 107–118

- Mundici, D. and A. Trombetta, Optimal comparison strategies in Ulam's searching game with two errors (*Mathematical Games*) 182 (1–2) (1997) 217–232
- Nagaraj, S.V., Optimal binary search trees (*Tutorial*) 188 (1–2) (1997) 1–44
- Nielsen, M., *see* A. Cheng 190 (1) (1997) 87–112
- Niwiński, D., Fixed point characterization of infinite behavior of finite-state systems (*Fundamental Study*) 189 (1–2) (1997) 1–69
- Noltemeier, H., *see* S.O. Krumke 181 (2) (1997) 379–404
- Ohlebusch, E. and E. Ukkonen, On the equivalence problem for E-pattern languages 186 (1–2) (1997) 231–248
- Orgun, M.A. and W. Du, Multi-dimensional logic programming: theoretical foundations 185 (2) (1997) 319–345
- Oudin, L.-R., *see* A. Carrière 187 (1–2) (1997) 263–284
- Palamidessi, C., *see* M. Falaschi 183 (2) (1997) 281–315
- Pantziou, G.E., *see* J. Diaz 181 (2) (1997) 267–287
- Pantziou, G.E., A. Roberts and A. Symvonis, Many-to-many routing on trees via matchings 185 (2) (1997) 347–377
- Parisi-Presicce, F., *see* S. Cicerone 189 (1–2) (1997) 239–248
- Peitgen, H.-O., *see* J.-P. Allouche 188 (1–2) (1997) 195–209
- Peled, D., On projective and separable properties 186 (1–2) (1997) 135–156
- Petersen, A., *see* J.-P. Allouche 188 (1–2) (1997) 195–209
- Pevzner, P.A., *see* V. Bafna 182 (1–2) (1997) 233–244
- Pflügel, E., On the latest version of DESIR-II 187 (1–2) (1997) 81–86
- Pierce, B. and M. Steffen, Corrigendum to "Higher-order subtyping" [Theoret. Comput. Sci. 176(1–2) (1997) 235–282] (*Corrigendum*) 184 (1–2) (1997) 247
- Prodinger, H., On a problem of Yekutieli and Mandelbrot about the bifurcation ratio of binary trees 181 (1) (1997) 181–194
- Radhakrishnan, V., *see* S.O. Krumke 181 (2) (1997) 379–404
- Ranjan, D., *see* T. Asano 181 (1) (1997) 3–15
- Rapaport, I., *see* E. Goles 188 (1–2) (1997) 129–159
- Ravi, S.S., *see* S.O. Krumke 181 (2) (1997) 379–404
- Raz, D., Length considerations in context-free languages 183 (1) (1997) 21–32
- Regan, K.W. and H. Vollmer, Gap-languages and log-time complexity classes 188 (1–2) (1997) 101–116
- Roberts, A., *see* G.E. Pantziou 185 (2) (1997) 347–377
- Romanik, K., Approximate testing and its relationship to learning 188 (1–2) (1997) 79–99
- Roos, T., *see* T. Asano 181 (1) (1997) 3–15
- Rosenkrantz, D.J., *see* S.O. Krumke 181 (2) (1997) 379–404
- Rosselló, F., *see* P. Burmeister 184 (1–2) (1997) 145–193
- Rozenberg, G. and A. Salomaa, Preface 183 (1) (1997) 1
- Sakai, Y., *see* E. Takimoto 185 (1) (1997) 177–190
- Sakakibara, Y., Recent advances of grammatical inference 185 (1) (1997) 15–45
- Sakurai, K., Practical proofs of knowledge without relying on theoretical proofs of membership on languages 181 (2) (1997) 317–335
- Salomaa, A., *see* G. Rozenberg 183 (1) (1997) 1
- Schaerf, M., *see* M. Cadoli 182 (1–2) (1997) 183–202
- Scheen, C., Implementation of the Painlevé test for ordinary differential systems 187 (1–2) (1997) 87–104
- Schek, H.-J., *see* R. Vingralek 190 (2) (1997) 363–396
- Seleznjev, O., *see* J. Demetrovics 190 (2) (1997) 151–166
- Sen, S., Lower bounds for parallel algebraic decision trees, parallel complexity of convex hulls and related problems 188 (1–2) (1997) 59–78
- Serna, M.J., *see* J. Diaz 181 (2) (1997) 267–287
- Shen, H., Optimal algorithms for generalized searching in sorted matrices (*Note*) 188 (1–2) (1997) 221–230
- Shinohara, T., *see* H. Arimura 185 (1) (1997) 47–62
- Silvestri, R., *see* M. Cadoli 182 (1–2) (1997) 183–202
- Skordev, G., *see* J.-P. Allouche 188 (1–2) (1997) 195–209
- Slutzki, G., *see* D. Fernández-Baca 181 (1) (1997) 57–74

- Spirakis, P.G., *see* J. Diaz 181 (2) (1997) 267–287  
Staiger, L., *see* O. Maler 183 (1) (1997) 93–112  
Staples, J., Preface 185 (2) (1997) 215  
Steffen, M., *see* B. Pierce 184 (1–2) (1997) 247  
Stephan, F., Noisy inference and oracles 185 (1) (1997) 129–157  
Su, J., Dynamic constraints and object migration 184 (1–2) (1997) 195–236  
Suciu, D., Domain-independent queries on databases with external functions 190 (2) (1997) 279–315  
Symvonis, A., *see* G.E. Pantziou 185 (2) (1997) 347–377  
Taentzer, G., Parallel high-level replacement systems 186 (1–2) (1997) 43–81  
Takada, Y., *see* T. Koshiba 185 (1) (1997) 63–79  
Takimoto, E., A. Miyashiro, A. Maruoka and Y. Sakai, Learning orthogonal F-Horn formulas 185 (1) (1997) 177–190  
Thalheim, B., *see* J. Demetrovics 190 (2) (1997) 151–166  
Thierrin, G., *see* M. Ito 183 (1) (1997) 3–19  
Thomas, G., The problem of defining the singular points of quasi-linear differential-algebraic systems 187 (1–2) (1997) 49–79  
Tomkins, A., *see* D. Lopresti 181 (1) (1997) 159–179  
Toran, J., *see* J. Diaz 181 (2) (1997) 267–287  
Torrens, J., *see* P. Burmeister 184 (1–2) (1997) 145–193  
Trombetta, A., *see* D. Mundici 182 (1–2) (1997) 217–232  
Tromp, J., *see* J. Kececioglu 185 (1) (1997) 3–13  
Tromp, J., L. Zhang and Y. Zhao, Small weight bases for Hamming codes 181 (2) (1997) 337–345  
Truszczyński, M., *see* V.W. Marek 190 (2) (1997) 241–277  
Tulley, D., *see* M.D. Atkinson 182 (1–2) (1997) 145–157  
Tyszkiewicz, J., The Kolmogorov expressive power of Boolean query languages 190 (2) (1997) 317–361  
Ukkonen, E., *see* E. Ohlebusch 186 (1–2) (1997) 231–248  
Ulmer, F. *see* W. Geiselman 187 (1–2) (1997) 3–6  
Utard, G., *see* L. Bougé 189 (1–2) (1997) 71–107  
Valiente, G., *see* P. Burmeister 184 (1–2) (1997) 145–193  
Vardi, M.Y., *see* G. Gottlob 190 (2) (1997) 113  
Vianu, V., *see* S. Lifschitz 190 (2) (1997) 211–239  
Vincent, M.W., A corrected 5NF definition for relational database design 185 (2) (1997) 379–391  
Vingralek, R., H. Hasse-Ye, Y. Breitbart and H.-J. Schek, Unifying concurrency control and recovery of transactions with semantically rich operations 190 (2) (1997) 363–396  
Virot, B., *see* L. Bougé 189 (1–2) (1997) 71–107  
Vollmer, H., *see* K.W. Regan 188 (1–2) (1997) 101–116  
Von Haeseler, F., *see* J.-P. Allouche 188 (1–2) (1997) 195–209  
Wagner, K.R., Liminf convergence in  $\Omega$ -categories (*Fundamental Study*) 184 (1–2) (1997) 61–104  
Wan, P.-J., Q. Yang and D. Kelley, A  $\frac{3}{2} \log 3$ -competitive algorithm for the counterfeit coin problem 181 (2) (1997) 347–356  
Wang, J., *see* J. Belanger 181 (2) (1997) 229–245  
Wang, F., A temporal logic for real-time partial ordering with named transactions 181 (1) (1997) 195–225  
Weibel, T., An order-sorted resolution in theory and practice 185 (2) (1997) 393–410  
Welzl E., *see* T. Asano 181 (1) (1997) 3–15  
Widmayer, P., *see* T. Asano 181 (1) (1997) 3–15  
Yang, Q., *see* P.-J. Wan 181 (2) (1997) 347–356  
Yu, X. and M. Yung, Scheduling task-trees with additive scales on parallel/distributed machines 181 (2) (1997) 357–378  
Yung, M., *see* X. Yu 181 (2) (1997) 357–378  
Yung, M., *see* Y. Afek 186 (1–2) (1997) 199–229  
Zenger, C., Indexed types 187 (1–2) (1997) 147–165  
Zeugmann, T., Foreword 185 (1) (1997) 1  
Zhang, L., *see* J. Tromp 181 (2) (1997) 337–345  
Zhao, Y., *see* J. Tromp 181 (2) (1997) 337–345  
Zhou, D., *see* D.Y. Long 188 (1–2) (1997) 231–240