



Master index of Volumes 21–30

- Adamy, U., J. Giesen and M. John, Surface reconstruction using umbrella filters 21 (2002) 63– 86
- Agarwal, P., L. Guibas, A. Nguyen, D. Russel and L. Zhang, Collision detection for deforming necklaces 28 (2004) 137–163
- Agarwal, P. K. and L. Arge, Editorial 24 (2003) 49
- Agarwal, P.K., M. de Berg, S. Har-Peled, M.H. Overmars, M. Sharir and J. Vahrenhold, Reporting intersecting pairs of convex polytopes in two and three dimensions 23 (2002) 195–207
- Agarwal, P.K., E. Flato and D. Halperin, Polygon decomposition for efficient construction of Minkowski sums 21 (2002) 39– 61
- Agarwal, P.K., C.M. Procopiuc and K.R. Varadarajan, A $(1+\varepsilon)$ -approximation algorithm for 2-line-center 26 (2003) 119–128
- Ahn, H.-K., O. Cheong and C.-S. Shin, Building bridges between convex regions 25 (2003) 161–170
- Ahn, H.-K., O. Cheong and R. van Oostrum, Casting a polyhedron with directional uncertainty 26 (2003) 129–141
- Aichholzer, O., F. Aurenhammer and F. Hurtado, Sequences of spanning trees and a fixed tree theorem 21 (2002) 3– 20
- Aichholzer, O., F. Aurenhammer, H. Krasser and B. Speckmann, Convexity minimizes pseudo-triangulations 28 (2004) 3– 10
- Aichholzer, O., D. Bremner, E.D. Demaine, H. Meijer, V. Sacristán and M. Soss, Long proteins with unique optimal foldings in the H-P model 25 (2003) 139–159
- Aichholzer, O., F. Hurtado and M. Noy, A lower bound on the number of triangulations of planar point sets 29 (2004) 135–145
- Akiyama, J., T. Asano and M. Kano, Editorial 24 (2003) 1
- Akiyama, J., G. Nakamura, A. Nozaki, K. Ozawa and T. Sakai, The optimality of a certain purely recursive dissection for a sequentially n -divisible square 24 (2003) 27– 39
- Aloupis, G., S. Langerman, M. Soss and G. Toussaint, Algorithms for bivariate medians and a Fermat–Torricelli problem for lines 26 (2003) 69– 79
- Alt, H., Editorial 25 (2003) 1
- Andersson, M., J. Gudmundsson and C. Levopoulos, Chips on wafers, or packing rectangles into grids 30 (2005) 95–111
- Arge, L. and J. Vahrenhold, I/O-efficient dynamic planar point location 29 (2004) 147–162
- Arge, L., see Agarwal, P. K. 24 (2003) 49
- Arkin, E.M., M.A. Bender, E.D. Demaine, M.L. Demaine, J.S.B. Mitchell, S. Sethia and S.S. Skiena, When can you fold a map? 29 (2004) 23– 46

* For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.

- Arkin, E.M., S.P. Fekete and J.S.B. Mitchell, An algorithmic study of manufacturing paperclips and other folded structures 25 (2003) 117–138
- Aronov, B., J.E. Goodman and R. Pollack, A Helly-type theorem for higher-dimensional transversals 21 (2002) 177–183
- Aronov, B., R. Schifzenbauer and M. Sharir, On the number of views of translates of a cube and related problems 27 (2004) 179–192
- Asano, T., M. de Berg, O. Cheong, H. Everett, H. Haverkort, N. Katoh and A. Wolff, Optimal spanners for axis-aligned rectangles 30 (2005) 59– 77
- Asano, T., A. Hernández-Barrera and S.C. Nandy, Translating a convex polyhedron over monotone polyhedra 23 (2002) 257–269
- Asano, T., see Akiyama, J. 24 (2003) 1
- Aurenhammer, F., see Aichholzer, O. 21 (2002) 3– 20
- Aurenhammer, F., see Aichholzer, O. 28 (2004) 3– 10
- Axen, U., see Carr, H. 24 (2003) 75– 94
- Bajaj, C., Editorial 28 (2004) 73
- Balmelli, L., T. Liebling and M. Vetterli, Computational analysis of mesh simplification using global error 25 (2003) 171–196
- Basch, J., J. Erickson, L.J. Guibas, J. Hershberger and L. Zhang, Kinetic collision detection between two simple polygons 27 (2004) 211–235
- Bemporad, A., C. Filippi and F.D. Torrisi, Inner and outer approximations of polytopes using boxes 27 (2004) 151–178
- Ben-Moshe, B., M.J. Katz, J.S.B. Mitchell and Y. Nir, Visibility preserving terrain simplification—an experimental study 28 (2004) 175–190
- Bender, M.A., see Arkin, E.M. 29 (2004) 23– 46
- Bereg, S., Enumerating pseudo-triangulations in the plane 30 (2005) 207–222
- Bern, M., E.D. Demaine, D. Eppstein, E. Kuo, A. Mantler and J. Snoeyink, Ununfoldable polyhedra with convex faces 24 (2003) 51– 62
- Bern, M., see Goldberg, D. 28 (2004) 165–174
- Berretty, R.-P., M.H. Overmars and A.F. van der Stappen, Orienting polyhedral parts by pushing 21 (2002) 21– 38
- Bespamyatnikh, S., Packing two disks in a polygon 23 (2002) 31– 42
- Bespamyatnikh, S., An efficient algorithm for enumeration of triangulations 23 (2002) 271–279
- Bespamyatnikh, S., An $O(n \log n)$ algorithm for the zoo-keeper's problem 24 (2003) 63– 74
- Bhattacharya, B.B., see Nandy, S.C. 26 (2003) 143–171
- Bhattacharya, B.K., G. Das, A. Mukhopadhyay and G. Narasimhan, Optimally computing a shortest weakly visible line segment inside a simple polygon 23 (2002) 1– 29
- Biedl, T., Editorial 26 (2003) 1
- Boissonnat, J.-D. and F. Cazals, Smooth surface reconstruction via natural neighbour interpolation of distance functions 22 (2002) 185–203
- Boissonnat, J.-D., O. Devillers, S. Pion, M. Teillaud and M. Yvinec, Triangulations in CGAL 22 (2002) 5– 19
- Boissonnat, J.-D. and A. Vigneron, An elementary algorithm for reporting intersections of red/blue curve segments 21 (2002) 167–175
- Bose, P., On embedding an outer-planar graph in a point set 23 (2002) 303–312
- Bose, P., J. Gudmundsson and P. Morin, Ordered theta graphs 28 (2004) 11– 18
- Bose, P., D. Kirkpatrick and Z. Li, Worst-case-optimal algorithms for guarding planar graphs and polyhedral surfaces 26 (2003) 209–219
- Bose, P., A. Lubiw and J.I. Munro, Efficient visibility queries in simple polygons 23 (2002) 313–335
- Bose, P., A. Maheshwari and P. Morin, Fast approximations for sums of distances, clustering and the Fermat–Weber problem 24 (2003) 135–146
- Bose, P., A. Maheshwari, G. Narasimhan, M. Smid and N. Zeh, Approximating geometric bottleneck shortest paths 29 (2004) 233–249
- Bose, P., M. van Kreveld, A. Maheshwari, P. Morin and J. Morrison, Translating a regular grid over a point set 25 (2003) 21– 34

- Bose, P., see de Berg, M.
- Brandes, U., S. Cornelsen, C. Fieß and D. Wagner, How to draw the minimum cuts of a planar graph
- Brass, P., On finding maximum-cardinality symmetric subsets
- Brass, P. and C. Knauer, On counting point-hyperplane incidences
- Brass, P. and C. Knauer, Testing congruence and symmetry for general 3-dimensional objects
- Brazil, M., B.K. Nielsen, P. Winter and M. Zachariasen, Rotationally optimal spanning and Steiner trees in uniform orientation metrics
- Bremner, D., see Aichholzer, O.
- Cabello, S., M. de Berg and M. van Kreveld, Schematization of networks
- Cáceres, J. and A. Márquez, An aperiodic tiles machine
- Carr, H., J. Snoeyink and U. Axen, Computing contour trees in all dimensions
- Cazals, F., see Boissonnat, J.-D.
- Chan, T.M., M.T. Goodrich, S.R. Kosaraju and R. Tamassia, Optimizing area and aspect ratio in straight-line orthogonal tree drawings
- Chen, D.Z. and J. Xu, Two-variable linear programming in parallel
- Chen, D.Z., see Huang, Y.
- Cheng, H.-L. and H. Edelsbrunner, Area, perimeter and derivatives of a skin curve
- Cheng, S.-W., T.K. Dey and S.-H. Poon, Hierarchy of surface models and irreducible triangulations
- Cheng, S.-W. and K.-H. Lee, Quadtree, ray shooting and approximate minimum weight Steiner triangulation
- Cheong, O., X. Goaoc and H.-S. Na, Geometric permutations of disjoint unit spheres
- Cheong, O., see Ahn, H.-K.
- Cheong, O., see Ahn, H.-K.
- Cheong, O., see Asano, T.
- Cheong, O., see de Berg, M.
- Cheong, O., see Na, H.-S.
- Chepoi, V., C. Facciullini and Y. Vaxès, Median problem in some plane triangulations and quadrangulations
- Chew, L.P., see Nave, D.
- Chiang, Y.-J., T. Lenz, X. Lu and G. Rote, Simple and optimal output-sensitive construction of contour trees using monotone paths
- Chrisochoides, N., see Nave, D.
- Clausen, M., see Mosig, A.
- Cohen-Steiner, D., É. Colin de Verdière and M. Yvinec, Conforming Delaunay triangulations in 3D
- Colin de Verdière, É., M. Pocchiola and G. Vegter, Tutte's barycenter method applied to isotopies
- Colin de Verdière, É., see Cohen-Steiner, D.
- Collins, C.R. and K. Stephenson, A circle packing algorithm
- Cornelsen, S., see Brandes, U.
- Cortés, C., A. Márquez and J. Valenzuela, Euclidean position in Euclidean 2-orbifolds
- Daescu, O. and N. Mi, Polygonal chain approximation: a query based approach
- Damian, M., Exact and approximation algorithms for computing optimal fat decompositions
- Das, G., see Bhattacharya, B.K.
- Das, S., see Goswami, P.P.
- David, H., see de Berg, M.
- de Berg, M., P. Bose, O. Cheong and P. Morin, On simplifying dot maps
- de Berg, M., H. David, M.J. Katz, M. Overmars, A.F. van der Stappen and J. Vleugels, Guarding scenes against invasive hypercubes
- de Berg, M., J. Gudmundsson, M. Hammar and M. Overmars, On R-trees with low query complexity
- de Berg, M., M.J. Katz, M.H. Overmars, A.F. van der Stappen and J. Vleugels, Models and motion planning
- 27 (2004) 43– 62
- 29 (2004) 117–133
- 24 (2003) 19– 25
- 25 (2003) 13– 20
- 27 (2004) 3– 11
- 29 (2004) 251–263
- 25 (2003) 139–159
- 30 (2005) 223–238
- 23 (2002) 171–182
- 24 (2003) 75– 94
- 22 (2002) 185–203
- 23 (2002) 153–162
- 21 (2002) 155–165
- 29 (2004) 47– 60
- 26 (2003) 173–192
- 27 (2004) 135–150
- 23 (2002) 99–116
- 30 (2005) 253–270
- 25 (2003) 161–170
- 26 (2003) 129–141
- 30 (2005) 59– 77
- 27 (2004) 43– 62
- 23 (2002) 183–194
- 27 (2004) 193–210
- 28 (2004) 191–215
- 30 (2005) 165–195
- 28 (2004) 191–215
- 30 (2005) 113–127
- 28 (2004) 217–233
- 26 (2003) 81– 97
- 28 (2004) 217–233
- 25 (2003) 233–256
- 29 (2004) 117–133
- 27 (2004) 27– 41
- 30 (2005) 41– 58
- 28 (2004) 19– 27
- 23 (2002) 1– 29
- 29 (2004) 163–175
- 26 (2003) 99–117
- 27 (2004) 43– 62
- 26 (2003) 99–117
- 24 (2003) 179–195
- 23 (2002) 53– 68

- de Berg, M., see Agarwal, P.K.
- de Berg, M., see Asano, T.
- de Berg, M., see Cabello, S.
- de Berg, M., see Haverkort, H.J.
- Demaine, E.D., M.L. Demaine, M. Hoffmann and J. O'Rourke, Pushing blocks is hard
- Demaine, E.D., J. Iacono and S. Langerman, Proximate point searching
- Demaine, E.D., S. Langerman, J. O'Rourke and J. Snoeyink, Interlocked open and closed linkages with few joints
- Demaine, E.D., see Aichholzer, O.
- Demaine, E.D., see Arkin, E.M.
- Demaine, E.D., see Bern, M.
- Demaine, M.L., see Arkin, E.M.
- Demaine, M.L., see Demaine, E.D.
- Devillers, O., A. Fronville, B. Mourrain and M. Teillaud, Algebraic methods and arithmetic filtering for exact predicates on circle arcs
- Devillers, O., F. Hurtado, G. Károlyi and C. Seara, Chromatic variants of the Erdős–Szekeres theorem on points in convex position
- Devillers, O., see Boissonnat, J.-D.
- Devroye, L., C. Lemaire and J.-M. Moreau, Expected time analysis for Delaunay point location
- Dey, T.K., see Cheng, S.-W.
- Didimo, W., see Di Giacomo, E.
- Di Giacomo, E., W. Didimo, G. Liotta and S.K. Wismath, Curve-constrained drawings of planar graphs
- Dumitrescu, A., An approximation algorithm for cutting out convex polygons
- Duncan, C.A., M.T. Goodrich and S.G. Kobourov, Planarity-preserving clustering and embedding for large planar graphs
- Eades, P., see Hong, S.-H.
- Ebbers-Baumann, A., R. Klein, E. Langetepe and A. Lingas, A fast algorithm for approximating the detour of a polygonal chain
- Edelsbrunner, H., see Cheng, H.-L.
- Eidenbenz, S., Inapproximability of finding maximum hidden sets on polygons and terrains
- Emiris, I.Z., Enumerating a subset of the integer points inside a Minkowski sum
- Eppstein, D., Beta-skeletons have unbounded dilation
- Eppstein, D., J.M. Sullivan and A. Üngör, Tiling space and slabs with acute tetrahedra
- Eppstein, D., see Bern, M.
- Erickson, J., see Basch, J.
- Erickson, J., see Soss, M.
- Erlebach, T. and J. Fiala, On-line coloring of geometric intersection graphs
- Etzion, M. and A. Rappoport, Computing Voronoi skeletons of a 3-D polyhedron by space subdivision
- Everett, H. and S. Wismath, Editorial
- Everett, H., see Asano, T.
- Ezra, E., D. Halperin and M. Sharir, Speeding up the incremental construction of the union of geometric objects in practice
- Fanciullini, C., see Chepoi, V.
- Fekete, S.P. and H. Meijer, The one-round Voronoi game replayed
- Fekete, S.P., see Arkin, E.M.
- Fiala, J., see Erlebach, T.
- Fieß, C., see Brandes, U.
- Filippi, C., see Bemporad, A.
- 23 (2002) 195–207
 30 (2005) 59– 77
 30 (2005) 223–238
 28 (2004) 113–135
 26 (2003) 21– 36
 28 (2004) 29– 40

 26 (2003) 37– 45
 25 (2003) 139–159
 29 (2004) 23– 46
 24 (2003) 51– 62
 29 (2004) 23– 46
 26 (2003) 21– 36

 22 (2002) 119–142

 26 (2003) 193–208
 22 (2002) 5– 19
 29 (2004) 61– 89
 27 (2004) 135–150
 30 (2005) 1– 23

 30 (2005) 1– 23
 29 (2004) 223–231

 24 (2003) 95–114

 29 (2004) 191–221

 27 (2004) 123–134
 26 (2003) 173–192
 21 (2002) 139–153
 22 (2002) 143–166
 23 (2002) 43– 52
 27 (2004) 237–255
 24 (2003) 51– 62
 27 (2004) 211–235
 26 (2003) 235–246
 23 (2002) 243–255

 21 (2002) 87–120
 28 (2004) 1
 30 (2005) 59– 77

 27 (2004) 63– 85

 27 (2004) 193–210
 30 (2005) 81– 94
 25 (2003) 117–138
 23 (2002) 243–255
 29 (2004) 117–133
 27 (2004) 151–178

- Flato, E., see Agarwal, P.K.
- Fortune, S., Editorial
- Freedman, D., Combinatorial curve reconstruction in Hilbert spaces: A new sampling theory and an old result revisited
- Fronville, A., see Devillers, O.
- Funke, S. and K. Mehlhorn, LOOK: A Lazy Object-Oriented Kernel design for geometric computation
- Gabriely, Y. and E. Rimon, Competitive on-line coverage of grid environments by a mobile robot
- Gajer, P., M.T. Goodrich and S.G. Kobourov, A multi-dimensional approach to force-directed layouts of large graphs
- Giesen, J., see Adamy, U.
- Goaoc, X., see Cheong, O.
- Goldberg, D., C. Malon and M. Bern, A global approach to automatic solution of jigsaw puzzles
- Golin, M.J. and H.-S. Na, On the average complexity of 3D-Voronoi diagrams of random points on convex polytopes
- Goodman, J.E., see Aronov, B.
- Goodrich, M.T., see Chan, T.M.
- Goodrich, M.T., see Duncan, C.A.
- Goodrich, M.T., see Gajer, P.
- Goswami, P.P., S. Das and S.C. Nandy, Triangular range counting query in 2D and its application in finding k nearest neighbors of a line segment
- Gudmundsson, J., M. Hammar and M. van Kreveld, Higher order Delaunay triangulations
- Gudmundsson, J., H. Haverkort, S.-M. Park, C.-S. Shin and A. Wolff, Facility location and the geometric minimum-diameter spanning tree
- Gudmundsson, J., H.J. Haverkort and M. van Kreveld, Constrained higher order Delaunay triangulations
- Gudmundsson, J., see Andersson, M.
- Gudmundsson, J., see Bose, P.
- Gudmundsson, J., see de Berg, M.
- Gudmundsson, J., see Haverkort, H.J.
- Guibas, L., see Agarwal, P.
- Guibas, L.J., see Basch, J.
- Halperin, D. and E. Packer, Iterated snap rounding
- Halperin, D., see Agarwal, P.K.
- Halperin, D., see Ezra, E.
- Hammar, M., see de Berg, M.
- Hammar, M., see Gudmundsson, J.
- Har-Peled, S., see Agarwal, P.K.
- Haverkort, H., see Asano, T.
- Haverkort, H., see Gudmundsson, J.
- Haverkort, H.J., M. de Berg and J. Gudmundsson, Box-trees for collision checking in industrial installations
- Haverkort, H.J., see Gudmundsson, J.
- He, X., see Zhang, H.
- Hernández-Barrera, A., see Asano, T.
- Hershberger, J., see Basch, J.
- Hillman, J., see Hong, S.-H.
- Hiyoshi, H. and K. Sugihara, Improving continuity of Voronoi-based interpolation over Delaunay spheres
- Hoffmann, M. and Cs.D. Tóth, Segment endpoint visibility graphs are Hamiltonian
- 21 (2002) 39– 61
 22 (2002) 1– 3

 23 (2002) 227–241
 22 (2002) 119–142

 22 (2002) 99–118

 24 (2003) 197–224

 29 (2004) 3– 18
 21 (2002) 63– 86
 30 (2005) 253–270
 28 (2004) 165–174

 25 (2003) 197–231
 21 (2002) 177–183
 23 (2002) 153–162
 24 (2003) 95–114
 29 (2004) 3– 18

 29 (2004) 163–175
 23 (2002) 85– 98

 27 (2004) 87–106

 30 (2005) 271–277
 30 (2005) 95–111
 28 (2004) 11– 18
 24 (2003) 179–195
 28 (2004) 113–135
 28 (2004) 137–163
 27 (2004) 211–235

 23 (2002) 209–225
 21 (2002) 39– 61
 27 (2004) 63– 85
 24 (2003) 179–195
 23 (2002) 85– 98
 23 (2002) 195–207
 30 (2005) 59– 77
 27 (2004) 87–106

 28 (2004) 113–135
 30 (2005) 271–277
 30 (2005) 29– 39
 23 (2002) 257–269
 27 (2004) 211–235
 29 (2004) 191–221

 22 (2002) 167–183
 26 (2003) 47– 68

- Hoffmann, M., see Demaine, E.D.
- Hong, S.-H., P. Eades and J. Hillman, Linkless symmetric drawings of series parallel digraphs
- Huang, Y., J. Xu and D.Z. Chen, Geometric permutations of higher dimensional spheres
- Hurtado, F., R. Klein, E. Langetepe and V. Sacristán, The weighted farthest color Voronoi diagram on trees and graphs
- Hurtado, F., G. Liotta and H. Meijer, Optimal and suboptimal robust algorithms for proximity graphs
- Hurtado, F., see Aichholzer, O.
- Hurtado, F., see Aichholzer, O.
- Hurtado, F., see Devillers, O.
- Iacono, J., Expected asymptotically optimal planar point location
- Iacono, J., see Demaine, E.D.
- Ilinkin, I., R. Janardan, J. Majhi, J. Schwerdt, M. Smid and R. Sriram, A decomposition-based approach to layered manufacturing
- Indyk, P. and S. Venkatasubramanian, Approximate congruence in nearly linear time
- Ismailescu, D. and R. Radoičić, A dense planar point set from iterated line intersections
- Ito, H., Sum of edge lengths of a multigraph drawn on a convex polygon
- Jackson, L. and S.K. Wismath, Orthogonal polygon reconstruction from stabbing information
- Janardan, R., see Ilinkin, I.
- Jaromczyk, J.W. and M. Kowaluk, Sets of lines and cutting out polyhedral objects
- Jaromczyk, J.W. and M. Kowaluk, Editorial
- John, M., see Adamy, U.
- Kaibel, V. and M.E. Pfetsch, Computing the face lattice of a polytope from its vertex-facet incidences
- Kano, M., see Akiyama, J.
- Kanungo, T., D.M. Mount, N.S. Netanyahu, C.D. Piatko, R. Silverman and A.Y. Wu, A local search approximation algorithm for k -means clustering
- Károlyi, G., see Devillers, O.
- Kashiwabara, K., M. Nakamura and Y. Okamoto, The affine representation theorem for abstract convex geometries
- Katoh, N., see Asano, T.
- Katz, M.J. and K. Kedem, Editorial
- Katz, M.J., J.S.B. Mitchell and Y. Nir, Orthogonal segment stabbing
- Katz, M.J., see Ben-Moshe, B.
- Katz, M.J., see de Berg, M.
- Katz, M.J., see de Berg, M.
- Kedem, K., see Katz, M.J.
- Kettner, L., D. Kirkpatrick, A. Mantler, J. Snoeyink, B. Speckmann and F. Takeuchi, Tight degree bounds for pseudo-triangulations of points
- Kettner, L., J. Rossignac and J. Snoeyink, The Safari interface for visualizing time-dependent volume data using iso-surfaces and contour spectra
- Kirkpatrick, D., see Bose, P.
- Kirkpatrick, D., see Kettner, L.
- Klein, R., Foreword
- Klein, R., see Ebbers-Baumann, A.
- Klein, R., see Hurtado, F.
- Knauer, C., see Brass, P.
- Knauer, C., see Brass, P.
- Kobourov, S.G., see Duncan, C.A.
- Kobourov, S.G., see Gajer, P.
- Kosaraju, S.R., see Chan, T.M.
- 26 (2003) 21– 36
 29 (2004) 191–221
 29 (2004) 47– 60
 27 (2004) 13– 26
 25 (2003) 35– 49
 21 (2002) 3– 20
 29 (2004) 135–145
 26 (2003) 193–208
 29 (2004) 19– 22
 28 (2004) 29– 40
 23 (2002) 117–151
 24 (2003) 115–128
 27 (2004) 257–267
 24 (2003) 41– 47
 23 (2002) 69– 83
 23 (2002) 117–151
 25 (2003) 67– 95
 27 (2004) 1
 21 (2002) 63– 86
 23 (2002) 281–290
 24 (2003) 1
 28 (2004) 89–112
 26 (2003) 193–208
 30 (2005) 129–144
 30 (2005) 59– 77
 21 (2002) 1
 30 (2005) 197–205
 28 (2004) 175–190
 23 (2002) 53– 68
 26 (2003) 99–117
 21 (2002) 1
 25 (2003) 3– 12
 25 (2003) 97–116
 26 (2003) 209–219
 25 (2003) 3– 12
 30 (2005) 79
 27 (2004) 123–134
 27 (2004) 13– 26
 25 (2003) 13– 20
 27 (2004) 3– 11
 24 (2003) 95–114
 29 (2004) 3– 18
 23 (2002) 153–162

Kowaluk, M., see Jaromczyk, J.W.	25 (2003) 67– 95
Kowaluk, M., see Jaromczyk, J.W.	27 (2004) 1
Krasser, H., see Aichholzer, O.	28 (2004) 3– 10
Kuo, E., see Bern, M.	24 (2003) 51– 62
Langerman, S., see Aloupis, G.	26 (2003) 69– 79
Langerman, S., see Demaine, E.D.	26 (2003) 37– 45
Langerman, S., see Demaine, E.D.	28 (2004) 29– 40
Langentepe, E., see Ebbers-Baumann, A.	27 (2004) 123–134
Langentepe, E., see Hurtado, F.	27 (2004) 13– 26
Lee, C.-N., see Na, H.-S.	23 (2002) 183–194
Lee, K.-H., see Cheng, S.-W.	23 (2002) 99–116
Lemaire, C., see Devroye, L.	29 (2004) 61– 89
Lenz, T., see Chiang, Y.-J.	30 (2005) 165–195
Levcopoulos, C., see Andersson, M.	30 (2005) 95–111
Lewiner, T., H. Lopes and G. Tavares, Optimal discrete Morse functions for 2-manifolds	26 (2003) 221–233
Li, Z., see Bose, P.	26 (2003) 209–219
Liebling, T., see Balmelli, L.	25 (2003) 171–196
Lingas, A., see Ebbers-Baumann, A.	27 (2004) 123–134
Liotta, G. and H. Meijer, Voronoi drawings of trees	24 (2003) 147–178
Liotta, G., see Di Giacomo, E.	30 (2005) 1– 23
Liotta, G., see Hurtado, F.	25 (2003) 35– 49
Lopes, H., see Lewiner, T.	26 (2003) 221–233
Lopez, M.A. and S. Reisner, Linear time approximation of 3D convex polytopes	23 (2002) 291–301
Lu, X., see Chiang, Y.-J.	30 (2005) 165–195
Lubiw, A., see Bose, P.	23 (2002) 313–335
Maheshwari, A., see Bose, P.	24 (2003) 135–146
Maheshwari, A., see Bose, P.	25 (2003) 21– 34
Maheshwari, A., see Bose, P.	29 (2004) 233–249
Majhi, J., see Ilinkin, I.	23 (2002) 117–151
Malon, C., see Goldberg, D.	28 (2004) 165–174
Mantler, A., see Bern, M.	24 (2003) 51– 62
Mantler, A., see Kettner, L.	25 (2003) 3– 12
Marlin, B. and G. Toussaint, Constructing convex 3-polytopes from two triangulations of a polygon	28 (2004) 41– 47
Márquez, A., see Cáceres, J.	23 (2002) 171–182
Márquez, A., see Cortés, C.	27 (2004) 27– 41
Mehlhorn, K., see Funke, S.	22 (2002) 99–118
Meijer, H., see Aichholzer, O.	25 (2003) 139–159
Meijer, H., see Fekete, S.P.	30 (2005) 81– 94
Meijer, H., see Hurtado, F.	25 (2003) 35– 49
Meijer, H., see Liotta, G.	24 (2003) 147–178
Mi, N., see Daescu, O.	30 (2005) 41– 58
Michael, T.S. and V. Pinciu, Art gallery theorems for guarded guards	26 (2003) 247–258
Milenkovic, V.J., Densest translational lattice packing of non-convex polygons	22 (2002) 205–222
Mitchell, J.S.B., see Arkin, E.M.	25 (2003) 117–138
Mitchell, J.S.B., see Arkin, E.M.	29 (2004) 23– 46
Mitchell, J.S.B., see Ben-Moshe, B.	28 (2004) 175–190
Mitchell, J.S.B., see Katz, M.J.	30 (2005) 197–205
Moreau, J.-M., see Devroye, L.	29 (2004) 61– 89
Morin, P., see Bose, P.	24 (2003) 135–146

- Morin, P., see Bose, P.
- Morin, P., see Bose, P.
- Morin, P., see de Berg, M.
- Morrison, J., see Bose, P.
- Morvan, J.M. and B. Thibert, On the approximation of a smooth surface with a triangulated mesh
- Mosig, A. and M. Clausen, Approximately matching polygonal curves with respect to the Fréchet distance
- Mount, D.M., see Kanungo, T.
- Mourrain, B., J.-P. Técourt and M. Teillaud, On the computation of an arrangement of quadrics in 3D
- Mourrain, B., see Devillers, O.
- Mukhopadhyay, A., see Bhattacharya, B.K.
- Müller-Hannemann, M., Quadrilateral surface meshes without self-intersecting dual cycles for hexahedral mesh generation
- Munro, J.I., see Bose, P.
- Na, H.-S., C.-N. Lee and O. Cheong, Voronoi diagrams on the sphere
- Na, H.-S., see Cheong, O.
- Na, H.-S., see Golin, M.J.
- Nakamura, G., see Akiyama, J.
- Nakamura, M., see Kashiwabara, K.
- Nakano, S., see Rahman, M.S.
- Nakano, S.-i., Efficient generation of triconnected plane triangulations
- Nandy, S.C. and B.B. Bhattacharya, On finding an empty staircase polygon of largest area (width) in a planar point-set
- Nandy, S.C., see Asano, T.
- Nandy, S.C., see Goswami, P.P.
- Narasimhan, G., see Bhattacharya, B.K.
- Narasimhan, G., see Bose, P.
- Nave, D., N. Chrisochoides and L.P. Chew, Guaranteed-quality parallel Delaunay refinement for restricted polyhedral domains
- Netanyahu, N.S., see Kanungo, T.
- Nguyen, A., see Agarwal, P.
- Nielsen, B.K., see Brazil, M.
- Nir, Y., see Ben-Moshe, B.
- Nir, Y., see Katz, M.J.
- Nishizeki, T., see Rahman, M.S.
- Noy, M., see Aichholzer, O.
- Nozaki, A., see Akiyama, J.
- Okamoto, Y., see Kashiwabara, K.
- O'Rourke, J., On the development of the intersection of a plane with a polytope
- O'Rourke, J. and G. Tewari, The structure of optimal partitions of orthogonal polygons into fat rectangles
- O'Rourke, J., see Demaine, E.D.
- O'Rourke, J., see Demaine, E.D.
- Overmars, M., see de Berg, M.
- Overmars, M., see de Berg, M.
- Overmars, M., see Soss, M.
- Overmars, M.H., see Agarwal, P.K.
- Overmars, M.H., see Berretty, R.-P.
- Overmars, M.H., see de Berg, M.
- 25 (2003) 21– 34
 28 (2004) 11– 18
 27 (2004) 43– 62
 25 (2003) 21– 34
 23 (2002) 337–352
 30 (2005) 113–127
 28 (2004) 89–112
 30 (2005) 145–164
 22 (2002) 119–142
 23 (2002) 1– 29
 22 (2002) 75– 97
 23 (2002) 313–335
 23 (2002) 183–194
 30 (2005) 253–270
 25 (2003) 197–231
 24 (2003) 27– 39
 30 (2005) 129–144
 21 (2002) 121–138
 27 (2004) 109–122
 26 (2003) 143–171
 23 (2002) 257–269
 29 (2004) 163–175
 23 (2002) 1– 29
 29 (2004) 233–249
 28 (2004) 191–215
 28 (2004) 89–112
 28 (2004) 137–163
 29 (2004) 251–263
 28 (2004) 175–190
 30 (2005) 197–205
 21 (2002) 121–138
 29 (2004) 135–145
 24 (2003) 27– 39
 30 (2005) 129–144
 24 (2003) 3– 10
 28 (2004) 49– 71
 26 (2003) 21– 36
 26 (2003) 37– 45
 24 (2003) 179–195
 26 (2003) 99–117
 26 (2003) 235–246
 23 (2002) 195–207
 21 (2002) 21– 38
 23 (2002) 53– 68

- Ozawa, K., see Akiyama, J. 24 (2003) 27– 39
- Packer, E., see Halperin, D. 23 (2002) 209–225
- Park, S.-M., see Gudmundsson, J. 27 (2004) 87–106
- Penna, P. and P. Vocca, Proximity drawings in polynomial area and volume 29 (2004) 91–116
- Pfetsch, M.E., see Kaibel, V. 23 (2002) 281–290
- Piatko, C.D., see Kanungo, T. 28 (2004) 89–112
- Pinciu, V., see Michael, T.S. 26 (2003) 247–258
- Pion, S., see Boissonnat, J.-D. 22 (2002) 5– 19
- Pocchiola, M., see Colin de Verdière, É. 26 (2003) 81– 97
- Pollack, R., see Aronov, B. 21 (2002) 177–183
- Poon, S.-H., see Cheng, S.-W. 27 (2004) 135–150
- Procopiuc, C.M., see Agarwal, P.K. 26 (2003) 119–128
- Radoičić, R. and G. Tóth, Monotone paths in line arrangements 24 (2003) 129–134
- Radoičić, R., see Ismailescu, D. 27 (2004) 257–267
- Rahman, M.S., S. Nakano and T. Nishizeki, Rectangular drawings of plane graphs without designated corners 21 (2002) 121–138
- Rappaport, D., The visibility graph of congruent discs is Hamiltonian 25 (2003) 257–265
- Rapoport, A., see Etzion, M. 21 (2002) 87–120
- Reisner, S., see Lopez, M.A. 23 (2002) 291–301
- Rimon, E., see Gabriely, Y. 24 (2003) 197–224
- Rossignac, J., see Kettner, L. 25 (2003) 97–116
- Rote, G., see Chiang, Y.-J. 30 (2005) 165–195
- Russel, D., see Agarwal, P. 28 (2004) 137–163
- Sacristán, V., see Aichholzer, O. 25 (2003) 139–159
- Sacristán, V., see Hurtado, F. 27 (2004) 13– 26
- Sakai, T., see Akiyama, J. 24 (2003) 27– 39
- Schiffenbauer, R., see Aronov, B. 27 (2004) 179–192
- Schwerdt, J., see Ilinkin, I. 23 (2002) 117–151
- Seara, C., see Devillers, O. 26 (2003) 193–208
- Sethia, S., see Arkin, E.M. 29 (2004) 23– 46
- Sharir, M. and H. Shaul, Ray shooting and stone throwing with near-linear storage 30 (2005) 239–252
- Sharir, M., see Agarwal, P.K. 23 (2002) 195–207
- Sharir, M., see Aronov, B. 27 (2004) 179–192
- Sharir, M., see Ezra, E. 27 (2004) 63– 85
- Shaul, H., see Sharir, M. 30 (2005) 239–252
- Shewchuk, J.R., Delaunay refinement algorithms for triangular mesh generation 22 (2002) 21– 74
- Shin, C.-S., see Ahn, H.-K. 25 (2003) 161–170
- Shin, C.-S., see Gudmundsson, J. 27 (2004) 87–106
- Silverman, R., see Kanungo, T. 28 (2004) 89–112
- Skiena, S.S., see Arkin, E.M. 29 (2004) 23– 46
- Smid, M., see Bose, P. 29 (2004) 233–249
- Smid, M., see Ilinkin, I. 23 (2002) 117–151
- Snoeyink, J., see Bern, M. 24 (2003) 51– 62
- Snoeyink, J., see Carr, H. 24 (2003) 75– 94
- Snoeyink, J., see Demaine, E.D. 26 (2003) 37– 45
- Snoeyink, J., see Kettner, L. 25 (2003) 3– 12
- Snoeyink, J., see Kettner, L. 25 (2003) 97–116
- Soss, M., J. Erickson and M. Overmars, Preprocessing chains for fast dihedral rotations is hard or even impossible 26 (2003) 235–246

- Soss, M., see Aichholzer, O. 25 (2003) 139–159
 Soss, M., see Aloupis, G. 26 (2003) 69– 79
 Speckmann, B., see Aichholzer, O. 28 (2004) 3– 10
 Speckmann, B., see Kettner, L. 25 (2003) 3– 12
 Sriram, R., see Ilinkin, I. 23 (2002) 117–151
 Stephenson, K., see Collins, C.R. 25 (2003) 233–256
 Streinu, I., Editorial 29 (2004) 1
 Sugihara, K., see Hiyoshi, H. 22 (2002) 167–183
 Sullivan, J.M., see Eppstein, D. 27 (2004) 237–255
 Suri, S., see Zhou, Y. 26 (2003) 3– 20
- Takeuchi, F., see Kettner, L. 25 (2003) 3– 12
 Tamassia, R., see Chan, T.M. 23 (2002) 153–162
 Tavares, G., see Lewiner, T. 26 (2003) 221–233
 Técourt, J.-P., see Mourrain, B. 30 (2005) 145–164
 Teillaud, M., see Boissonnat, J.-D. 22 (2002) 5– 19
 Teillaud, M., see Devillers, O. 22 (2002) 119–142
 Teillaud, M., see Mourrain, B. 30 (2005) 145–164
 Tewari, G., see O'Rourke, J. 28 (2004) 49– 71
 Thibert, B., see Morvan, J.M. 23 (2002) 337–352
 Tokuyama, T., Efficient algorithms for the minimum diameter bridge problem 24 (2003) 11– 18
 Torrisi, F.D., see Bemporad, A. 27 (2004) 151–178
 Tóth, Cs.D., Art galleries with guards of uniform range of vision 21 (2002) 185–192
 Tóth, Cs.D., Illumination in the presence of opaque line segments in the plane 21 (2002) 193–204
 Tóth, Cs.D., Guarding disjoint triangles and claws in the plane 25 (2003) 51– 65
 Tóth, Cs.D., see Hoffmann, M. 26 (2003) 47– 68
 Tóth, G., see Radoičić, R. 24 (2003) 129–134
 Toussaint, G., see Aloupis, G. 26 (2003) 69– 79
 Toussaint, G., see Marlin, B. 28 (2004) 41– 47
- Üngör, A., see Eppstein, D. 27 (2004) 237–255
- Vahrenhold, J., see Agarwal, P.K. 23 (2002) 195–207
 Vahrenhold, J., see Arge, L. 29 (2004) 147–162
 Valenzuela, J., see Cortés, C. 27 (2004) 27– 41
 van der Stappen, A.F., see Berretty, R.-P. 21 (2002) 21– 38
 van der Stappen, A.F., see de Berg, M. 23 (2002) 53– 68
 van der Stappen, A.F., see de Berg, M. 26 (2003) 99–117
 van Kreveld, M., see Bose, P. 25 (2003) 21– 34
 van Kreveld, M., see Cabello, S. 30 (2005) 223–238
 van Kreveld, M., see Gudmundsson, J. 23 (2002) 85– 98
 van Kreveld, M., see Gudmundsson, J. 30 (2005) 271–277
 van Oostrum, R. and R.C. Veltkamp, Parametric search made practical 28 (2004) 75– 88
 van Oostrum, R., see Ahn, H.-K. 26 (2003) 129–141
 Varadarajan, K.R., see Agarwal, P.K. 26 (2003) 119–128
 Vaxès, Y., see Chepoi, V. 27 (2004) 193–210
 Vegter, G., see Colin de Verdière, É. 26 (2003) 81– 97
 Veltkamp, R.C., see van Oostrum, R. 28 (2004) 75– 88
 Venkatasubramanian, S., see Indyk, P. 24 (2003) 115–128
 Vetterli, M., see Balmelli, L. 25 (2003) 171–196
 Vigneron, A., see Boissonnat, J.-D. 21 (2002) 167–175
 Vivien, F. and N. Wicker, Minimal enclosing parallelepiped in 3D 29 (2004) 177–190

Vleugels, J., see de Berg, M.	23 (2002) 53– 68
Vleugels, J., see de Berg, M.	26 (2003) 99–117
Vocca, P., see Penna, P.	29 (2004) 91–116
Wagner, D., see Brandes, U.	29 (2004) 117–133
Wicker, N., see Vivien, F.	29 (2004) 177–190
Winter, P., Optimal Steiner hull algorithm	23 (2002) 163–169
Winter, P., see Brazil, M.	29 (2004) 251–263
Wismath, S., see Everett, H.	28 (2004) – 1
Wismath, S.K., see Di Giacomo, E.	30 (2005) 1– 23
Wismath, S.K., see Jackson, L.	23 (2002) 69– 83
Wolff, A., see Asano, T.	30 (2005) 59– 77
Wolff, A., see Gudmundsson, J.	27 (2004) 87–106
Wood, D.R., Grid drawings of k -colourable graphs	30 (2005) 25– 28
Wu, A.Y., see Kanungo, T.	28 (2004) 89–112
Xu, J., see Chen, D.Z.	21 (2002) 155–165
Xu, J., see Huang, Y.	29 (2004) 47– 60
Yvinec, M., see Boissonnat, J.-D.	22 (2002) 5– 19
Yvinec, M., see Cohen-Steiner, D.	28 (2004) 217–233
Zachariasen, M., see Brazil, M.	29 (2004) 251–263
Zeh, N., see Bose, P.	29 (2004) 233–249
Zhang, H. and X. He, Improved visibility representation of plane graphs	30 (2005) 29– 39
Zhang, L., see Agarwal, P.	28 (2004) 137–163
Zhang, L., see Basch, J.	27 (2004) 211–235
Zhou, Y. and S. Suri, Geometric permutations of balls with bounded size disparity	26 (2003) 3– 20