



## Corrigendum to “Combination therapy with interferon and JAK1-2 inhibitor is feasible. Proof of concept with rapid reduction in JAK2V617F-allele burden in Polycythemia Vera” [Leuk. Res. Rep. 3 (2) (2014) 73–75]

M.E. Bjørn <sup>a,\*</sup>, K. de Stricker <sup>b</sup>, L. Kjær <sup>a</sup>, K. Ellemann <sup>c</sup>, H.C. Hasselbalch <sup>a</sup>

<sup>a</sup> Department of Hematology, Roskilde University Hospital, Køgevej 7-13, 4000 Roskilde, Denmark

<sup>b</sup> Department of Pathology, Odense University Hospital, Sdr. Boulevard 29, 5000 Odense, Denmark

<sup>c</sup> Department of Neurology, Roskilde University Hospital, Køgevej 7-13, 4000 Roskilde, Denmark



We have erroneously used the untransformed values for hemoglobin in the article (Fig. 1). The figure states that the values are g/dL, but the values are mmol/L. The hemoglobin values should therefore be multiplied by a transformation factor of 1,61. Please see the new figure with transformed values.

The authors would like to apologise for any inconvenience.




Fig. 1. .

DOI of original article: <http://dx.doi.org/10.1016/j.lrr.2014.05.003>

\* Correspondence to: Roskilde Hospital, Department of Hematology, Køgevej 7-13, 4000 Roskilde, Denmark. Tel.: +45 22 81 54 16 (private), +45 35 45 75 14 (work).  
E-mail address: [meb@cdk.dk](mailto:meb@cdk.dk) (M.E. Bjørn).