

Subject Index: Volume 46

A_{2A} agonists

- Initial clinical experience with regadenoson, a novel selective A_{2A} agonist for pharmacologic stress SPECT myocardial perfusion imaging, 2069

ABCA1 mutations

- Mutation in ABCA1 predicted risk of ischemic heart disease in the Copenhagen City Heart Study population, 1516

Ablation

- See also* Catheter ablation; Radiofrequency ablation
- Acute pyloric spasm and gastric hypomotility, 327
- Atrial tachycardia arising from the coronary sinus musculature, 1921
- Catheter ablation after mitral replacement (letter), 739
- Catheter ablation of atypical atrial flutter and atrial tachycardia within the coronary sinus after left atrial ablation for atrial fibrillation, 83
- Efficacy and safety of circumferential pulmonary vein isolation using a novel cryothermal balloon ablation system, 1902
- Malignant entity of idiopathic ventricular fibrillation and polymorphic ventricular tachycardia initiated by premature extrasystoles originating from the right ventricular outflow tract, 1288
- Movement of the esophagus during left atrial catheter ablation for atrial fibrillation, 2107
- Pulmonary vein isolation as an end point for left atrial circumferential ablation of atrial fibrillation, 1060
- Trigger activity more than three years after left atrial linear ablation without pulmonary vein isolation in patients with atrial fibrillation, 338

Absolute refractory period

- Electrical signals applied during the absolute refractory period: an investigational treatment for advanced heart failure in patients with normal QRS duration, 2229

Academic cardiovascular medicine

- Where am I going? The future of academic cardiovascular medicine, 1A

ACC

- ACC/AHA 2005 Guideline Update for the Diagnosis and Management of Chronic Heart Failure in the Adult, 1116
- ACC/AHA 2005 Heart Failure Clinical Data Standards, 1179
- ACCF Complementary Medicine Expert Consensus Document, 184
- ACCF/AHA Clinical Competence Statement on Cardiac CT and MR, 383
- Guideline-based standardized care is associated with substantially lower mortality in Medicare patients with acute myocardial infarction, 1242
- President's page: prevention's place in cardiology: what the future holds, 1777

ACC News

- Newly elected members of the college
- President's page: education: drudgery or excitement? You choose, 558
- President's page: i2 Summit 2006: one-stop shopping for interventionalists, 1371
- President's page: prevention's place in cardiology: what the future holds, 1777

- President's page: reframing debate in patient care image, 176

ACCF

- ACCF Complementary Medicine Expert Consensus Document, 184
- ACCF proposed method for evaluating the appropriateness of cardiovascular imaging, 1606
- ACCF/AHA Clinical Competence Statement on Cardiac CT and MR, 383
- ACCF/AHA/AAP Recommendations for Training in Pediatric Cardiology, 1378
- ACCF/ASNC appropriateness criteria for single-photon emission computed tomography myocardial perfusion imaging (SPECT MPI), 1587

Activation-recovery interval

- Global endocardial electrical restitution in human right and left ventricles determined by noncontact mapping, 1067

Acute aortic dissection

- Acute aortic dissection presenting with congestive heart failure: results from the International Registry of Acute Aortic Dissection (correspondence), 733

Acute coronary syndromes

- Cardiac magnetic resonance-directed intervention in non-ST-segment elevation acute coronary syndrome, 563
- Circulatory secretory phospholipase A₂ activity predicts recurrent events in patients with severe acute coronary syndromes, 1249
- C-reactive protein increase in unstable coronary disease, 1496
- Differences in the management and prognosis of women and men who suffer from acute coronary syndromes, 1845
- Early and late benefits of high-dose atorvastatin in patients with acute coronary syndromes, 1405
- Effects of clopidogrel on the rebound hypercoagulable state after heparin discontinuation in patients with acute coronary syndromes (correspondence), 1582
- Enhanced plasma levels of oxidized low-density lipoprotein increase circulating nuclear factor-kappa B activation in patients with unstable angina, 799
- Evolution in cardiovascular care for elderly patients with non-ST-segment elevation acute coronary syndromes, 1479
- Gender, race, and cardiac care (editorial), 1852
- Implications of blood transfusions for patients with non-ST-segment elevation acute coronary syndromes, 1490
- Influence of race on health status outcomes one year after an acute coronary syndrome, 1838
- Ischemic versus nonischemic chest pain in the emergency room (editorial), 928
- Potential relevance of the multiple lipid-independent (pleiotropic) effects of statins in the management of acute coronary syndromes, 1425
- Pregnancy-associated plasma protein-A and acute coronary syndromes: cause or consequence? (letter), 1583
- Relationship between uncontrolled risk factors and C-reactive protein levels in patients receiving standard or intensive statin therapy for acute

- coronary syndromes in the PROVE IT-TIMI 22 trial, 1417

- Troponin levels and acute coronary syndrome (letter), 741

- Year in non-ST-segment elevation acute coronary syndromes, 906

Acute decompensated heart failure

- Acute decompensated heart failure (editorial), 65
- In-hospital mortality in patients with acute decompensated heart failure requiring intravenous vasoactive medications, 57

Adenosine A_{2A} receptor agonists

- Impact of selective adenosine A_{2A} receptor agonists on cardiac imaging, 2076

Adipocytes

- Release of C-reactive protein in response to inflammatory cytokines by human adipocytes: linking obesity to vascular inflammation (correspondence), 1112

Adolescents

- Task Force 6: training in transition of adolescent care and care of the adult with congenital heart disease, 1399

Aerobic capacity

- Diabetes lowers aerobic capacity in heart failure (correspondence), 930

AFFIRM trial

- Cardiopulmonary exercise testing in the clinical and prognostic assessment of diastolic heart failure, 1883
- Does rhythm control improve functional status in patients with atrial fibrillation? (editorial), 1900

African Americans

- Gender, race, and cardiac care (editorial), 1852
- Influence of race on health status outcomes one year after an acute coronary syndrome, 1838
- Operative and late coronary artery bypass grafting outcomes in matched African-American versus Caucasian patients, 1526

Afterload

- Reduced systemic arterial compliance impacts significantly on left ventricular afterload and function in aortic stenosis, 291

Aggregometry

- Overestimation of platelet aspirin resistance detection by thrombelastograph platelet mapping and validation by conventional aggregometry using arachidonic acid stimulation, 1705

Aging

- See also* Elderly
- Age-associated aortic stenosis in apolipoprotein E-deficient mice, 134
- Normal vascular aging: differential effects on wave reflection and aortic pulse wave velocity, 1753

Aldosteronism

- Diuretics and bone loss in rats with aldosteronism, 142

Allens test

- Vascular communications of the hand in patients being considered from transradial coronary artery angiography—Is the Allens test accurate?, 2013

Ambrisentan

- Ambrisentan therapy for pulmonary arterial hypertension, 529

Ambulatory blood pressure*See also* Blood pressure

Aspirin administered at bedtime, but not on awakening, has an effect on ambulatory blood pressure in hypertensive patients, 975

Ambulatory blood pressure monitoring

Prognosis of "masked" hypertension and "white-coat" hypertension detected by 24-h ambulatory blood pressure monitoring, 508

AmyloidosisNoninvasive etiologic diagnosis of cardiac amyloidosis using ^{99m}Tc-3,3-diphosphono-1,2-propanodicarboxylic acid scintigraphy, 1076**Anatomy**

Coronary venous anatomy, 68

Angina pectoris

Blinded, randomized, placebo-controlled trial of percutaneous laser myocardial revascularization to improve angina symptoms in patients with severe coronary disease, 1812

Efficacy and safety of fasudil in patients with stable angina, 1803

Enhanced plasma levels of oxidized low-density lipoprotein increase circulating nuclear factor-kappa B activation in patients with unstable angina, 799

Risk stratification of patients with classic angina pectoris and no history of coronary artery disease by dobutamine stress echocardiography (correspondence), 730

Angiogenesis

Angiogenesis, arteriogenesis, and diabetes (editorial), 835

Angiography

Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique, 613

Diagnostic accuracy of noninvasive coronary angiography using 64-slice spiral computed tomography, 552

Improving the quality of coronary bypass surgery with intraoperative angiography, 1521

Physiologic assessment of jailed side branch lesions using fractional flow reserve, 633

Quantification of obstructive and nonobstructive coronary lesions by 64-slice computed tomography, 147

Angioplasty

Combined Angioplasty and Pharmacological Intervention Versus Thrombolysis Alone in Acute Myocardial Infarction (CAPITAL AMI Study), 417

Duration of ischemia is a major determinant of transmural and severe microvascular obstruction after primary angioplasty, 1229

Long-term results (three to five years) of the Restenosis Instant: Balloon Angioplasty Versus Elective Stenting (RIBS) randomized study, 756

Angiotensin II receptor

Black pearl in the LIFE study: angiotensin-II receptor blockade on atrial fibrillation for future personalized medicine (letter), 1585

Angiotensin receptor blockers

Angiotensin-converting enzyme inhibitors or angiotensin receptor blockers for prevention of type 2 diabetes, 821

Angiotensin-converting enzyme inhibitors

Angiotensin-converting enzyme inhibitors or angiotensin receptor blockers for prevention of type 2 diabetes, 821

Beta-blocker treatment before angiotensin-converting enzyme inhibitor therapy in newly diagnosed heart failure (letter), 182

Cardiac medical therapy following coronary artery bypass graft surgery (letter), 934

Cardiac medical therapy post-coronary bypass grafting (letter), 933

Impact of carvedilol before angiotensin-converting enzyme inhibitor therapy on cardiac function (letter), 181

Animal models

Age-associated aortic stenosis in apolipoprotein E-deficient mice, 134

Aspirin, but not clopidogrel, reduces collateral conductance in a rabbit model of femoral artery occlusion, 994

Direct-access valve replacement, 366

Diuretics and bone loss in rats with aldosteronism, 142

Erythropoietin induces neovascularization and improves cardiac function in rats with heart failure after myocardial infarction, 125

Functional and morphologic imaging of coronary atherosclerosis in living mice using high-resolution color Doppler echocardiography and ultrasound biomicroscopy, 720

Human adult bone marrow mesenchymal stem cells repair experimental conduction block in rat cardiomyocyte cultures, 1943

Hypoxia inducible factor 1- α reduces infarction and attenuates progression of cardiac dysfunction after myocardial infarction in the mouse, 2116

Thickening of the infarcted wall by collagen injection improves left ventricular function in rats, 714

Ankle-brachial index

Subclinical peripheral arterial disease and incompressible ankle arteries are both long-term prognostic factors in patients undergoing coronary artery bypass grafting, 815

Anticoagulation

Hospitalized patients with atrial fibrillation and a high risk of stroke are not being provided with adequate anticoagulation, 1729

Antihypertensive drugs

Aspirin: a novel antihypertensive drug? (editorial), 984

Antiplatelet therapy

Long-term cost effectiveness of early and sustained dual oral antiplatelet therapy with clopidogrel given for up to one year after percutaneous coronary intervention, 761

Secondary stroke prevention with antiplatelet therapy with emphasis on the cardiac patient, 752

Triple versus dual antiplatelet therapy after coronary stenting, 1833

Aortic arch obstruction

Long-term results after primary one-stage repair of transposition of the great arteries and aortic arch obstruction, 1331

Aortic dissection

Acute aortic dissection presenting with congestive heart failure: results from the International Registry of Acute Aortic Dissection (correspondence), 733

Aortic stenosis

Age-associated aortic stenosis in apolipoprotein E-deficient mice, 134

Reduced systemic arterial compliance impacts significantly on left ventricular afterload and function in aortic stenosis, 291

Severe calcific aortic stenosis (editorial), 299

Aortic valve replacement

Direct-access valve replacement, 366

Apical ballooning

Cardiac autonomic activity in patients with transient left ventricular apical ballooning (correspondence), 1959

Apolipoprotein E

Age-associated aortic stenosis in apolipoprotein E-deficient mice, 134

Apoptosis

Downregulated expression of plasminogen activator inhibitor-1 augments myocardial neovascularization and reduces cardiomyocyte apoptosis after acute myocardial infarction, 536

Appropriateness Criteria

Appropriateness criteria: breaking new ground, 2143

Arachidonic acid

Overestimation of platelet aspirin resistance detection by thrombelastograph platelet mapping and validation by conventional aggregometry using arachidonic acid stimulation, 1705

Arg389Gly α -adrenoceptor polymorphismArg389Gly α -adrenoceptor polymorphism and catecholamine effects on plasma-renin-activity, 2111**Arginine vasopressin**

Vasopressin antagonism in heart failure, 1785

Arrhythmias*See also specific arrhythmia*

Association of myocardial ischemia with mortality and implanted cardioverter-defibrillator therapy in patients with coronary artery disease at risk of arrhythmic death, 1721

Impact of upgrade to cardiac resynchronization therapy on ventricular arrhythmia frequency in patients with implantable cardioverter defibrillators, 2258

Arrhythmogenic right ventricular cardiomyopathy

Echocardiographic findings in patients with arrhythmogenic/right ventricular cardiomyopathy/dysplasia (letter), 1962

Arterial embolism

Monitored atrial fibrillation duration predicts arterial embolic events in patients suffering from bradycardia and atrial fibrillation implanted with antitachycardia pacemakers, 1913

Arterial switch operation

Abnormal vasomotor function of the epicardial coronary arteries in children five to eight years after arterial switch operation, 1565

Long-term results after primary one-stage repair of transposition of the great arteries and aortic arch obstruction, 1331

Arteriogenesis

Angiogenesis, arteriogenesis, and diabetes (editorial), 835

Aspirin, but not clopidogrel, reduces collateral conductance in a rabbit model of femoral artery occlusion, 994

Arteriosclerosis

Effects of fluvastatin on the carotid arterial media as assessed by integrated backscatter ultrasound as compared to pulse wave velocity, 2031

Aspirin

Aspirin: a novel antihypertensive drug? (editorial), 984

Aspirin, but not clopidogrel, reduces collateral conductance in a rabbit model of femoral artery occlusion, 994

- Aspirin administered at bedtime, but not on awakening, has an effect on ambulatory blood pressure in hypertensive patients, 975
- Aspirin resistance and atherothrombotic disease, 986
- Aspirin use in chronic heart failure, 963
- Aspirin use in older patients with heart failure and coronary artery disease, 955
- Effect of losartan versus atenolol on cardiovascular morbidity and mortality in patients with hypertension taking aspirin, 770
- Platelet response to low-dose enteric-coated aspirin in patients with stable cardiovascular disease, 1258
- Prior aspirin use and outcomes in elderly patients hospitalized with acute myocardial infarction, 967
- Secondary stroke prevention with antiplatelet therapy with emphasis on the cardiac patient, 752
- Triple versus dual antiplatelet therapy after coronary stenting, 1833
- Aspirin resistance**
- On defining aspirin resistance (editorial), 1710
- Overestimation of platelet aspirin resistance detection by thrombelastograph platelet mapping and validation by conventional aggregometry using arachidonic acid stimulation, 1705
- Asymmetric dimethylarginine**
- ADMARING endothelial progenitor cells (editorial), 1702
- Asymmetric dimethylarginine, L-arginine, and endothelial dysfunction in essential hypertension, 518
- Suppression of endothelial progenitor cells in human coronary artery disease by the endogenous nitric oxide synthase inhibitor asymmetric dimethylarginine, 1693
- Atenolol**
- Effect of losartan versus atenolol on cardiovascular morbidity and mortality in patients with hypertension taking aspirin, 770
- Atheroma**
- Stabilization of carotid atheroma assessed by quantitative ultrasound analysis in non-hypercholesterolemic patients with coronary artery disease, 2022
- In vivo intravascular ultrasound-derived thin-cap fibroatheroma detection using ultrasound radio frequency data analysis, 2038
- Atherosclerosis**
- Effects of aggressive versus conventional lipid-lowering therapy by simvastatin on human atherosclerotic lesions, 106
- Evolving concepts of dyslipidemia, atherosclerosis, and cardiovascular disease, 1219
- Functional and morphologic imaging of coronary atherosclerosis in living mice using high-resolution color Doppler echocardiography and ultrasound biomicroscopy, 720
- High-density lipoprotein function, 1792
- Increased subclinical atherosclerosis in young adults with metabolic syndrome, 457
- Pleiotropic effects of statins: benefit beyond cholesterol reduction?, 1855
- Quantification of obstructive and nonobstructive coronary lesions by 64-slice computed tomography, 147
- Relationship between blood pressure and C-reactive protein in the Multi-Ethnic Study of Atherosclerosis (MESA), 1869
- Subclinical coronary artery atherosclerosis in patients with erectile dysfunction, 1503
- Atherosclerotic cardiovascular disease events**
- Changing face of cardiovascular risk (editorial), 173
- Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events, 158
- Atherosclerotic plaque**
- Atherothrombosis and high-risk plaque, 937, 1209
- Detection of high-risk young adults and women by coronary calcium and National Cholesterol Education Program Panel III guidelines, 1931
- Local release of C-reactive protein from vulnerable plaque or coronary arterial wall injured by stenting, 237
- Longitudinal structural determinants of atherosclerotic plaque vulnerability, 1507
- Site of plaque rupture in native coronary arteries, 261
- Atherothrombosis**
- Aspirin resistance and atherothrombotic disease, 986
- Atherothrombosis and high-risk plaque, 937, 1209
- Athletes**
- Evidence for decreasing occurrence of sudden cardiac death associated with the marathon (correspondence), 1373
- Prevalence and clinical significance of left atrial remodeling in competitive athletes, 690
- Walking and sports participation and mortality from coronary heart disease and stroke, 1761
- Atorvastatin**
- Early and late benefits of high-dose atorvastatin in patients with acute coronary syndromes, 1405
- Treatment of asymptomatic adults with elevated coronary calcium scores with atorvastatin, vitamin C, and vitamin E, 166
- Atrial fibrillation**
- Acute pyloric spasm and gastric hypomotility, 327
- Black pearl in the LIFE study: angiotensin-II receptor blockade on atrial fibrillation for future personalized medicine (letter), 1585
- Catheter ablation of atypical atrial flutter and atrial tachycardia within the coronary sinus after left atrial ablation for atrial fibrillation, 83
- Does rhythm control improve functional status in patients with atrial fibrillation? (editorial), 1900
- Functional status in rate- versus rhythm-control strategies for atrial fibrillation, 1891
- Gender-related differences in atrial fibrillation (editorial), 1307
- Gender-related differences in rhythm control treatment in persistent atrial fibrillation, 1298
- High sensitivity C-reactive protein, 1284
- Hospitalized patients with atrial fibrillation and a high risk of stroke are not being provided with adequate anticoagulation, 1729
- Impact of atrial fibrillation on the diagnostic performance of B-type natriuretic peptide concentration in dyspneic patients, 838
- Monitored atrial fibrillation duration predicts arterial embolic events in patients suffering from bradycardia and atrial fibrillation implanted with antitachycardia pacemakers, 1913
- Movement of the esophagus during left atrial catheter ablation for atrial fibrillation, 2107
- Percutaneous left atrial appendage transcatheter occlusion (PLAATO system) to prevent stroke in high-risk patients with rheumatic atrial fibrillation, 9
- Predictors of non-pulmonary vein ectopic beats initiating paroxysmal atrial fibrillation, 1054
- Pulmonary vein isolation as an end point for left atrial circumferential ablation of atrial fibrillation, 1060
- Separating atrial flutter from atrial fibrillation with apparent ECG organization using dominant and narrow F-wave spectra, 2079
- Single-step atrial thrombus exclusion and internal cardioversion of atrial fibrillation via a transesophageal echocardiography probe, 560
- Trigger activity more than three years after left atrial linear ablation without pulmonary vein isolation in patients with atrial fibrillation, 338
- Atrial flutter**
- Catheter ablation of atypical atrial flutter and atrial tachycardia within the coronary sinus after left atrial ablation for atrial fibrillation, 83
- New electrocardiographic algorithm to differentiate upper loop re-entry from reverse typical atrial flutter, 524
- Separating atrial flutter from atrial fibrillation with apparent ECG organization using dominant and narrow F-wave spectra, 2079
- Atrial premature complexes**
- Physiological mechanisms of atrially induced heart rate turbulence (letter), 1113
- Atrial septal aneurysm**
- Patent foramen ovale: current pathology, pathophysiology, and clinical status, 1768
- Atrial septal defects**
- Adult with congenital heart disease, 1
- Patent foramen ovale/atrial septal defect closure and migraine: searching the rationale for the procedure (letter), 737
- Atrial tachycardia**
- Atrial tachycardia arising from the coronary sinus musculature, 1921
- Catheter ablation of atypical atrial flutter and atrial tachycardia within the coronary sinus after left atrial ablation for atrial fibrillation, 83
- Characterization of focal atrial tachycardia using high-density mapping, 2088
- Atrial thrombus**
- Single-step atrial thrombus exclusion and internal cardioversion of atrial fibrillation via a transesophageal echocardiography probe, 560
- Atrioventricular implanted cardioverter-defibrillators**
- Cost advantage of dual-chamber versus single-chamber cardioverter-defibrillator implantation, 850
- Atrioventricular valve**
- Steps toward the percutaneous replacement of atrioventricular valves, 360
- Augmentation index**
- Normal vascular aging: differential effects on wave reflection and aortic pulse wave velocity, 1753
- Balloon ablation**
- Efficacy and safety of circumferential pulmonary vein isolation using a novel cryothermal balloon ablation system, 1902
- Balloon angioplasty**
- Evaluation of the safety and effectiveness of renal artery stenting after unsuccessful balloon angioplasty, 776
- Long-term results (three to five years) of the Restenosis In-stent: Balloon Angioplasty Versus Elective Stenting (RIBS) randomized study, 756
- Baroreflex sensitivity**
- Applicability and clinical relevance of the transfer function method in the assessment of baroreflex sensitivity in heart failure patients, 1314

- Inhibition of cortisol production with metyrapone prevents mental stress-induced endothelial dysfunction and baroreflex impairment, 344
- Beta₃-adrenoceptors**
Characterization of beta₃-adrenoceptors in human internal mammary artery and putative involvement in coronary artery bypass management, 351
- Beta-adrenergic stimulation**
Hyperdynamic myocardial response to beta-adrenergic stimulation in patients with chest pain and normal coronary arteries, 1270
- Beta-blockers**
Beta-blocker treatment before angiotensin-converting enzyme inhibitor therapy in newly diagnosed heart failure (letter), 182
- Bi-atrial pacing**
Acute hemodynamic benefits of bi-atrial atrioventricular sequential pacing with the optimal atrioventricular delay, 320
- Bifurcation coronary lesions**
Bifurcation coronary lesions treated with the "crush" technique, 599
Bifurcation intervention (editorial), 621
Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique, 613
Nine-month outcome of patients treated by percutaneous coronary interventions for bifurcation lesions in the recent era, 606
- Bifurcation lesions**
Contemporary stent treatment of coronary bifurcations, 1446
- Biventricular pacing**
Cardiac resynchronization with sequential biventricular pacing for the treatment of moderate to severe heart failure, 2298
Hemodynamic effect of intrinsic conduction during left ventricular pacing as compared to biventricular pacing, 2305
Impact of conventional versus biventricular pacing on hemodynamics and tissue Doppler imaging indices of resynchronization in post-operative children with congenital heart disease, 2284
Potential proarrhythmic effects of biventricular pacing, 2340
- Blood pressure**
See also Ambulatory blood pressure
Home blood pressure measurement, 743
Relationship between blood pressure and C-reactive protein in the Multi-Ethnic Study of Atherosclerosis (MESA), 1869
- Blood transfusions**
Implications of blood transfusions for patients with non-ST-segment elevation acute coronary syndromes, 1490
- Bone loss**
Diuretics and bone loss in rats with aldosteronism, 142
- Bone marrow cell transplantation**
Bone marrow cell-mediated cardiac regeneration (editorial), 1659
Regeneration of human infarcted heart muscle by intracoronary autologous bone marrow cell transplantation in chronic coronary artery disease, 1651
- Bone marrow mesenchymal stem cells**
Human adult bone marrow mesenchymal stem cells repair experimental conduction block in rat cardiomyocyte cultures, 1943
- Bosentan**
Effects of long-term bosentan in children with pulmonary arterial hypertension, 697
- Brachial artery**
Endothelial vasomotor dysfunction in the brachial artery is associated with late in-stent coronary restenosis, 648
Prognostic value of brachial artery endothelial function and wall thickness, 1006
- Bradyarrhythmias**
High-risk for bradyarrhythmic complications in patients with Brugada syndrome caused by *SCN5A* gene mutations, 2100
- Bradycardia**
Monitored atrial fibrillation duration predicts arterial embolic events in patients suffering from bradycardia and atrial fibrillation implanted with antitachycardia pacemakers, 1913
- Brugada syndrome**
Developmental aspects of long QT syndrome type 3 and Brugada syndrome on the basis of a single *SCN5A* mutation in childhood, 331
High-risk for bradyarrhythmic complications in patients with Brugada syndrome caused by *SCN5A* gene mutations, 2100
- B-type natriuretic peptide**
Flow-mediated vasodilation predicts outcome in patients with chronic heart failure, 1011
Impact of atrial fibrillation on the diagnostic performance of B-type natriuretic peptide concentration in dyspneic patients, 838
- Calcific aortic stenosis**
Severe calcific aortic stenosis (editorial), 299
- Cardiac amyloidosis**
Noninvasive etiologic diagnosis of cardiac amyloidosis using ^{99m}Tc-3,3-diphosphono-1,2-propanodicarboxylic acid scintigraphy, 1076
- Cardiac arrest**
Coagulopathy after successful cardiopulmonary resuscitation following cardiac arrest, 21
High-volume hemofiltration after out-of-hospital cardiac arrest, 432
- Cardiac catheterization**
New anatomic score for prognosis after cardiac catheterization in patients with previous bypass surgery, 1684
Task Force 3: training guidelines for pediatric cardiac catheterization and interventional cardiology, 1388
- Cardiac dysfunction**
Hypoxia inducible factor 1- α reduces infarction and attenuates progression of cardiac dysfunction after myocardial infarction in the mouse, 2116
- Cardiac function**
Impact of carvedilol before angiotensin-converting enzyme inhibitor therapy on cardiac function (letter), 181
- Cardiac output**
Noninvasive measurement of cardiac output during exercise by inert gas rebreathing technique: a new tool for heart failure evaluation (correspondence), 1779
- Cardiac resynchronization therapy**
Cardiac resynchronization devices: FDA's regulatory considerations, 2325
Cardiac resynchronization therapy improves heart rate profile and heart rate variability of patients with moderate to severe heart failure, 1875
Cardiac resynchronization therapy PART 1—issues before device implantation, 2153
Cardiac resynchronization therapy PART 2—issues during and after device implantation and unresolved questions, 2168
- Cardiac resynchronization with sequential biventricular pacing for the treatment of moderate to severe heart failure, 2298
Coronary venous anatomy, 68
Cost-effectiveness of cardiac resynchronization therapy, 2322
Cost-effectiveness of cardiac resynchronization therapy in the Comparison of Medical Therapy, Pacing, and Defibrillation in Heart Failure (COMPANION) trial, 2311
Diastolic asynchrony is more frequent than systolic asynchrony in dilated cardiomyopathy and is less improved by cardiac resynchronization therapy, 2250
Electrical conduction disturbance effects on dynamic changes of functional mitral regurgitation, 2270
Electrical signals applied during the absolute refractory period: an investigational treatment for advanced heart failure in patients with normal QRS duration, 2229
Fluoroscopically guided implantation of modern cardiac resynchronization devices: radiation burden to the patient and associated risks, 2335
Follow-up of robotically-assisted left ventricular epicardial leads for cardiac resynchronization therapy, 2359
Impact of conventional versus biventricular pacing on hemodynamics and tissue Doppler imaging indices of resynchronization in post-operative children with congenital heart disease, 2284
Impact of upgrade to cardiac resynchronization therapy on ventricular arrhythmia frequency in patients with implantable cardioverter defibrillators, 2258
Improvements in left ventricular diastolic function after cardiac resynchronization therapy are coupled to response in systolic performance, 2244
Incremental benefit of rate-adaptive pacing on exercise performance during cardiac resynchronization therapy, 2292
Left ventricular dyssynchrony predicts right ventricular remodeling after cardiac resynchronization therapy, 2264
Management of heart failure after cardiac resynchronization therapy: integrating advanced heart failure treatment with optimal device function, 2193
Mode of death in advanced heart failure—the COMPANION trial, 2329
Potential proarrhythmic effects of biventricular pacing, 2340
Resynchronization in pediatrics: who needs it?, 2290
Resynchronization therapy in pediatric and congenital heart disease patients: an international multicenter study, 2277
Safety of transvenous cardiac resynchronization system implantation in patients with chronic heart failure: combined results of over two thousand patients from a multicenter study program, 2349
Septal to posterior wall motion delay fails to predict reverse remodeling or clinical improvement in patients undergoing cardiac resynchronization system, 2208
There is plenty of room for CRT devices without back-up defibrillator in the electrical treatment of heart failure, 2204
Why should we care about CARE-HF?, 2199
Year in cardiac imaging, 542

Cardiac surgery

- Improving the quality of coronary bypass surgery with intraoperative angiography, 1521
- Plasma tissue factor plus activated peripheral mononuclear cells activate factors VII and X in cardiac surgical wounds, 707

Cardiac sympathetic dysfunction

- Cardiac sympathetic dysfunction correlates with abnormal myocardial contractile reserve in dilated cardiomyopathy patients, 2061

Cardiac transplantation

- Cardiac transplant following failed Fontan or Glenn procedures (letter), 1374

Cardiogenic shock

- Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction, 266
- Improving quality of life after cardiogenic shock: do more revascularization! (editorial), 274

Cardiology

- President's page: prevention's place in cardiology: what the future holds, 1777

Cardiomyocytes

- Downregulated expression of plasminogen activator inhibitor-1 augments myocardial neovascularization and reduces cardiomyocyte apoptosis after acute myocardial infarction, 536
- Human adult bone marrow mesenchymal stem cells repair experimental conduction block in rat cardiomyocyte cultures, 1943

Cardiomyopathy

- See also* Hypertrophic cardiomyopathy; Ischemic cardiomyopathy
- Echocardiographic findings in patients with arrhythmogenic/right ventricular cardiomyopathy/dysplasia (letter), 1962
- Extent of perfusion-F18-fluorodeoxyglucose positron emission tomography mismatch determines mortality in medically treated patients with chronic ischemic left ventricular dysfunction, 1264
- Myocardial expression of Fas and recovery of left ventricular function in patients with recent-onset cardiomyopathy, 1036

Cardiopulmonary exercise testing

- Cardiopulmonary exercise testing in the clinical and prognostic assessment of diastolic heart failure, 1883

Cardiopulmonary resuscitation

- Coagulopathy after successful cardiopulmonary resuscitation following cardiac arrest, 21

Cardiovascular disease

- Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events, 158
- Evidence for decreasing occurrence of sudden cardiac death associated with the marathon (correspondence), 1373
- Evolving concepts of dyslipidemia, atherosclerosis, and cardiovascular disease, 1219
- Fish consumption among healthy adults is associated with decreased levels of inflammatory markers related to cardiovascular disease, 120
- Platelet response to low-dose enteric-coated aspirin in patients with stable cardiovascular disease, 1258
- Where am I going? The future of academic cardiovascular medicine, 1A

Cardiovascular events

- Metabolic syndrome and risk of cardiovascular events after myocardial infarction, 277

Cardiovascular imaging

- See also* Computed tomography; Magnetic resonance imaging; Positron emission tomography
- ACCF proposed method for evaluating the appropriateness of cardiovascular imaging, 1606

Cardiovascular investigators

- Symposium presentations, 5A
- Where am I going? The future of academic cardiovascular medicine, 1A

Cardiovascular magnetic resonance

- See also* Magnetic resonance imaging
- Cardiac magnetic resonance-directed intervention in non-ST-segment elevation acute coronary syndrome, 563
- Left ventricular non-compaction, 101
- Meeting highlights of the 8th Annual Scientific Sessions of the Society for Cardiovascular Magnetic Resonance, 411
- Usefulness of a comprehensive cardiovascular magnetic resonance imaging assessment for predicting recovery of left ventricular wall motion in the setting of myocardial stunning, 1747

Cardiovascular medicine

- New paradigms in cardiovascular medicine, 1965
- Prospects for personalized cardiovascular medicine, 1615

Cardioversion

- High sensitivity C-reactive protein, 1284
- Single-step atrial thrombus exclusion and internal cardioversion of atrial fibrillation via a transesophageal echocardiography probe, 560

CARE-HF

- Why should we care about CARE-HF?, 2199

Carotid arteries

- Effects of fluvastatin on the carotid arterial media as assessed by integrated backscatter ultrasound as compared to pulse wave velocity, 2031
- Slow-flow phenomenon during carotid artery intervention with embolic protection devices, 1466

Carotid artery stenting

- Effect of two different neuroprotection systems on microembolization during carotid artery stenting (letter), 382

Carotid atheroma

- Stabilization of carotid atheroma assessed by quantitative ultrasound analysis in non-hypercholesterolemic patients with coronary artery disease, 2022

Carotid intima-media thickness

- Increased subclinical atherosclerosis in young adults with metabolic syndrome, 457

Carvedilol

- Impact of carvedilol before angiotensin-converting enzyme inhibitor therapy on cardiac function (letter), 181

Catheter ablation

- Catheter ablation after mitral replacement (letter), 739
- Catheter ablation of atypical atrial flutter and atrial tachycardia within the coronary sinus after left atrial ablation for atrial fibrillation, 83
- Movement of the esophagus during left atrial catheter ablation for atrial fibrillation, 2107
- "The older the broader" (editorial), 675

Chagas' disease

- Myocardial delayed enhancement by magnetic resonance imaging in patients with Chagas' disease, 1553

Chest pain

- Hyperdynamic myocardial response to beta-adrenergic stimulation in patients with chest pain and normal coronary arteries, 1270

Ischemic versus nonischemic chest pain in the emergency room (editorial), 928

Myocardial contrast echocardiography versus Thrombolysis in Myocardial Infarction score in patients presenting to the emergency department with chest pain and a nondiagnostic electrocardiogram, 920

New risk score for patients with acute chest pain, non-ST-segment deviation, and normal troponin concentrations, 443

Patients with prolonged ischemic chest pain and presumed-new left bundle branch block have heterogeneous outcomes depending on the presence of ST-segment changes, 29

Children

See also Pediatric cardiology

Abnormal vasomotor function of the epicardial coronary arteries in children five to eight years after arterial switch operation, 1565

ACCF/AHA/AAP Recommendations for Training in Pediatric Cardiology, 1378

Development of a safe and effective pediatric dosing regimen for sotalol based on population pharmacokinetics and pharmacodynamics in children with supraventricular tachycardia, 1322

Developmental aspects of long QT syndrome type 3 and Brugada syndrome on the basis of a single *SCN5A* mutation in childhood, 331

Effects of long-term bosentan in children with pulmonary arterial hypertension, 697

Impact of conventional versus biventricular pacing on hemodynamics and tissue Doppler imaging indices of resynchronization in post-operative children with congenital heart disease, 2284

Improving the outcome of childhood pulmonary arterial hypertension (editorial), 705

Resynchronization in pediatrics: who needs it?, 2290

Resynchronization therapy in pediatric and congenital heart disease patients: an international multicenter study, 2277

Task Force 1: general experiences and training, 1382

Task Force 2: pediatric training guidelines for noninvasive cardiac imaging, 1384

Task Force 3: training guidelines for pediatric cardiac catheterization and interventional cardiology, 1388

Task Force 4: recommendations for training guidelines in pediatric cardiac electrophysiology, 1391

Task Force 5: requirements for pediatric cardiac critical care, 1396

Task Force 7: training guidelines for research in pediatric cardiology, 1401

Training guidelines for pediatric cardiology fellowship programs, 1380

Chimerism

Peritransplant ischemic injury is associated with up-regulation of stromal cell-derived factor-1, 1029

Cholesterol

Detection of high-risk young adults and women by coronary calcium and National Cholesterol Education Program Panel III guidelines, 1931

Chronic heart failure

ACC/AHA 2005 Guideline Update for the Diagnosis and Management of Chronic Heart Failure in the Adult, 1116

Aspirin use in chronic heart failure, 963

Flow-mediated vasodilation predicts outcome in patients with chronic heart failure, 1011

- Impaired insulin sensitivity as an independent risk factor for mortality in patients with stable chronic heart failure, 1019
- Clinical trials**
- Five-year outcomes after coronary stenting versus bypass surgery for the treatment of multivessel disease, 575
 - Percutaneous left atrial appendage transcatheter occlusion (PLAATO system) to prevent stroke in high-risk patients with rheumatic atrial fibrillation, 9
 - Relationship of serum digoxin concentration to mortality and morbidity in women in the Digitalis Interventional Group Trial, 497
- Clopidogrel**
- Aspirin, but not clopidogrel, reduces collateral conductance in a rabbit model of femoral artery occlusion, 994
 - Clopidogrel (editorial), 646
 - Clopidogrel effect on platelet reactivity in patients with stent thrombosis, 1827
 - Economic effects of extended clopidogrel therapy—a word of caution (letter), 1376
 - Effects of clopidogrel on the rebound hypercoagulable state after heparin discontinuation in patients with acute coronary syndromes (correspondence), 1582
 - Long-term cost effectiveness of early and sustained dual oral antiplatelet therapy with clopidogrel given for up to one year after percutaneous coronary intervention, 761
 - Matching the evaluation of the clinical efficacy of clopidogrel to platelet function tests relevant to the biological properties of the drug, 638
 - Triple versus dual antiplatelet therapy after coronary stenting, 1833
- Coagulopathy**
- Coagulopathy after successful cardiopulmonary resuscitation following cardiac arrest, 21
 - Randomized trial comparing 1 mg of oral vitamin K with no treatment in the management of warfarin-associated coagulopathy in patients with mechanical heart valves (correspondence)
- Coarctation of the aorta**
- Adult with congenital heart disease, 1
 - Doppler echocardiographic profile and indexes in the evaluation of aortic coarctation in patients before and after stenting, 1045
- Cocoa**
- Acute consumption of flavanol-rich cocoa and the reversal of endothelial dysfunction in smokers, 1276
- Collagen**
- Thickening of the infarcted wall by collagen injection improves left ventricular function in rats, 714
- Collateral growth**
- Safety and efficacy of subcutaneous-only granulocyte-macrophage colony-stimulating factor for collateral growth promotion in patients with coronary artery disease, 1636
- Color Doppler echocardiography**
- Functional and morphologic imaging of coronary atherosclerosis in living mice using high-resolution color Doppler echocardiography and ultrasound biomicroscopy, 720
- COMPANION trial**
- Cost-effectiveness of cardiac resynchronization therapy in the Comparison of Medical Therapy, Pacing, and Defibrillation in Heart Failure (COMPANION) trial, 2311
- Computed tomography**
- ACCF/AHA Clinical Competence Statement on Cardiac CT and MR, 383
 - ACCF/ASNC appropriateness criteria for single-photon emission computed tomography myocardial perfusion imaging (SPECT MPI), 1587
 - Atherothrombosis and high-risk plaque, 1209
 - Computed tomography of the coronary arteries (editorial), 155
 - Diagnosis of coronary in-stent restenosis with multidetector row spiral computed tomography, 1573
 - Diagnostic accuracy of noninvasive coronary angiography using 64-slice spiral computed tomography, 552
 - Head-to-head comparison of three-dimensional navigator-gated magnetic resonance imaging and 16-slice computed tomography to detect coronary artery stenosis in patients, 92
 - Quantification of obstructive and nonobstructive coronary lesions by 64-slice computed tomography, 147
 - Year in cardiac imaging, 542
- Concierge medicine**
- Concierge medicine: for better or for worse? (editorial), 377
- Conduction block**
- Human adult bone marrow mesenchymal stem cells repair experimental conduction block in rat cardiomyocyte cultures, 1943
- Congenital heart disease**
- Abnormal vasomotor function of the epicardial coronary arteries in children five to eight years after arterial switch operation, 1565
 - Adult with congenital heart disease, 1
 - Genetic testing in clinics for congenital heart disease in adults (letter), 1114
 - Impact of conventional versus biventricular pacing on hemodynamics and tissue Doppler imaging indices of resynchronization in post-operative children with congenital heart disease, 2284
 - Resynchronization therapy in pediatric and congenital heart disease patients: an international multicenter study, 2277
 - Task Force 6: training in transition of adolescent care and care of the adult with congenital heart disease, 1399
 - Time course of diastolic and systolic function improvement after pulmonary valve replacement in adult patients with tetralogy of Fallot, 1559
 - Variations in adult congenital heart disease training in adult and pediatric cardiology fellowship programs, 893
- Continuing medical education**
- Determination of professional competency in a rapidly changing environment, 1996
 - President's page: education: drudgery or excitement? You choose, 558
- Contractile reserve**
- Granulocyte colony-stimulating factor and stem cell factor improve contractile reserve of the infarcted left ventricle independent of restoring muscle mass, 1662
- Contrast echocardiography**
- Myocardial contrast echocardiography versus Thrombolysis in Myocardial Infarction score in patients presenting to the emergency department with chest pain and a nondiagnostic electrocardiogram, 920
- Coronary angiography**
- Physiologic assessment of jailed side branch lesions using fractional flow reserve, 633
 - Vascular communications of the hand in patients being considered from transradial coronary artery angiography—Is the Allens test accurate?, 2013
- Coronary arteries**
- Abnormal vasomotor function of the epicardial coronary arteries in children five to eight years after arterial switch operation, 1565
 - Computed tomography of the coronary arteries (editorial), 155
 - Hyperdynamic myocardial response to beta-adrenergic stimulation in patients with chest pain and normal coronary arteries, 1270
 - Local release of C-reactive protein from vulnerable plaque or coronary arterial wall injured by stenting, 237
 - Site of plaque rupture in native coronary arteries, 261
- Coronary artery bypass grafting**
- Cardiac medical therapy following coronary artery bypass graft surgery (letter), 934
 - Cardiac medical therapy post-coronary bypass grafting (letter), 933
 - Characterization of beta₃-adrenoceptors in human internal mammary artery and putative involvement in coronary artery bypass management, 351
 - Emergency coronary artery bypass surgery for percutaneous coronary interventions: changes in the incidence, clinical characteristics, and indications from 1989 to 2003, 2004
 - Five-year follow-up of the Argentine randomized trial of coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple vessel disease (ERACI II), 582
 - Five-year outcomes after coronary stenting versus bypass surgery for the treatment of multivessel disease, 575
 - Improving the quality of coronary bypass surgery with intraoperative angiography, 1521
 - New anatomic score for prognosis after cardiac catheterization in patients with previous bypass surgery, 1684
 - Off-pump coronary artery surgery for reducing mortality and morbidity, 872
 - Operative and late coronary artery bypass grafting outcomes in matched African-American versus Caucasian patients, 1526
 - Stenting or surgery (editorial), 589
 - Subclinical peripheral arterial disease and incompressible ankle arteries are both long-term prognostic factors in patients undergoing coronary artery bypass grafting, 815
- Coronary artery calcium**
- Changing face of cardiovascular risk (editorial), 173
 - Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events, 158
 - Coronary calcium independently predicts incident premature coronary heart disease over measured cardiovascular risk factors, 807
 - Detection of high-risk young adults and women by coronary calcium and National Cholesterol Education Program Panel III guidelines, 1931
 - Treatment of asymptomatic adults with elevated coronary calcium scores with atorvastatin, vitamin C, and vitamin E, 166
- Coronary artery disease**
- Aspirin use in older patients with heart failure and coronary artery disease, 955
 - Association of myocardial ischemia with mortality and implanted cardioverter-defibrillator therapy in patients with coronary artery disease at risk of arrhythmic death, 1721

- Associations between serum resistin levels and insulin resistance, inflammation, and coronary artery disease (correspondence), 379
- Blinded, randomized, placebo-controlled trial of percutaneous laser myocardial revascularization to improve angina symptoms in patients with severe coronary disease, 1812
- Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events, 158
- Effects of plasma insulin and glucose on myocardial blood flow in patients with type 1 diabetes mellitus, 42
- Electrocardiographic predictors of cardiovascular outcome in women, 51
- Lack of prognostic impact of elevated troponin levels in patients without coronary artery disease (letter), 740
- Left ventricular wall motion abnormalities induced by squatting: a new echocardiographic stress test for the diagnosis of coronary artery disease (correspondence), 931
- Myocardial infarction in the absence of obstructive epicardial coronary disease (letter), 740
- Outcomes and risks of granulocyte colony-stimulating factor in patients with coronary artery disease, 1643
- Platelet response to low-dose enteric-coated aspirin in patients with stable cardiovascular disease, 1258
- Potential relevance of the multiple lipid-independent (pleiotropic) effects of statins in the management of acute coronary syndromes, 1425
- Prognostic significance of left anterior hemiblock in patients with suspected coronary artery disease, 858
- Regeneration of human infarcted heart muscle by intracoronary autologous bone marrow cell transplantation in chronic coronary artery disease, 1651
- Risk stratification of patients with classic angina pectoris and no history of coronary artery disease by dobutamine stress echocardiography (correspondence), 730
- Safety and efficacy of subcutaneous-only granulocyte-macrophage colony-stimulating factor for collateral growth promotion in patients with coronary artery disease, 1636
- Stabilization of carotid atheroma assessed by quantitative ultrasound analysis in non-hypercholesterolemic patients with coronary artery disease, 2022
- Subclinical coronary artery atherosclerosis in patients with erectile dysfunction, 1503
- Suppression of endothelial progenitor cells in human coronary artery disease by the endogenous nitric oxide synthase inhibitor asymmetric dimethylarginine, 1693
- Where am I going? The future of academic cardiovascular medicine, 1A
- Year in cardiac imaging, 542
- Coronary artery stenosis**
- Head-to-head comparison of three-dimensional navigator-gated magnetic resonance imaging and 16-slice computed tomography to detect coronary artery stenosis in patients, 92
- Coronary calcification**
- Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events, 158
- Coronary calcium independently predicts incident premature coronary heart disease over measured cardiovascular risk factors, 807
- Coronary heart disease**
- Changing face of cardiovascular risk (editorial), 173
- Concomitant surgical myocardial revascularization is still the gold standard for combined valvular and coronary heart disease (letter), 1782
- Coronary calcium independently predicts incident premature coronary heart disease over measured cardiovascular risk factors, 807
- Differences in the management and prognosis of women and men who suffer from acute coronary syndromes, 1845
- Impaired endothelial function in coronary heart disease patients with depressive symptomatology, 656
- Increased vascular endothelial growth factor but impaired vascular endothelial growth factor receptor signaling in the myocardium of type 2 diabetic patients with chronic coronary heart disease, 827
- Perspectives on dyslipidemia and coronary heart disease in women, 1628
- Pleiotropic effects of statins: benefit beyond cholesterol reduction?, 1855
- Walking and sports participation and mortality from coronary heart disease and stroke, 1761
- Coronary lesions**
- Bifurcation coronary lesions treated with the "crush" technique, 599
- Bifurcation intervention (editorial), 621
- Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique, 613
- Nine-month outcome of patients treated by percutaneous coronary interventions for bifurcation lesions in the recent era, 606
- Coronary sinus**
- Atrial tachycardia arising from the coronary sinus musculature, 1921
- Catheter ablation of atypical atrial flutter and atrial tachycardia within the coronary sinus after left atrial ablation for atrial fibrillation, 83
- Coronary vasoconstriction**
- Sirolimus-eluting stents associated with paradoxical coronary vasoconstriction, 231
- Cortisol**
- Inhibition of cortisol production with metyrapone prevents mental stress-induced endothelial dysfunction and baroreflex impairment, 344
- C-reactive protein**
- Coronary calcification, coronary disease risk factors, C-reactive protein, and atherosclerotic cardiovascular disease events, 158
- C-reactive protein increase in unstable coronary disease, 1496
- High sensitivity C-reactive protein, 1284
- Local release of C-reactive protein from vulnerable plaque or coronary arterial wall injured by stenting, 237
- Race and gender differences in C-reactive protein levels, 464
- Relationship between blood pressure and C-reactive protein in the Multi-Ethnic Study of Atherosclerosis (MESA), 1869
- Relationship between uncontrolled risk factors and C-reactive protein levels in patients receiving standard or intensive statin therapy for acute coronary syndromes in the PROVE IT-TIMI 22 trial, 1417
- Release of C-reactive protein in response to inflammatory cytokines by human adipocytes: linking obesity to vascular inflammation (correspondence), 1112
- Critical care**
- Task Force 5: requirements for pediatric cardiac critical care, 1396
- "Crush" technique**
- Bifurcation coronary lesions treated with the "crush" technique, 599
- Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique, 613
- Cryothermal balloon ablation**
- Efficacy and safety of circumferential pulmonary vein isolation using a novel cryothermal balloon ablation system, 1902
- Cryptogenic stroke**
- Patent foramen ovale: current pathology, pathophysiology, and clinical status, 1768
- Cytokines**
- Plasma levels of tumor necrosis factor receptor type I during the acute phase following complicated myocardial infarction predicts survival in high risk patients, 2018
- Release of C-reactive protein in response to inflammatory cytokines by human adipocytes: linking obesity to vascular inflammation (correspondence), 1112
- Decompensated heart failure**
- See also Heart failure
- Early ultrafiltration in patients with decompensated heart failure and diuretic resistance, 2047
- Ultrafiltration versus usual care for hospitalized patients with heart failure: Relief for Acutely Fluid Overload Patients With Decompensated Heart Failure, 2043
- Depression**
- Impaired endothelial function in coronary heart disease patients with depressive symptomatology, 656
- Diabetes mellitus**
- Angiogenesis, arteriogenesis, and diabetes (editorial), 835
- Angiotensin-converting enzyme inhibitors or angiotensin receptor blockers for prevention of type 2 diabetes, 821
- Cross-sectional assessment of the effect of kidney and kidney-pancreas transplantation on resting left ventricular energy metabolism in type 1 diabetic-uremic patients, 1085
- Diabetes lowers aerobic capacity in heart failure (correspondence), 930
- Effects of plasma insulin and glucose on myocardial blood flow in patients with type 1 diabetes mellitus, 42
- Glucose for the heart (editorial), 49
- Increased vascular endothelial growth factor but impaired vascular endothelial growth factor receptor signaling in the myocardium of type 2 diabetic patients with chronic coronary heart disease, 827
- Diastolic asynchrony**
- Diastolic asynchrony is more frequent than systolic asynchrony in dilated cardiomyopathy and is less improved by cardiac resynchronization therapy, 2250
- Diastolic function**
- Improvements in left ventricular diastolic function after cardiac resynchronization therapy are coupled to response in systolic performance, 2244
- Time course of diastolic and systolic function improvement after pulmonary valve replacement in adult patients with tetralogy of Fallot, 1559

Diastolic heart failure

Cardiopulmonary exercise testing in the clinical and prognostic assessment of diastolic heart failure, 1883

Diastolic velocity

Doppler echocardiographic profile and indexes in the evaluation of aortic coarctation in patients before and after stenting, 1045

Diastolic velocity half-time index

Doppler echocardiographic profile and indexes in the evaluation of aortic coarctation in patients before and after stenting, 1045

Diet

Fish consumption among healthy adults is associated with decreased levels of inflammatory markers related to cardiovascular disease, 120

Vascular dysfunction in Chinese vegetarians: an apparent paradox? (correspondence), 1957

Digoxin

Relationship of serum digoxin concentration to mortality and morbidity in women in the Digitalis Interventional Group Trial, 497

Whither withering's legacy (editorial), 505

Dilated cardiomyopathy

Cardiac sympathetic dysfunction correlates with abnormal myocardial contractile reserve in dilated cardiomyopathy patients, 2061

Diastolic asynchrony is more frequent than systolic asynchrony in dilated cardiomyopathy and is less improved by cardiac resynchronization therapy, 2250

Effect of dobutamine stress on left ventricular filling in ischemic dilated cardiomyopathy, 488

Dilated-hypokinetic evolution

Dilated-hypokinetic evolution of hypertrophic cardiomyopathy, 1543

Dimethylarginine

ADMAring endothelial progenitor cells (editorial), 1702

Asymmetric dimethylarginine, L-arginine, and endothelial dysfunction in essential hypertension, 518

Suppression of endothelial progenitor cells in human coronary artery disease by the endogenous nitric oxide synthase inhibitor asymmetric dimethylarginine, 1693

Dipyridamole

Secondary stroke prevention with antiplatelet therapy with emphasis on the cardiac patient, 752

Diuresis

Ultrafiltration: a new approach toward mechanical diuresis in heart failure, 2052

Diuretics

Diuretics and bone loss in rats with aldosteronism, 142

Early ultrafiltration in patients with decompensated heart failure and diuretic resistance, 2047

Dobutamine stress

Effect of dobutamine stress on left ventricular filling in ischemic dilated cardiomyopathy, 488

Dobutamine stress echocardiography

Prognostic significance of left anterior hemiblock in patients with suspected coronary artery disease, 858

Risk stratification of patients with classic angina pectoris and no history of coronary artery disease by dobutamine stress echocardiography (correspondence), 730

Safety of dobutamine contrast stress echocardiography (letter), 1963

Doppler echocardiography

Doppler echocardiographic profile and indexes in

the evaluation of aortic coarctation in patients before and after stenting, 1045

Functional and morphologic imaging of coronary atherosclerosis in living mice using high-resolution color Doppler echocardiography and ultrasound biomicroscopy, 720

Doppler tissue imaging

Impact of conventional versus biventricular pacing on hemodynamics and tissue Doppler imaging indices of resynchronization in post-operative children with congenital heart disease, 2284

Mechanical dyssynchrony assessed by Doppler tissue imaging is a powerful predictor of mortality in congestive heart failure with normal QRS duration, 2237

Drug-eluting stents

See also Stents

Bifurcation intervention (editorial), 621

Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique, 613

Contemporary stent treatment of coronary bifurcations, 1446

Effect of variable dose and release kinetics on neointimal hyperplasia using a novel paclitaxel-eluting stent platform, 253

Effectiveness of sirolimus-eluting stent implantation for the treatment of ostial left anterior descending artery stenosis with intravascular ultrasound guidance, 787

Endothelial dysfunction after sirolimus-eluting stent placement (editorial), 236

Evaluation of four-year coronary artery response after sirolimus-eluting stent implantation using serial quantitative intravascular ultrasound and computer-assisted grayscale value analysis for plaque composition in event-free patients, 1670

Late incomplete stent apposition after sirolimus-eluting stent implantation, 1002

Sirolimus-eluting stents associated with paradoxical coronary vasoconstriction, 231

Dual-chamber implanted cardioverter-defibrillators

Cost advantage of dual-chamber versus single-chamber cardioverter-defibrillator implantation, 850

Duchenne muscular dystrophy

Can perindopril delay the onset of heart failure in Duchenne muscular dystrophy? (letter), 1781

Duke graft index

New anatomic score for prognosis after cardiac catheterization in patients with previous bypass surgery, 1684

Dyslipidemia

Evolving concepts of dyslipidemia, atherosclerosis, and cardiovascular disease, 1219

Perspectives on dyslipidemia and coronary heart disease in women, 1628

Dyspnea

Impact of atrial fibrillation on the diagnostic performance of B-type natriuretic peptide concentration in dyspneic patients, 838

Dyssynchrony

Left ventricular dyssynchrony predicts right ventricular remodeling after cardiac resynchronization therapy, 2264

Mechanical dyssynchrony assessed by Doppler tissue imaging is a powerful predictor of mortality in congestive heart failure with normal QRS duration, 2237

Echocardiography

Echocardiographic findings in patients with

arrhythmogenic/right ventricular cardiomyopathy/dysplasia (letter), 1962

Follow-up of robotically-assisted left ventricular epicardial leads for cardiac resynchronization therapy, 2359

Functional and morphologic imaging of coronary atherosclerosis in living mice using high-resolution color Doppler echocardiography and ultrasound biomicroscopy, 720

Functional assessment of mitral regurgitation by transthoracic echocardiography using standardized imaging planes, 302

Left ventricular wall motion abnormalities induced by squatting: a new echocardiographic stress test for the diagnosis of coronary artery disease (correspondence), 931

Myocardial contrast echocardiography versus Thrombolysis in Myocardial Infarction score in patients presenting to the emergency department with chest pain and a nondiagnostic electrocardiogram, 920

Risk stratification of patients with classic angina pectoris and no history of coronary artery disease by dobutamine stress echocardiography (correspondence), 730

Safety of dobutamine contrast stress echocardiography (letter), 1963

Single-step atrial thrombus exclusion and internal cardioversion of atrial fibrillation via a transesophageal echocardiography probe, 560

Task Force 2: pediatric training guidelines for noninvasive cardiac imaging, 1384

Ectopic beats

Predictors of non-pulmonary vein ectopic beats initiating paroxysmal atrial fibrillation, 1054

Edge-to-edge technique

Percutaneous mitral valve repair using the edge-to-edge technique: 6 month results of the EVEREST, 2311

Percutaneous mitral valve repair with the edge-to-edge technique: a surgeon's perspective, 2141

Editorials

Acute decompensated heart failure, 65

ADMAring endothelial progenitor cells, 1702

Angiogenesis, arteriogenesis, and diabetes, 835

Are longitudinal, natural history studies the next step in genotype-phenotype translational genomics in hypertrophic cardiomyopathy?, 1744

Aspirin: a novel antihypertensive drug?, 984

Bifurcation intervention, 621

Bone marrow cell-mediated cardiac regeneration, 1659

Cardiologists' worst nightmare, 1295

Changing face of cardiovascular risk, 173

Clopidogrel, 646

Computed tomography of the coronary arteries, 155

Concierge medicine: for better or for worse?, 377

On defining aspirin resistance, 1710

Department of Cardiac/Vascular Medicine and Surgery, 728

Determinants of myocardial recovery in myocarditis, 1043

Does rhythm control improve functional status in patients with atrial fibrillation?, 1900

Endothelial dysfunction after sirolimus-eluting stent placement, 236

Enhancing stem cell therapy through genetic modification, 1351

Experience counts, 1541

Gender, race, and cardiac care, 1852

Gender-related differences in atrial fibrillation, 1307

Glucose for the heart, 49

Granulocyte colony-stimulating factor and

- granulocyte-macrophage colony-stimulating factor, 1649
- At the heart of the statin benefit, 1863
- Hypertrophic cardiomyopathy, 1551
- Improving quality of life after cardiogenic shock: do more revascularization!, 274
- Improving the outcome of childhood pulmonary arterial hypertension, 705
- Integrating the flow of information, 1110
- International cardiology, 1580
- Ischemic versus nonischemic chest pain in the emergency room, 928
- Left bundle branch block in acute myocardial infarction, 39
- Making a silk purse out of a sow's ear, 688
- Masked hypertension and white-coat hypertension, 516
- More risk factors affecting heart failure outcomes!, 1027
- Prognostic impact of septal myectomy in obstructive hypertrophic cardiomyopathy, 477
- Renal artery stenting, 784
- On the selling of pharmaceuticals, 1953
- Severe calcific aortic stenosis, 299
- Stenting or surgery, 589
- "The older the broader," 675
- The ultimate payoff, 2358
- Whither withering's legacy, 505
- Who needs a defibrillator?, 1727
- Wide QRS, narrow QRS, 317
- Education**
- President's page: education: drudgery or excitement? You choose, 558
- Elderly**
- See also* Aging
- Aspirin use in older patients with heart failure and coronary artery disease, 955
- Evolution in cardiovascular care for elderly patients with non-ST-segment elevation acute coronary syndromes, 1479
- Prior aspirin use and outcomes in elderly patients hospitalized with acute myocardial infarction, 967
- Electrocardiography**
- Combined use of ibutilide as an active control with intensive electrocardiographic sampling and signal averaging as a sensitive method to assess the effects of tadalafil on the human QT interval, 678
- Electrocardiographic predictors of cardiovascular outcome in women, 51
- Making a silk purse out of a sow's ear (editorial), 688
- Myocardial contrast echocardiography versus Thrombolysis in Myocardial Infarction score in patients presenting to the emergency department with chest pain and a nondiagnostic electrocardiogram, 920
- New electrocardiographic algorithm to differentiate upper loop re-entry from reverse typical atrial flutter, 524
- Electrograms**
- Electrogram characteristics in postinfarction ventricular tachycardia, 667
- "The older the broader" (editorial), 675
- Electrophysiology**
- Task Force 4: recommendations for training guidelines in pediatric cardiac electrophysiology, 1391
- Embolic protection devices**
- Slow-flow phenomenon during carotid artery intervention with embolic protection devices, 1466
- Embolism**
- Monitored atrial fibrillation duration predicts arterial embolic events in patients suffering from bradycardia and atrial fibrillation implanted with antitachycardia pacemakers, 1913
- Emergency coronary artery bypass surgery**
- Emergency coronary artery bypass surgery for percutaneous coronary interventions: changes in the incidence, clinical characteristics, and indications from 1989 to 2003, 2004
- Reducing the risk of emergency bypass surgery for failed percutaneous coronary interventions, 2010
- Emergency department**
- Ischemic versus nonischemic chest pain in the emergency room (editorial), 928
- Myocardial contrast echocardiography versus Thrombolysis in Myocardial Infarction score in patients presenting to the emergency department with chest pain and a nondiagnostic electrocardiogram, 920
- Emergency revascularization**
- Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction, 266
- End-diastolic tail velocity**
- Doppler echocardiographic profile and indexes in the evaluation of aortic coarctation in patients before and after stenting, 1045
- Endothelial dysfunction**
- Acute consumption of flavanol-rich cocoa and the reversal of endothelial dysfunction in smokers, 1276
- Asymmetric dimethylarginine, L-arginine, and endothelial dysfunction in essential hypertension, 518
- Endothelial dysfunction after sirolimus-eluting stent placement (editorial), 236
- Endothelial vasomotor dysfunction in the brachial artery is associated with late in-stent coronary restenosis, 648
- Inhibition of cortisol production with metyrapone prevents mental stress-induced endothelial dysfunction and baroreflex impairment, 344
- Endothelial function**
- Impaired endothelial function in coronary heart disease patients with depressive symptomatology, 656
- Prognostic value of brachial artery endothelial function and wall thickness, 1006
- Endothelial nitric oxide synthase**
- Genetic polymorphism on endothelial nitric oxide synthase affects endothelial activation and inflammatory response during the acute phase of myocardial infarction, 1101
- Endothelial progenitor cells**
- ADMARing endothelial progenitor cells (editorial), 1702
- Suppression of endothelial progenitor cells in human coronary artery disease by the endogenous nitric oxide synthase inhibitor asymmetric dimethylarginine, 1693
- Endothelium**
- Genetic polymorphism on endothelial nitric oxide synthase affects endothelial activation and inflammatory response during the acute phase of myocardial infarction, 1101
- Remote ischemic preconditioning provides early and late protection against endothelial ischemia-reperfusion injury in humans, 450
- Enteric-coated aspirin**
- Platelet response to low-dose enteric-coated aspirin in patients with stable cardiovascular disease, 1258
- Epicardial coronary arteries**
- Abnormal vasomotor function of the epicardial coronary arteries in children five to eight years after arterial switch operation, 1565
- Epidemiology**
- Year in epidemiology, health services, and outcome research, 1362
- Eplerenone**
- Eplerenone reduces mortality 30 days after randomization following acute myocardial infarction in patients with left ventricular systolic dysfunction and heart failure, 425
- ERACI II trial**
- Five-year follow-up of the argentine randomized trial of coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple vessel disease (ERACI II), 582
- Erectile dysfunction**
- Combined use of ibutilide as an active control with intensive electrocardiographic sampling and signal averaging as a sensitive method to assess the effects of tadalafil on the human QT interval, 678
- Subclinical coronary artery atherosclerosis in patients with erectile dysfunction, 1503
- Erythropoietin**
- Erythropoietin induces neovascularization and improves cardiac function in rats with heart failure after myocardial infarction, 125
- Esophagus**
- Movement of the esophagus during left atrial catheter ablation for atrial fibrillation, 2107
- Essential hypertension**
- Asymmetric dimethylarginine, L-arginine, and endothelial dysfunction in essential hypertension, 518
- Evidence-based medical therapy**
- Application of evidence-based medical therapy is associated with improved outcomes after percutaneous coronary intervention and is a valid quality indicator, 1473
- Exercise**
- Incremental benefit of rate-adaptive pacing on exercise performance during cardiac resynchronization therapy, 2292
- Noninvasive measurement of cardiac output during exercise by inert gas rebreathing technique: a new tool for heart failure evaluation (correspondence), 1779
- Exercise testing**
- Cardiopulmonary exercise testing in the clinical and prognostic assessment of diastolic heart failure, 1883
- F waves**
- Separating atrial flutter from atrial fibrillation with apparent ECG organization using dominant and narrow F-wave spectra, 2079
- F18-fluorodeoxyglucose positron emission tomography**
- Extent of perfusion-F18-fluorodeoxyglucose positron emission tomography mismatch determines mortality in medically treated patients with chronic ischemic left ventricular dysfunction, 1264
- Factor VII**
- Plasma tissue factor plus activated peripheral mononuclear cells activate factors VII and X in cardiac surgical wounds, 707
- Factor X**
- Plasma tissue factor plus activated peripheral mononuclear cells activate factors VII and X in cardiac surgical wounds, 707

- Fas**
Myocardial expression of Fas and recovery of left ventricular function in patients with recent-onset cardiomyopathy, 1036
- Fasudil**
Efficacy and safety of fasudil in patients with stable angina, 1803
- Fellowships**
Training guidelines for pediatric cardiology fellowship programs, 1380
Variations in adult congenital heart disease training in adult and pediatric cardiology fellowship programs, 893
- Femoral artery occlusion**
Aspirin, but not clopidogrel, reduces collateral conductance in a rabbit model of femoral artery occlusion, 994
- Femoropopliteal stenting**
Impact of stent fractures following femoropopliteal stenting (letter), 1961
- Fibrin**
Platelet reactivity in patients and recurrent events post-stenting, 1820
- Fibrin-specific intracoronary lytic infusion**
Intracoronary fibrin-specific thrombolytic infusion facilitates percutaneous recanalization of chronic total occlusion, 793
- Fibroatheroma**
In vivo intravascular ultrasound-derived thin-cap fibroatheroma detection using ultrasound radio frequency data analysis, 2038
- Finite element analysis**
Longitudinal structural determinants of atherosclerotic plaque vulnerability, 1507
- Fish consumption**
Fish consumption among healthy adults is associated with decreased levels of inflammatory markers related to cardiovascular disease, 120
- Flavanols**
Acute consumption of flavanol-rich cocoa and the reversal of endothelial dysfunction in smokers, 1276
- Flow-mediated vasodilation**
Flow-mediated vasodilation predicts outcome in patients with chronic heart failure, 1011
Prognostic value of brachial artery endothelial function and wall thickness, 1006
- Fluoroscopically guided cardiac resynchronization therapy**
Fluoroscopically guided implantation of modern cardiac resynchronization devices: radiation burden to the patient and associated risks, 2335
- Fluvastatin**
Effects of fluvastatin on the carotid arterial media as assessed by integrated backscatter ultrasound as compared to pulse wave velocity, 2031
- Focal atrial tachycardia**
Characterization of focal atrial tachycardia using high-density mapping, 2088
- Fontan procedure**
Acute hemodynamic effects of pacing in patients with Fontan physiology, 1937
Cardiac transplant following failed Fontan or Glenn procedures (letter), 1374
- Food and Drug Administration**
Cardiac resynchronization devices: FDA's regulatory considerations, 2325
- Founder frameshift deletion mutation**
Lifelong left ventricular remodeling of hypertrophic cardiomyopathy caused by a founder frameshift deletion mutation in the cardiac myosin-binding protein C gene among Japanese, 1737
- Fractional flow reserve**
Long-term clinical outcome after fractional flow reserve-guided percutaneous coronary intervention in patients with multivessel disease, 438
Physiologic assessment of jailed side branch lesions using fractional flow reserve, 633
- FRONTIER stent registry**
FRONTIER stent registry, 592
- Furosemide**
Diuretics and bone loss in rats with aldosteronism, 142
- Gastric hypomotility**
Acute pyloric spasm and gastric hypomotility, 327
- Gender**
Differences in the management and prognosis of women and men who suffer from acute coronary syndromes, 1845
Gender, race, and cardiac care (editorial), 1852
Gender-related differences in atrial fibrillation (editorial), 1307
Gender-related differences in rhythm control treatment in persistent atrial fibrillation, 1298
Gender-related differences in the clinical presentation and outcome of hypertrophic cardiomyopathy, 480
Race and gender differences in C-reactive protein levels, 464
Relationship between blood pressure and C-reactive protein in the Multi-Ethnic Study of Atherosclerosis (MESA), 1869
- Gene expression**
Myocardial expression of Fas and recovery of left ventricular function in patients with recent-onset cardiomyopathy, 1036
- Genetic testing**
Genetic testing in clinics for congenital heart disease in adults (letter), 1114
- Genomics**
Are longitudinal, natural history studies the next step in genotype-phenotype translational genomics in hypertrophic cardiomyopathy? (editorial), 1744
Genomic basis of myocardial infarction, 1456
New paradigms in cardiovascular medicine, 1965
Prospects for personalized cardiovascular medicine, 1615
- Glenn procedure**
Cardiac transplant following failed Fontan or Glenn procedures (letter), 1374
- Glucose**
Effects of plasma insulin and glucose on myocardial blood flow in patients with type 1 diabetes mellitus, 42
Glucose for the heart (editorial), 49
U-shaped relationship of blood glucose with adverse outcomes among patients with ST-segment elevation myocardial infarction (correspondence), 178
- Granulocyte colony-stimulating factor**
Granulocyte colony-stimulating factor and granulocyte-macrophage colony-stimulating factor (editorial), 1649
Granulocyte colony-stimulating factor and stem cell factor improve contractile reserve of the infarcted left ventricle independent of restoring muscle mass, 1662
Outcomes and risks of granulocyte colony-stimulating factor in patients with coronary artery disease, 1643
- Granulocyte-macrophage colony-stimulating factor**
Granulocyte colony-stimulating factor and granulocyte-macrophage colony-stimulating factor (editorial), 1649
Safety and efficacy of subcutaneous-only granulocyte-macrophage colony-stimulating factor for collateral growth promotion in patients with coronary artery disease, 1636
- Headaches**
Patent foramen ovale: current pathology, pathophysiology, and clinical status, 1768
- Heart failure**
ACC/AHA 2005 Guideline Update for the Diagnosis and Management of Chronic Heart Failure in the Adult, 1116
ACC/AHA 2005 Heart Failure Clinical Data Standards, 1179
Acute aortic dissection presenting with congestive heart failure: results from the International Registry of Acute Aortic Dissection (correspondence), 733
Acute decompensated heart failure (editorial), 65
Adequacy of laboratory monitoring in patients treated with spironolactone for congestive heart failure, 845
Applicability and clinical relevance of the transfer function method in the assessment of baroreflex sensitivity in heart failure patients, 1314
Aspirin use in chronic heart failure, 963
Aspirin use in older patients with heart failure and coronary artery disease, 955
Beta-blocker treatment before angiotensin-converting enzyme inhibitor therapy in newly diagnosed heart failure (letter), 182
Bridging the resource gap in heart failure expertise and management: the underacknowledged role of nurse specialists (letter), 1961
Can perindopril delay the onset of heart failure in Duchenne muscular dystrophy? (letter), 1781
Cardiac resynchronization therapy improves heart rate profile and heart rate variability of patients with moderate to severe heart failure, 1875
Cardiac resynchronization therapy PART 1—issues before device implantation, 2153
Cardiac resynchronization therapy PART 2—issues during and after device implantation and unresolved questions, 2168
Cardiac resynchronization with sequential bi-ventricular pacing for the treatment of moderate to severe heart failure, 2298
Cardiopulmonary exercise testing in the clinical and prognostic assessment of diastolic heart failure, 1883
Cost-effectiveness of cardiac resynchronization therapy in the Comparison of Medical Therapy, Pacing, and Defibrillation in Heart Failure (COMPANION) trial, 2311
Diabetes lowers aerobic capacity in heart failure (correspondence), 930
Early ultrafiltration in patients with decompensated heart failure and diuretic resistance, 2047
Economic effect of a tertiary hospital-based heart failure program, 660
Electrical signals applied during the absolute refractory period: an investigational treatment for advanced heart failure in patients with normal QRS duration, 2229
Eplerenone reduces mortality 30 days after randomization following acute myocardial infarction in patients with left ventricular systolic dysfunction and heart failure, 425
Erythropoietin induces neovascularization and improves cardiac function in rats with heart failure after myocardial infarction, 125

- Flow-mediated vasodilation predicts outcome in patients with chronic heart failure, 1011
- Follow-up of robotically-assisted left ventricular epicardial leads for cardiac resynchronization therapy, 2359
- Impact of atrial fibrillation on the diagnostic performance of B-type natriuretic peptide concentration in dyspneic patients, 838
- Impaired insulin sensitivity as an independent risk factor for mortality in patients with stable chronic heart failure, 1019
- In-hospital mortality in patients with acute decompensated heart failure requiring intravenous vasoactive medications, 57
- Management of heart failure after cardiac resynchronization therapy: integrating advanced heart failure treatment with optimal device function, 2193
- Mechanical dyssynchrony assessed by Doppler tissue imaging is a powerful predictor of mortality in congestive heart failure with normal QRS duration, 2237
- Mode of death in advanced heart failure—the COMPANION trial, 2329
- More risk factors affecting heart failure outcomes! (editorial), 1027
- Noninvasive measurement of cardiac output during exercise by inert gas rebreathing technique: a new tool for heart failure evaluation (correspondence), 1779
- Novel metabolic risk factors for heart failure, 2054
- Plasma levels of tumor necrosis factor receptor type I during the acute phase following complicated myocardial infarction predicts survival in high risk patients, 2018
- Potential proarrhythmic effects of biventricular pacing, 2340
- Relationship of serum digoxin concentration to mortality and morbidity in women in the Digitalis Interventional Group Trial, 497
- Significance of QRS complex duration in patients with heart failure, 2183
- There is plenty of room for CRT devices without back-up defibrillator in the electrical treatment of heart failure, 2204
- Ultrafiltration: a new approach toward mechanical diuresis in heart failure, 2052
- Ultrafiltration versus usual care for hospitalized patients with heart failure: Relief for Acutely Fluid Overload Patients With Decompensated Heart Failure, 2043
- Vasopressin antagonism in heart failure, 1785
- Whither withering's legacy (editorial), 505
- Heart rate**
- Cardiac resynchronization therapy improves heart rate profile and heart rate variability of patients with moderate to severe heart failure, 1875
- Heart rate turbulence**
- Physiological mechanisms of atrially induced heart rate turbulence (letter), 1113
- Heart rate variability**
- Cardiac resynchronization therapy improves heart rate profile and heart rate variability of patients with moderate to severe heart failure, 1875
- Heme oxygenase-1 vector**
- Improved graft mesenchymal stem cell survival in ischemic heart with a hypoxia-regulated heme oxygenase-1 vector, 1339
- Hemiblock**
- Prognostic significance of left anterior hemiblock in patients with suspected coronary artery disease, 858
- Hemodynamics**
- Acute hemodynamic benefits of bi-atrial atrioventricular sequential pacing with the optimal atrioventricular delay, 320
- Acute hemodynamic effects of pacing in patients with Fontan physiology, 1937
- Hemodynamic effect of intrinsic conduction during left ventricular pacing as compared to biventricular pacing, 2305
- Impact of conventional versus biventricular pacing on hemodynamics and tissue Doppler imaging indices of resynchronization in post-operative children with congenital heart disease, 2284
- Hemofiltration**
- High-volume hemofiltration after out-of-hospital cardiac arrest, 432
- Heparin**
- Effects of clopidogrel on the rebound hypercoagulable state after heparin discontinuation in patients with acute coronary syndromes (correspondence), 1582
- High right atrial pacing**
- Acute hemodynamic benefits of bi-atrial atrioventricular sequential pacing with the optimal atrioventricular delay, 320
- High-density electrode mapping**
- Characterization of focal atrial tachycardia using high-density mapping, 2088
- High-density lipoprotein**
- High-density lipoprotein function, 1792
- High-energy phosphates**
- Cross-sectional assessment of the effect of kidney and kidney-pancreas transplantation on resting left ventricular energy metabolism in type 1 diabetic-uremic patients, 1085
- Home blood pressure measurement**
- Home blood pressure measurement, 743
- Hospitals**
- Economic effect of a tertiary hospital-based heart failure program, 660
- In-hospital mortality in patients with acute decompensated heart failure requiring intravenous vasoactive medications, 57
- Hypercholesterolemia**
- Phenolic content of virgin olive oil improves ischemic reactive hyperemia in hypercholesterolemic patients, 1864
- Stabilization of carotid atheroma assessed by quantitative ultrasound analysis in non-hypercholesterolemic patients with coronary artery disease, 2022
- Hyperglycemia**
- Effects of plasma insulin and glucose on myocardial blood flow in patients with type 1 diabetes mellitus, 42
- Hyperkalemia**
- Adequacy of laboratory monitoring in patients treated with spironolactone for congestive heart failure, 845
- Hypertension**
- Aspirin administered at bedtime, but not on awakening, has an effect on ambulatory blood pressure in hypertensive patients, 975
- Asymmetric dimethylarginine, L-arginine, and endothelial dysfunction in essential hypertension, 518
- Effect of losartan versus atenolol on cardiovascular morbidity and mortality in patients with hypertension taking aspirin, 770
- Masked hypertension and white-coat hypertension (editorial), 516
- Prognosis of "masked" hypertension and "white-coat" hypertension detected by 24-h ambulatory blood pressure monitoring, 508
- Hypertrophic cardiomyopathy**
- See also* Cardiomyopathy
- Are longitudinal, natural history studies the next step in genotype-phenotype translational genomics in hypertrophic cardiomyopathy? (editorial), 1744
- Dilated-hypokinetic evolution of hypertrophic cardiomyopathy, 1543
- Frequency of cardiac troponin I mutations in families with hypertrophic cardiomyopathy in China (letter), 180
- Gender-related differences in the clinical presentation and outcome of hypertrophic cardiomyopathy, 480
- Hypertrophic cardiomyopathy (editorial), 1551
- Lifelong left ventricular remodeling of hypertrophic cardiomyopathy caused by a founder frameshift deletion mutation in the cardiac myosin-binding protein C gene among Japanese, 1737
- Long-term effects of surgical septal myectomy on survival in patients with obstructive hypertrophic cardiomyopathy, 470
- Prognostic impact of septal myectomy in obstructive hypertrophic cardiomyopathy (editorial), 477
- Reversal of inappropriate peripheral vascular responses in hypertrophic cardiomyopathy, 883
- Standard mutation nomenclature in hypertrophic cardiomyopathy: an urgent need (letter), 380
- Treatment of hypertrophic cardiomyopathy, point-counterpoint (letter), 2146
- Hypothermia**
- High-volume hemofiltration after out-of-hospital cardiac arrest, 432
- Hypoxia inducible factor 1- α**
- Hypoxia inducible factor 1- α reduces infarction and attenuates progression of cardiac dysfunction after myocardial infarction in the mouse, 2116
- i2 Summit 2006**
- President's page: i2 Summit 2006: one-stop shopping for interventionalists, 1371
- Ibutilide**
- Combined use of ibutilide as an active control with intensive electrocardiographic sampling and signal averaging as a sensitive method to assess the effects of tadalafil on the human QT interval, 678
- Imaging**
- Impact of selective adenosine A_{2A} receptor agonists on cardiac imaging, 2076
- President's page: reframing debate in patient care image, 176
- Task Force 2: pediatric training guidelines for noninvasive cardiac imaging, 1384
- Year in cardiac imaging, 542
- Imatinib**
- Randomized, double-blind, placebo-controlled trial on restenosis prevention by the receptor tyrosine kinase inhibitor imatinib, 1999
- ¹²³I-metaiodobenzylguanidine**
- Cardiac sympathetic dysfunction correlates with abnormal myocardial contractile reserve in dilated cardiomyopathy patients, 2061
- Implanted cardioverter-defibrillators**
- Association of myocardial ischemia with mortality and implanted cardioverter-defibrillator therapy in patients with coronary artery disease at risk of arrhythmic death, 1721
- Cost advantage of dual-chamber versus single-chamber cardioverter-defibrillator implantation, 850
- Experience counts (editorial), 1541

- Factors influencing appropriate firing of the implanted defibrillator for ventricular tachycardia/fibrillation, 1712
- Impact of upgrade to cardiac resynchronization therapy on ventricular arrhythmia frequency in patients with implantable cardioverter defibrillators, 2258
- QRS duration does not predict occurrence of ventricular tachyarrhythmias in patients with implanted cardioverter-defibrillators, 310
- Relation between patients' outcomes and the volume of cardioverter-defibrillator implantation procedures performed by physicians treating Medicare beneficiaries, 1536
- There is plenty of room for CRT devices without back-up defibrillator in the electrical treatment of heart failure, 2204
- Who needs a defibrillator? (editorial), 1727
- Wide QRS, narrow QRS (editorial), 317
- Incomplete stent apposition**
Late incomplete stent apposition after sirolimus-eluting stent implantation, 1002
- Inert gas rebreathing**
Noninvasive measurement of cardiac output during exercise by inert gas rebreathing technique: a new tool for heart failure evaluation (correspondence), 1779
- Inflammation**
Associations between serum resistin levels and insulin resistance, inflammation, and coronary artery disease (correspondence), 379
Release of C-reactive protein in response to inflammatory cytokines by human adipocytes: linking obesity to vascular inflammation (correspondence), 1112
- Inflammatory markers**
Fish consumption among healthy adults is associated with decreased levels of inflammatory markers related to cardiovascular disease, 120
Inflammatory markers and metabolic syndrome: insights from therapeutic interventions, 1978
- Information**
Integrating the flow of information, 1110
- In-stent restenosis**
Diagnosis of coronary in-stent restenosis with multidetector row spiral computed tomography, 1573
Endothelial vasomotor dysfunction in the brachial artery is associated with late in-stent coronary restenosis, 648
Long-term results (three to five years) of the Restenosis Instant: Balloon Angioplasty Versus Elective Stenting (RIBS) randomized study, 756
Randomized, double-blind, placebo-controlled trial on restenosis prevention by the receptor tyrosine kinase inhibitor imatinib, 1999
- Insulin**
Effects of plasma insulin and glucose on myocardial blood flow in patients with type 1 diabetes mellitus, 42
- Insulin resistance**
Associations between serum resistin levels and insulin resistance, inflammation, and coronary artery disease (correspondence), 379
- Insulin sensitivity**
Impaired insulin sensitivity as an independent risk factor for mortality in patients with stable chronic heart failure, 1019
- Integrated backscatter ultrasound**
Effects of fluvastatin on the carotid arterial media as assessed by integrated backscatter ultrasound as compared to pulse wave velocity, 2031
- Interleukin-6**
Genetic polymorphism on endothelial nitric oxide synthase affects endothelial activation and inflammatory response during the acute phase of myocardial infarction, 1101
- Internal mammary artery**
Characterization of beta₃-adrenoceptors in human internal mammary artery and putative involvement in coronary artery bypass management, 351
- Interventional cardiology**
Blinded, randomized, placebo-controlled trial of percutaneous laser myocardial revascularization to improve angina symptoms in patients with severe coronary disease, 1812
Evaluation of the safety and effectiveness of renal artery stenting after unsuccessful balloon angioplasty, 776
Long-term clinical outcome after fractional flow reserve-guided percutaneous coronary intervention in patients with multivessel disease, 438
Relationship between operator volume and adverse outcome in contemporary percutaneous coronary intervention practice, 625
Slow-flow phenomenon during carotid artery intervention with embolic protection devices, 1466
Task Force 3: training guidelines for pediatric cardiac catheterization and interventional cardiology, 1388
- Intima-media thickness**
Increased subclinical atherosclerosis in young adults with metabolic syndrome, 457
Prognostic value of brachial artery endothelial function and wall thickness, 1006
- Intravascular ultrasound**
See also Ultrasound
Bifurcation coronary lesions treated with the "crush" technique, 599
Effectiveness of sirolimus-eluting stent implantation for the treatment of ostial left anterior descending artery stenosis with intravascular ultrasound guidance, 787
Evaluation of four-year coronary artery response after sirolimus-eluting stent implantation using serial quantitative intravascular ultrasound and computer-assisted grayscale value analysis for plaque composition in event-free patients, 1670
Intravascular ultrasound for the assessment of an ambiguous left main coronary stenosis (letter), 2145
Longitudinal structural determinants of atherosclerotic plaque vulnerability, 1507
Quantification of obstructive and nonobstructive coronary lesions by 64-slice computed tomography, 147
In vivo intravascular ultrasound-derived thin-cap fibroatheroma detection using ultrasound radio frequency data analysis, 2038
- Ischemia**
Duration of ischemia is a major determinant of transmural and severe microvascular obstruction after primary angioplasty, 1229
Extent of perfusion-F18-fluorodeoxyglucose positron emission tomography mismatch determines mortality in medically treated patients with chronic ischemic left ventricular dysfunction, 1264
- Improved graft mesenchymal stem cell survival in ischemic heart with a hypoxia-regulated heme oxygenase-1 vector, 1339
- Peritransplant ischemic injury is associated with up-regulation of stromal cell-derived factor-1, 1029
- Ischemia-reperfusion injury**
Remote ischemic preconditioning provides early and late protection against endothelial ischemia-reperfusion injury in humans, 450
- Ischemic cardiomyopathy**
Effect of dobutamine stress on left ventricular filling in ischemic dilated cardiomyopathy, 488
Propagation of onset and peak time of myocardial shortening in ischemic vs. non-ischemic cardiomyopathy: assessment by MRI myocardial tagging, 2215
- Ischemic chest pain**
Patients with prolonged ischemic chest pain and presumed-new left bundle branch block have heterogeneous outcomes depending on the presence of ST-segment changes, 29
- Ischemic heart disease**
Mutation in *ABCA1* predicted risk of ischemic heart disease in the Copenhagen City Heart Study population, 1516
- Ischemic mitral regurgitation**
Papillary muscle dysfunction attenuates ischemic mitral regurgitation in patients with localized basal inferior left ventricular remodeling, 113
- Ischemic reactive hyperemia**
Phenolic content of virgin olive oil improves ischemic reactive hyperemia in hypercholesterolemic patients, 1864
- Jailed side branch lesions**
Physiologic assessment of jailed side branch lesions using fractional flow reserve, 633
- Journals**
Innovation, journal reviewers, and journal editors (editorial), 1360
- Kidney transplantation**
Cross-sectional assessment of the effect of kidney and kidney-pancreas transplantation on resting left ventricular energy metabolism in type 1 diabetic-uremic patients, 1085
- Kidney-pancreas transplantation**
Cross-sectional assessment of the effect of kidney and kidney-pancreas transplantation on resting left ventricular energy metabolism in type 1 diabetic-uremic patients, 1085
- L-arginine**
Asymmetric dimethylarginine, L-arginine, and endothelial dysfunction in essential hypertension, 518
- Left anterior descending coronary artery**
Effectiveness of sirolimus-eluting stent implantation for the treatment of ostial left anterior descending artery stenosis with intravascular ultrasound guidance, 787
- Left anterior hemiblock**
Prognostic significance of left anterior hemiblock in patients with suspected coronary artery disease, 858
- Left atrial ablation**
Catheter ablation of atypical atrial flutter and atrial tachycardia within the coronary sinus after left atrial ablation for atrial fibrillation, 83
Movement of the esophagus during left atrial catheter ablation for atrial fibrillation, 2107
Trigger activity more than three years after left atrial linear ablation without pulmonary vein isolation in patients with atrial fibrillation, 338

Left atrial appendage

Percutaneous left atrial appendage transcatheter occlusion (PLAATO system) to prevent stroke in high-risk patients with rheumatic atrial fibrillation, 9

Left atrial circumferential ablation

Pulmonary vein isolation as an end point for left atrial circumferential ablation of atrial fibrillation, 1060

Left atrial remodeling

Prevalence and clinical significance of left atrial remodeling in competitive athletes, 690

Left bundle branch block

Left bundle branch block in acute myocardial infarction (editorial), 39
Patients with prolonged ischemic chest pain and presumed-new left bundle branch block have heterogeneous outcomes depending on the presence of ST-segment changes, 29

Left main coronary stenosis

Intravascular ultrasound for the assessment of an ambiguous left main coronary stenosis (letter), 2145

Left ventricle

Global endocardial electrical restitution in human right and left ventricles determined by noncontact mapping, 1067
Granulocyte colony-stimulating factor and stem cell factor improve contractile reserve of the infarcted left ventricle independent of restoring muscle mass, 1662

Left ventricular afterload

Reduced systemic arterial compliance impacts significantly on left ventricular afterload and function in aortic stenosis, 291

Left ventricular apical ballooning

Cardiac autonomic activity in patients with transient left ventricular apical ballooning (correspondence), 1959

Left ventricular diastolic function

Improvements in left ventricular diastolic function after cardiac resynchronization therapy are coupled to response in systolic performance, 2244

Left ventricular dysfunction

Cross-sectional assessment of the effect of kidney and kidney-pancreas transplantation on resting left ventricular energy metabolism in type 1 diabetic-uremic patients, 1085
Extent of perfusion-F18-fluorodeoxyglucose positron emission tomography mismatch determines mortality in medically treated patients with chronic ischemic left ventricular dysfunction, 1264
Revascularization in severe left ventricular dysfunction, 567

Left ventricular dyssynchrony

Left ventricular dyssynchrony predicts right ventricular remodeling after cardiac resynchronization therapy, 2264

Left ventricular ejection fraction

Eplerenone reduces mortality 30 days after randomization following acute myocardial infarction in patients with left ventricular systolic dysfunction and heart failure, 425
RESTORE—from deduction to leap of faith (letter), 562

Left ventricular epicardial leads

Follow-up of robotically-assisted left ventricular epicardial leads for cardiac resynchronization therapy, 2359

Left ventricular filling

Effect of dobutamine stress on left ventricular filling in ischemic dilated cardiomyopathy, 488

Left ventricular function

Myocardial expression of Fas and recovery of left ventricular function in patients with recent-onset cardiomyopathy, 1036
Thickening of the infarcted wall by collagen injection improves left ventricular function in rats, 714

Left ventricular hypertrophy

Heritability of left ventricular mass and other morphologic variables in Caribbean Hispanic subjects: the Northern Manhattan Family Study (correspondence), 735

Left ventricular mass

Heritability of left ventricular mass and other morphologic variables in Caribbean Hispanic subjects: the Northern Manhattan Family Study (correspondence), 735

Left ventricular non-compaction

Left ventricular non-compaction, 101

Left ventricular pacing

Hemodynamic effect of intrinsic conduction during left ventricular pacing as compared to biventricular pacing, 2305

Left ventricular remodeling

Lifelong left ventricular remodeling of hypertrophic cardiomyopathy caused by a founder frameshift deletion mutation in the cardiac myosin-binding protein C gene among Japanese, 1737
Papillary muscle dysfunction attenuates ischemic mitral regurgitation in patients with localized basal inferior left ventricular remodeling, 113

Left ventricular wall motion

Left ventricular wall motion abnormalities induced by squatting: a new echocardiographic stress test for the diagnosis of coronary artery disease (correspondence), 931
Usefulness of a comprehensive cardiovascular magnetic resonance imaging assessment for predicting recovery of left ventricular wall motion in the setting of myocardial stunning, 1747

Letters to the editor

Beta-blocker treatment before angiotensin-converting enzyme inhibitor therapy in newly diagnosed heart failure, 182
Black pearl in the LIFE study: angiotensin-II receptor blockade on atrial fibrillation for future personalized medicine, 1585
Bridging the resource gap in heart failure expertise and management: the underacknowledged role of nurse specialists, 1961
Can perindopril delay the onset of heart failure in Duchenne muscular dystrophy?, 1781
Cardiac medical therapy following coronary artery bypass graft surgery, 934
Cardiac medical therapy post-coronary bypass grafting, 933
Cardiac transplant following failed Fontan or Glenn procedures, 1374
Catheter ablation after mitral replacement, 739
Concomitant surgical myocardial revascularization is still the gold standard for combined valvular and coronary heart disease, 1782
Economic effects of extended clopidogrel therapy—a word of caution, 1376
Effect of two different neuroprotection systems on microembolization during carotid artery stenting, 382
Frequency of cardiac troponin I mutations in families with hypertrophic cardiomyopathy in China, 180
Genetic testing in clinics for congenital heart disease in adults, 1114

Impact of carvedilol before angiotensin-converting enzyme inhibitor therapy on cardiac function, 181

Intravascular ultrasound for the assessment of an ambiguous left main coronary stenosis, 2145

Lack of prognostic impact of elevated troponin levels in patients without coronary artery disease, 740

Magnetic resonance imaging in patients with cardiac pacemakers, 561

Myocardial infarction in the absence of obstructive epicardial coronary disease, 740

Patent foramen ovale/atrial septal defect closure and migraine: searching the rationale for the procedure, 737

Physiological mechanisms of atrially induced heart rate turbulence, 1113

Pregnancy-associated plasma protein-A and acute coronary syndromes: cause or consequence?, 1583

RESTORE—from deduction to leap of faith, 562

Safety of dobutamine contrast stress echocardiography, 1963

Standard mutation nomenclature in hypertrophic cardiomyopathy: an urgent need, 380

Treatment of hypertrophic cardiomyopathy, point-counterpoint, 2146

Treatment order in managing systolic ventricular dysfunction, 182

Troponin levels and acute coronary syndrome, 741

LIFE study

Black pearl in the LIFE study: angiotensin-II receptor blockade on atrial fibrillation for future personalized medicine (letter), 1585

Lipid-lowering therapy

Effects of aggressive versus conventional lipid-lowering therapy by simvastatin on human atherosclerotic lesions, 106
Treatment of asymptomatic adults with elevated coronary calcium scores with atorvastatin, vitamin C, and vitamin E, 166

Lipoprotein lipase

Lipoprotein lipase gene polymorphisms and the risk of target vessel revascularization after percutaneous coronary intervention, 1093

Lipoproteins

Can low-density lipoprotein be too low? The safety and efficacy of achieving very low low-density lipoprotein with intensive statin therapy, 1411
Enhanced plasma levels of oxidized low-density lipoprotein increase circulating nuclear factor-kappa B activation in patients with unstable angina, 799
High-density lipoprotein function, 1792

Long QT syndrome

Developmental aspects of long QT syndrome type 3 and Brugada syndrome on the basis of a single *SCN5A* mutation in childhood, 331

Losartan

Effect of losartan versus atenolol on cardiovascular morbidity and mortality in patients with hypertension taking aspirin, 770

Low-density lipoprotein(s)

Can low-density lipoprotein be too low? The safety and efficacy of achieving very low low-density lipoprotein with intensive statin therapy, 1411
Enhanced plasma levels of oxidized low-density lipoprotein increase circulating nuclear factor-kappa B activation in patients with unstable angina, 799

Low-density lipoprotein cholesterol

At the heart of the statin benefit (editorial), 1863
Pleiotropic effects of statins: benefit beyond cholesterol reduction?, 1855

Lower body negative pressure

Reversal of inappropriate peripheral vascular responses in hypertrophic cardiomyopathy, 883

Magnetic resonance imaging

See also Cardiovascular magnetic resonance ACCF/AHA Clinical Competence Statement on Cardiac CT and MR, 383

Atherothrombosis and high-risk plaque, 1209

Effects of aggressive versus conventional lipid-lowering therapy by simvastatin on human atherosclerotic lesions, 106

Head-to-head comparison of three-dimensional navigator-gated magnetic resonance imaging and 16-slice computed tomography to detect coronary artery stenosis in patients, 92

Left ventricular non-compaction, 101

Magnetic resonance imaging assessment of ventricular dyssynchrony: current and emerging concepts, 2223

Magnetic resonance imaging in patients with cardiac pacemakers (letter), 561

Meeting highlights of the 8th Annual Scientific Sessions of the Society for Cardiovascular Magnetic Resonance, 411

Myocardial delayed enhancement by magnetic resonance imaging in patients with Chagas' disease, 1553

Propagation of onset and peak time of myocardial shortening in ischemic vs. non-ischemic cardiomyopathy: assessment by MRI myocardial tagging, 2215

Strain rate imaging differentiates transmural from non-transmural myocardial infarction, 864

Task Force 2: pediatric training guidelines for noninvasive cardiac imaging, 1384

Usefulness of a comprehensive cardiovascular magnetic resonance imaging assessment for predicting recovery of left ventricular wall motion in the setting of myocardial stunning, 1747

Year in cardiac imaging, 542

Manuscripts

Innovation, journal reviewers, and journal editors (editorial), 1360

Masked hypertension

Masked hypertension and white-coat hypertension (editorial), 516

Prognosis of "masked" hypertension and "white-coat" hypertension detected by 24-h ambulatory blood pressure monitoring, 508

Mean platelet volume

Mean platelet volume on admission predicts impaired reperfusion and long-term mortality in acute myocardial infarction treated with primary percutaneous coronary intervention, 284

Mechanical heart valves

Randomized trial comparing 1 mg of oral vitamin K with no treatment in the management of warfarin-associated coagulopathy in patients with mechanical heart valves (correspondence)

Medical journals

Innovation, journal reviewers, and journal editors (editorial), 1360

Medicare

Experience counts (editorial), 1541

Guideline-based standardized care is associated with substantially lower mortality in Medicare patients with acute myocardial infarction, 1242

Relation between patients' outcomes and the volume of cardioverter-defibrillator implantation procedures performed by

physicians treating Medicare beneficiaries, 1536

Mesenchymal stem cells

Enhancing stem cell therapy through genetic modification (editorial), 1351

Human adult bone marrow mesenchymal stem cells repair experimental conduction block in rat cardiomyocyte cultures, 1943

Improved graft mesenchymal stem cell survival in ischemic heart with a hypoxia-regulated heme oxygenase-1 vector, 1339

Metabolic syndrome

Increased subclinical atherosclerosis in young adults with metabolic syndrome, 457

Inflammatory markers and metabolic syndrome: insights from therapeutic interventions, 1978

Metabolic syndrome and risk of cardiovascular events after myocardial infarction, 277

Metyrapone

Inhibition of cortisol production with metyrapone prevents mental stress-induced endothelial dysfunction and baroreflex impairment, 344

Microbubbles

Treatment of ischemic limbs based on local recruitment of vascular endothelial growth factor-producing inflammatory cells with ultrasonic microbubble destruction, 899

Microembolization

Effect of two different neuroprotection systems on microembolization during carotid artery stenting (letter), 382

Microvascular obstruction

Duration of ischemia is a major determinant of transmural and severe microvascular obstruction after primary angioplasty, 1229

Microvolt T-wave alternans

Microvolt T-wave alternans for the risk stratification of ventricular tachyarrhythmic events, 75

Migraine headaches

Patent foramen ovale: current pathology, pathophysiology, and clinical status, 1768

Patent foramen ovale/atrial septal defect closure and migraine: searching the rationale for the procedure (letter), 737

Mitral regurgitation

Electrical conduction disturbance effects on dynamic changes of functional mitral regurgitation, 2270

Functional assessment of mitral regurgitation by transthoracic echocardiography using standardized imaging planes, 302

Papillary muscle dysfunction attenuates ischemic mitral regurgitation in patients with localized basal inferior left ventricular remodeling, 113

Percutaneous mitral valve repair using the edge-to-edge technique: 6 month results of the EVEREST, 2311

Mitral valve repair

Percutaneous mitral valve repair using the edge-to-edge technique: 6 month results of the EVEREST, 2311

Percutaneous mitral valve repair with the edge-to-edge technique: a surgeon's perspective, 2141

Mitral valve replacement

Catheter ablation after mitral replacement (letter), 739

Molecular imaging

Year in cardiac imaging, 542

Monocytes

Plasma tissue factor plus activated peripheral mononuclear cells activate factors VII and X in cardiac surgical wounds, 707

Morbidity

Effect of losartan versus atenolol on cardiovascular morbidity and mortality in patients with hypertension taking aspirin, 770

Off-pump coronary artery surgery for reducing mortality and morbidity, 872

Relationship of serum digoxin concentration to mortality and morbidity in women in the Digitalis Interventional Group Trial, 497

Mortality

Association of myocardial ischemia with mortality and implanted cardioverter-defibrillator therapy in patients with coronary artery disease at risk of arrhythmic death, 1721

Effect of losartan versus atenolol on cardiovascular morbidity and mortality in patients with hypertension taking aspirin, 770

Eplerenone reduces mortality 30 days after randomization following acute myocardial infarction in patients with left ventricular systolic dysfunction and heart failure, 425

Extent of perfusion-F18-fluorodeoxyglucose positron emission tomography mismatch determines mortality in medically treated patients with chronic ischemic left ventricular dysfunction, 1264

Guideline-based standardized care is associated with substantially lower mortality in Medicare patients with acute myocardial infarction, 1242

Impaired insulin sensitivity as an independent risk factor for mortality in patients with stable chronic heart failure, 1019

In-hospital mortality in patients with acute decompensated heart failure requiring intravenous vasoactive medications, 57

Mean platelet volume on admission predicts impaired reperfusion and long-term mortality in acute myocardial infarction treated with primary percutaneous coronary intervention, 284

Mechanical dyssynchrony assessed by Doppler tissue imaging is a powerful predictor of mortality in congestive heart failure with normal QRS duration, 2237

Mode of death in advanced heart failure—the COMPANION trial, 2329

Off-pump coronary artery surgery for reducing mortality and morbidity, 872

Relationship of serum digoxin concentration to mortality and morbidity in women in the Digitalis Interventional Group Trial, 497

Multidetector spiral computed tomography

Diagnosis of coronary in-stent restenosis with multidetector row spiral computed tomography, 1573

Head-to-head comparison of three-dimensional navigator-gated magnetic resonance imaging and 16-slice computed tomography to detect coronary artery stenosis in patients, 92

Multislice computed tomography

Diagnostic accuracy of noninvasive coronary angiography using 64-slice spiral computed tomography, 552

Multivessel disease

Five-year follow-up of the argentine randomized trial of coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple vessel disease (ERACI II), 582

Five-year outcomes after coronary stenting versus bypass surgery for the treatment of multivessel disease, 575

Long-term clinical outcome after fractional flow reserve-guided percutaneous coronary

- intervention in patients with multivessel disease, 438
- Muscular dystrophy**
Can perindopril delay the onset of heart failure in Duchenne muscular dystrophy? (letter), 1781
- Myectomy**
Long-term effects of surgical septal myectomy on survival in patients with obstructive hypertrophic cardiomyopathy, 470
- Myocardial blood flow**
Effects of plasma insulin and glucose on myocardial blood flow in patients with type 1 diabetes mellitus, 42
- Myocardial contractile reserve**
Cardiac sympathetic dysfunction correlates with abnormal myocardial contractile reserve in dilated cardiomyopathy patients, 2061
- Myocardial contrast echocardiography**
Myocardial contrast echocardiography versus Thrombolysis in Myocardial Infarction score in patients presenting to the emergency department with chest pain and a nondiagnostic electrocardiogram, 920
- Myocardial delayed enhancement**
Myocardial delayed enhancement by magnetic resonance imaging in patients with Chagas' disease, 1553
- Myocardial fibrosis**
Myocardial delayed enhancement by magnetic resonance imaging in patients with Chagas' disease, 1553
- Myocardial infarction**
Application of evidence-based medical therapy is associated with improved outcomes after percutaneous coronary intervention and is a valid quality indicator, 1473
Bone marrow cell-mediated cardiac regeneration (editorial), 1659
Combined Angioplasty and Pharmacological Intervention Versus Thrombolysis Alone in Acute Myocardial Infarction (CAPITAL AMI Study), 417
Downregulated expression of plasminogen activator inhibitor-1 augments myocardial neovascularization and reduces cardiomyocyte apoptosis after acute myocardial infarction, 536
Dying stem cell hypothesis, 1799
Electrogram characteristics in postinfarction ventricular tachycardia, 667
Eplerenone reduces mortality 30 days after randomization following acute myocardial infarction in patients with left ventricular systolic dysfunction and heart failure, 425
Erythropoietin induces neovascularization and improves cardiac function in rats with heart failure after myocardial infarction, 125
Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction, 266
Genetic polymorphism on endothelial nitric oxide synthase affects endothelial activation and inflammatory response during the acute phase of myocardial infarction, 1101
Genomic basis of myocardial infarction, 1456
Granulocyte colony-stimulating factor and stem cell factor improve contractile reserve of the infarcted left ventricle independent of restoring muscle mass, 1662
Guideline-based standardized care is associated with substantially lower mortality in Medicare patients with acute myocardial infarction, 1242
Hypoxia inducible factor 1- α reduces infarction and attenuates progression of cardiac dysfunction after myocardial infarction in the mouse, 2116
Left bundle branch block in acute myocardial infarction (editorial), 39
Mean platelet volume on admission predicts impaired reperfusion and long-term mortality in acute myocardial infarction treated with primary percutaneous coronary intervention, 284
Metabolic syndrome and risk of cardiovascular events after myocardial infarction, 277
Myocardial contrast echocardiography versus Thrombolysis in Myocardial Infarction score in patients presenting to the emergency department with chest pain and a nondiagnostic electrocardiogram, 920
Myocardial infarction in the absence of obstructive epicardial coronary disease (letter), 740
New risk score for patients with acute chest pain, non-ST-segment deviation, and normal troponin concentrations, 443
Plasma levels of tumor necrosis factor receptor type I during the acute phase following complicated myocardial infarction predicts survival in high risk patients, 2018
Prior aspirin use and outcomes in elderly patients hospitalized with acute myocardial infarction, 967
Regeneration of human infarcted heart muscle by intracoronary autologous bone marrow cell transplantation in chronic coronary artery disease, 1651
Strain rate imaging differentiates transmural from non-transmural myocardial infarction, 864
Sustained benefit 20 years after reperfusion therapy in acute myocardial infarction, 15
"The older the broader" (editorial), 675
Thickening of the infarcted wall by collagen injection improves left ventricular function in rats, 714
U-shaped relationship of blood glucose with adverse outcomes among patients with ST-segment elevation myocardial infarction (correspondence), 178
X-Sizer for thrombectomy in acute myocardial infarction improves ST-segment resolution, 246
- Myocardial ischemia**
Association of myocardial ischemia with mortality and implanted cardioverter-defibrillator therapy in patients with coronary artery disease at risk of arrhythmic death, 1721
- Myocardial neovascularization**
Downregulated expression of plasminogen activator inhibitor-1 augments myocardial neovascularization and reduces cardiomyocyte apoptosis after acute myocardial infarction, 536
- Myocardial perfusion imaging**
ACCF/ASNC appropriateness criteria for single-photon emission computed tomography myocardial perfusion imaging (SPECT MPI), 1587
Initial clinical experience with regadenoson, a novel selective A_{2A} agonist for pharmacologic stress SPECT myocardial perfusion imaging, 2069
- Myocardial protection**
Distal myocardial protection during percutaneous coronary intervention, 1434
- Myocardial revascularization**
See also Revascularization
Concomitant surgical myocardial revascularization is still the gold standard for combined valvular and coronary heart disease (letter), 1782
- Myocardial shortening**
Propagation of onset and peak time of myocardial shortening in ischemic vs. non-ischemic cardiomyopathy: assessment by MRI myocardial tagging, 2215
- Myocardial stunning**
Usefulness of a comprehensive cardiovascular magnetic resonance imaging assessment for predicting recovery of left ventricular wall motion in the setting of myocardial stunning, 1747
- Myocarditis**
Determinants of myocardial recovery in myocarditis (editorial), 1043
Myocardial expression of Fas and recovery of left ventricular function in patients with recent-onset cardiomyopathy, 1036
- Myocardium**
Increased vascular endothelial growth factor but impaired vascular endothelial growth factor receptor signaling in the myocardium of type 2 diabetic patients with chronic coronary heart disease, 827
- Myosin-binding protein C gene**
Lifelong left ventricular remodeling of hypertrophic cardiomyopathy caused by a founder frameshift deletion mutation in the cardiac myosin-binding protein C gene among Japanese, 1737
- National Cholesterol Education Program Panel III**
Detection of high-risk young adults and women by coronary calcium and National Cholesterol Education Program Panel III guidelines, 1931
- Natriuretic peptides**
Flow-mediated vasodilation predicts outcome in patients with chronic heart failure, 1011
Impact of atrial fibrillation on the diagnostic performance of B-type natriuretic peptide concentration in dyspneic patients, 838
In-hospital mortality in patients with acute decompensated heart failure requiring intravenous vasoactive medications, 57
- Neointimal hyperplasia**
Effect of variable dose and release kinetics on neointimal hyperplasia using a novel paclitaxel-eluting stent platform, 253
- Neovascularization**
Downregulated expression of plasminogen activator inhibitor-1 augments myocardial neovascularization and reduces cardiomyocyte apoptosis after acute myocardial infarction, 536
Erythropoietin induces neovascularization and improves cardiac function in rats with heart failure after myocardial infarction, 125
- Neuroprotection**
Effect of two different neuroprotection systems on microembolization during carotid artery stenting (letter), 382
- Nitric oxide**
Acute consumption of flavanol-rich cocoa and the reversal of endothelial dysfunction in smokers, 1276
- Nitric oxide synthase**
Suppression of endothelial progenitor cells in human coronary artery disease by the endogenous nitric oxide synthase inhibitor asymmetric dimethylarginine, 1693
- Noncontact mapping**
Global endocardial electrical restitution in human right and left ventricles determined by noncontact mapping, 1067

Non-ST-segment elevation acute coronary syndromes

- Effects of clopidogrel on the rebound hypercoagulable state after heparin discontinuation in patients with acute coronary syndromes (correspondence), 1582
- Evolution in cardiovascular care for elderly patients with non-ST-segment elevation acute coronary syndromes, 1479
- Implications of blood transfusions for patients with non-ST-segment elevation acute coronary syndromes, 1490
- Year in non-ST-segment elevation acute coronary syndromes, 906

Nuclear factor-kappa B

- Enhanced plasma levels of oxidized low-density lipoprotein increase circulating nuclear factor-kappa B activation in patients with unstable angina, 799

Nurse specialists

- Bridging the resource gap in heart failure expertise and management: the underacknowledged role of nurse specialists (letter), 1961

Obesity

- The forgotten majority, 1225
- Release of C-reactive protein in response to inflammatory cytokines by human adipocytes: linking obesity to vascular inflammation (correspondence), 1112

Obstructive epicardial coronary disease

- Myocardial infarction in the absence of obstructive epicardial coronary disease (letter), 740

Occlusion

- Aspirin, but not clopidogrel, reduces collateral conductance in a rabbit model of femoral artery occlusion, 994
- Intracoronary fibrin-specific thrombolytic infusion facilitates percutaneous recanalization of chronic total occlusion, 793

Off-pump coronary artery bypass grafting

- Off-pump coronary artery surgery for reducing mortality and morbidity, 872

Olive oil

- Phenolic content of virgin olive oil improves ischemic reactive hyperemia in hypercholesterolemic patients, 1864

Orthostatic tolerance

- Increased postural sway in control subjects with poor orthostatic tolerance, 1309

Ostial left anterior descending artery stenosis

- Effectiveness of sirolimus-eluting stent implantation for the treatment of ostial left anterior descending artery stenosis with intravascular ultrasound guidance, 787

Outcomes

- Application of evidence-based medical therapy is associated with improved outcomes after percutaneous coronary intervention and is a valid quality indicator, 1473
- Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique, 613
- Electrocardiographic predictors of cardiovascular outcome in women, 51
- Evolution in cardiovascular care for elderly patients with non-ST-segment elevation acute coronary syndromes, 1479
- Five-year outcomes after coronary stenting versus bypass surgery for the treatment of multivessel disease, 575
- Flow-mediated vasodilation predicts outcome in patients with chronic heart failure, 1011

- Improving the outcome of childhood pulmonary arterial hypertension (editorial), 705
- Influence of race on health status outcomes one year after an acute coronary syndrome, 1838
- Long-term clinical outcome after fractional flow reserve-guided percutaneous coronary intervention in patients with multivessel disease, 438
- More risk factors affecting heart failure outcomes! (editorial), 1027
- Nine-month outcome of patients treated by percutaneous coronary interventions for bifurcation lesions in the recent era, 606
- Operative and late coronary artery bypass grafting outcomes in matched African-American versus Caucasian patients, 1526
- Outcomes and risks of granulocyte colony-stimulating factor in patients with coronary artery disease, 1643
- Prior aspirin use and outcomes in elderly patients hospitalized with acute myocardial infarction, 967
- Relation between patients' outcomes and the volume of cardioverter-defibrillator implantation procedures performed by physicians treating Medicare beneficiaries, 1536
- Relationship between operator volume and adverse outcome in contemporary percutaneous coronary intervention practice, 625
- Year in epidemiology, health services, and outcome research, 1362

Oxidized low-density lipoprotein

- Enhanced plasma levels of oxidized low-density lipoprotein increase circulating nuclear factor-kappa B activation in patients with unstable angina, 799

P2Y₁₂ receptor

- Matching the evaluation of the clinical efficacy of clopidogrel to platelet function tests relevant to the biological properties of the drug, 638

Pacemakers

- Magnetic resonance imaging in patients with cardiac pacemakers (letter), 561
- Monitored atrial fibrillation duration predicts arterial embolic events in patients suffering from bradycardia and atrial fibrillation implanted with antitachycardia pacemakers, 1913

Pacing

- Acute hemodynamic benefits of bi-atrial atrioventricular sequential pacing with the optimal atrioventricular delay, 320
- Acute hemodynamic effects of pacing in patients with Fontan physiology, 1937
- Cardiac resynchronization with sequential bi-ventricular pacing for the treatment of moderate to severe heart failure, 2298
- Cost-effectiveness of cardiac resynchronization therapy in the Comparison of Medical Therapy, Pacing, and Defibrillation in Heart Failure (COMPANION) trial, 2311
- Hemodynamic effect of intrinsic conduction during left ventricular pacing as compared to biventricular pacing, 2305
- Impact of conventional versus biventricular pacing on hemodynamics and tissue Doppler imaging indices of resynchronization in post-operative children with congenital heart disease, 2284
- Incremental benefit of rate-adaptive pacing on exercise performance during cardiac resynchronization therapy, 2292
- Potential proarrhythmic effects of biventricular pacing, 2340

Paclitaxel-eluting stents

- Effect of variable dose and release kinetics on neointimal hyperplasia using a novel paclitaxel-eluting stent platform, 253

Pancreas transplantation

- Cross-sectional assessment of the effect of kidney and kidney-pancreas transplantation on resting left ventricular energy metabolism in type 1 diabetic-uremic patients, 1085

Papillary muscle dysfunction

- Papillary muscle dysfunction attenuates ischemic mitral regurgitation in patients with localized basal inferior left ventricular remodeling, 113

Paroxysmal atrial fibrillation

- Predictors of non-pulmonary vein ectopic beats initiating paroxysmal atrial fibrillation, 1054

Patent foramen ovale

- Patent foramen ovale: current pathology, pathophysiology, and clinical status, 1768
- Patent foramen ovale/atrial septal defect closure and migraine: searching the rationale for the procedure (letter), 737

Peak systolic pressure gradient

- Doppler echocardiographic profile and indexes in the evaluation of aortic coarctation in patients before and after stenting, 1045

Pediatric cardiology

- See also* Children
- ACCF/AHA/AAP Recommendations for Training in Pediatric Cardiology, 1378
- Development of a safe and effective pediatric dosing regimen for sotalol based on population pharmacokinetics and pharmacodynamics in children with supraventricular tachycardia, 1322
- Task Force 1: general experiences and training, 1382
- Task Force 2: pediatric training guidelines for noninvasive cardiac imaging, 1384
- Task Force 3: training guidelines for pediatric cardiac catheterization and interventional cardiology, 1388
- Task Force 4: recommendations for training guidelines in pediatric cardiac electrophysiology, 1391
- Task Force 5: requirements for pediatric cardiac critical care, 1396
- Task Force 7: training guidelines for research in pediatric cardiology, 1401
- Training guidelines for pediatric cardiology fellowship programs, 1380
- Variations in adult congenital heart disease training in adult and pediatric cardiology fellowship programs, 893

Percutaneous coronary interventions

- Achieving door-to-balloon times that meet quality guidelines, 1236
- Application of evidence-based medical therapy is associated with improved outcomes after percutaneous coronary intervention and is a valid quality indicator, 1473
- Distal myocardial protection during percutaneous coronary intervention, 1434
- Economic effects of extended clopidogrel therapy—a word of caution (letter), 1376
- Emergency coronary artery bypass surgery for percutaneous coronary interventions: changes in the incidence, clinical characteristics, and indications from 1989 to 2003, 2004
- Five-year follow-up of the argentine randomized trial of coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple vessel disease (ERACI II), 582
- Intracoronary fibrin-specific thrombolytic infusion

- facilitates percutaneous recanalization of chronic total occlusion, 793
- Lipoprotein lipase gene polymorphisms and the risk of target vessel revascularization after percutaneous coronary intervention, 1093
- Long-term clinical outcome after fractional flow reserve-guided percutaneous coronary intervention in patients with multivessel disease, 438
- Long-term cost effectiveness of early and sustained dual oral antiplatelet therapy with clopidogrel given for up to one year after percutaneous coronary intervention, 761
- Manual thrombus-aspiration improves myocardial reperfusion, 371
- Mean platelet volume on admission predicts impaired reperfusion and long-term mortality in acute myocardial infarction treated with primary percutaneous coronary intervention, 284
- Nine-month outcome of patients treated by percutaneous coronary interventions for bifurcation lesions in the recent era, 606
- Platelet reactivity in patients and recurrent events post-stenting, 1820
- Randomized evaluation of the TriActiv balloon-protection flush and extraction system for the treatment of saphenous vein graft disease, 1677
- Reducing the risk of emergency bypass surgery for failed percutaneous coronary interventions, 2010
- Relationship between operator volume and adverse outcome in contemporary percutaneous coronary intervention practice, 625
- Stenting or surgery (editorial), 589
- X-Sizer for thrombectomy in acute myocardial infarction improves ST-segment resolution, 246
- Percutaneous laser myocardial revascularization**
Blinded, randomized, placebo-controlled trial of percutaneous laser myocardial revascularization to improve angina symptoms in patients with severe coronary disease, 1812
- Percutaneous mitral valve repair**
Percutaneous mitral valve repair using the edge-to-edge technique: 6 month results of the EVEREST, 2311
Percutaneous mitral valve repair with the edge-to-edge technique: a surgeon's perspective, 2141
- Perindopril**
Can perindopril delay the onset of heart failure in Duchenne muscular dystrophy? (letter), 1781
- Perioperative genomics**
New paradigms in cardiovascular medicine, 1965
- Peripheral arterial disease**
Subclinical peripheral arterial disease and incompressible ankle arteries are both long-term prognostic factors in patients undergoing coronary artery bypass grafting, 815
- Pharmaceuticals**
On the selling of pharmaceuticals, 1953
- Pharmacodynamics**
Development of a safe and effective pediatric dosing regimen for sotalol based on population pharmacokinetics and pharmacodynamics in children with supraventricular tachycardia, 1322
- Pharmacokinetics**
Development of a safe and effective pediatric dosing regimen for sotalol based on population pharmacokinetics and pharmacodynamics in children with supraventricular tachycardia, 1322
- Phosphodiesterase-5 inhibitor**
Combined use of ibutilide as an active control with intensive electrocardiographic sampling and signal averaging as a sensitive method to assess the effects of tadalafil on the human QT interval, 678
- Phospholipase A2**
Circulatory secretory phospholipase A2 activity predicts recurrent events in patients with severe acute coronary syndromes, 1249
- PLAATO system**
Percutaneous left atrial appendage transcatheter occlusion (PLAATO system) to prevent stroke in high-risk patients with rheumatic atrial fibrillation, 9
- Plasma protein-A**
Pregnancy-associated plasma protein-A and acute coronary syndromes: cause or consequence? (letter), 1583
- Plasma renin**
Arg389Gly α -adrenoceptor polymorphism and catecholamine effects on plasma-renin-activity, 2111
- Plasma tissue factor**
Plasma tissue factor plus activated peripheral mononuclear cells activate factors VII and X in cardiac surgical wounds, 707
- Plasminogen activator inhibitor-1**
Downregulated expression of plasminogen activator inhibitor-1 augments myocardial neovascularization and reduces cardiomyocyte apoptosis after acute myocardial infarction, 536
- Platelets**
Clopidogrel (editorial), 646
Clopidogrel effect on platelet reactivity in patients with stent thrombosis, 1827
Matching the evaluation of the clinical efficacy of clopidogrel to platelet function tests relevant to the biological properties of the drug, 638
Mean platelet volume on admission predicts impaired reperfusion and long-term mortality in acute myocardial infarction treated with primary percutaneous coronary intervention, 284
Overestimation of platelet aspirin resistance detection by thrombelastograph platelet mapping and validation by conventional aggregometry using arachidonic acid stimulation, 1705
Platelet reactivity in patients and recurrent events post-stenting, 1820
Platelet response to low-dose enteric-coated aspirin in patients with stable cardiovascular disease, 1258
- Platypnea-orthodeoxia syndrome**
Patent foramen ovale: current pathology, pathophysiology, and clinical status, 1768
- Polymorphic ventricular tachycardia**
Malignant entity of idiopathic ventricular fibrillation and polymorphic ventricular tachycardia initiated by premature extrasystoles originating from the right ventricular outflow tract, 1288
- Polymorphisms**
Genetic polymorphism on endothelial nitric oxide synthase affects endothelial activation and inflammatory response during the acute phase of myocardial infarction, 1101
Lipoprotein lipase gene polymorphisms and the risk of target vessel revascularization after percutaneous coronary intervention, 1093
- Positron emission tomography**
Extent of perfusion-F18-fluorodeoxyglucose positron emission tomography mismatch determines mortality in medically treated patients with chronic ischemic left ventricular dysfunction, 1264
Year in cardiac imaging, 542
- Posture**
Increased postural sway in control subjects with poor orthostatic tolerance, 1309
- Preconditioning**
Remote ischemic preconditioning provides early and late protection against endothelial ischemia-reperfusion injury in humans, 450
- Pregnancy**
Valvular heart disease and pregnancy, 223, 403
- Pregnancy-associated plasma protein-A**
Pregnancy-associated plasma protein-A and acute coronary syndromes: cause or consequence? (letter), 1583
- Professional competency**
Determination of professional competency in a rapidly changing environment, 1996
- Prosthetic heart valves**
Valvular heart disease and pregnancy, 403
- Pulmonary arterial hypertension**
Ambrisentan therapy for pulmonary arterial hypertension, 529
Effects of long-term bosentan in children with pulmonary arterial hypertension, 697
Improving the outcome of childhood pulmonary arterial hypertension (editorial), 705
- Pulmonary valve replacement**
Time course of diastolic and systolic function improvement after pulmonary valve replacement in adult patients with tetralogy of Fallot, 1559
- Pulmonary vein ectopic beats**
Predictors of non-pulmonary vein ectopic beats initiating paroxysmal atrial fibrillation, 1054
- Pulmonary vein isolation**
Efficacy and safety of circumferential pulmonary vein isolation using a novel cryothermal balloon ablation system, 1902
Pulmonary vein isolation as an end point for left atrial circumferential ablation of atrial fibrillation, 1060
Trigger activity more than three years after left atrial linear ablation without pulmonary vein isolation in patients with atrial fibrillation, 338
- Pulse wave velocity**
Effects of fluvastatin on the carotid arterial media as assessed by integrated backscatter ultrasound as compared to pulse wave velocity, 2031
Normal vascular aging: differential effects on wave reflection and aortic pulse wave velocity, 1753
- Pyloric spasm**
Acute pyloric spasm and gastric hypomotility, 327
- QRS complex**
Electrical signals applied during the absolute refractory period: an investigational treatment for advanced heart failure in patients with normal QRS duration, 2229
Electrocardiographic predictors of cardiovascular outcome in women, 51
Mechanical dyssynchrony assessed by Doppler tissue imaging is a powerful predictor of mortality in congestive heart failure with normal QRS duration, 2237
QRS duration does not predict occurrence of ventricular tachyarrhythmias in patients with implanted cardioverter-defibrillators, 310
Significance of QRS complex duration in patients with heart failure, 2183

- Wide QRS, narrow QRS (editorial), 317
- QRS-T angle**
Electrocardiographic predictors of cardiovascular outcome in women, 51
- QT interval**
Combined use of ibutilide as an active control with intensive electrocardiographic sampling and signal averaging as a sensitive method to assess the effects of tadalafil on the human QT interval, 678
Making a silk purse out of a sow's ear (editorial), 688
- QTrr duration**
Electrocardiographic predictors of cardiovascular outcome in women, 51
- Quality of life**
Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction, 266
Improving quality of life after cardiogenic shock: do more revascularization! (editorial), 274
- Quantitative coronary angiography**
Physiologic assessment of jailed side branch lesions using fractional flow reserve, 633
Quantification of obstructive and nonobstructive coronary lesions by 64-slice computed tomography, 147
- Quantitative ultrasound**
Stabilization of carotid atheroma assessed by quantitative ultrasound analysis in non-hypercholesterolemic patients with coronary artery disease, 2022
- Race**
Gender, race, and cardiac care (editorial), 1852
Influence of race on health status outcomes one year after an acute coronary syndrome, 1838
Operative and late coronary artery bypass grafting outcomes in matched African-American versus Caucasian patients, 1526
Race and gender differences in C-reactive protein levels, 464
- Radial artery**
Vascular communications of the hand in patients being considered from transradial coronary artery angiography—Is the Allens test accurate?, 2013
- Radiation**
Fluoroscopically guided implantation of modern cardiac resynchronization devices: radiation burden to the patient and associated risks, 2335
- Radiofrequency ablation**
See also Ablation
Acute pyloric spasm and gastric hypomotility, 327
Atrial tachycardia arising from the coronary sinus musculature, 1921
Malignant entity of idiopathic ventricular fibrillation and polymorphic ventricular tachycardia initiated by premature extrasystoles originating from the right ventricular outflow tract, 1288
- Randomized trials**
Randomized, double-blind, placebo-controlled trial on restenosis prevention by the receptor tyrosine kinase inhibitor imatinib, 1999
- Rate-adaptive pacing**
Incremental benefit of rate-adaptive pacing on exercise performance during cardiac resynchronization therapy, 2292
- Reactive hyperemia**
Phenolic content of virgin olive oil improves ischemic reactive hyperemia in hypercholesterolemic patients, 1864
- Recanalization**
Intracoronary fibrin-specific thrombolytic infusion facilitates percutaneous recanalization of chronic total occlusion, 793
- Regadenoson**
Initial clinical experience with regadenoson, a novel selective A_{2A} agonist for pharmacologic stress SPECT myocardial perfusion imaging, 2069
- Remodeling**
Left ventricular dyssynchrony predicts right ventricular remodeling after cardiac resynchronization therapy, 2264
Papillary muscle dysfunction attenuates ischemic mitral regurgitation in patients with localized basal inferior left ventricular remodeling, 113
Prevalence and clinical significance of left atrial remodeling in competitive athletes, 690
- Remote ischemic preconditioning**
Remote ischemic preconditioning provides early and late protection against endothelial ischemia-reperfusion injury in humans, 450
- Renal artery stenting**
Evaluation of the safety and effectiveness of renal artery stenting after unsuccessful balloon angioplasty, 776
Renal artery stenting (editorial), 784
- Renal transplantation**
Cross-sectional assessment of the effect of kidney and kidney-pancreas transplantation on resting left ventricular energy metabolism in type 1 diabetic-uremic patients, 1085
- Renin**
Arg389Gly α -adrenoceptor polymorphism and catecholamine effects on plasma-renin-activity, 2111
- Reperfusion**
Mean platelet volume on admission predicts impaired reperfusion and long-term mortality in acute myocardial infarction treated with primary percutaneous coronary intervention, 284
- Reperfusion therapy**
Sustained benefit 20 years after reperfusion therapy in acute myocardial infarction, 15
- Research**
Associations between serum resistin levels and insulin resistance, inflammation, and coronary artery disease (correspondence), 379
Combined Angioplasty and Pharmacological Intervention Versus Thrombolysis Alone in Acute Myocardial Infarction (CAPITAL AMI Study), 417
Downregulated expression of plasminogen activator inhibitor-1 augments myocardial neovascularization and reduces cardiomyocyte apoptosis after acute myocardial infarction, 536
Efficacy and safety of fasudil in patients with stable angina, 1803
Erythropoietin induces neovascularization and improves cardiac function in rats with heart failure after myocardial infarction, 125
Five-year outcomes after coronary stenting versus bypass surgery for the treatment of multivessel disease, 575
Improved graft mesenchymal stem cell survival in ischemic heart with a hypoxia-regulated heme oxygenase-1 vector, 1339
Late incomplete stent apposition after sirolimus-eluting stent implantation, 1002
Long-term results (three to five years) of the Restenosis Instant: Balloon Angioplasty Versus Elective Stenting (RIBS) randomized study, 756
- Percutaneous left atrial appendage transcatheter occlusion (PLAATO system) to prevent stroke in high-risk patients with rheumatic atrial fibrillation, 9
- Randomized, double-blind, placebo-controlled trial on restenosis prevention by the receptor tyrosine kinase inhibitor imatinib, 1999
- Task Force 7: training guidelines for research in pediatric cardiology, 1401
- Treatment of ischemic limbs based on local recruitment of vascular endothelial growth factor-producing inflammatory cells with ultrasonic microbubble destruction, 899
- U-shaped relationship of blood glucose with adverse outcomes among patients with ST-segment elevation myocardial infarction (correspondence), 178
- Resistin**
Associations between serum resistin levels and insulin resistance, inflammation, and coronary artery disease (correspondence), 379
- Restenosis**
Endothelial vasomotor dysfunction in the brachial artery is associated with late in-stent coronary restenosis, 648
Long-term results (three to five years) of the Restenosis Instant: Balloon Angioplasty Versus Elective Stenting (RIBS) randomized study, 756
Randomized, double-blind, placebo-controlled trial on restenosis prevention by the receptor tyrosine kinase inhibitor imatinib, 1999
- RESTORE registry**
RESTORE—from deduction to leap of faith (letter), 562
- Resynchronization therapy**
See Cardiac resynchronization therapy
- Revascularization**
Blinded, randomized, placebo-controlled trial of percutaneous laser myocardial revascularization to improve angina symptoms in patients with severe coronary disease, 1812
Functional status and quality of life after emergency revascularization for cardiogenic shock complicating acute myocardial infarction, 266
Improving quality of life after cardiogenic shock: do more revascularization! (editorial), 274
Lipoprotein lipase gene polymorphisms and the risk of target vessel revascularization after percutaneous coronary intervention, 1093
Revascularization in severe left ventricular dysfunction, 567
- Rheumatic atrial fibrillation**
Percutaneous left atrial appendage transcatheter occlusion (PLAATO system) to prevent stroke in high-risk patients with rheumatic atrial fibrillation, 9
- Right ventricle**
Global endocardial electrical restitution in human right and left ventricles determined by noncontact mapping, 1067
- Right ventricular cardiomyopathy**
Echocardiographic findings in patients with arrhythmogenic/right ventricular cardiomyopathy/dysplasia (letter), 1962
- Right ventricular outflow tract**
Cardiologists' worst nightmare (editorial), 1295
Malignant entity of idiopathic ventricular fibrillation and polymorphic ventricular tachycardia initiated by premature extrasystoles originating from the right ventricular outflow tract, 1288
- Right ventricular remodeling**
Left ventricular dyssynchrony predicts right

- ventricular remodeling after cardiac resynchronization therapy, 2264
- Risk factors**
The forgotten majority, 1225
Impaired insulin sensitivity as an independent risk factor for mortality in patients with stable chronic heart failure, 1019
More risk factors affecting heart failure outcomes! (editorial), 1027
Novel metabolic risk factors for heart failure, 2054
Relationship between uncontrolled risk factors and C-reactive protein levels in patients receiving standard or intensive statin therapy for acute coronary syndromes in the PROVE IT-TIMI 22 trial, 1417
- Risk stratification**
Microvolt T-wave alternans for the risk stratification of ventricular tachyarrhythmic events, 75
Risk stratification of patients with classic angina pectoris and no history of coronary artery disease by dobutamine stress echocardiography (correspondence), 730
- Robotically-assisted left ventricular epicardial leads**
Follow-up of robotically-assisted left ventricular epicardial leads for cardiac resynchronization therapy, 2359
- Saphenous vein grafts**
Randomized evaluation of the TriActiv balloon-protection flush and extraction system for the treatment of saphenous vein graft disease, 1677
- Scintigraphy**
Noninvasive etiologic diagnosis of cardiac amyloidosis using ^{99m}Tc-3,3-diphosphono-1,2-propanodicarboxylic acid scintigraphy, 1076
- SCN5A gene**
Developmental aspects of long QT syndrome type 3 and Brugada syndrome on the basis of a single *SCN5A* mutation in childhood, 331
High-risk for bradyarrhythmic complications in patients with Brugada syndrome caused by *SCN5A* gene mutations, 2100
- Septal myectomy**
Long-term effects of surgical septal myectomy on survival in patients with obstructive hypertrophic cardiomyopathy, 470
Prognostic impact of septal myectomy in obstructive hypertrophic cardiomyopathy (editorial), 477
- Septal-to-posterior wall motion delay**
Septal to posterior wall motion delay fails to predict reverse remodeling or clinical improvement in patients undergoing cardiac resynchronization system, 2208
- Side branch lesions**
Physiologic assessment of jailed side branch lesions using fractional flow reserve, 633
- Simvastatin**
Effects of aggressive versus conventional lipid-lowering therapy by simvastatin on human atherosclerotic lesions, 106
- Single-photon emission computed tomography**
Year in cardiac imaging, 542
- Single-photon emission computed tomography myocardial perfusion imaging**
ACCF/ASNC appropriateness criteria for single-photon emission computed tomography myocardial perfusion imaging (SPECT MPI), 1587
Initial clinical experience with regadenoson, a novel selective A_{2A} agonist for pharmacologic stress SPECT myocardial perfusion imaging, 2069
- Sirolimus-eluting stents**
See also Stents
Effectiveness of sirolimus-eluting stent implantation for the treatment of ostial left anterior descending artery stenosis with intravascular ultrasound guidance, 787
Endothelial dysfunction after sirolimus-eluting stent placement (editorial), 236
Evaluation of four-year coronary artery response after sirolimus-eluting stent implantation using serial quantitative intravascular ultrasound and computer-assisted grayscale value analysis for plaque composition in event-free patients, 1670
Late incomplete stent apposition after sirolimus-eluting stent implantation, 1002
Sirolimus-eluting stents associated with paradoxical coronary vasoconstriction, 231
- Slow-flow phenomenon**
Slow-flow phenomenon during carotid artery intervention with embolic protection devices, 1466
- Smoking**
Acute consumption of flavanol-rich cocoa and the reversal of endothelial dysfunction in smokers, 1276
- Sotalol**
Development of a safe and effective pediatric dosing regimen for sotalol based on population pharmacokinetics and pharmacodynamics in children with supraventricular tachycardia, 1322
- Spirolactone**
Adequacy of laboratory monitoring in patients treated with spironolactone for congestive heart failure, 845
- Sports participation**
Walking and sports participation and mortality from coronary heart disease and stroke, 1761
- ST segment**
Patients with prolonged ischemic chest pain and presumed-new left bundle branch block have heterogeneous outcomes depending on the presence of ST-segment changes, 29
- Stable angina**
Efficacy and safety of fasudil in patients with stable angina, 1803
- Statins**
Can low-density lipoprotein be too low? The safety and efficacy of achieving very low low-density lipoprotein with intensive statin therapy, 1411
Early and late benefits of high-dose atorvastatin in patients with acute coronary syndromes, 1405
Effects of fluvastatin on the carotid arterial media as assessed by integrated backscatter ultrasound as compared to pulse wave velocity, 2031
At the heart of the statin benefit (editorial), 1863
Pleiotropic effects of statins: benefit beyond cholesterol reduction?, 1855
Potential relevance of the multiple lipid-independent (pleiotropic) effects of statins in the management of acute coronary syndromes, 1425
Relationship between uncontrolled risk factors and C-reactive protein levels in patients receiving standard or intensive statin therapy for acute coronary syndromes in the PROVE IT-TIMI 22 trial, 1417
- Stem cell(s)**
Enhancing stem cell therapy through genetic modification (editorial), 1351
Human adult bone marrow mesenchymal stem cells repair experimental conduction block in rat cardiomyocyte cultures, 1943
Improved graft mesenchymal stem cell survival in ischemic heart with a hypoxia-regulated heme oxygenase-1 vector, 1339
- Stem cell factor**
Granulocyte colony-stimulating factor and stem cell factor improve contractile reserve of the infarcted left ventricle independent of restoring muscle mass, 1662
- Stem cell transplantation**
Dying stem cell hypothesis, 1799
- Stenosis**
Effectiveness of sirolimus-eluting stent implantation for the treatment of ostial left anterior descending artery stenosis with intravascular ultrasound guidance, 787
Head-to-head comparison of three-dimensional navigator-gated magnetic resonance imaging and 16-slice computed tomography to detect coronary artery stenosis in patients, 92
Intravascular ultrasound for the assessment of an ambiguous left main coronary stenosis (letter), 2145
Reduced systemic arterial compliance impacts significantly on left ventricular afterload and function in aortic stenosis, 291
Severe calcific aortic stenosis (editorial), 299
- Stent(s)**
See also Drug-eluting stents; Sirolimus-eluting stents
Clinical and angiographic outcome after implantation of drug-eluting stents in bifurcation lesions with the crush stent technique, 613
Clopidogrel effect on platelet reactivity in patients with stent thrombosis, 1827
Contemporary stent treatment of coronary bifurcations, 1446
Effect of variable dose and release kinetics on neointimal hyperplasia using a novel paclitaxel-eluting stent platform, 253
Effectiveness of sirolimus-eluting stent implantation for the treatment of ostial left anterior descending artery stenosis with intravascular ultrasound guidance, 787
Endothelial dysfunction after sirolimus-eluting stent placement (editorial), 236
Evaluation of four-year coronary artery response after sirolimus-eluting stent implantation using serial quantitative intravascular ultrasound and computer-assisted grayscale value analysis for plaque composition in event-free patients, 1670
FRONTIER stent registry, 592
Late incomplete stent apposition after sirolimus-eluting stent implantation, 1002
Sirolimus-eluting stents associated with paradoxical coronary vasoconstriction, 231
- Stent fractures**
Impact of stent fractures following femoropopliteal stenting (letter), 1961
- Stenting**
Doppler echocardiographic profile and indexes in the evaluation of aortic coarctation in patients before and after stenting, 1045
Evaluation of the safety and effectiveness of renal artery stenting after unsuccessful balloon angioplasty, 776
Five-year follow-up of the argentine randomized trial of coronary angioplasty with stenting versus coronary bypass surgery in patients with multiple vessel disease (ERACI II), 582
Five-year outcomes after coronary stenting versus

- bypass surgery for the treatment of multivessel disease, 575
- Impact of stent fractures following femoropopliteal stenting (letter), 1961
- Local release of C-reactive protein from vulnerable plaque or coronary arterial wall injured by stenting, 237
- Long-term results (three to five years) of the Restenosis Instant: Balloon Angioplasty Versus Elective Stenting (RIBS) randomized study, 756
- Platelet reactivity in patients and recurrent events post-stenting, 1820
- Renal artery stenting (editorial), 784
- Stenting or surgery (editorial), 589
- Triple versus dual antiplatelet therapy after coronary stenting, 1833
- Strain rate imaging**
Strain rate imaging differentiates transmural from non-transmural myocardial infarction, 864
- Stress**
Inhibition of cortisol production with metyrapone prevents mental stress-induced endothelial dysfunction and baroreflex impairment, 344
- Stress echocardiography**
See also Echocardiography
Association of myocardial ischemia with mortality and implanted cardioverter-defibrillator therapy in patients with coronary artery disease at risk of arrhythmic death, 1721
- Stroke**
Hospitalized patients with atrial fibrillation and a high risk of stroke are not being provided with adequate anticoagulation, 1729
Percutaneous left atrial appendage transcatheter occlusion (PLAATO system) to prevent stroke in high-risk patients with rheumatic atrial fibrillation, 9
Secondary stroke prevention with antiplatelet therapy with emphasis on the cardiac patient, 752
Walking and sports participation and mortality from coronary heart disease and stroke, 1761
- Stroke volume**
Thickening of the infarcted wall by collagen injection improves left ventricular function in rats, 714
- Stromal cell-derived factor-1**
Peritransplant ischemic injury is associated with up-regulation of stromal cell-derived factor-1, 1029
- ST-segment elevation acute myocardial infarction**
Manual thrombus-aspiration improves myocardial reperfusion, 371
U-shaped relationship of blood glucose with adverse outcomes among patients with ST-segment elevation myocardial infarction (correspondence), 178
- Sudden death**
Evidence for decreasing occurrence of sudden cardiac death associated with the marathon (correspondence), 1373
- Supraventricular tachycardia**
Development of a safe and effective pediatric dosing regimen for sotalol based on population pharmacokinetics and pharmacodynamics in children with supraventricular tachycardia, 1322
- Sympathetic nerve stimulation**
Selective increase of cardiac neuronal sympathetic tone, 1354
- Sympathetic tone**
Selective increase of cardiac neuronal sympathetic tone, 1354
- Syncope**
Increased postural sway in control subjects with poor orthostatic tolerance, 1309
- Systemic arterial compliance**
Reduced systemic arterial compliance impacts significantly on left ventricular afterload and function in aortic stenosis, 291
- Systolic asynchrony**
Diastolic asynchrony is more frequent than systolic asynchrony in dilated cardiomyopathy and is less improved by cardiac resynchronization therapy, 2250
- Systolic function**
Improvements in left ventricular diastolic function after cardiac resynchronization therapy are coupled to response in systolic performance, 2244
Time course of diastolic and systolic function improvement after pulmonary valve replacement in adult patients with tetralogy of Fallot, 1559
Usefulness of a comprehensive cardiovascular magnetic resonance imaging assessment for predicting recovery of left ventricular wall motion in the setting of myocardial stunning, 1747
- Systolic velocity half-time index**
Doppler echocardiographic profile and indexes in the evaluation of aortic coarctation in patients before and after stenting, 1045
- Systolic ventricular dysfunction**
Treatment order in managing systolic ventricular dysfunction (letter), 182
- Tachyarrhythmias**
Microvolt T-wave alternans for the risk stratification of ventricular tachyarrhythmic events, 75
QRS duration does not predict occurrence of ventricular tachyarrhythmias in patients with implanted cardioverter-defibrillators, 310
- Tachycardia**
Atrial tachycardia arising from the coronary sinus musculature, 1921
Catheter ablation of atypical atrial flutter and atrial tachycardia within the coronary sinus after left atrial ablation for atrial fibrillation, 83
Development of a safe and effective pediatric dosing regimen for sotalol based on population pharmacokinetics and pharmacodynamics in children with supraventricular tachycardia, 1322
Electrogram characteristics in postinfarction ventricular tachycardia, 667
Monitored atrial fibrillation duration predicts arterial embolic events in patients suffering from bradycardia and atrial fibrillation implanted with antitachycardia pacemakers, 1913
"The older the broader" (editorial), 675
- Tadalafil**
Combined use of ibutilide as an active control with intensive electrocardiographic sampling and signal averaging as a sensitive method to assess the effects of tadalafil on the human QT interval, 678
- Target vessel revascularization**
Lipoprotein lipase gene polymorphisms and the risk of target vessel revascularization after percutaneous coronary intervention, 1093
- ^{99m}Tc-3,3-diphosphono-1,2-propanodicarboxylic acid scintigraphy**
Noninvasive etiologic diagnosis of cardiac amyloidosis using ^{99m}Tc-3,3-diphosphono-
- 1,2-propanodicarboxylic acid scintigraphy, 1076
- Tenecteplase**
Combined Angioplasty and Pharmacological Intervention Versus Thrombolysis Alone in Acute Myocardial Infarction (CAPITAL AMI Study), 417
- Tetralogy of Fallot**
Adult with congenital heart disease, 1
Time course of diastolic and systolic function improvement after pulmonary valve replacement in adult patients with tetralogy of Fallot, 1559
- Thin-cap fibroatheroma**
In vivo intravascular ultrasound-derived thin-cap fibroatheroma detection using ultrasound radio frequency data analysis, 2038
- Three-dimensional navigator-gated magnetic resonance imaging**
Head-to-head comparison of three-dimensional navigator-gated magnetic resonance imaging and 16-slice computed tomography to detect coronary artery stenosis in patients, 92
- Thrombectomy**
X-Sizer for thrombectomy in acute myocardial infarction improves ST-segment resolution, 246
- Thrombelastograph platelet mapping**
Overestimation of platelet aspirin resistance detection by thrombelastograph platelet mapping and validation by conventional aggregometry using arachidonic acid stimulation, 1705
- Thrombolysis**
Combined Angioplasty and Pharmacological Intervention Versus Thrombolysis Alone in Acute Myocardial Infarction (CAPITAL AMI Study), 417
- Thrombolysis in Myocardial Infarction score**
Myocardial contrast echocardiography versus Thrombolysis in Myocardial Infarction score in patients presenting to the emergency department with chest pain and a nondiagnostic electrocardiogram, 920
- Thrombolytic therapy**
Intracoronary fibrin-specific thrombolytic infusion facilitates percutaneous recanalization of chronic total occlusion, 793
- Thrombosis**
Clopidogrel effect on platelet reactivity in patients with stent thrombosis, 1827
- Thrombus-aspiration**
Manual thrombus-aspiration improves myocardial reperfusion, 371
- Ticlopidine**
Triple versus dual antiplatelet therapy after coronary stenting, 1833
- Tissue Doppler imaging**
Impact of conventional versus biventricular pacing on hemodynamics and tissue Doppler imaging indices of resynchronization in post-operative children with congenital heart disease, 2284
Mechanical dyssynchrony assessed by Doppler tissue imaging is a powerful predictor of mortality in congestive heart failure with normal QRS duration, 2237
- Tissue factor**
Plasma tissue factor plus activated peripheral mononuclear cells activate factors VII and X in cardiac surgical wounds, 707

Training

- ACCF/AHA/AAP Recommendations for Training in Pediatric Cardiology, 1378
- Task Force 1: general experiences and training, 1382
- Task Force 2: pediatric training guidelines for noninvasive cardiac imaging, 1384
- Task Force 3: training guidelines for pediatric cardiac catheterization and interventional cardiology, 1388
- Task Force 4: recommendations for training guidelines in pediatric cardiac electrophysiology, 1391
- Task Force 6: training in transition of adolescent care and care of the adult with congenital heart disease, 1399
- Training guidelines for pediatric cardiology fellowship programs, 1380
- Variations in adult congenital heart disease training in adult and pediatric cardiology fellowship programs, 893

Transesophageal echocardiography

- Single-step atrial thrombus exclusion and internal cardioversion of atrial fibrillation via a transesophageal echocardiography probe, 560

Transfer function method

- Applicability and clinical relevance of the transfer function method in the assessment of baroreflex sensitivity in heart failure patients, 1314

Transfusions

- Implications of blood transfusions for patients with non-ST-segment elevation acute coronary syndromes, 1490

Transmural necrosis

- Duration of ischemia is a major determinant of transmural and severe microvascular obstruction after primary angioplasty, 1229

Transposition of the great arteries

- Adult with congenital heart disease, 1
- Long-term results after primary one-stage repair of transposition of the great arteries and aortic arch obstruction, 1331

Transradial coronary artery angiography

- Vascular communications of the hand in patients being considered for transradial coronary artery angiography—Is the Allens test accurate?, 2013

Transthoracic echocardiography

- Functional assessment of mitral regurgitation by transthoracic echocardiography using standardized imaging planes, 302

Transvenous cardiac resynchronization system

- Safety of transvenous cardiac resynchronization system implantation in patients with chronic heart failure: combined results of over two thousand patients from a multicenter study program, 2349

TriActiv system

- Randomized evaluation of the TriActiv balloon-protection flush and extraction system for the treatment of saphenous vein graft disease, 1677

Tricuspid valve

- Steps toward the percutaneous replacement of atrioventricular valves, 360

Troponin I

- Frequency of cardiac troponin I mutations in families with hypertrophic cardiomyopathy in China (letter), 180

Troponins

- Lack of prognostic impact of elevated troponin levels in patients without coronary artery disease (letter), 740

- New risk score for patients with acute chest pain, non-ST-segment deviation, and normal troponin concentrations, 443

- Troponin levels and acute coronary syndrome (letter), 741

Tumor necrosis factor receptor 1

- Determinants of myocardial recovery in myocarditis (editorial), 1043

- Myocardial expression of Fas and recovery of left ventricular function in patients with recent-onset cardiomyopathy, 1036

Tumor necrosis factor receptor type I

- Plasma levels of tumor necrosis factor receptor type I during the acute phase following complicated myocardial infarction predicts survival in high risk patients, 2018

Ulnar artery

- Vascular communications of the hand in patients being considered for transradial coronary artery angiography—Is the Allens test accurate?, 2013

Ultrafiltration

- Early ultrafiltration in patients with decompensated heart failure and diuretic resistance, 2047

- Ultrafiltration: a new approach toward mechanical diuresis in heart failure, 2052

- Ultrafiltration versus usual care for hospitalized patients with heart failure: Relief for Acutely Fluid Overload Patients With Decompensated Heart Failure, 2043

Ultrasonic microbubbles

- Treatment of ischemic limbs based on local recruitment of vascular endothelial growth factor-producing inflammatory cells with ultrasonic microbubble destruction, 899

Ultrasound

- See also Intravascular ultrasound

- Effects of fluvastatin on the carotid arterial media as assessed by integrated backscatter ultrasound as compared to pulse wave velocity, 2031

- Stabilization of carotid atheroma assessed by quantitative ultrasound analysis in non-hypercholesterolemic patients with coronary artery disease, 2022

Ultrasound biomicroscopy

- Functional and morphologic imaging of coronary atherosclerosis in living mice using high-resolution color Doppler echocardiography and ultrasound biomicroscopy, 720

Unstable angina

- Enhanced plasma levels of oxidized low-density lipoprotein increase circulating nuclear factor-kappa B activation in patients with unstable angina, 799

Unstable coronary disease

- C-reactive protein increase in unstable coronary disease, 1496

Upper loop re-entry

- New electrocardiographic algorithm to differentiate upper loop re-entry from reverse typical atrial flutter, 524

Valvular heart disease

- Concomitant surgical myocardial revascularization is still the gold standard for combined valvular and coronary heart disease (letter), 1782

- Valvular heart disease and pregnancy, 223, 403

Vascular dysfunction

- Vascular dysfunction in Chinese vegetarians: an apparent paradox? (correspondence), 1957

Vascular endothelial growth factor

- Angiogenesis, arteriogenesis, and diabetes (editorial), 835

- Increased vascular endothelial growth factor but impaired vascular endothelial growth factor receptor signaling in the myocardium of type 2 diabetic patients with chronic coronary heart disease, 827

- Treatment of ischemic limbs based on local recruitment of vascular endothelial growth factor-producing inflammatory cells with ultrasonic microbubble destruction, 899

Vasoactive medications

- In-hospital mortality in patients with acute decompensated heart failure requiring intravenous vasoactive medications, 57

Vasopressin

- Vasopressin antagonism in heart failure, 1785

Vegetarians

- Vascular dysfunction in Chinese vegetarians: an apparent paradox? (correspondence), 1957

Venous anatomy

- Coronary venous anatomy, 68

Ventricular arrhythmias

- Impact of upgrade to cardiac resynchronization therapy on ventricular arrhythmia frequency in patients with implantable cardioverter defibrillators, 2258

Ventricular dyssynchrony

- Magnetic resonance imaging assessment of ventricular dyssynchrony: current and emerging concepts, 2223

Ventricular fibrillation

- Factors influencing appropriate firing of the implanted defibrillator for ventricular tachycardia/fibrillation, 1712

- Malignant entity of idiopathic ventricular fibrillation and polymorphic ventricular tachycardia initiated by premature extrasystoles originating from the right ventricular outflow tract, 1288

Ventricular tachyarrhythmias

- Microvolt T-wave alternans for the risk stratification of ventricular tachyarrhythmic events, 75

- QRS duration does not predict occurrence of ventricular tachyarrhythmias in patients with implanted cardioverter-defibrillators, 310

Ventricular tachycardia

- Cardiologists' worst nightmare (editorial), 1295
- Electrogram characteristics in postinfarction ventricular tachycardia, 667

- Factors influencing appropriate firing of the implanted defibrillator for ventricular tachycardia/fibrillation, 1712

- Malignant entity of idiopathic ventricular fibrillation and polymorphic ventricular tachycardia initiated by premature extrasystoles originating from the right ventricular outflow tract, 1288

- "The older the broader" (editorial), 675
- Who needs a defibrillator? (editorial), 1727

Viability testing

- Revascularization in severe left ventricular dysfunction, 567

Virgin olive oil

- Phenolic content of virgin olive oil improves ischemic reactive hyperemia in hypercholesterolemic patients, 1864

Vitamin C

- Treatment of asymptomatic adults with elevated coronary calcium scores with atorvastatin, vitamin C, and vitamin E, 166

Vitamin E

- Treatment of asymptomatic adults with elevated coronary calcium scores with atorvastatin, vitamin C, and vitamin E, 166

Vitamin K

Randomized trial comparing 1 mg of oral vitamin K with no treatment in the management of warfarin-associated coagulopathy in patients with mechanical heart valves (correspondence)

von Willebrand factor

Genetic polymorphism on endothelial nitric oxide synthase affects endothelial activation and inflammatory response during the acute phase of myocardial infarction, 1101

Walking

Walking and sports participation and mortality from coronary heart disease and stroke, 1761

Warfarin

Hospitalized patients with atrial fibrillation and a high risk of stroke are not being provided with adequate anticoagulation, 1729

Randomized trial comparing 1 mg of oral vitamin K with no treatment in the management of

warfarin-associated coagulopathy in patients with mechanical heart valves (correspondence)
Trials and tribulations of non-inferiority: the Ximelagatran experience, 1986

White-coat hypertension

Masked hypertension and white-coat hypertension (editorial), 516

Prognosis of "masked" hypertension and "white-coat" hypertension detected by 24-h ambulatory blood pressure monitoring, 508

Women

Detection of high-risk young adults and women by coronary calcium and National Cholesterol Education Program Panel III guidelines, 1931

Differences in the management and prognosis of women and men who suffer from acute coronary syndromes, 1845

Electrocardiographic predictors of cardiovascular outcome in women, 51

Perspectives on dyslipidemia and coronary heart disease in women, 1628

Relationship between blood pressure and C-reactive protein in the Multi-Ethnic Study of Atherosclerosis (MESA), 1869

Relationship of serum digoxin concentration to mortality and morbidity in women in the Digitalis Interventional Group Trial, 497

Wounds

Plasma tissue factor plus activated peripheral mononuclear cells activate factors VII and X in cardiac surgical wounds, 707

Ximelagatran

Trials and tribulations of non-inferiority: the Ximelagatran experience, 1986

X-Sizer

X-Sizer for thrombectomy in acute myocardial infarction improves ST-segment resolution, 246