



ELSEVIER



Coinductive Characterisations Reveal Nice Relations Between Preorders and Equivalences

David de Frutos Escrig^{1,3} Carlos Gregorio Rodríguez^{2,4}
Miguel Palomino^{1,5}

*Departamento de Sistemas Informáticos y Computación
Universidad Complutense de Madrid*

Abstract

There are two ways to define a semantics for process algebras: either directly by means of an equivalence relation or by means of a preorder whose kernel is the desired equivalence. We are interested in the relationship between these two presentations. Using our characterisation of the behaviour preorders by means of simulations up-to we were able to generate the canonical preorders corresponding to each behaviour equivalence. The axiomatizations of these preorders can be obtained by adding to the axioms of the equivalence that of the appropriate simulation. Aceto, Fokink and Ingólfssdóttir have presented an algorithm that goes in the opposite direction, constructing an axiomatization of the induced equivalence from that of a given preorder. Following a different path we were able to get a correct proof and an enhanced algorithm. In this paper we present a shorter and simpler proof of this result, based on our coinductive characterisations of the behaviour preorders, and in particular in the existence of the canonical preorders. More important, we also present further generalisations of the result, since our coinductive characterisations are not only valid for the semantics coarser than the ready simulation.

By means of these new proofs and results we hope to contribute to a better knowledge of the semantics of processes and to better understand the tight relations between preorders and equivalences that define them.

Keywords: processes, semantic preorders, simulations up-to, linear time-branching time spectrum.

1 Introduction

Whenever a semantics of a formal language is defined, a corresponding equivalence relation that is simply defined as *having the same semantics* is induced. The converse is also true, so that we can define a semantics by means of an adequate

¹ Partially supported by the MCyT project DESAFIOS TIN2006-15660-C02-02 and the project PROMESAS-CAM S-0505/TIC/0407.

² Partially supported by the MCyT project WEST TIN2006-15578-C02.

³ Email: defrutos@sip.ucm.es

⁴ Email: cgr@sip.ucm.es

⁵ Email: miguelpt@sip.ucm.es

equivalence relation. In many simple cases there is a single, natural choice for the semantics of a language, but in the case of concurrent systems we actually have lots of possibilities. Most of the popular semantics for concurrent processes appear in [1], where Rob van Glabbeek presented his famous linear time-branching time spectrum. We are interested in the systematic study of all these process semantics and in common features and properties that would allow to develop general results which can be proved for all at the same time.

As can be observed in [1], and in general in all the extensive literature on the subject, in addition to using directly the equivalence that induces any of these semantics we can also consider a natural preorder whose kernel is the desired equivalence. For instance, if a semantics is characterised by means of observations two processes are equivalent when they have exactly the same, while we have $p \sqsubseteq q$ when process p has less or the same observations as q .

It is also well known that most of these process equivalences and preorders can be (finitely) axiomatized by a complete system of (possibly conditional) (in)equations, so that we can study the properties of these semantics using algebraic techniques. Once again, in [1] one can find the axiomatizations for all the semantics in the ltbt-spectrum that are coarser than ready simulation semantics [5]. However, the axiomatizations for both the preorders and the equivalences were obtained in an independent way and no connections between them were established.

Recently, in [2,3] we have proved that by means of our characterisation of the behaviour preorders using simulations up-to we can generate the canonical preorders corresponding to each behaviour equivalence. These canonical preorders have some nice properties, in particular we can generate their complete axiomatizations by adding to the the axioms of the equivalence that of the appropriate simulation. Then, Aceto, Fokkink and Ingólfssdóttir [4] have presented an algorithm that goes in the other direction, constructing an axiomatization of the induced equivalence from that of a given preorder for the semantics in the spectrum coarser than ready simulation. Unfortunately their proof of the correctness of the algorithm was wrong, but following a different path we have been able to develop a correct one [2,6] using purely algebraic arguments. Once we had established the completeness of the axiomatizations produced by the application of that algorithm we were also able to develop an enhanced version of the algorithm that generated smaller axiomatizations. Still, our proof was a bit involved and only valid for semantics coarser than the ready simulation.

In this paper we present a direct proof of the correctness of these last axiomatizations that is surprisingly short and simple. It requires the application of our coinductive characterisations of the behaviour preorders and is based on the existence of the canonical preorders. Moreover, since our coinductive characterisations are quite general and valid not only for the semantics coarser than the ready simulation, we obtain further generalisations which in particular include some intricate semantics such as possible futures and the nested simulations.

Hence, we have not only generalised and proved in a simple way some very interesting results about the relationship between the preorders and equivalences defining

the semantics for concurrency, but have also shown the interest of having a uniform characterisation for process semantics, such as our coinductive characterisations, in order to prove general results on semantics.

2 Preliminaries

Since the main results in this paper are related to complete axiomatizations of finite processes we will only consider the basic process algebra BCCSP, that has repeatedly been used to algebraically represent that class of processes. However, let us also recall that most of our previous results on the characterisations of process semantics, in particular our coinductive characterisations of both the equivalences and the preorders defining these semantics, are valid for arbitrary finitary transition systems, as explained in [7,3].

Definition 2.1 Given a set of actions Act , the set $BCCSP(Act)$ of processes is defined by the following BNF-grammar:

$$p ::= \mathbf{0} \mid ap \mid p + q$$

where $a \in Act$; $\mathbf{0}$ represents the process that performs no action; for every action in Act , there is a prefix operator; and $+$ is a choice operator.

Adding variables representing unknown or arbitrary processes we get as usual the corresponding class of open terms.

$$ap \xrightarrow{a} p \qquad \frac{p \xrightarrow{a} p'}{p + q \xrightarrow{a} p'} \qquad \frac{q \xrightarrow{a} q'}{p + q \xrightarrow{a} q'}$$

Fig. 1. Operational Semantics for BCCSP Terms

The operational semantics for BCCSP terms is defined in Figure 1. As usual, we write $p \xrightarrow{a}$ if there exists a process q such that $p \xrightarrow{a} q$.

Many different semantics for these non-deterministic processes have been defined in the literature. The most important and popular semantics appear in Van Glabbeek's spectrum [1]. One indirect way to capture any semantics is by means of the equivalence relation induced by it: given a formal semantics $\llbracket \cdot \rrbracket$, we say that processes p and q are equivalent iff they have the same semantics, that is, $p \equiv q \Leftrightarrow \llbracket p \rrbracket = \llbracket q \rrbracket$. Also, these semantics can be defined by means of adequate observational scenarios, or by logical characterisations that introduce natural preorders whose kernels are the semantic equivalences.

Both equivalences and preorders have been axiomatized for most of these scenarios, as shown in [1], but in some cases, only (finite) conditional axiomatizations are possible, as discussed in [8]. In particular, bisimilarity can be axiomatized by means of the four simple axioms in Figure 2. These axioms state that the choice operator is commutative, associative and idempotent, having the empty process as identity element. These axioms also justify the use of the notation $\sum_a \sum_i ap_a^i$ for processes, where the commutativity and associativity of the choice operator is used to group together the summands whose initial action is a . We will also write $p|_a$ for the

(sub)process we get by adding all the a -summands of p ; that is, if $p = \sum_a \sum_i ap_a^i$, then $p|_a = \sum_i ap_a^i$.

$$(B_1) \quad x + y \simeq y + x$$

$$(B_2) \quad (x + y) + z \simeq x + (y + z)$$

$$(B_3) \quad x + x \simeq x$$

$$(B_4) \quad x + \mathbf{0} \simeq x$$

Fig. 2. Axiomatization for the (Strong) Bisimulation Equivalence

The initial offer of a process is the set $I(p) = \{a \mid a \in Act \text{ and } p \xrightarrow{a}\}$. This is a simple, but quite important observation function that plays a central role in the definition of the most popular semantics in the linear time-branching time spectrum. We will also denote by I the relation expressing the fact that two processes have the same initial offer: $pIq \Leftrightarrow I(p) = I(q)$.

Along the paper there appear different order relations. We use \sqsubseteq to denote semantic preorders (behaviour preorders) and, for the sake of simplicity, we use the symbol \sqsupseteq to represent the preorder relation \sqsubseteq^{-1} . With \equiv we denote the corresponding equivalence (that is, $\sqsubseteq \cap \sqsupseteq$). To refer to a specific preorder in the linear time-branching time spectrum we shall append the initials of the intended semantics as subscripts to the symbol \sqsubseteq (\sqsubseteq_{RS} for ready simulation, \sqsubseteq_F for failures and so on). A similar convention applies to the kernels of the preorders (\equiv_{RS} , \equiv_F , ...) and to the bisimulation equivalence \equiv_B . For the inequalities and equations that define the axiomatizations we use, respectively, the symbols \preceq and \simeq . We write $E \vdash t \preceq u$ or $E \vdash t \simeq u$ for the (in)equations that can be derived from the (in)equations in E using the standard rules of (in)equational logic, where the symmetry rule can be applied in the equational derivations, but not in the inequational ones. We eventually use \lesssim and \approx to denote any preorder and equivalence relation.

But besides the semantics in the spectrum, we are interested in a general study covering any *reasonable* semantics coarser than bisimilarity. Since we will use preorders to characterise these semantics we introduce the following definitions that state the desired properties of those reasonable preorders.

Definition 2.2 A preorder relation \sqsubseteq over processes is a *behaviour preorder* if

- it is weaker than bisimilarity, i.e. $p \equiv_B q \Rightarrow p \sqsubseteq q$, and
- it is a precongruence with respect to the prefix and choice operators, i.e. if $p \sqsubseteq q$ then $ap \sqsubseteq aq$ and $p + r \sqsubseteq q + r$.

Definition 2.3 A behaviour preorder \sqsubseteq is *initials preserving* when $p \sqsubseteq q$ implies $I(p) \subseteq I(q)$. It is *action factorised* (or just *factorised*) when $p \sqsubseteq q$ implies $p|_a \sqsubseteq q|_a$, for all $a \in I(p)$.

3 Coinductive Characterisations of Preorders

In this section we recall some of our previous results on I -simulations up-to [9] that provide coinductive characterisations of preorders. These characterisations will be the foundation for obtaining our new results in Section 4.

Most of the important semantics in the spectrum are coarser than ready simulation [5], which can be axiomatized with the single axiom

$$(RS) \quad ax \preceq ax + ay.$$

In this section we concentrate on those semantics that can precisely be characterised with I -simulations up-to. Next, in Section 5 we will extend our results to the general case.

Definition 3.1 *Given a behaviour preorder \sqsubseteq , we say that a binary relation S over processes is an I -simulation up-to \sqsubseteq if $S \subseteq I$ (that is, $pSq \Rightarrow pIq$) and S is a simulation up-to \sqsubseteq . Or, equivalently, in a coinductive way, whenever we have pSq , we also have:*

- For every a , if $p \xrightarrow{a} p'_a$ there exist q', q'_a such that $q \sqsupseteq q' \xrightarrow{a} q'_a$ and $p'_a Sq'_a$;
- pIq .

We say that process p is I -simulated up-to \sqsubseteq by process q , or that process q I -simulates process p up-to \sqsubseteq , written $p \sqsim_{\sqsubseteq}^I q$, if there exists an I -simulation up-to \sqsubseteq , S , such that pSq .

For the sake of simplicity, we sometimes just write \sqsim^I , instead of \sqsim_{\sqsubseteq}^I , when the behaviour preorder is clear from the context.

Proposition 3.2 *For every behaviour preorder \sqsubseteq verifying the axiom (RS) and $\sqsubseteq \subseteq I$, we have $p \sqsim_{\sqsubseteq}^I q$ if and only if $p \sqsubseteq q$.*

It is interesting to observe that we can use the kernel of such a behaviour preorder to characterise it, as the following proposition states:

Proposition 3.3 *For every behaviour preorder \sqsubseteq verifying the axiom (RS) and $\sqsubseteq \subseteq I$, we have that the relations \sqsubseteq , \sqsim_{\sqsubseteq}^I and \sqsim_{\equiv}^I are the same.*

These results led us to investigate what characterisations we could get starting from arbitrary behaviour equivalences, that extend the notion of behaviour preorder to equivalence relations.

Definition 3.4 *An equivalence relation \equiv over processes is a behaviour equivalence when it is weaker than bisimulation equivalence, i.e. $p \equiv_B q \Rightarrow p \equiv q$, and it is a congruence with respect to the prefix and choice operators, i.e. if $p \equiv q$ then $ap \equiv aq$ and $p + r \equiv q + r$.*

Those behaviour equivalences that are coarser than the ready simulation equivalence satisfy the axiom that characterises this last relation,

$$(RS_{\equiv}) \quad I(x) = I(y) \Rightarrow a(x + y) \simeq a(x + y) + ay$$

and can be characterised by mutual I -simulations up-to themselves. Due to the fact that I is a very simple relation we have also an equivalent non conditional version of this axiom, $b(ax + ay + z) \simeq b(ax + ay + z) + b(ax + z)$.

Proposition 3.5 *For every behaviour equivalence \equiv satisfying (RS_{\equiv}) and $\equiv \subseteq I$, we have $p \equiv q \Leftrightarrow p \sqsubseteq_{\equiv}^I q \wedge p \sqsupseteq_{\equiv}^I q$.*

This characterisation tells us that behaviour equivalences can be defined by means of simulations up-to. Besides, and this is even more important, in this way a preorder is defined whose kernel is the original equivalence. Moreover, this preorder satisfies some interesting properties.

Proposition 3.6 *For every behaviour equivalence \equiv satisfying (RS_{\equiv}) and $\equiv \subseteq I$, we have that \sqsubseteq_{\equiv}^I is a behaviour preorder that satisfies (RS) , is included in I , and the kernel of \sqsubseteq_{\equiv}^I is \equiv .*

Combining propositions 3.6 and 3.3 above we conclude that such a preorder is unique, so that we can talk about *the canonical preorder generated by \equiv* with respect to ready simulation.

Theorem 3.7 *For every behaviour equivalence \equiv satisfying (RS_{\equiv}) and $\equiv \subseteq I$, the preorder \sqsubseteq_{\equiv}^I is the only behaviour preorder that satisfies (RS) and is contained in I , whose kernel is \equiv .*

This canonical preorder can be characterised in a simple way in terms of the corresponding equivalence and the relation I .

Corollary 3.8 *For every behaviour equivalence \equiv satisfying (RS_{\equiv}) and $\equiv \subseteq I$, the preorder defined as $p \sqsubseteq q \Leftrightarrow q \equiv q + p \wedge I(p) = I(q)$ is another characterisation of the canonical preorder generated by \equiv .*

Moreover, we can axiomatize the canonical preorders as follows.

Proposition 3.9 *For every behaviour equivalence \equiv satisfying (RS_{\equiv}) and $\equiv \subseteq I$, for which we have an axiomatization A_E , we have that $A_P = A_E \cup \{ax \preceq ax + ay\}$ is an axiomatization of the relation \sqsubseteq_{\equiv}^I .*

Since all the behaviour preorders defining the semantics in the spectrum between failure semantics and ready simulation are contained in I , they are indeed the canonical preorders for the corresponding equivalences.

4 From Behaviour Preorders to Equivalences

In [4], Aceto, Fokkink, and Ingólfssdóttir presented an algorithm to generate a complete axiomatization of the semantics in the spectrum that are coarser than ready simulation from that of the behaviour preorders that define them.

Algorithm ([4])

Consider a preorder \sqsubseteq in the linear time-branching time spectrum that contains the ready simulation preorder. Let E be a sound and complete inequational axioma-

tization for $BCCSP(Act)$ modulo \sqsubseteq . Without loss of generality it can be assumed that the axioms B_1 – B_4 in Figure 2 are present in E together with the defining inequational axioms for ready simulation equivalence for each $a \in Act$:

$$ax \preceq ax + ay.$$

The axioms B_1 – B_4 are included in $\mathcal{A}(E)$. Furthermore, for each inequational axiom $t \preceq u$ in E we add to $\mathcal{A}(E)$:

- $t + u \simeq u$; and
- $b(t + x) + b(u + x) \simeq b(u + x)$ (for all $b \in Act$, and some x that does not occur in $t + u$).

Theorem 4.1 ([4]) *Let \sqsubseteq be a preorder in the linear time-branching time spectrum with $\sqsubseteq_{RS} \subseteq \sqsubseteq$. Let E be a sound and complete inequational axiomatization for $BCCSP(Act)$ terms modulo \sqsubseteq . Then the equational axiomatization $\mathcal{A}(E)$ is sound and complete⁶ for $BCCSP(Act)$ modulo \equiv .*

The theorem above is indeed correct, but as we pointed out in [6] the proof in [4] would need some reworking to polish some gaps. However, following a purely algebraic approach that can be applied to any semantics fulfilling some simple hypotheses (in particular, to those in the spectrum considered by the theorem above), we were able to prove a more general theorem.

Theorem 4.2 ([6]) *Let \sqsubseteq be an initials preserving behaviour preorder with $\sqsubseteq_{RS} \subseteq \sqsubseteq$. Let E be a sound and complete inequational axiomatization for the terms in $BCCSP(Act)$ modulo \sqsubseteq . Then the equational axiomatization $\mathcal{A}(E)$ is sound and complete for $BCCSP(Act)$ modulo \equiv .*

Our proof of Theorem 4.2 in [6] is indeed much simpler and general than the failed proof in [4]. Moreover, we provided an enhanced version of the algorithm that generates even smaller axiomatizations than those of the original algorithm.

The simplified algorithm

Given an inequational system of axioms E defining a preorder \sqsubseteq on $BCCSP(A)$, we define the axiomatization $\mathcal{A}_{RS}(E)$ as follows:

- Axioms B_1 – B_4 are in $\mathcal{A}_{RS}(E)$.
- For each axiom $t \preceq u \in E$ we have $u \simeq u + t \in \mathcal{A}_{RS}(E)$.
- The ready similarity axiom $b(ax + ay + z) \simeq b(ax + ay + z) + b(ax + z)$ is in $\mathcal{A}_{RS}(E)$.

We also use algebraic arguments to prove the following theorem

Theorem 4.3 ([6]) *Let \sqsubseteq be a behaviour preorder that satisfies $\sqsubseteq_{RS} \subseteq \sqsubseteq \subseteq I$. Let E be a sound and complete inequational axiomatization for $BCCSP(Act)$ terms*

⁶ In [4] the authors also consider ω -completeness. In order to simplify the presentation we will just concentrate on ordinary completeness, which is called ground completeness in [4].

modulo \sqsubseteq . Then the equational axiomatization $\mathcal{A}_{RS}(E)$ is sound and complete for $BCCSP(Act)$ modulo \equiv .

Next we will present an alternative proof of Theorem 4.3. This new proof is based on the existence of canonical preorders (Section 3) and some new general results relating preorders and equivalences that we present below. The new proof is even shorter and simpler than that in [6]. What is even more important, this proof can be generalised to cover a much wider range of process semantics, as we will see in Section 5.

We present a couple of general results relating plain preorders and equivalences.

Proposition 4.4 *Let \preceq and \preceq' be a couple of preorders on the same set with $\preceq \subseteq \preceq'$, and their respective kernels \approx and \approx' . If we consider the preorder \preceq'' generated by $\preceq \cup \approx'$, that is, the transitive closure of this union, $Closure(\preceq \cup \approx')$, we have that the kernel \approx'' of \preceq'' coincides with \approx' .*

Proof. Since $\approx' \subseteq \preceq''$ we immediately have $\approx' \subseteq \approx''$. For the opposite inclusion, note that $\preceq'' = Closure(\preceq \cup \approx') \subseteq Closure(\preceq' \cup \approx') = \preceq'$ and therefore $\approx'' \subseteq \approx'$. \square

Corollary 4.5 *Let \preceq be a preorder and \approx its kernel, \approx' an equivalence relation on the same set, and \approx'' defined by $Closure(\approx \cup \approx')$. Then, if there is some preorder \preceq'' whose kernel is the equivalence relation \approx'' and such that $\preceq \subseteq \preceq''$, we have that \approx'' is also the kernel of the preorder generated by the union $\preceq \cup \approx'$.*

Proof. We apply Proposition 4.4 to the pair of preorders \preceq and \preceq'' , and use the fact that $Closure(\preceq \cup \approx')$ and $Closure(\preceq \cup \approx'')$ are equal since $\approx \subseteq \approx''$. \square

The following theorem is just⁷ the particular case of Theorem 4.3 when the axiomatization of the given preorder is expressed by the axiom $(RS) ax \preceq ax + ay$, together with a set of (possibly conditional) equational axioms.

Theorem 4.6 *Let E be a collection of (possibly conditional) equations $p \simeq q$ compatible with I , which means⁸ $I(p) = I(q)$. If $Q = \{B_1-B_4, (RS)\} \cup E$ is a complete axiomatization of a behaviour preorder \sqsubseteq_Q , then $\overline{E} = \{B_1-B_4, (RS_{\equiv})\} \cup E$ is a complete axiomatization of the kernel of \sqsubseteq_Q , \equiv_Q .*

Proof. We apply Corollary 4.5 to the ready simulation preorder \sqsubseteq_{RS} and to the equivalence relation \equiv' axiomatized by the set \overline{E} ; hence, the corresponding relation \equiv'' is just the equivalence \equiv' . By Theorem 3.7, the canonical preorder $\sqsubseteq_{\equiv''}^I$ generated by \equiv'' also satisfies (RS) , and thus the hypotheses of the corollary are fulfilled. Therefore, \overline{E} is an axiomatization of the kernel of the preorder generated by the union of \sqsubseteq_{RS} and \equiv' , which is \equiv_Q . \square

In order to extend the result of the previous theorem to arbitrary axiomatizations, we next prove that any axiomatization of a behaviour preorder coarser than

⁷ To be exact, by applying Theorem 4.3 we would obtain for each axiom $p \simeq q$ in E the pair of equations $p \simeq p + q$ and $q \simeq p + q$, but obviously these two axioms together are equivalent to the original equation $p \simeq q$ that we keep in \overline{E} .

⁸ More precisely, $I(\sigma(p)) = I(\sigma(q))$ for all ground instantiations.

ready simulation can be translated into an equivalent axiomatization of the form required by Theorem 4.6, by applying the same transformation used to get the equations in $\mathcal{A}_{RS}(Q)$.

Proposition 4.7 *Let $Q = \{B_1\text{--}B_4, (RS)\} \cup E$ be a complete axiomatization of a behaviour preorder $\sqsubseteq_{RS} \subseteq \sqsubseteq_Q \subseteq I$. Then, for the set of axioms $\overline{E} = \{p + q \simeq q \mid p \preceq q \in E\}$ we have that $\{B_1\text{--}B_4, (RS)\} \cup \overline{E}$ is an alternative axiomatization of \sqsubseteq_Q .*

Proof. It is just the particular case of Theorem 5.6 in the following section when C is I . □

By combining Proposition 4.7 and Theorem 4.6 we immediately get the desired new proof of Theorem 4.3, since the transformation needed in the proposition is in fact the same used in our algorithm $\mathcal{A}_{RS}(Q)$.

5 Extending to General Constraints

The results in Section 4 can only be applied to semantics defined by preorders coarser than the ready simulation and included in I . This excludes both finer semantics (such as possible [10] and impossible futures [11]), but also other coarser preorders not included in I , such as the trace and complete trace preorders. In order to also cover these cases we will use results on general constrained simulations that we have developed in [12].

C -constrained simulations are just plain simulations to which we impose that their pairs should also be related by the constraint C .

Definition 5.1 Given a relation C over BCCSP processes, a relation S_C is a C -constrained simulation, if pS_Cq implies:

- For every a , if $p \xrightarrow{a} p'$ there exists q' such that $q \xrightarrow{a} q'$ and $p'S_Cq'$, and
- pCq .

We say that process p is C -simulated by process q , or that q C -simulates p , written $p \sqsubseteq_C^C q$, whenever there exists a C -constrained simulation S_C such that pS_Cq .

Since we want to characterise behaviour preorders by using C -simulations, it is reasonable to impose on these simulations the condition of being behaviour preorders themselves; that is guaranteed whenever the constraints are also behaviour preorders. Given that the operators in our basic algebra BCCSP are those generating finite trees, this condition is quite natural and the results we will prove based on it are indeed rather general.

C -constrained similarity, \sqsubseteq_C^C , can be conditionally axiomatized in a simple way. For any constraint C we just need to consider the axiom

$$(P_C) \quad xCy \Rightarrow x \preceq x + y.$$

We define the axiomatization \mathcal{P}_C as the set of axioms obtained by adding the axiom (P_C) to the set of axioms that characterises bisimulation equivalence (Figure 2),

$\mathcal{P}_C = \{B_1\text{--}B_4, (P_C)\}$. \mathcal{P}_C is sound and complete with respect to \sqsubseteq^C .

Proposition 5.2 *For every constraint C being a behaviour preorder,*

$$\mathcal{P}_C \vdash p \preceq q \iff p \sqsubseteq^C q.$$

Most of the interesting constraints are also equivalence relations. Whenever this happens we can axiomatize the equivalence relation induced by \sqsubseteq^C , that we denote with $\overset{C}{\rightleftharpoons}$, by considering the axiom

$$(E_C) \quad xCy \Rightarrow a(x + y) \simeq a(x + y) + ay$$

and the set $\mathcal{E} = \{B_1\text{--}B_4, (E_C)\}$.

Proposition 5.3 *For every constraint C being a behaviour equivalence,*

$$\mathcal{E}_C \vdash p \simeq q \iff p \overset{C}{\rightleftharpoons} q.$$

Constrained simulations up-to a preorder are defined in a similar way to I -simulations up-to. They allow a coinductive characterisation of the preorders fulfilling the constraint C .

Proposition 5.4 *For every behaviour preorder \sqsubseteq and every behaviour equivalence C such that $\sqsubseteq^C \subseteq \sqsubseteq \subseteq C$, we have $p \overset{C}{\rightsquigarrow}_{\sqsubseteq} q \iff p \overset{C}{\rightsquigarrow}_{\equiv} q \iff p \sqsubseteq q$.*

From a behaviour equivalence we can also induce the corresponding canonical preorder.

Proposition 5.5 *For every behaviour equivalence \equiv and for every constraint C that is a behaviour equivalence such that $\overset{C}{\rightleftharpoons} \subseteq \equiv \subseteq C$, the preorder $\overset{C}{\rightsquigarrow}_{\equiv}$ is the only behaviour preorder that satisfies $\overset{C}{\rightsquigarrow}_{\equiv} \subseteq \overset{C}{\rightsquigarrow}_{\equiv} \subseteq C$ and whose kernel is \equiv . Therefore, it can be said to be the canonical preorder under the constraint C that induces the equivalence \equiv .*

5.1 From Behaviour Preorders to Equivalences for General Constraints

We can now generalise Proposition 4.7 to any constrained simulation, when the constraint is a behaviour equivalence, thus paving the way for Theorem 5.7, the main result of this paper.

Proposition 5.6 *Let C be a behaviour equivalence and $Q = \{B_1 - B_4, (P_C)\} \cup E$ an axiomatization of a behaviour preorder \sqsubseteq_Q such that $\sqsubseteq_{RS} \subseteq \sqsubseteq_Q \subseteq C$. Then, for the set of axioms $\overline{E} = \{p + q \simeq q \mid p \preceq q \in E\}$ we have that $Q' = \{B_1\text{--}B_4, (P_C)\} \cup \overline{E}$ is an alternative axiomatization of \sqsubseteq_Q .*

Proof. First we prove that every axiom of Q' can be inferred from the axioms in Q . For each $p + q \simeq q \in \overline{E}$ we have that $p \preceq q \in E$ and therefore $Q \vdash p + q \preceq q$. Besides, if $p \preceq q \in E$ then⁹ $C(p, q)$, and, given that C is symmetric, we also have $Q \vdash q \preceq p + q$ and therefore $Q \vdash p + q \simeq q$.

⁹ To be precise, this argument holds for every possible ground instantiation $\sigma(p) \preceq \sigma(q)$.

Now we prove that every axiom of Q can be inferred from the axioms in Q' . For every axiom $p \preceq q \in E$ we have $p + q \simeq q \in \overline{E}$; since $C(p, q)$, we can use (P_C) and $Q' \vdash p \preceq p + q$ and therefore $Q' \vdash p \preceq q$. \square

Proposition 5.5 allows us to obtain the following theorem which generalises Theorem 4.6

Theorem 5.7 *Let E be a collection of (possibly conditional) equations $p \simeq q$ compatible with C , that is, $C(p, q)$. If $Q = \{B_1\text{--}B_4, (P_C)\} \cup E$ is a complete axiomatization of a behaviour preorder \sqsubseteq_Q , then $\overline{E} = \{B_1\text{--}B_4, (E_C)\} \cup E$ is a complete axiomatization of the kernel of \sqsubseteq_Q, \equiv_Q .*

Proof. Analogous to Theorem 4.6. Let \equiv'' be the union of the kernel of \sqsubseteq^C and the equivalence \equiv' generated by \overline{E} ; \equiv'' is just \equiv' . By Proposition 5.5, the canonical preorder $\sqsubseteq_{\equiv''}^C$ generated by \equiv'' also verifies $\sqsubseteq^C \subseteq \sqsubseteq_{\equiv''}^C$ and thus the hypotheses of Corollary 4.5 are fulfilled. Therefore \overline{E} is an axiomatization of the kernel of the preorder generated by the union of \sqsubseteq^C and \equiv' , which is \equiv_Q . \square

Certainly, our results on the semantics coarser than ready simulation presented in Section 4 are just a particular case of the general Theorem 5.7, simply taking I as the constraint C . Let us now consider the case of trace semantics. The classic trace preorder defined by trace inclusion can be axiomatized with the following axioms

$$(S) \quad x \preceq x + y$$

$$(T_{\equiv}) \quad a(x + y) \simeq ax + ay.$$

The first one is the axiom of the plain simulation preorder, which corresponds to a simulation constrained by the universal relation U that relates all pairs of processes. Then, we can prove the following corollary.

Corollary 5.8 (i) *Trace equivalence \equiv_T can be axiomatized by the set of axioms $\{B_1\text{--}B_4, (S_{\equiv}), (T_{\equiv})\}$ with $(S_{\equiv}) \quad a(x + y) \simeq a(x + y) + ax$.*
 (ii) *$\{B_1\text{--}B_4, (T_{\equiv})\}$ is also a complete axiomatization of \equiv_T .*

Proof. The first part follows from Theorem 5.7 by noting that (E_U) is equivalent to (S_{\equiv}) . The second is a consequence of (S_{\equiv}) being a particular case of (T_{\equiv}) . \square

It is interesting to observe that (T_{\equiv}) is included in I , so that instead of the classic preorder \sqsubseteq_T we could consider the canonical preorder corresponding to condition I , $\sqsubseteq_{\equiv_T}^I$, which by Proposition 3.9 can be axiomatized by the set of axioms $\{B_1\text{--}B_4, (RS), (T_{\equiv})\}$. Obviously this preorder is finer than I , while the classic trace preorder \sqsubseteq_T is not, hence the former is finer than the last. By definition of the canonical preorders we already know that $\sqsubseteq_{\equiv_T}^I$ also generates trace equivalence. We can prove this fact in an alternative way by applying our Theorem 5.7. Since (T_{\equiv}) implies (RS_{\equiv}) , we can remove (RS_{\equiv}) from the obtained axiomatization of the kernel of $\sqsubseteq_{\equiv_T}^I$, thus obtaining the classic axiomatization of trace equivalence.

Complete simulations can be defined by means of the termination constraint M , defined by $M(x, y) = (x = 0 \Leftrightarrow y = 0)$. It is easy to see that the conditional axiom (P_M) can be alternatively presented as the inequational axiom (M_{\preceq}) $ax \preceq ax + y$. Then the complete traces preorder can be axiomatized by the set of axioms $\{B_1\text{--}B_4, (P_M), (CT_{\equiv})\}$ where (CT_{\equiv}) is $a(bx + u) + a(cy + v) \simeq a(bx + cy + u + v)$.

Corollary 5.9 (i) *Complete trace equivalence \equiv_{CT} can be axiomatized by the set of axioms $\{B_1\text{--}B_4, (E_M), (CT_{\equiv})\}$.*

(ii) $\{B_1\text{--}B_4, (CT_{\equiv})\}$ *is also a complete axiomatization of \equiv_{CT} .*

Proof. Since $M(a(bx+u)+a(cy+v), a(bx+cy+u+v))$, the first result is consequence of Theorem 5.7. For the second, note that (CT_{\equiv}) implies (E_M) : the case for $x = 0 = y$ is trivial, and $bx + u$ and $cy + v$ are just patterns to express that the corresponding processes have not terminated. \square

5.2 Semantics not Coarser than Ready Simulation

Possible futures is the finest semantics in the ltbt-spectrum, apart from bisimulation. It has been proved [13] that it cannot be finitely axiomatized using non-conditional axioms, neither as an equivalence nor as a preorder. However, using conditional axioms we can axiomatize the possible futures preorder \sqsubseteq_{PF} by means of

$$(P_T) \quad T(x) = T(y) \Rightarrow x \preceq x + y$$

$$(PF) \quad T(x) \supseteq T(y) \Rightarrow a(x + y) + ax + a(y + z) \simeq ax + a(y + z)$$

where $T(p)$ is the set of traces of process p .

Corollary 5.10 $\{B_1\text{--}B_4, (E_T), (PF)\}$ *is a complete axiomatization of \equiv_{PF} .*

Proof. Since $p \sqsubseteq_{PF} q$ implies $T(p) = T(q)$, it follows from Theorem 5.7. \square

The case of impossible futures is more interesting. It was introduced in [11] and probably everyone expected that it was not finitely axiomatizable, just like possible futures semantics. However, Chen and Fokink [14] have recently proved that the impossible futures preorder \sqsubseteq_{IF} can be axiomatized by means of the axioms

$$(ND) \quad a(x + y) \preceq ax + ay$$

$$(IF) \quad a(x + y) + ax + a(y + z) \simeq ax + a(y + z).$$

Surprisingly, they have also proved that the induced equivalence cannot be finitely axiomatized using non-conditional equations. This fact does not contradict the applicability of our Theorem 5.7. Certainly, we cannot directly apply it because we have no simulation axiom in the given axiomatization. However, from the definition of impossible futures, or more directly, from the fact that $\sqsubseteq_{PF} \subseteq \sqsubseteq_{IF}$ we can infer that \sqsubseteq_{IF} also satisfies the axiom (P_T) , so that $\{B_1\text{--}B_4, (ND), (IF), (P_T)\}$ would also be a complete axiomatization of \sqsubseteq_{IF} . From this we can easily conclude the following proposition.

Proposition 5.11 $\{B_1\text{--}B_4, (IF), (P_T)\}$ *is a complete axiomatization of \sqsubseteq_{IF} .*

Proof. Let us see that (ND) is indeed a redundant axiom in the axiomatization above. Since $T(a(x + y)) = T(ax + ay)$, we can apply (P_T) to obtain $a(x + y) \preceq a(x + y) + ax + ay$ and then (IF) , with $z = 0$, to get $a(x + y) \preceq ax + ay$. \square

Now, exactly as we did for possible futures, we can apply Theorem 5.7 to obtain the following corollary.

Corollary 5.12 $\{B_1\text{-}B_4, (E_T), (IF)\}$ is a complete axiomatization of \equiv_{IF} .

Since the combination of (ND) and (IF) is as powerful as that of (P_T) and (IF) one could think that by defining in an adequate way the equivalence axiom generated by (ND) we could get a finite non-conditional axiomatization of \equiv_{IF} . But this is not possible, mainly because (ND) by itself is not equivalent to (P_T) .

6 Conclusions and future work

Contrary to our own expectations when we proved the existence of the canonical preorders that generate semantic equivalences and showed that their axiomatizations could be easily obtained from those of the corresponding equivalences, we were much closer than we thought from the resolution of the converse problem. Whenever we have a “reasonable” axiomatization, either there is in it, or we can add to it, an appropriate simulation axiom (P_C) so that we can transform the rest of inequalities into equations to obtain an equivalent axiomatization. Then we are in a position to apply Theorem 5.7 to obtain a complete axiomatization of the induced equivalence, simply by substituting the axiom (P_C) by (E_C) .

The fact that we can apply all these results not only to the semantics coarser than ready simulation, which can be characterised as I -simulations up-to, but to any semantics coarser than some suitable C -similarity, makes the results extremely general. In particular, they are valid for all semantics in the $ltbt$ -spectrum.

It is true that, in principle, the axiomatizations we obtain are conditional since the general axioms characterising the constrained simulation (P_C) and the corresponding equivalence (E_C) are governed by the corresponding constraint C . However, if a non-conditional axiomatization is possible it is usually straightforward to transform the conditional axiomatization to obtain the former. Besides, all the constraints we need to cover the semantics in the spectrum are very simple and can be finitely axiomatized by non-conditional axioms, so that by combining the corresponding sets of axioms we get finite axiomatizations of both the preorders and the equivalences defining all these semantics.

We have found a nice application of our coinductive characterisations of the reasonable semantics, that shows that the coalgebraic properties of these semantics fit very well with their algebraic properties, so that we can establish the relationship between the axiomatizations of the preorders and the equivalences defining them. Besides, the fact that we could apply these results to all the semantics in the spectrum has provided a new insight about the essential similarities between all of them and has led to our general work on the unification of all the semantics, that we are currently close to conclude.

References

- [1] R. J. v. Glabbeek, *Handbook of Process Algebra*, Elsevier, 2001, Ch. The Linear Time – Branching Time Spectrum I: The Semantics of Concrete, Sequential Processes, pp. 3–99.
- [2] D. de Frutos-Escrig, C. Gregorio-Rodríguez, Algebraic and coinductive characterizations of semantics provide general results for free (short extended abstract), in: E. Johnsen, O. Owe, G. Scheneider (Eds.), *19th Nordic Workshop on Programming Theory*, Universitetet i Oslo, Institutt for informatikk, 2007, pp. 96–98, research report 366.
- [3] D. de Frutos-Escrig, C. Gregorio-Rodríguez, (Bi)simulations up-to characterise process semantics, *Information and Computation* (to appear).
- [4] L. Aceto, W. Fokkink, A. Ingólfssdóttir, Ready to preorder: get your BCCSP axiomatization for free!, in: *Proc. 2nd Conference on Algebra and Coalgebra in Computer Science - CALCO'07*, Vol. 4624 of *Lecture Notes in Computer Science*, Springer, 2007, pp. 65–79.
- [5] B. Bloom, S. Istrail, A. R. Meyer, Bisimulation can't be traced, *Journal of the ACM* 42 (1) (1995) 232–268.
- [6] D. de Frutos-Escrig, C. Gregorio-Rodríguez, M. Palomino, Ready to preorder: an algebraic and general proof. Submitted to *Journal of Logic and Algebraic Programming*. <http://maude.sip.ucm.es/~miguelpt/bibliography.html>
- [7] D. de Frutos-Escrig, C. Gregorio-Rodríguez, Bisimulations up-to for the linear time-branching time spectrum, in: *CONCUR 2005 - Concurrency Theory*, 16th International Conference, Vol. 3653 of *Lecture Notes in Computer Science*, Springer, 2005, pp. 278–292.
- [8] L. Aceto, W. Fokkink, A. Ingólfssdóttir, B. Luttik, Finite equational bases in process algebra: Results and open questions., in: *Processes, Terms and Cycles*, Vol. 3838 of *Lecture Notes in Computer Science*, Springer, 2005, pp. 338–367.
- [9] D. de Frutos-Escrig, C. Gregorio-Rodríguez, Simulations up-to and canonical preorders (extended abstract), in: *Structural Operational Semantics SOS 2007*, Vol. 192 of *Electronic Notes in Theoretical Computer Science*, Elsevier, 2007, pp. 13–28.
- [10] W. Rounds, S. Brooks, Possible futures, acceptances, refusals, and communicating processes, in: *22nd Foundations of Computer Science Annual Symposium*, IEEE, 1981, pp. 140–149.
- [11] M. Voorhoeve, S. Mauw, Impossible futures and determinism., *Information Processing Letters* 80 (1) (2001) 51–58.
- [12] D. de Frutos-Escrig, C. Gregorio-Rodríguez, Coinductive characterizations of process semantics. Submitted.
- [13] L. Aceto, R. v. Glabbeek, W. Fokkink, A. Ingólfssdóttir, Nested semantics over finite tree are equationally hard, *Information and Computation* 191 (2) (2004) 203–232.
- [14] T. Chen, W. Fokkink, On the axiomatizability of impossible futures: Preorder versus equivalence. *Personal communication* (2007).