

k-Hefutotin1 were lysed by sonication. Obtained proteins were finally purified and structurally analyzed by CD spectroscopy and NMR. In this study, we were able to ascertain the effect of absence of one or both of the disulfide bonds on the structure of k-Hefutotin1.

### 358-Pos Board B237

#### Characterization of HIV-1 Protease-Inhibitor Interaction by Interflap Distance Measurement, NMR Spectroscopy, and Solution Kinetics

Angelo M. Veloro, Mandy E. Blackburn, Luis Galiano, Gail E. Fanucci.

Department of Chemistry, University of Florida, Gainesville, FL, USA.

HIV-1 protease (HIV-1 PR) is an important drug target for the treatment of HIV/AIDS. Currently, there are several commercially available protease inhibitors (PIs) that improve the lives of patients. However, viral mutation often renders the PIs less effective after continuous use. In this study, we compare the effects of several PIs such as Indinavir, Atazanavir, Lopinavir, Saquinavir and Nelfinavir on the activity of the wild-type (PMPR), clinical isolate V6 and MDR769 HIV-1 proteases. We also use 2D HSQC NMR of uniformly <sup>15</sup>N labeled samples and DEER spectroscopy with K55MTSL as the reporter site to study the conformational change in HIV-1 PR as a function of various inhibitors. Preliminary solution kinetics data show strong inhibition of PMPR by various inhibitors, but not for V6 and MDR769. The NMR spectra of unbound PMPR, V6, and MDR769 differ markedly from one another, and significant changes in the protein chemical shifts of PMPR and V6 are seen in the presence of inhibitors. The DEER distance distribution profiles reveal altered flap conformations in the uninhibited state of V6 and MDR769 compared to PMPR. Finally, in the presence of inhibitors such as Indinavir, the flap conformations in V6 and MDR769 show a minor change, whereas data for PMPR reflects a closing of the flaps to a conformation consistent with X-ray crystallographic structures.

### 359-Pos Board B238

#### Picosecond Dynamics Of Surface Water As A Function Of Hydrophobicity

Wei Liang, Yunfen He, Deepu George, Andrea G. Markelz.

University at Buffalo, SUNY, Buffalo, NY, USA.

Previously we and others have shown terahertz sensitivity to protein-ligand binding, possibly arising from the change in low frequency structural modes [1]. Another possibility is that the water adjacent to the protein, which strongly contributes to the THz response, may be affected by the change in the protein surface with binding. Pollack and coworkers have shown an ordered water film (from nm up to hundreds of nm thickness) is formed on a smooth hydrophilic surface [2, 3]. To study how picosecond dynamics of water are affected by hydrophilicity of a surface, we performed a series of terahertz dielectric measurements as a function of water film thickness and hydrophilicity of the surface. Measurements were made on solution cells with windows made of polyethylene or quartz. The hydrophilicity of the surfaces was modified by air plasma treatments, and characterized with contact angle measurements. Terahertz time domain spectroscopy measurements were made as a function of thickness and the absorption coefficient and index were extracted. The results were analyzed at selected frequencies to study the absorption trend with respect to the change of thickness. These measurements suggest a smaller THz response for water adjacent to hydrophilic surfaces. This lower response may possibly come from an overall decrease in water density at the surface or a stronger ordering inhibiting rotational motions contributing to the picosecond response.

1. Chen, J.-Y., et al., *Terahertz Dielectric Assay of Solution Phase Protein Binding*. Appl. Phys. Lett., 2007. **90**: p. 243901.

2. Zheng, J., et al., *Surfaces and interfacial water: Evidence that hydrophilic surfaces have long-range impact*. Advances In Colloid and Interface science, 2006. **127**: p. 19.

3. Rand, R.P. and V.A. Parsegian, *Hydration forces between phospholipid bilayers*. Biochimica et Biophysica Acta, 1989. **988**: p. 351.

### 360-Pos Board B239

#### The Scaffolding Subunit of PP2A is a Coherent Linear Elastic Object That Can Transmit Mechanical Information Along Its Length

Alison E. Grinthal, Ivana Adamovic, Martin Karplus, Nancy Kleckner.

Harvard University, Cambridge, MA, USA.

HEAT repeat protein PR65 is the scaffolding component of protein phosphatase PP2A, which has been implicated in tension sensing during chromosome segregation and in diverse other chromosomal processes. PR65 is composed exclusively of 15 HEAT repeats, i.e. pairs of anti-parallel alpha helices connected by short 1-3 residue turns, that stack in parallel to form a solenoid structure in which the packed helices form one continuous hydrophobic core. Molecular dynamics analysis reveals that tensile or compressive forces applied at the protein termini produce evenly-distributed shape changes (straightening/bending) via longitudinal redistribution of stress, with elastic coherence resulting from the continuous meshwork of van der Waals interactions created by the aligned

helix/helix interfaces. At higher forces, fracturing occurs via loss of a specific helix/helix contact between adjacent repeats, accompanied by relaxation that spreads outward from the fracture site through the adjacent regions. Fracturing is nucleated by "flaws" resulting from atypical residues in inter-helix turns along the edges of the structure. Such flaw sites exhibit competition, such that only one of them fractures, as well as cooperation to create bounded regions of increased strain. Thus, PR65 is a coherent linear elastic object, capable of transducing mechanical information from one position along its length to another. We propose that HEAT repeat scaffolds, including PR65, exist to place bound components in mechanical linkage so that their promoted molecular reactions are sensitive to externally-imposed mechanical forces. More generally, since analogous elastic coherence should be present in many types of helical repeat proteins, cells may be filled with mechanically-tunable molecules, and mechanical stress may be a common currency for subcellular information transfer.

### 361-Pos Board B240

#### The Closure Mechanism Of M. Tuberculosis Guanylate Kinase Relates Structural Fluctuations To Enzymatic Function

Olivier Delalande, Sophie Sacquin-Mora, Marc Baaden.


IBPC, CNRS UPR9080, Paris, France.

The Allosteric Spring Probe (ASP) technique allowed Zocchi et al. to act on the enzymatic activity of guanylate kinase (GK) by applying tension upon the molecular structure of this enzyme [Choi et al., Biophys. J., 2007]. These experiments raise the question about the underlying conformational modifications leading to such an observation.

In order to elucidate the results from these ASP studies, we investigate the conformational dynamics of GK and its mechanical properties. We use both high resolution atomistic molecular dynamics and low resolution Brownian Dynamics simulations.

The enzyme is subject to large conformational changes, leading from an open to a closed form, and further influenced by substrate or co-factor docking. A reduction or perturbation of the conformational space available to GK can be related to the activity loss encountered in the ASP experiments.

We describe a detailed picture of GK's closure mechanism characterizing the hierarchy and chronology of structural events essential for the enzymatic reaction. Rigidity profiles obtained from simulations of distinct states hint at important differences. We have investigated open vs. closed, apo vs. holo or substrate vs. product-loaded forms of the enzyme.



### 362-Pos Board B241

#### The Closed <-> Open Transition of Adenylate Kinase From Crystal Structures and Computer Simulations

Oliver Beckstein<sup>1,2</sup>, Elizabeth J. Denning<sup>2</sup>, Thomas B. Woolf<sup>2</sup>.

<sup>1</sup>University of Oxford, Oxford, United Kingdom, <sup>2</sup>Johns Hopkins Medical Institutions, Baltimore, MD, USA.

Many proteins function as dynamic molecular machines that cycle between well-defined states. A mechanistic and atomic-scale understanding starts with crystal, NMR or electron microscopy structures in these states. Typically, none or only very limited structural information is available for the intermediates along the transition. Computational methods can simulate transitions between states but due to the absence of intermediate structures it is hard to verify that the simulated transition path is correct. One exception is the enzyme adenylate kinase. It is well studied and a large number of crystal structures are available. Vornrhein et al [1] suggested early on that some of these structures would be transition intermediates due to stabilization by crystal contacts and created a 'movie' from nine structures. We took this idea one step further and compare 45 experimental structures to hundreds of transitions of E. coli AdK simulated with the dynamic importance sampling method (DIMS). We find that DIMS trajectories, which only require a crystal structure for the starting and the end point of the transitions, contain all intermediate crystal structures (RMSD for matches: <4 Å with median 1.2 Å). The crystal structures