



Public health perspectives from the biggest human mass gathering on earth: Kumbh Mela, India



Siddarth David ^{a,*}, Nobhojit Roy ^{a,b}

^a Environmental Health Resource Hub, School of Habitat Studies, Tata Institute of Social Sciences, Deonar, Mumbai 400 088, India

^b WHO Mass Gatherings Virtual Interdisciplinary Advisory Group, Geneva.

ARTICLE INFO

Article history:

Received 13 December 2015

Received in revised form 15 January 2016

Accepted 19 January 2016

Corresponding Editor: Eskild Petersen, Aarhus, Denmark.

Keywords:

Mass gathering

Kumbh Mela

India

Public health

SUMMARY

Mass gathering events pose critical health challenges, especially for the control of diseases. The rising population, better connectivity, and scope of travel have increased the frequency and magnitude of mass gatherings and underscore the need to shift the discourse from reacting to the public health issues they throw up to taking active steps in preventing them based on evidence through research. The Kumbh Mela is a religious event in India that constitutes the largest number of people gathered at a specific place and at a specific time. It is older than the Hajj by centuries, yet the public health aspects related to this event, which is held every 3 years, have not been fully studied. Understanding the Kumbh Mela can highlight the health challenges faced and provide crucial lessons for the management of mass gatherings. This investigation used the Kumbh Mela in the city of Allahabad as a case study to describe the health problems and the efforts taken to manage them. In-depth studies of the Kumbh Mela in the future are required to generate evidence for context-specific measures to address the complex health challenges of mass gatherings.

© 2016 International Society for Infectious Diseases. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

1. Introduction

According to the World Health Organization (WHO), a mass gathering (MG) is “any occasion, either organized or spontaneous, that attracts sufficient numbers of people to strain the planning and response resources of the community, city or nation hosting the event”.¹ These include spontaneous and organized events like sports, social and cultural functions, and political and religious gatherings. The magnitude is widely contextual, from a couple of thousand to a few million.² The Kumbh Mela is a 3-month long religious conglomeration held every 3 years in one of four different cities in the north of India, by rotation, the most famous being held in Allahabad. This is considered to be the biggest human gathering on earth. The last one held in Allahabad in 2013 had 120 million visitors. Thus, there were almost as many human beings as the entire population of Mexico gathered together in one place.^{3,4}

With a history stretching centuries before Hajj, Kumbh Mela receives little attention in academic discourse. In relation to the

incidents of MG tragedies occurring across the globe, and even in India for events on a much smaller scale, the Kumbh Mela stands out for its better track record on safety and management.⁵ This relative absence of large-scale human tragedy during the Kumbh Mela, coupled with the limited international media coverage of this predominantly regional, albeit massive, event, could be the reason for the lack of research studies on the subject. Nevertheless, the sheer magnitude of the event poses a significant logistical and public health problem, and exploring its management and execution could provide crucial lessons and highlight the challenges faced in the management of MGs from a public health perspective.

2. Public health challenges at mass gathering events

MG events pose a unique set of public health challenges, including stampedes, crush injuries, burns due to fires, exposure to extreme weather, infectious diseases, water-, sanitation-, and hygiene-related illness, and epidemic outbreaks.⁶ The complex set of health needs required to manage such events are well documented in the *Lancet* series on MGs published in 2014; this highlighted the need for comprehensive planning, rapid detection,

* Corresponding author.

E-mail address: siddarthdavid@yahoo.co.in (S. David).

and effective management during events such as the London 2012 Olympic and Paralympic Games, the 2012 European Football Championship Finals (Euro 2012) in Poland and Ukraine, and the Hajj 2012 and 2013.^{6–8} During MGs, special attention is also needed in relation to disease surveillance, infection control, and water and sanitation. This requires setting up and implementing systems from scratch, or usually the up-scaling of existing systems in place.⁹ Growing numbers and ever-larger crowds gathering at MG events lead to ever-increasing health risks, making it imperative to have robust mechanisms for prevention and pre-empting public health risks.¹⁰

MGs may also have considerable implications in relation to other acute public health incidents such as pandemics and disasters, which also require planning, preparedness, and management, and an increase in the capacities of the health systems.¹¹ However, resource materials and studies on how to prepare for and manage health risks during MGs have not been developed fully.^{11,12} Most of the existing guidelines on MG events focus mainly on crowd control and the prevention of stampedes, with little attention to public health.^{13–16} This makes it imperative to take a critical look at the public health risks, such as infectious diseases, that could severely disrupt the management of MGs.¹⁷

3. History of the Kumbh Mela

The name Kumbh Mela comes from the Sanskrit word 'Kumbha' meaning an 'urn' and 'Mela' meaning 'fair' or 'gathering'. It refers to the legendary battle between the gods and demons in Hindu mythology for the elixir of life by churning the primordial ocean of life made of milk. The tussle for the elixir is said to have caused the urn to tilt and four drops to fall on the four cities of Allahabad, Nashik, Ujjain, and Haridwar, where the Kumbh Mela is held in rotation every 3 years. Thus each city hosts the event every 12 years. The dates are pre-determined based on special combinations of the zodiac. Held on the banks of the rivers in each of the four cities, the main tradition associated with the Kumbh Mela is ritual bathing in the river on certain auspicious days during the 3-month period of the festival. Since Allahabad is the city with the confluence of two sacred rivers, the Ganges and the Yamuna, the Kumbh Mela held there is said to be the most auspicious and draws larger numbers of devotees than the other three cities.¹⁸

The pilgrims include religious and holy men and women from different sects or 'akahas' and their vast numbers of followers, who have a pre-determined order for entering the river each time for the ritual baths. They are trailed by other devotees who take the sacred dip in the river. This makes the entire process complex, set to a pattern that can result in long lines of devotees waiting their turn to enter the river. The event is also the site of religious discussions between different religious sects, devotional singing, mass feeding of holy men and women and the poor, and religious assemblies where doctrines are debated and standardized.¹⁹

The Kumbh Mela is the largest and the most important periodic MG in India, bringing Hindu devotees from all across the world. The purification rites involved in the ritual bathing, especially at Allahabad Ganges, are believed to interrupt the cycle of reincarnation according to Hindu theology. The highest holy days occur once every 144 years. Over the years, the number of devotees attending the Kumbh Mela has increased logarithmically, from around 400 000 in 1903 to 120 million in 2013.^{3,20} This is the largest human gathering on earth, so large that the movements of the amassed individuals can be seen from space.²¹

4. Health challenges at the Kumbh Mela

Like other religious MGs, the Kumbh Mela is a largely organized, low-adrenaline event with fixed rituals and practices. The large

number of people attending the Kumbh Mela makes its planning and management a substantial task for the local government, which is responsible for the event. The government has to manage prior planning and address the safety and needs of the millions arriving from all across the country and even from abroad, as well as ensure the prevention of the spread of diseases, addressing the management of health systems and other basic services like food, transportation, and safety. However, unlike other religious MGs like the Hajj, the Kumbh Mela does not involve a fixed human settlement, but the creation of a temporary 'pop-up city' of canvas, corrugated metal sheets, bamboo, nails, and rope in the flood plains of the rivers, which houses and feeds millions of people for 3 months every year 3 years.²² Moreover, unlike the Hajj where people's entry into the country and region can be monitored given that air travel is the most common mode of transport as it involves a large number of international visitors, people come to the Kumbh Mela by air, road, rail, and foot from within India, making it almost impossible to maintain detailed records of the peoples' movements. The logistics of the water, sanitation, security, health, and transportation needs of millions calls for meticulous planning and quick responses. Given that the region in which the Allahabad Kumbh Mela is held is among the most under-developed of India, with an inadequate health infrastructure,^{23,24} providing adequate healthcare services to the influx of millions of pilgrims is a daunting task.

The sheer density of people descending on the river banks at the Allahabad Kumbh Mela results in overcrowding, which has the potential to lead to stampedes and consequently deaths and crush injuries. At the 1954 Kumbh Mela, a stampede killed nearly 500 people and injured around 2000;² this was attributed to the heavy influx of people and dignitaries, including the Prime Minister and the President of India, as this was the first Kumbh Mela since the country's independence in 1947.²⁵ The enquiry commission set up following this event recommended restrictions on the visits of dignitaries during Kumbh Mela, which was strictly followed for all subsequent events.²⁵ Since then, the Allahabad Kumbh Mela has rarely seen any major instances of stampedes, except in 2013, when 36 people died in a stampede at the Allahabad railway station due to a massive rush of passengers.²⁶ This highlights the fact that while at the site there may be robust mechanisms in place to prevent stampedes, associated sectors like transport also need to be factored in to ensure that the event runs smoothly.

As the event involves bathing in the river as well as the close proximity of millions of people, there is a dramatically increased risk of water-borne infection and disease. Furthermore, the event is open to all visitors and pilgrims, and there are specific rival religious sects and orders and their followers, the management of which is a recurring challenge. Government officials overseeing the event have to negotiate the bathing schedules of these different groups, as clashes have resulted in indirect deaths. For example in 2010, a vehicle carrying members of a prominent sect struck several people, setting off a stampede.²⁷

The earliest documented record of infectious disease at the Kumbh Mela festival was an outbreak of cholera in 1817. This spread through the returning pilgrims across India and through its ports to Europe and East Asia, leading to the 1817–1824 Asiatic cholera pandemic.²⁸ There were sporadic epidemics during the Kumbh Mela in 1892, 1948, and in the 1960s.^{3,2} This led the government to push for compulsory inoculation of all visitors attending the Kumbh Mela, which has since been relaxed.

5. Public health services at Kumbh Mela 2013

The importance of public health in the management of the Kumbh Mela is underscored by the fact that in 1966, around 20% of

the budget was allocated to health, whereas around 45% was allocated to health in 2013.²⁷ In 1966 there was just a single 100-bed tent hospital; in contrast, in 2013 there was a hospital in each of the 14 zones of the Kumbh Mela area of 1936 hectares and a central hospital. Additionally, there were 24 alternative medicine hospitals (such as Ayurveda and homeopathy) and 150 first aid posts staffed by a doctor and a pharmacist, as well as 120 ambulances.^{29,30} Nearly 250 specialist doctors, along with hundreds of health workers, were appointed to allow the health facilities to operate 24 h a day.²⁸ As well as these temporary arrangements in the field, a tertiary-level public hospital in Allahabad City, with 100 beds, was reserved for referrals from the Kumbh Mela.^{29,30}

For the 2001 Kumbh Mela, the government established, as a pilot project, a telemedicine centre at the main field hospital of the Kumbh Mela, which collected daily information on the inpatient and outpatient cases reported. This information was communicated to a nodal centre at Sanjay Gandhi Post Graduate Institute of Medical Sciences (SGPGIMS) in Lucknow, around 100 miles away, and the tertiary-level hospital in the city of Allahabad that was reserved for the Kumbh Mela.³¹ While routine cases were treated at the field hospital, major health problems were addressed by online teleconsultation and video-conferencing from the field to SGPGIMS and the hospital in Allahabad. Rectal swabs and stool samples collected from patients suspected of cholera were examined at the tertiary hospital in Allahabad and at SGPGIMS to detect and isolate *Vibrio cholerae* in the samples, which were then sent to the National Institute of Cholera and Enteric Diseases, Kolkata, India, for further analysis. After confirmation, the detected cases were notified immediately to the central hospital in the Kumbh Mela area to isolate the patient and prevent the outbreak of an epidemic.³¹

Encouraged by the success of this pilot, in 2013 the government added a mobile telemedicine unit for video-conferencing and to conduct minor surgeries. This was equipped with laboratory for imaging and testing and a public address system for mass awareness.³² While this proved immensely popular and there were certainly marked positive health outcomes as a result of the elaborate and innovative health infrastructure being put in place, there was also under-utilization of these services. For example, quite a few of the beds and the services of the specialist doctors remained unused, as the vast majority of illnesses reported were minor, which instead overburdened nurses and physician doctors.^{31,33} Similarly, only 31 samples required processing for cholera in 2001, but around 2000 patients were treated by the mobile telemedicine system.^{31,32} Thus a finer focus on the deployment of existing resources and a stronger feedback loop are required for future planners of the Kumbh Mela.³³

Given the history of cholera outbreaks, public health measures up to the 1960s for the Kumbh Mela focussed on compulsory inoculation. However, over the years, recognizing the importance of water, sanitation, and hygiene in minimizing health risks, the government has taken substantial measures to improve water and sanitation. Diarrhoeal diseases have continued to be a risk at the gathering, leading to a push for more rapid monitoring and prompt public health interventions.³¹ In 2013, for example, 46 protected bore wells with chlorination attached tanks, as well piped potable water through 20 000 taps, were provided to reduce the chance of water contamination.³ Similarly 35 000 toilets were constructed, ranging from designated open air defecation fields to simple pit latrines and bio-digester toilets.³ The water and sanitation systems set up followed almost all of the minimum universal standards, such as toilets at a safe distance from water sources, around 15 people per toilet, incorporating cultural preference toilets, and adequate quality and quantity of water.^{3,30,34} At the same time, there was no standardized monitoring of the sanitation system set

in place, with repairs being conducted only when problems were reported.³

The outcomes of the significant efforts made in improving the health and sanitation amenities at the Kumbh Mela in Allahabad are reflected in the data from 2013. The main cause of injury and the single death on the site was due to electric short-circuits.³⁰ Only one-tenth of illnesses were due to diarrhoea, with the main causes of morbidity being respiratory ailments and diabetes or hypertension.²⁹ This shows that the government needs to go beyond better sanitation facilities to deal with this overarching range of health problems and hazards, such as providing safer electricity lines.

6. Public health lessons for mass gathering events

The Kumbh Mela has moved from compulsory inoculations to addressing a wide range of health needs of the pilgrims, with enhanced medical services and safe water and sanitation services. While there is more that can be done, the overall health risks associated with Kumbh Mela have improved considerably. The process of evolution towards better outcomes, challenges faced, lessons learnt, and strategies used in a low-resource setting need to be better documented, studied, and evaluated. This can lead to pragmatic solutions, which can be integrated into planning and policy, as well as contributing to the evidence on minimizing the health risks associated with MGs. Otherwise there is a danger of losing the valuable lessons learnt in this process, leading to institutional memory loss, necessitating the proverbial 'reinventing the wheel' each time.

Researchers have repeatedly pointed out the need for a specialized interdisciplinary approach to understand the health challenges that MG events pose.³⁵ The Lancet Conference on Mass Gathering Medicine in 2010 and the consequent Jeddah Declaration on Mass Gatherings, where the complex public health challenges during MG events were highlighted, stressed the need to exchange knowledge, strategies, and collaborative approaches.³⁶ Moreover, creating a consortium of public health researchers, health experts, event managers, and administrators from across the world to share experiences, document challenges, develop guidelines, and design context-specific solutions, could result in a more streamlined and unified approach to MG health. Such a multi-disciplinary international association could also initiate more research and study of MG events and advocate for improved policies and practices in the context of health during MGs. This in turn could transform the conventional post-event response model to a proactive prevention model, based on evidence, learning from across the world, contextual strategies, and efficient planning. Such an approach necessitates more academic and public health research into different MG events from across the world, including the Kumbh Mela, to better understand the public health challenges during MG events.

7. Conclusions

The 'pop-up city' that houses nearly 120 million people in the middle of a sandy river bank is significant not only for pilgrims in India, but also for MG research. Studying the mammoth Kumbh Mela presents a unique opportunity to generate an evidence base for the development of solutions and recommendations for the prevention, management, and control of infectious diseases during MGs. This could provide information on how to develop context-specific methods to improve and sustain optimum health conditions for people during Kumbh Mela and other MGs across the world.

Funding: The authors declare no role of the funding source in the study design, in the collection, analysis, and interpretation of data,

in the writing of the manuscript, or in the decision to submit the manuscript for publication.

Ethical approval: No ethics approval was required for the study.

Conflict of interest: The authors declare no conflict of interest.

References

- World Health Organization. Communicable disease alert and response for mass gatherings. Technical workshop. Geneva, Switzerland, April 29–30, 2008. Geneva: WHO; 2008. Available at: http://www.who.int/csr/resources/publications/WHO_HSE_EPR_2008_8c.pdf (accessed December 7, 2015).
- Memish ZA, Stephens GM, Steffen R, Ahmed QA. Emergence of medicine for mass gatherings: lessons from the Hajj. *Lancet Infect Dis* 2012;**12**:56–65. [http://dx.doi.org/10.1016/S1473-3099\(11\)70337-1](http://dx.doi.org/10.1016/S1473-3099(11)70337-1)
- Vortmann M, Balsari S, Holman SR, Greenough PG. Water, sanitation, and hygiene at the world's largest mass gathering. *Curr Infect Dis Rep* 2015;**17**:5. <http://dx.doi.org/10.1007/s11908-015-0461-1>
- World Bank. Population: world development indicators. World Bank; 2015. Available at: <http://data.worldbank.org/indicator/SP.POP.TOTL> (accessed December 1, 2015).
- Khanna T. Kumbh Mela: mapping the ephemeral mega city. Mehrotra R, Vera F, Eck D, editors. Ostfildern, Germany: Hatje Cantz; 2015.
- Memish ZA, Zumla A, Alhakeem RF, Assiri A, Turkestani A, Al Harby KD, et al. Hajj: infectious disease surveillance and control. *Lancet* 2014;**383**:2073–82. [http://dx.doi.org/10.1016/S0140-6736\(14\)60381-0](http://dx.doi.org/10.1016/S0140-6736(14)60381-0)
- McCloskey B, Endericks T, Catchpole M, Zambon M, McLauchlin, Shetty N, et al. London 2012 Olympic and Paralympic Games: public health surveillance and epidemiology. *Lancet* 2014;**383**:2083–9. [http://dx.doi.org/10.1016/S0140-6736\(13\)62342-9](http://dx.doi.org/10.1016/S0140-6736(13)62342-9)
- Smallwood CA, Arbuthnott KG, Banczak-Mysiak B, Borodina M, Coutinho AP, Payne-Hallstrom P, et al. Euro 2012 European Football Championship Finals: planning for a health legacy. *Lancet* 2014;**383**:2090–7. [http://dx.doi.org/10.1016/S0140-6736\(13\)62384-3](http://dx.doi.org/10.1016/S0140-6736(13)62384-3)
- Zielinski A. Cost analysis of adjustments of the epidemiological surveillance system to mass gatherings. *Przegl Epidemiol* 2011;**65**:5–8. Available at: <http://www.przegl Epidemiol.pzh.gov.pl/pobierz-artykul?id=1337> (accessed December 1, 2015).
- World Health Organization. Communicable disease alert and response for mass gatherings. Geneva: WHO; 2010. Available at: http://www.who.int/csr/resources/publications/WHO_HSE_EPR_2008_8c.pdf (accessed November 30, 2015).
- World Health Organization. Global mass gatherings: implications and opportunities for global health security. Geneva: WHO; 2011. Available at: http://apps.who.int/gb/ebwha/pdf_files/EB130/B130_17-en.pdf (accessed November 31, 2015).
- Lombardo JS, Sniegowski CA, Loschen WA, Westercamp M, Wade M, Dearth S, Zhang G. Public health surveillance for mass gatherings. *Johns Hopkins APL Tech Dig* 2008;**27**:347–55. Available at: <http://www.jhuapl.edu/techdigest/TD/td2704/LombardoMassGatherings.pdf> (Accessed December 3, 2015).
- Health and Safety Executive. The Event Safety Guide: The purple guide to health safety and welfare at music and other events. Norwich, UK: Health and Safety Executive; 1999. Available at: http://www.qub.ac.uk/safety-reps/sr_webpages/safety_downloads/event_safety_guide.pdf (accessed February 08, 2016).
- National Disaster Management Authority of India. Managing crowds at events and venues of mass-gathering: a guide for state governments, local authorities, administrators and organizers. New Delhi, India: NDMA; 2014. Available at: <http://ndma.gov.in/images/pdf/managingcrowdsguide.pdf> (accessed November 29, 2015).
- Federal Emergency Management Agency. Special events contingency planning: job aids manual. Washington DC, USA: FEMA; 2005. Available at: <http://training.fema.gov/emweb/downloads/is15aspecialereventsplanning-jama-nual.pdf> (accessed November 29, 2015).
- Soomaroo L, Murray V. Disasters at mass gatherings: lessons from history. *PLoS Curr* 2012;**4**:RRN1301. [10.1371/currents.RRN1301](http://dx.doi.org/10.1371/currents.RRN1301).
- Khan K, Memish ZA, Chhabra A, Liauw J, Hu W, Janes DA, et al. Global public health implications of a mass gathering in Mecca, Saudi Arabia during the midst of an influenza pandemic. *J Travel Med* 2010;**17**:75–81. <http://dx.doi.org/10.1111/j.1708-8305.2010.00397.x>
- Official Website of the Kumbh Mela. Mythological aspects. India: Kumbh Mela; 2013. Available at: http://kumbhmelaallahabad.gov.in/english/mythological_aspect.html (accessed December 8, 2015).
- Official Website of the Kumbh Mela. Rituals of Kumbh. India: Kumbh Mela; 2013. Available at: http://kumbhmelaallahabad.gov.in/english/rituals_kumbh_mela.html (accessed December 8, 2015).
- Imperial Gazette of India. Volume 13, 1903. Available at: http://dsal.uchicago.edu/reference/gazetteer/pager.html?objectid=DS405.1.I34_V13_058.gif (accessed December 8, 2015).
- Carrington D. Kumbh Mela. *New Scientist* 2001, January 25. Available at: <http://www.newscientist.com/articleimages/dn360/1-kumbh-mela.html> (accessed November 25, 2015).
- Koch K. Inside India's pop-up city. *Harvard Gazette* 2013 January 21. Available at: <http://news.harvard.edu/gazette/story/2013/01/inside-indias-pop-up-city/> (accessed December 9, 2015).
- Government of India. Annual report to the people on health. New Delhi, India: Ministry of Health and Family Welfare; 2011. Available at: <http://mohfw.nic.in/WriteReadData/1892s/6960144509Annual%20Report%20to%20the%20People%20on%20Health.pdf> (accessed December 1, 2015).
- United Nations Development Programme. Uttar Pradesh: Economic and development indicators factsheet. New Delhi, India: UNDP–India; 2012. Available at: http://www.undp.org/content/dam/india/docs/uttar_pradesh_factsheet.pdf (accessed December 1, 2015).
- Mishra JS. Kumbh Mela: the greatest show on earth. Allahabad, India: Har-Anand Publications; 2004.
- Death toll in Allahabad railway station stampede rises to 36. *Times of India* 2013, February 11. Available at: <http://timesofindia.indiatimes.com/India/Death-toll-in-Allahabad-railway-station-stampede-rises-to-36/articleshow/18440922.cms> (accessed December 1, 2015).
- BBC. Five die in stampede at Hindu bathing festival. BBC News, 2010, April 14. Available at: http://news.bbc.co.uk/1/hi/world/south_asia/8619088.stm (accessed December 6, 2015).
- Hays JN. Epidemics and pandemics: their impacts on human history. Santa Barbara, CA: ABC-CLIO; 2005. p. 214–9.
- Cariappa MP, Singh BP, Mahen A, Bansal AS. Kumbh Mela 2013: healthcare for the millions. *Armed Forces Med J India* 2015;**71**:278–81. <http://dx.doi.org/10.1016/j.mjafi.2014.08.001>
- Baranwal A, Anand A, Singh R, Deka M, Paul A, Borgohain S, Roy N. Managing the Earth's biggest mass gathering event and WASH conditions: Maha Kumbh Mela (India). *PLoS Curr* 2015;**7**. <http://dx.doi.org/10.1371/currents.dis.e8b3053-f40e774e7e3fde1bb50a130d>
- Ayyagari A, Bhargava A, Agarwal R, Mishra SK, Mishra AK, Das SR, et al. Use of telemedicine in evading cholera outbreak in Kumbh Mela, Prayag, UP, India: an encouraging experience. *Telemed J E Health* 2003;**9**:89–94. <http://dx.doi.org/10.1089/153056203763317693>
- Mobile telemedicine system at Kumbh benefits pilgrims. *Times of India* 2013, March 1. Available at: <http://timesofindia.indiatimes.com/city/allahabad/Mobile-telemedicine-system-at-Kumbh-benefits-pilgrims/articleshow/18740137.cms> (accessed December 13, 2015).
- Koch K. Tracking disease in a tent city. *Harvard Gazette* 2013, March 21. Available at: <http://news.harvard.edu/gazette/story/2013/01/inside-indias-pop-up-city/> (accessed December 13, 2015).
- Sphere Project. Sphere handbook: humanitarian charter and minimum standards in disaster response, 2011; 2011. Available at: <http://www.ifrc.org/PageFiles/95530/The-Sphere-Project-Handbook-20111.pdf> (Accessed December 6, 2015).
- Ahmed Q, Barbechi M, Memish ZA. The quest for public health security at Hajj: the WHO guidelines on communicable disease alert and response during mass gatherings. *Travel Med Infect Dis J* 2009;**7**:226–30.
- Memish ZA, Alrabeeah AA. Jeddah declaration on mass gatherings health. *Lancet Infect Dis* 2011;**11**:342–3. [http://dx.doi.org/10.1016/S1473-3099\(11\)70075-5](http://dx.doi.org/10.1016/S1473-3099(11)70075-5)