provided by Elsevier - Publisher Connector

SnapSnot: Cytokines i

Cristina M. Tato and Daniel J. Cua Schering-Plough Biopharma (Formerly DNAX Research), Palo Alto, CA 94304, USA



Cytokine	Receptor	Source	Targets	Major Function	Disease Association
Interleukin (IL)-1α; IL-1β	IL1RI and IL1R-AcP	Macrophages, many others	Macrophages, thymocytes, CNS, others	Inflammatory; promotes activation, costimulation, and secretion of cytokines and other acute-phase proteins; pyrogenic	= inflammatory bone resorption; gout; promotes Th17 response
IL-1ra (antagonist)	Soluble decoy receptor: IL1RII and IL1R-AcP			IL-1ra and the soluble decoy receptor complex inhibit IL-1-mediated inflammatory responses	
IL-2	IL2Rα, IL2Rβ, and IL2Rγ	T cells	T, B, NK cells, and macrophages	Proliferation; enhance- ment of cytotoxicity, IFNγ secretion, and antibody production	
IL-3	IL3Rα and βc	T cells, mast cells, eosinophils	Hematopoietic progenitors, macrophages, mast cells	Differentiation and survival of lymphoid and myeloid compartment	
IL-4	IL4Rα and IL2Rγ or IL4Rα and IL13R	T cells, mast cells	T cells, B cells, macrophages, monocytes	Proliferation; differentiation of Th2; promotes IgG and IgE production; inhibits cell-mediated immunity and Th17 development	
IL-5	IL5Rα and βc	Th2 cells	Eosinophils, B cells	Proliferation and activation; hallmark of Th2 effector cells	↓ = eosinophil and B-1 cell deficiency.↑ = allergic asthma.
IL-6	IL6Rα and gp130	Macrophages, T cells, fibroblasts, and others	Wide variety of cells: B cells, T cells, thymocytes, myeloid cells, osteoclasts	Inflammatory and costimulatory action; induces proliferation and differentiation; synergizes with TGFβ to drive Th17	↓ = deficient innate immunity and acute- phase responses, lymphopenia
IL-7	IL7Rα and IL2Rγ	Thymic stromal cells, bone marrow, and spleen	B cells, T cells, thymocytes	Homeostasis, differentiation, and survival	= severe combined immune deficiency (SCID)
IL-9	IL9R and IL2Rγ	T cells (Th2)	T cells, mast cells, neutrophils, epithelial cells	Proliferation; promotes Th2 cytokine secretion	
IL-10	IL10R1 and IL10R2	Differentiated T helper cells, Tregs, B cells, dendritic cells, others	Macrophages, T cells, dendritic cells, B cells	Immune suppression; decreases antigen presentation and MHC class II expression of dendritic cells; down- regulates pathogenic Th1, Th2, and Th17 responses	
IL-11	IL11Rα and gp130	Stromal cells	Hematopoietic stem cells, B cells, megakaryocytes	Proliferation	↑ = exacerbates airway diseases
IL-12 (p35 + p40)	IL12Rβ1 and IL12Rβ2	Macrophages, dendritic cells, B cells, neutrophils	T cells, NK cells	Differentiation and proliferation; promotes Th1 and cytotoxicity	↓ = impaired Th1 responses and increased susceptibility to intracellular pathogens
IL-13	IL13R and IL4Rα	T cells	B cells, macro- phages, others	Goblet cell activation in lung and gut; proliferation and promotion of IgE production; regulation of cell-mediated immunity	
IL-14	Not defined	T cells	B cells	Promotion of B cell growth	
IL-15	IL15Rα, IL2Rβ, and IL2Rγ	Broad expression in hematopoietic cells	T cells, NK cells, epithelial cells, others	Proliferation and survival; cytokine production	↓ = deficiency in NK cells and defective generation of memory T cells
IL-16	Not defined	T cells, eosinophils, mast cells	CD4+ T cells	Recruitment of CD4+ T cells	

SnapShot: Cytokines I

Cristina M. Tato and Daniel J. Cua Schering-Plough Biopharma (Formerly DNAX Research), Palo Alto, CA 94304, USA



Abbreviations

AcP, accessory protein; IL, interleukin; R, receptor; βc, common beta chain; Th17, IL-17-producing helper T cells; Treg, regulatory T cells; NK, natural killer cells; ↑, increased expression, \downarrow , decreased expression; CNS, central nervous system; Th2, T helper 2 cells; Th1, T helper 1 cells; TGFβ, transforming growth factor-β.

REFERENCES

Barksby, H.E., Lea, S.R., Preshaw, P.M., and Taylor, J.J. (2007). The expanding family of interleukin-1 cytokines and their role in destructive inflammatory disorders. Clin. Exp. Immunol. 149, 217-225.

Leonard, W.J., Noguchi, M., Russell, S.M., and McBride, O.W. (1994). The molecular basis of X-linked severe combined immunodeficiency: The role of the interleukin-2 receptor gamma chain as a common gamma chain, gamma c. Immunol. Rev. 138, 61-86.

Ma, A., Koka, R., and Burkett, P. (2006). Diverse functions of IL-2, IL-15, and IL-7 in lymphoid homeostasis. Annu. Rev. Immunol. 24, 657-679.

Moore, K.W., de Waal Malefyt, R., Coffman, R.L., and O'Garra, A. (2001). Interleukin-10 and the interleukin-10 receptor. Annu. Rev. Immunol. 19, 683-765.

O'Shea, J.J., Tato, C.M., and Siegel, R. (2008). Principles of immune recognition: Cytokines and cytokine receptors. In Clinical Immunology, 3rd Edition, R.R. Rich, W.T. Shearer, T.A. Fleischer, H.W. Schroeder, C.M. Weyand, and A.J. Frew, eds. (Amsterdam: Elsevier).

Soussi-Gounni, A., Kontolemos, M., and Hamid, Q. (2001). Role of IL-9 in the pathophysiology of allergic diseases. J. Allergy Clin. Immunol. 107, 575-582.

Steinman, L. (2007). A brief history of T(H)17, the first major revision in the T(H)1/T(H)2 hypothesis of T cell-mediated tissue damage. Nat. Med. 13, 139-145.

Taga, T., and Kishimoto, T. (1997). Gp130 and the interleukin-6 family of cytokines. Annu. Rev. Immunol. 15, 797-819.

Trinchieri, G. (2004). Cytokines and cytokine receptors. Immunol. Rev. 202, 5-7.

Zheng, T., Zhu, Z., Wang, J., Homer, R.J., and Elias, J.A. (2001). IL-11: Insights in asthma from overexpression transgenic modeling. J. Allergy Clin. Immunol. 108, 489–496.