

CUMULATIVE SUBJECT INDEX¹

Volumes 48-51

A

- Acceptors
 - binary cellular, one-dimensional: incompleteness theorem for, **50**, 185
- Additive-error-correcting codes
 - over integer alphabets, spectral enumerators for, **48**, 193
- Adjunct grammars
 - tree, extension, **51**, 248
- Algebraic languages
 - nonrational, and unary languages, **48**, 49
- Algebraic properties
 - fuzzy sets, under new operation "drastic product" and "drastic sum," **50**, 160
- Algebras
 - unwind property, **50**, 91
- Alphabets
 - integer, spectral enumerators for additive-error-correcting codes over, **48**, 193
- Announcement
 - computational linguistics, 9th conf.: call for papers, **48**, 94
- Approximation
 - dyadic sampling, for non-sequency-limited signals, **49**, 199
 - sampling series, continuous weak sense stationary processes, **50**, 228
- Arcs
 - three-dimensional, definition and characterization, **50**, 119
- Array
 - tessellation, one-dimensional: propagation of repeated pattern, **48**, 211
- Attribute grammars
 - passes and paths, **49**, 125
- Attributes
 - binary-valued, selected query set: filing schemes and redundancies, **50**, 23

Automata

- cellular
 - one-dimensional binary cellular acceptors, **50**, 185
 - triangle, **48**, 54
- deterministic linear bounded tree, in tree adjunct grammars, **51**, 248
- parallel and two-way, on directed ordered acyclic graphs, **49**, 10
- symmetric
 - multithreshold, proof of cyclic behavior, **51**, 95
 - threshold, convergence, **51**, 98
- ω -Automata
 - theory, combinatorial approach, **48**, 261

B

- Balanced multiple-valued filing scheme
 - of order $(t-1)$, using difference vectors, **50**, 34
- Behavior
 - cyclic, of multithreshold symmetric automata: proof, **51**, 95
 - production system, inferring control structures from, **51**, 275
- Binary cellular acceptors
 - one-dimensional, incompleteness theorem for, **50**, 185
- Binary DOL systems
 - equivalence problem for, **50**, 276
- Binary linear code
 - meeting Griesmer bound, characterization, **50**, 128
- Binary matrices
 - in construction of nonlinear codes, **48**, 70
- Binary-valued attributes
 - selected query set, filing schemes and redundancies, **50**, 23

¹ Boldface number indicates appropriate volume; lightface number indicates pagination.

- Block definition
 - and process definition of distortion-rate functions for stationary ergodic sources, proof of equivalence, **51**, 45
- Bound
 - Griesmer, codes meeting: characterization, **50**, 128
 - modification, for perfect codes in Lee-metric, **49**, 109
- C**
- Capacity
 - channels with Gaussian and non-Gaussian noise, **51**, 153
- Catenative schemes
 - local, simulation by DOL schemes, **49**, 64
- Causal nets
 - and deterministic computation, **51**, 1
- Cavities
 - defined for subsets of three-dimensional arrays, **50**, 119
- Cell-assemblies
 - threshold nets and, **49**, 239
- Cellular acceptors
 - binary, one-dimensional: incompleteness theorem for, **50**, 185
- Cellular automata
 - one-dimensional binary cellular acceptors, **50**, 185
 - triangle, **48**, 54
- Cellular computers
 - reconfigurable, **50**, 64
- Channels
 - asymmetric, group-theoretic codes for, **49**, 1
 - capacity, with Gaussian and non-Gaussian noise, **51**, 153
- Codes
 - additive-error-correcting, over integer alphabets: spectral enumerators for, **48**, 193
 - error-correcting, for asymmetric channel, **49**, 1
 - finite elementary, team tournaments and, **48**, 11
 - group-theoretic, for asymmetric channels, **49**, 1
 - in Lee-metric, perfect: modification of Elias-bound and nonexistence theorems for, **49**, 109
 - meeting Griesmer bound, characterization, **50**, 128
 - nonlinear, construction, **48**, 70
- Coding
 - pattern, in orchard scheme, **51**, 209
- Coloring problem
 - general, complexity, **51**, 128
- Combinatorial approach
 - to theory of ω -automata, **48**, 261
- Communication time
 - in cellular computers, **50**, 64
- Complement
 - of finite index matrix language is context sensitive, **51**, 188
- Computation
 - deterministic, causal nets and, **51**, 1
- Computed functions
 - and fixpoints of nondeterministic recursive definitions, relationship, **50**, 13
- Computers
 - cellular, reconfigurable, **50**, 64
- Computing
 - fault-tolerant, schemes for: comparison of modularly redundant and t -diagnosable systems, **49**, 212
- Concept of state
 - in decentralized control, **50**, 1
- Congruences
 - for abstract feedback systems, **51**, 20
- Connectedness
 - defined for subsets of three-dimensional arrays, **50**, 119
- Construction
 - nonlinear codes, **48**, 70
- Context-free
 - grammars, left universal: and homomorphic characterizations of languages, **50**, 110
 - languages, geography, **49**, 91
- Context-sensitive
 - complement, of finite index matrix language, **51**, 188
- Control
 - decentralized, concept of state in, **50**, 1
 - structures, inference from behavior of production system, **51**, 275
 - system
 - abstract, and feedback, **51**, 20
 - output (dynamic) stabilizers for, **51**, 105
- Convergence
 - symmetric threshold automata, **51**, 98

- Curves
 - three-dimensional, definition and characterization, **50**, 119
- Cyclic behavior
 - multithreshold symmetric automata, proof, **51**, 95

D

- Death
 - word survival in propagating Markov deterministic tabled OL system, **48**, 80
- De-Bruijn sequences
 - synthesis, **49**, 81
- Decentralized control
 - concept of state in, **50**, 1
- Deterministic computation
 - causal nets and, **51**, 1
- Deterministic OL schemes
 - and locally catenative schemes, complete simulation, **49**, 64
- Deterministic OL systems
 - binary, equivalence problem for, **50**, 276
- Deterministic tabled OL systems
 - Markov, life and death of words in, **48**, 80
- Difference vectors
 - use in balanced multiple-valued filing scheme of order $(t - 1)$, **50**, 34
- Digital images
 - three-dimensional, surface, **51**, 227
- Digital topology
 - three-dimensional, **50**, 119
- Directed ordered acyclic graphs
 - parallel and two-way automata on, **49**, 10
- Distortion-rate functions
 - for stationary ergodic sources, equivalence of block definition and process definition, **51**, 45
- DOL, *see* Deterministic OL
- Duality
 - theory between reachability and observability, for linear systems over arbitrary rings, **50**, 85

E

- Elementary codes
 - finite, team tournaments and, **48**, 11

- Elias-bound
 - in Lee-metric, modification to improve bounds for some code parameters, **49**, 109
- Enumerators
 - spectral, for additive-error-correcting codes over integer alphabets, **48**, 193
- Equality sets
 - unary multiple, languages of rational matrices, **50**, 199
- Equivalence
 - block definition and process definition of distortion-rate functions for stationary ergodic sources, proof, **51**, 45
 - problems
 - for binary DOL systems, **50**, 276
 - for mappings on infinite strings, **49**, 52
- Ergodic sources
 - stationary, distortion-rate functions for: equivalence of block definition and process definition, **51**, 45
- Error-correcting codes
 - for asymmetric channel, **49**, 1
- Extended OL forms
 - fixed, terminal fixed, and nonterminal fixed interpretations, **48**, 119
- Extended OL languages
 - class, translational theorem for, **50**, 175

F

- Fault-tolerant computing
 - schemes for, comparison of modularly redundant and t -diagnosable systems, **49**, 212
- Feedback
 - systems, abstract: homomorphisms and congruences for, **51**, 20
- Filing scheme
 - balanced multiple-valued, of order $(t - 1)$: using difference vectors, **50**, 34
 - design for selected query set on binary-valued attributes and redundancies, **50**, 23
- Finite
 - elementary codes, team tournaments and, **48**, 11
 - graph-acceptors and regular graph-languages, **50**, 242

- index matrix language, complement is context sensitive, **51**, 188
 - languages, predecessors, **50**, 259
 - Fixed interpretations
 - extended OL forms, **48**, 119
 - Fixpoints
 - and computed functions of nondeterministic recursive definitions, relationship, **50**, 13
 - Functions
 - computed, and fixpoints of nondeterministic recursive definitions: relationship, **50**, 13
 - distortion-rate, for stationary ergodic sources: equivalence of block definition and process definition, **51**, 45
 - fuzzy switching, representation and enumeration, **51**, 216
 - numerical, properties: monotonicity, invertibility, piecewise linearity, and differentiability, **48**, 147
 - realized by consistent sequential machines, **48**, 147
 - switching, constructed by Galois extension fields, **48**, 95
 - Fuzzy
 - relations, properties, **50**, 160
 - sets, and operations, **48**, 30; **50**, 160
 - switching functions, representation and enumeration, **51**, 216
- G**
- Galois fields
 - extension, switching functions constructed by, **48**, 95
 - trinomials $x^n + x^2 + 1$ and $x^{8l+3} + x^k + 1$ irreducible over $GF(2)$, **50**, 58
 - Gaussian noise
 - capacity of channels with, **51**, 153
 - Generators
 - De-Bruijn sequence, design, **49**, 81
 - Geography
 - context-free languages, **49**, 91
 - Geometry
 - digital, three-dimensional images: surface, **51**, 227
 - Grammars
 - attribute, passes and paths, **49**, 125
 - left universal context-free, and homomorphic characterizations of languages, **50**, 110
 - nonexpansive, and rational power series: characterization, **48**, 109
 - sequential, continuous and parallel, **48**, 221
 - tree adjunct, extension, **51**, 248
 - Grammatical families
 - finite, predecessors, **50**, 259
 - Graph-acceptors
 - finite, model: and regular graph-languages, **50**, 242
 - Graph-languages
 - regular, finite graph-acceptors and, **50**, 242
 - Graphs
 - directed ordered acyclic, parallel and two-way automata on, **49**, 10
 - and general coloring problem, **51**, 128
 - Griesmer bound
 - codes meeting, characterization, **50**, 128
 - Group-theoretic codes
 - for asymmetric channels, **49**, 1
- H**
- Holes
 - defined for subsets of three-dimensional arrays, **50**, 119
 - Homomorphisms
 - and congruences for abstract feedback systems, **51**, 20
 - Hypercodes
 - and semi-discrete languages, **51**, 174
- I**
- Identification
 - regular languages, number of queries needed for, **51**, 76
 - Images
 - digital, three-dimensional: surface, **51**, 227
 - Incompleteness theorem
 - for one-dimensional binary cellular acceptors, **50**, 185
 - Infinite strings
 - mappings on, equivalence problems for, **49**, 52

Information

- capacity of channels with Gaussian and non-Gaussian noise, **51**, 153
- parametric measures, from non-parametric measures and information matrices, **51**, 193

Integer alphabets

- spectral enumerators for additive-error-correcting codes over, **48**, 193

K

Kleene's theorem

- generalization, and nondeterministic structured programming, **51**, 146

L

Languages

- algebraic, nonrational: and unary languages, **48**, 49
- context-free, geography, **49**, 91
- derivation dags, closure properties, **49**, 10
- extended OL class, translational theorem for, **50**, 175
- finite, predecessors, **50**, 259
- homomorphic characterizations, universal context-free grammars and, **50**, 110
- matrix, finite index: complement is context sensitive, **51**, 188
- of rational matrices, unary multiple equality sets, **50**, 199
- regular, identification: number of queries needed for, **51**, 76
- semi-discrete, and H -bounded, **51**, 174
- string, and triangle cellular automata, **48**, 54
- unary, algebraic languages and, **48**, 49

Lee-metric

- modification of Elias-bound and nonexistence theorems for perfect codes in, **49**, 109

Life

- and death in Markov deterministic tabled OL systems, **48**, 80

Lindenmayer systems

- stochastic version, properties, **48**, 1

Linear systems

- over arbitrary rings, duality theory between reachability and observability, **50**, 85

M

Machines

- sequential, consistent: functions realized by, **48**, 147

Mappings

- on infinite strings, equivalence problems for, **49**, 52

Markov deterministic tabled OL systems

- life and death of words in, **48**, 80
- recurrent words, **51**, 88

Matrices

- binary, in construction of nonlinear codes, **48**, 70
- information, parametric measures of information from, **51**, 193
- rational, languages of: unary multiple equality sets, **50**, 199

Matrix language

- finite index, complement is context sensitive, **51**, 188

Model

- graph-acceptor, **50**, 242
- term, for synchronous processes, **51**, 58

Modularly redundant system

- comparison with t -diagnosable system, for fault-tolerant computing, **49**, 212

Monoid

- completely ordered, and generalization of Kleene's theorem, **51**, 146

Multithreshold symmetric automata

- proof of cyclic behavior, **51**, 95

N

Nets

- causal, and deterministic computation, **51**, 1
- threshold, and cell-assemblies, **49**, 239

Network

- approach to computation, **51**, 1

Noise

- Gaussian and non-Gaussian, capacity of channels with, **51**, 153

Nondeterministic programming

- structured, generalization of Kleene's theorem and, **51**, 146

Nondeterministic recursive definitions

- relationship between computed functions and fixpoints of, **50**, 13

Nonexistence theorems
 for perfect codes in Lee-metric, **49**, 109

Nonexpansive grammars
 and rational power series, characterization,
 48, 109

Non-Gaussian noise
 capacity of channels with, **51**, 153

Nonlinear codes
 construction, **48**, 70

Nonlinear regulation
 abstract, conditions for, **51**, 105

Non-parametric measures
 parametric measures of information
 obtained from, **51**, 193

Non-sequency-limited signals
 dyadic sampling approximations for, **49**,
 199

Numerical functions
 properties: monotonicity, invertibility,
 piecewise linearity, and differen-
 tiability, **48**, 147

O

Operations
 fuzzy sets and, **48**, 30; **50**, 160

Orchard scheme
 coding pattern, new, **51**, 209

P

Parallel
 and two-way automata, on directed
 ordered acyclic graphs, **49**, 10

Parallelism
 and cellular computers, **50**, 64

Parametric measures
 of information, from non-parametric
 measures and information matrices,
 51, 193

Passes
 and paths of attribute grammars, **49**, 125

Paths
 passes and, of attribute grammars, **49**, 125

Pattern
 coding, in orchard scheme, **51**, 209
 replication, continual, **48**, 211

Performance
 stability, stochastic quantization for, **49**,
 171

Predecessors
 finite languages, **50**, 259

Process definition
 and block definition of distortion-rate
 functions for stationary ergodic
 sources, proof of equivalence, **51**, 45

Processes
 random, sampling series approximation,
 50, 228
 synchronous, term model for, **51**, 58

Production system
 behavior, inferring control structures from,
 51, 275

Programming
 nondeterministic structured, generalization
 of Kleene's theorem and, **51**, 146

Propagating unary stochastic Lindenmayer
 systems
 properties, **48**, 1

Q

Quantization
 stochastic, for performance stability, **49**,
 171

Queries
 needed for identification of regular
 languages, **51**, 76

Query set
 selected, on binary-valued attributes: filing
 schemes and redundancies, **50**, 23

R

Random processes
 sampling series approximation, **50**, 228

Rational matrices
 languages of, unary multiple equality sets,
 50, 199

Rational power series
 and characterization of nonexpansive
 grammars, **48**, 109

Recurrent words
 in TOL systems, **51**, 88

Recursive definitions
 nondeterministic, relationship between
 computed functions and fixpoints of,
 50, 13

Redundancies
 filing schemes and: for selected query set
 on binary-valued attributes, **50**, 23

Regular languages
 identification, number of queries needed
 for, **51**, 76

Regulation
 nonlinear, abstract: conditions for, **51**, 105

Replication
 pattern, continual, **48**, 211

Rings
 arbitrary, linear systems over: duality for,
50, 85

S

Sampling approximations
 dyadic, for non-sequency-limited signals,
49, 199

Sampling series
 approximation, continuous weak sense
 stationary processes, **50**, 228

Semi-discrete languages
 H -bounded, **51**, 174

Sequential and parallel grammars
 notions of symmetric context and
 generative determinism of a grammar,
48, 221

Sequential machines
 consistent, functions realized by, **48**, 147

Sets
 fuzzy, and operations, **48**, 30; **50**, 160
 unary multiple equality, languages of
 rational matrices, **50**, 199

Signals
 non-sequency-limited, dyadic sampling
 approximations for, **49**, 199
 stochastic stationary analog, quantizers for
 performance stability, **49**, 171

Simulation
 complete DOL schemes, **49**, 64

Sources
 ergodic, stationary: equivalence of block
 definition and process definition of
 distortion-rate functions for, **51**, 45

Spectral enumerators
 for additive-error-correcting codes over
 integer alphabets, **48**, 193

Stability
 performance, stochastic quantization for,
49, 171

State
 concept of, in decentralized control, **50**, 1

Stationary ergodic sources
 distortion-rate functions for, equivalence
 of block definition and process
 definition, **51**, 45

Stationary processes
 continuous weak sense, sampling series
 approximation, **50**, 228

Stochastic Lindenmayer systems
 properties, when restricted to one letter
 alphabet (USOL systems), **48**, 1

Stochastic quantization
 for performance stability, **49**, 171

String languages
 and triangle cellular automata, **48**, 54

Strings
 infinite, equivalence problems for
 mappings on, **49**, 52

Surface
 in three-dimensional digital images, **51**,
 227

Switching functions
 constructed by Galois extension fields, **48**,
 95
 fuzzy, representation and enumeration, **51**,
 216

Symmetric automata
 multithreshold, proof of cyclic behavior,
51, 95
 threshold, convergence, **51**, 98

Synchronous processes
 term model for, **51**, 58

Systems
 linear, over arbitrary rings: duality theory
 between reachability and obser-
 vability, **50**, 85

T

Tabled OL systems
 recurrent words, **51**, 88

t -diagnosable system
 comparison with modularly redundant
 system, for fault-tolerant computing,
49, 212

Team
 tournaments and finite elementary codes,
48, 11

Term model
for synchronous processes, **51**, **58**

Tessellation array
one-dimensional, propagation of repeated pattern, **48**, **211**

Theorem
Kleene's, generalization: and nondeterministic structured programming, **51**, **146**
translational, for class of EOL languages, **50**, **175**

Three-dimensional digital images
surface, **51**, **227**

Threshold automata
symmetric, convergence, **51**, **98**

Threshold nets
and cell-assemblies, **49**, **239**

Topology
digital, three-dimensional, **50**, **119**

Tournaments
team, and finite elementary codes, **48**, **11**

Translational theorem
for class of EOL languages, **50**, **175**

Tree
generating system, extended tree adjunct grammar, **51**, **248**

Tree adjunct grammars
extension, **51**, **248**

Trinomials
 $x^n + x^2 + 1$ and $x^{8l \pm 3} + x^k + 1$ irreducible of $GF(2)$, **50**, **58**

Two-way automata
parallel and, on directed ordered acyclic graphs, **49**, **10**

U

Unary equality sets
multiple, languages of rational matrices, **50**, **199**

Unary languages
algebraic languages and, **48**, **49**

Unary stochastic Lindenmayer systems
properties, **48**, **1**

Universal
left, context-free grammars: and homomorphic characterizations of languages, **50**, **110**

Unwind property
in certain algebras, **50**, **91**

V

Vectors
difference, use in balanced multiple-valued filing scheme of order $(t - 1)$, **50**, **34**

W

Walsh-Stieltjes transforms
inversion formulas derived for, **49**, **199**

Words
in Markov deterministic tabled OL systems, survival, **48**, **80**
recurrent, **51**, **88**