

TBX3 Directs Cell-Fate Decision toward Mesendoderm

Clair E. Weidgang, Ronan Russell, Purushothama R. Tata, Susanne J. Köhl, Anett Illing, Martin Müller, Qiong Lin, Cornelia Brunner, Tobias M. Boeckers, Kerstin Bauer, Apriliana E.R. Kartikasari, Yanchun Guo, Melanie Radenz, Christof Bernemann, Matthias Weiß, Thomas Seufferlein, Martin Zenke, Michelina Iacovino, Michael Kyba, Hans R. Schöler, Michael Köhl, Stefan Liebau* and Alexander Kleger*

*Correspondence: stefan.liebau@uni-ulm.de (S.L.), alexander.kleger@uni-ulm.de (A.K.)
<http://dx.doi.org/10.1016/j.stemcr.2014.04.011>

(Stem Cell Reports 1, 248–265, September 10, 2013)

A reader has pointed out errors in the sequence provided for Tbx binding elements (TBEs) in Figure S4 of this paper. The same reader also highlighted that additional information on the promoter-LUC constructs, PCR primers, and antibody used for ChIP analysis would be helpful. We have amended the supplemental information file for this paper to correct the TBE sequence and to include the additional information requested for the convenience of readers. We would like to note that the errors in the indicated sequence do not affect the conclusions of the paper, and the additional requested information was also available in prior papers. We apologize to the community for any confusion caused by these oversights in the preparation of our paper.