



Corrigendum

Corrigendum to “Residues of a proposed gate region in type I ATP-binding cassette import systems are crucial for function as revealed by mutational analysis”

[Biochim. Biophys. Acta 1828 (2013) 2164–2172]

Daniela Weidlich^{a,1}, Nicole Wiesemann^{a,2}, Johanna Heuveling^a, Kristina Wardelmann^a, Heidi Landmesser^a, Katayoun Behnam Sani^a, Catherine L. Worth^b, Robert Preissner^b, Erwin Schneider^{a,*}



^a Institut für Biologie/Bakterienphysiologie, Humboldt Universität zu Berlin, Chausseestr. 117, D-10115 Berlin, Germany

^b Institut für Physiologie, Structural Bioinformatics Group, Universitätsmedizin Berlin-Charité, Thielallee 71, D-14195 Berlin, Germany

The authors regret that References [25–31] are in the wrong order and that the correct reference [30] is missing.

The corrected references are as follows:

[25] N.J. Gleason, V.V. Vostrikov, D.V. Greathouse, R.E. Koeppe, Buried lysine, but not arginine, titrates and alters transmembrane helix tilt, Proc. Natl. Acad. Sci. (USA) 110 (2013) 1692–1695.

[26] J. Cui, S. Qasim, A.L. Davidson, Uncoupling substrate transport from ATP hydrolysis in the *Escherichia coli* maltose transporter. J. Biol. Chem. 285 (2010) 39986–39993.

[27] K.-M.Y. Covitz, C.H. Panagiotidis, L.-I. Hor, M. Reyes, N.A. Treptow, H.A. Shuman, Mutations that alter the transmembrane signalling pathway in an ATP binding cassette (ABC) transporter. EMBO-J. 13 (1994) 1752–1759.

[28] Chen, S. Sharma, F.A. Quioco, A.L. Davidson, Trapping the transition state of an ATP-binding cassette transporter: evidence for a concerted mechanism of maltose transport. Proc. Natl. Acad. Sci. (USA) 98 (2001) 1525–1530.

[29] I.L. Urbatsch, B. Sankaran, J. Weber, A.E. Senior, P-glycoprotein is stably inhibited by vanadate-induced trapping of nucleotide at a single catalytic site. J. Biol. Chem. 270 (1995) 19383–19390.

[30] M.L. Oldham, J. Chen, Snapshots of the maltose transporter during ATP hydrolysis. Proc. Natl. Acad. Sci. (USA) 108 (2011) 15152–15156.

[31] Davidson, H.A. Shuman, H. Nikaido, Mechanism of maltose transport in *Escherichia coli*: transmembrane signaling by periplasmic binding proteins. Proc. Natl. Acad. Sci. USA 89 (1992) 2360–2364.

[32] A.D. Gould, P.G. Telmer, B.H. Shilton, Stimulation of the maltose transporter ATPase by unliganded maltose binding protein. Biochemistry 48 (2009) 8051–8061.

The authors would like to apologize for any inconvenience caused.

DOI of original article: <http://dx.doi.org/10.1016/j.bbamem.2013.05.032>.

* Corresponding author. Tel.: +49 30 20938121; fax: +49 30 20938126.

E-mail address: erwin.schneider@rz.hu-berlin.de (E. Schneider).

¹ Present address: Institut für Physikalische Chemie, Westfälische Wilhelms-Universität, Münster, Correnstr. 28/30, D-48149 Münster, Germany.

² Present address: Institut für Biologie/Mikrobiologie, Martin-Luther University, Halle-Wittenberg, Kurt-Mothes-Straße 3, D-06120 Halle (Saale), Germany.