



Contents lists available at ScienceDirect

NeuroImage: Clinical

journal homepage: www.elsevier.com/locate/ynicl

Corrigendum

Corrigendum to “Statistical normalization techniques for magnetic resonance imaging” [NeuroImage: Clinical 6 (2014) 9–19]



Russell T. Shinohara^{a,*}, Elizabeth M. Sweeney^{b,c}, Jeff Goldsmith^d, Navid Shiee^e, Farrah J. Mateen^f, Peter A. Calabresi^g, Samson Jarso^h, Dzung L. Pham^e, Daniel S. Reich^{b,c,g,h}, Ciprian M. Crainiceanu^c, for the Australian Imaging Biomarkers and Lifestyle Flagship Study of Ageing¹, and the Alzheimer's Disease Neuroimaging Initiative²

^aDepartment of Biostatistics and Epidemiology, University of Pennsylvania, Philadelphia, PA 19104, USA

^bTranslational Neurology Unit, Neuroimmunology Branch, National Institute of Neurological Disorders and Stroke, National Institutes of Health, Bethesda, MD 20892, USA

^cDepartment of Biostatistics, Johns Hopkins University, Baltimore, MD 21205, USA

^dDepartment of Biostatistics, Columbia University, New York, NY 10032, USA

^eCenter for Neuroscience and Regenerative Medicine, Henry M. Jackson Foundation, Bethesda, MD 20892, USA

^fDepartment of Neurology, Massachusetts General Hospital and Harvard Medical School, Boston, MA 02114, USA

^gDepartment of Neurology, The Johns Hopkins University School of Medicine, Baltimore, MD 21287, USA

^hDepartment of Radiology, The Johns Hopkins University School of Medicine, Baltimore, MD 21287, USA

In the initially published version of this article, the affiliation of one author was incorrect: Ciprian Crainiceanu is Professor in the Department of Biostatistics, Johns Hopkins University, Baltimore, MD 21205, USA.

DOI of original article: <http://dx.doi.org/10.1016/j.nicl.2014.08.008>.

* Corresponding author at: Department of Biostatistics and Epidemiology, 210 Blockley Hall, 423 Guardian Drive, Perelman School of Medicine, University of Pennsylvania, Philadelphia, PA 19104, USA.

E-mail address: rshi@upenn.edu (R.T. Shinohara).

¹ Data used in the preparation of this article was obtained from the Australian Imaging Biomarkers and Lifestyle Flagship Study of Ageing (AIBL) funded by the Commonwealth Scientific and Industrial Research Organisation (CSIRO) which was made available at the ADNI database (www.ion.ucla.edu/ADNI). The AIBL researchers contributed data but did not participate in the analysis or writing of this report. AIBL researchers are listed at www.aibl.csiro.au.

² Data used in preparation of this article were obtained from the Alzheimer's Disease Neuroimaging Initiative (ADNI) database (adni.loni.ucla.edu). As such, the investigators within the ADNI contributed to the design and implementation of ADNI and/or provided data but did not participate in the analysis or writing of this report. A complete listing of ADNI investigators can be found at: http://adni.loni.ucla.edu/wpcontent/uploads/how_to_apply/ADNI_Acknowledgement_List.pdf.

<http://dx.doi.org/10.1016/j.nicl.2015.02.011>

2213-1582/© 2015 The Authors. Published by Elsevier Inc.