https://ntrs.nasa.gov/search.jsp?R=19700015905 2020-03-12T02:34:30+00:00Z

# NASA 7 CR 18 548140

Office of Naval Research Contract N00014-67-A-0298-0006 NR-372-012

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION Grant NGR 22-007-068

QUALITATIVE APPLICATION OF A RESULT IN Control Theory to problems of economic growth



Milind M. Lele, David H. Jacobson and James L. McCabe

December 1969

**Technical Report No. 602** 

This document has been approved for public release and sale; its distribution is unlimited. Reproduction in whole or in part is permitted by the U. S. Government.

Division of Engineering and Applied Physics Harvard University + Cambridge, Massachusetts

# Office of Naval Research

#### Contract N00014-67-A-0298-0006

#### NR-372-012

National Aeronautics and Space Administration

Grant NGR 22-007-068

# QUALITATIVE APPLICATION OF A RESULT IN CONTROL

# THEORY TO PROBLEMS OF ECONOMIC GROWTH

Вy

#### Milind M. Lele, David H. Jacobson, and James L. McCabe

#### Technical Report No. 602

This document has been approved for public release and sale; its distribution is unlimited. Reproduction in whole or in part is permitted by the U. S. Government.

#### December 1969

The research reported in this document was made possible through support extended the Division of Engineering and Applied Physics, Harvard University by the U. S. Army Research Office, the U. S. Air Force Office of Scientific Research and the U. S. Office of Naval Research under the Joint Services Electronics Program by Contracts N00014-67-A-0298-0006, 0005, and 0008 and by the National Aeronautics and Space Administration under Grant NGR 22-007-068.

Division of Engineering and Applied Physics

Harvard University · Cambridge, Massachusetts

# QUALITATIVE APPLICATION OF A RESULT IN CONTROL THEORY TO PROBLEMS OF ECONOMIC GROWTH

Вy

Milind M. Lele, David H. Jacobson, and James L. McCabe\*

Division of Engineering and Applied Physics Harvard University · Cambridge, Massachusetts

# ABSTRACT

Recent investigations into necessary conditions of optimality for control problems with inequality constraints on the state variables have shown that, for a specific class of problems, the optimal trajectory does not stay on the constraint boundary for non-zero intervals of time. This result permits, <u>a priori</u>, some insight into the structure of the optimal solution.

For certain problems in growth economics, this result is of some significance, as is shown by three examples from two different areas. The first two examples are concerned with the problem of optimal employment; interestingly enough, they indicate that, for the models used, the optimal solution is such that full employment is attained at most instantaneously and is not maintained for non-zero intervals of time. The third example is concerned with the optimal investment and foreign aid policies for an underdeveloped economy. An institutional constraint on the stock of foreign debts may be derived from the 'debt-service' ratio. It appears that, contrary to earlier results obtained from simpler models, this constraint is binding at most instantaneously along the optimal trajectory.

<sup>\*</sup>Agency for International Development.

#### 1. Introduction

Optimal control problems with inequality constraints on the state variables have been the subject of much research in the past decade. Necessary conditions of optimality for the first order case<sup>+</sup>, i. e. where the first time derivative of the constraint contained the control variable explicitly, were obtained by Gamkrelidze [1] in 1960. Later researchers extended these to the general case where the order of the constraint, p, was greater than one. Recently, Jacobson, Lele and Speyer [2] have obtained sharper results for this general case, than those known heretofore. (This reference also contains a brief history of earlier research.) A consequence of the new necessary conditions of optimality is that, under certain conditions, problems with odd-ordered constraints -- except the case p = 1 -- will not, in general, exhibit optimal trajectories with boundary arcs over non-zero intervals of time, i.e. the optimal trajectory will at most only touch the constraint boundary, but will not lie along it.

The significance of this result lies in the fact that, inasmuch as the conditions under which it is valid are not overly stringent, it reveals, <u>a priori</u>, considerable information as regards the structure of the optimal solution. It is our opinion that such information would be of particular qualitative value in problems of economic growth. To this end, after presenting a brief summary of the relevant control-theoretic results, we will consider three examples from economic growth theory. Two of these examples deal with the problem of optimal employment; the third is drawn from development planning.

-1-

<sup>&</sup>lt;sup>†</sup>A state-variable inequality constraint is pth order if its pth time derivative is the first to contain the control variable explicitly.

2. Summary of Results from Control Theory

We briefly summarize the results which we will be using from control theory. The details are given in [2].

For simplicity, the basic optimization problem which we consider is in the form of Mayer. There is, however, no loss of generality, so that we are at liberty to apply these results to other formulations. +

The basic problem is

Maximize 
$$\Phi(\mathbf{x}(\mathbf{T}))$$
 (1)

subject to

$$x(t) = f(x(t), u(t)); \quad x(0) = x_0$$
 (2)

and the scalar state variable inequality constraint

$$S(x(t)) \leq 0$$
 for all  $t \in [0, T]$ . (3)

Here

x == n-dimensional state-vector u == scalar control variable f == n-dimensional vector function S == pth order state variable constraint  $\Phi$  == scalar function of the terminal state (`) =  $\frac{d}{dt}$ 

The necessary conditions of optimality for the above problem are given by the following theorem, which we state without proof. (For proofs of this and other theorems, see [2]).

<sup>+</sup>For relations between this and other formulations, see Bryson and Ho [3].

Theorem 1. The necessary conditions of optimality for the basic problem are

$$\frac{\partial H}{\partial u} = 0 = f_{u}^{T} \lambda$$
(4)

$$\dot{\lambda} = \begin{cases} \frac{\partial H}{\partial x} \\ \\ \\ f_{x}^{T} \lambda + \eta S_{x} \end{cases} \\ \lambda(T) = \frac{\partial \Phi}{\partial x} \Big|_{T}$$

$$(5)$$

where

$$\eta(t) = \begin{cases} \leq 0 & S(x(t)) = 0 \\ 0 & S(x(t)) < 0 \end{cases}$$
(6)

is a bounded function for t  $\epsilon$  [0, T].

At junction points  $t_i$  of boundary and interior arcs, the influence functions  $\lambda(t)$  may be discontinuous. The boundary conditions are

$$\lambda(t_i^+) = \lambda(t_i^-) - \nu(t_i) (\frac{\partial S}{\partial x})_{t_i}$$
(7)

and

$$H(t_{i}^{+}) = H(t_{i}^{-})$$
 (8)

where  $v(t_i) \leq 0$ . The Hamiltonian H used above, is defined by

$$H \equiv H(x, u, \lambda) = \eta S + \lambda^{T} f \quad .$$
(9)

The assumptions made in the derivation of these necessary conditions are given in [2]; the only noteworthy assumption is that

$$\frac{\partial}{\partial u} \left[ \frac{d^{p}}{dt^{p}} \left( S(x(t)) \right] \neq 0$$
(10)

i.e. that along the constraint boundary small changes in control can be related uniquely to small changes in the state variables; this is a common assumption [3].

Before proceeding further, let us make the

<u>Definition</u>: The Hamiltonian H, is said to be <u>regular along an extremal</u> if it possesses a unique maximum with respect to the control at every instant in time.

Note that the Hamiltonian H, is really  $H(x, u, \lambda)$ . The above definition requires that for all  $t \in [0, T]$ , given the extremal trajectories (say)  $\overline{x}(t)$ ,  $\overline{\lambda}(t)$ ,  $H(\overline{x}, \overline{\lambda}, u)$  have a unique maximum with respect to u(t). This does not exclude the possibility of multiple, <u>non-neighboring</u>, extremals, along each of which the Hamiltonian may still be regular i.e. does not exclude problems having multi-maximums. So the imposition of regularity on the Hamiltonian is not a very stringent requirement on the control problem.  $\ddagger$ 

If now, we impose the additional restriction that the Hamiltonian be regular, it can be shown [2] that the optimal control variable u, as well as its p - 1 time derivatives must be continuous. Furthermore, a rather simple expression can be obtained for the entry-point multiplier,  $\nu$ . We have,

<u>Theorem 2</u>. If the Hamiltonian is regular,  $S \in B_{2p-1}[0, T]^{\ddagger}$  and the extremal path has a boundary arc of non-zero length, then

$$\nu(t_{1}) = \frac{(-1)^{p} H_{uu}^{-1} [(u)^{-1} - (u)^{+}]^{2}}{\frac{2p-1}{(S)}}$$
(11)

where () denotes () on the interior arc at the junction time  $t_1$ .

 $\mathbf{T}_{B_{2p-1}[0, T]} \equiv \text{class of functions whose } (2p-1)\text{th derivative is bounded}$ in the interval [0, T].

<sup>&</sup>lt;sup>+</sup>In point of fact, it is rather difficult to construct a <u>non-regular</u> Hamiltonian e.g. see [3] p. 126.

This expression for the entry point multiplier is very significant.

Note that  $H_{uu} = \begin{pmatrix} 0 & (\text{strengthened necessary condition for H to have a p-1 & p-1 & p-1 \\ maximum), & [(u) - (u)^+]^2 \ge 0, \text{ and as S and its time derivatives up to d}^{2p-1}/dt^{2p-2}(S)$  are continuous (therefore zero)

$$2p-1$$
  
(S) > 0 (12)

in order for the trajectory to reach the boundary. This implies that

$$v(t_1) \ge 0 \tag{13}$$

for p odd. But  $v(t_1) \leq 0$  (necessary condition of optimality) and hence (13) implies that for odd-order constraints, the optimal trajectory will, at  $p^{-1} p^{-1} p^{-1} + p^{-1}$  most, only touch the constraint boundary, provided (u)  $\neq$  (u)  $\stackrel{+}{+}$ . Note that for p = 1, it can be shown that (see [2] p. 23)  $v(t_1) = 0$ ; thus for first order constraints boundary arcs <u>are possible</u>.

#### 3. Employment Model A

The first example deals with the imposition of a subsidy for employing additional laborers where the marginal product of labor is already equal to the minimum wage. Assume that the neo-classical theory of the firm holds; in particular, that the long-run ratio of labor demanded to capital demanded may be determined by differentiating the production function and setting the ratio of the partial derivatives equal to the factor price ratio. The production function in this case is Cobb-Douglass with constant returns to scale (homogeneous of degree one). Suppose further that the demand for capital is equated to the capital actually used but that labor demanded and labor employed are not necessarily

<sup>+</sup> p-1 p-1The case (u) = (u) + is possible, but numerical experience with problems ( $p \ge 3$ ) indicates that this is rare. In fact x<sub>o</sub> would have to be carefully chosen for this to occur.

identical, then we may express the ratio of labor demanded to capital in use by the equation

$$\left(\frac{\mathrm{D}}{\mathrm{K}}\right) = \left(\frac{1-\mathrm{a}}{\mathrm{a}}\right) \left(\frac{\mathrm{r}}{\mathrm{w}}\right) \tag{14}$$

where  $(\frac{r}{w})$  is the interest wage ratio, D is the labor demanded, K is the value of the capital stock in use, and a is the capital elasticity of the output.

The term on the r.h.s. of (14) must be complicated a bit when we allow for the presence of government tax policies and subsidies, and the effect of lagged responses to changes in the effective factor price ratio. Consider first the tax adjustment coefficient for the interest rate. This coefficient is defined by the equation

$$h = \frac{(1 - \beta)}{(1 - u_{c})}$$
(15)

where  $\beta$  is the amount of the investment tax credits and depreciation deductions expressed as a percentage of the gross investment and u<sub>c</sub> is the tax rate on capital income. A similar relationship may be defined for the wage adjustment coefficient v. Here we assume that the firm does not pay a tax on the labor it employs and that the coefficient represents a subsidy for the employment of additional laborers expressed as a percentage of the increment in the wage bill. The effective interestwage ratio g may then be expressed as

$$g = \left(\frac{r}{w}\right) \left(\frac{h}{v}\right) \tag{16}$$

We wish to avoid specifying how factor prices are determined within the model. Therefore, we shall define the change in the effective factorprice ratio between time periods,  $\dot{g}$ , as our control variable rather than  $(\frac{\dot{h}}{v})$ , i.e.

$$\dot{g} = u$$
 . (17)

Brown and de Cani [4] and David and van de Klundert [5] have adduced reasons why the response to changes in factor prices may be considerably greater in the long-run, than in the short-run. The main point is that to introduce a new technology with different factor proportions may require a new machine; on existing machines, proportions may be fixed. Given that the lag structure is one with geometrically declining weights<sup>+</sup>, the equation for desired factor proportions may be written as

$$\left(\frac{D}{K}\right)_{t} = \left(\frac{1-\alpha}{\alpha}\right) \sum_{i=0}^{\infty} (1-\lambda)\lambda^{i}g_{t-i}$$
(18)

where  $\lambda$  (0 <  $\lambda$  < 1) is the initial weight. As Koyck [6] has demonstrated, a reduced form of this relationship may be obtained. Lag the equation one period, multiply it through by  $\lambda$ , and then subtract the lagged equation from (18). The procedure yields,

$$\left(\frac{D}{K}\right)_{t} = (1 - \lambda) \left(\frac{1 - \alpha}{\alpha}\right) g_{t} + \lambda \left(\frac{D}{K}\right)_{t-1}$$
(19)

This first order difference equation may be approximated by the first order differential equation. (For an alternative procedure, see Grilliches [7].)

$$\frac{\mathrm{d}}{\mathrm{dt}}\left(\frac{\mathrm{D}}{\mathrm{K}}\right) = \mathrm{m}_{1}\left(\frac{1-\mathrm{a}}{\mathrm{a}}\right)\mathrm{g} - \mathrm{m}_{2}\left(\frac{\mathrm{D}}{\mathrm{K}}\right)$$
(20)

 $(0 < m_1, 0 < m_2 < 1$ . In what follows all coefficients are positive constants, unless otherwise stated.)

There is a distinct difference between the change in the effective interest-wage ratio ( $\Delta g$ ) and the final change in that ratio which equates

<sup>+</sup>Estimates, using this form of the lag structure, have been carried out in [4], [5] for the more general c.e.s. production function.

demand and supply for labor,  $(\Delta g^*)$ . In the short-run, changes in the technical labor requirements may produce a slow response from the supply side. There may not be enough laborers with the requisite skills in times of excess demand, and training may be necessary; in times of deficit demand, firms may retain their skilled personnel. Also, the empirical evidence suggests that labor force participation rates, while positively correlated with employment, tend to lag fluctuations in employment. Finally, the firms may anticipate a future change in demand opposite to the one that has just occurred. Under these circumstances, they may concentrate on meeting their demand for production workers and not overhead personnel<sup>†</sup>.

Rather than determine an equilibrating change in the effective interest-wage ratio, we choose to represent these bottlenecks by an adjustment equation

$$L_{t} = p[D_{t} - L_{t-1}] + L_{t-1} \qquad 0 
(21)$$

where  $L_t$  is the level of employment attained in period t. This is approximated by the first order differential equation

$$\frac{\mathrm{d}}{\mathrm{dt}}(\mathrm{L}) = \eta_1 \mathrm{D} - \eta_2 \mathrm{L} \quad . \tag{22}$$

The remaining dynamic equation concerns the growth of capital stock over time. Given a Cobb-Douglass production function with constant returns to scale, value added is given by

$$v_t = K_t^{\alpha} \xi_t^{1-\alpha}$$
(23)

where

$$\zeta_t = \min[L(t), D(t)] \quad . \tag{24}$$

<sup>&</sup>lt;sup>†</sup>Most of these arguments, along with the empirical evidence supporting them, are given in Kuh [8].

Suppose that saving is expressed as a constant proportion of value added, then the capital accumulation equation is

$$\frac{\mathrm{d}}{\mathrm{dt}}(\mathrm{K}) = \mathrm{s}\mathrm{K}^{\mathrm{a}}\zeta^{1-\mathrm{a}} - \delta\mathrm{K}$$
(25)

where s is the constant average propensity to save and  $\delta$  is the rate of depreciation.

The state variable L(t) is constrained below by zero<sup>+</sup> and above by the full-employment ceiling (given exogenously)  $\overline{L}(t)$ ; i.e.

$$0 \leq L(t) \leq \overline{L}(t)^{\ddagger}, \quad t \in [0, T]$$
 (26)

Finally, denoting the termination date by T, the rate of social discount by  $\gamma$ , the control variable cost coefficient by  $\sigma$ , we may write the welfare functional which we wish to maximize, in the form

$$J = \int_{0}^{1} e^{-\gamma t} [(1 - s)K^{\alpha} \zeta^{1 - \alpha} - \sigma u^{2}] dt \qquad (27)$$

The first term in the welfare functional represents consumption<sup>T</sup>; this is a familiar component of aggregate welfare. But why, one may ask, is there control variable costing? The answer is that changes in the control may be expensive in the sense that risk may be increased and speculative behavior on the part of the firm may result. (Perhaps the reason that "control costing" of this form has not been used earlier is that models with high-order dynamics, where such costing is appropriate, have been rarely considered in the literature on growth theory.)

 $<sup>+</sup>_{\text{The lower ceiling on L(t) is of little economic significance.}}$ 

 $T_{L(t)}$  will be assumed to be monotone increasing.

TMore correctly, this should be modified to include per capita consumption. However, this does not affect our results.

Gathering together the dynamics, along with the welfare functional (27) and the state-variable inequality constraint (26), optimal employment is given by the following maximization problem:

$$Max J = \int_{0}^{T} e^{-\gamma t} [(1 - s)K^{\alpha}\zeta^{1 - \alpha} - \sigma u^{2}]dt$$
 (28)

subject to

$$g = u$$
 (29)

$$\left(\frac{D}{K}\right) = m_1\left(\frac{1-\alpha}{\alpha}\right)g - m_2\left(\frac{D}{K}\right)$$
(30)

$$\dot{\mathbf{L}} = \eta_1 \mathbf{D} - \eta_2 \mathbf{L}$$
 (1 >  $\eta_1 > \eta_2 > 0$ ) (31)

$$\dot{K} = sK^{\alpha}\zeta^{1-\alpha}$$
(32)

where  $\zeta^{\dagger}$  is given by (24), and initial conditions on the state variables are specified (T is fixed); and subject to the third order state constraint

$$0 \leq L(t) \leq \overline{L}(t) \quad . \tag{33}$$

#### 4. Employment Model B

Let us now turn to a situation in which the obstacle to full employment is not a floor on the real wage but insufficient training of workers. Dobell and Ho [9] have formulated a model which deals with this set of circumstances. It centers around a well-behaved production function with constant returns to scale

$$V = F(K, W) \tag{34}$$

where K is the stock of machinery and W is the stock of trained workers. Denote the flow of educational services by E, gross additions to machinery

<sup>&</sup>lt;sup>†</sup>The Hamiltonian is still piecewise continuous and differentiable. See Appendix I.

by M, and consumption by C. Then according to Dobell and Ho [9] we may write

$$V = M + C + E \tag{35}$$

as an accounting identity.

Dobell and Ho go on to argue that this identity may be used as a transformation surface; this appears to be a simplified model. It implies that resources may be shifted instantaneously from one form of production to another with no loss in the total value of services rendered. However, time may be required for retraining of workers and for the restructuring or retirement of machines. Even in the case of an increment in V, the planning authority would have to exert considerable control over vocational choice and the bill of new machines to achieve a relationship independent of past production.

Let us remedy this lack of realism with a simple modification of the Dobell-Ho model. Denote the ratio of educational services to total value added by  $z = \frac{E}{V}$ . Then postulate a relationship involving a delayed adjustment

$$z_{t} = p[z_{t}^{*} - z_{t-1}] + z_{t-1} \qquad 0 
(36)$$

where  $z_t^\ast$  is the desired ratio of educational services to value added. We will write  $z_t^\ast$  as

$$z_t^* = u_1 \tag{37}$$

where  $u_1(t)$  is a control variable. Then, approximating (36) by a differential equation, we have

$$\dot{z} = \pi_1 u_1 - \pi_2 z \tag{38}$$
where  $0 < \pi_1 < 1$ ,  $0 < \pi_2 < 1$ .

Delays in the shifting of resources between machinery and consumption goods production only complicate the problem without affecting the end result. Therefore, in the case of machinery, neglecting depreciation, we may write

$$K = M \quad . \tag{39}$$

Dobell and Ho specifically mention that they neglect gestation lags in the training of workers. Assuming that the rate of worker retirement is zero (for simplicity), their equation for the level of educational services is

$$E_t = d(W_{t+1} - W_t)$$
 (40)

where W is the level of employment. The coefficient d they assume to be an increasing function of the employment rate 'W/I', where I is an exogenously given full employment rate. + Let us make d a constant independent of the employment rate, and denote the desired change in the trained labor force between periods t and t + 1 by

$$\Delta W_t^* = \frac{1}{d} E_t \qquad (41)$$

Then, given a lag structure with geometrically declining weights, the change in the trained labor force may be expressed as

$$\Delta W_{t} = (1 - \lambda_{1}) \sum_{i=0}^{\infty} \lambda_{1}^{i} \Delta W_{t-i}^{*}$$
(42)

Again, following [6], [7], this equation reduces to

$$\Delta W_{t} = \frac{1}{d} (1 - \lambda_{1}) E_{t} + \lambda_{1} \Delta W_{t-1} \qquad (43)$$

<sup>&</sup>lt;sup>+</sup>In [10] Dobell and Ho consider the case of a constant training cost. For this case, their results unequivocally yield sustained full employment for a significant portion of the optimal trajectory. The case of an increasing training cost gives the solution discussed in [9].

We approximate this second order difference equation with the differential equation

$$\dot{W} = \mu_1 E - \mu_2 \dot{W}$$
  $0 < \mu_1 , \mu_2 < 1$  (44)

The dynamic equations for our system are (38), (39) and (44). For convenience, we will re-write these equations in a normalized form, assuming that the total labor force grows at an exponential rate n (0 < n < 1) i.e.

$$\overline{L} = L_0 e^{nt}$$
  $L_0 = initial value$  (45)

Define

$$-\frac{\mathbf{W}}{\mathbf{L}} = \omega \tag{46}$$

$$\frac{K}{L} = k \tag{47}$$

$$\frac{M}{V} = u_2 \qquad \underline{\text{control variable}} \tag{48}$$

$$\frac{C}{V} = c \tag{49}$$

and

$$F(\frac{K}{L}, \frac{W}{L}) = \frac{V}{L} = f(k, \omega) \qquad (50)$$

Then (38), (39) and (44) may be written as

$$\dot{z} = \pi_1 u_1 - \pi_2 z$$
 (51)

$$\dot{\mathbf{k}} = -\mathbf{n}\mathbf{k} + \mathbf{u}_2 \mathbf{f}(\mathbf{k}, \omega) \tag{52}$$

and

$$\ddot{\omega} = \mu_1 z f(k, \omega) - (\mu_2 + 2n)\dot{\omega} - n(n+1)\omega$$
 (53)

In addition to the full employment ceiling on  $\omega$ ,

$$0 \leq \omega \leq 1$$
, (54)

the identity (35) gives the following constraints on z and  $u_2$ ;

$$0 \leq z \leq 1 \tag{55}$$

$$0 \leq u_2 \leq 1 \tag{56}$$

$$0 \leq u_2 + z \leq 1 \qquad (57)$$

The welfare functional which we wish to maximize consists of the discounted per capita consumption stream less penalty terms (which reflect our desire for some stability in policy). Summarizing, optimal employment is obtained by maximizing the welfare functional

$$J = \int_{0}^{T} e^{-\gamma t} [(1 - z - u_{2}) f(k, \omega) - \sigma_{1}(\pi_{1}u_{1} - \pi_{2}z)^{2} - \sigma_{2}(u_{2} - b(t))^{2}] dt$$
(58)

with the dynamics

$$\dot{z} = \pi_1 u_1 - \pi_2 z \tag{59}$$

$$k = -nk + u_2 f(k, \omega)$$
(60)

$$\dot{\omega} = y$$
 (61)

and

$$\dot{y} = \mu_1 z f(k, \omega) - (\mu_2 + 2n)y - n(n+1)\omega$$
 (62)

and subject to the constraints

$0 \leq \omega \leq 1$	(third order sta	te constraint)	(63)
$0 \leq z \leq 1$			(64)

$$0 \leq u_2 \leq 1 \tag{65}$$

$$0 \leq u_2 + z \leq 1 \qquad (66)$$

Before going on to discuss the implications of this model along with those of model A, we note the following:

i) As the proportion of resources devoted to education changes there may be increasing opportunity costs; thus a quadratic penalty is applied to  $\dot{z}$ .

ii) The penalty term  $-\sigma_2(u_2 - b(t))^2$  reflects our desire for a stable policy of investment. Absence of such a term would lead to 'bang-bang' solutions; such solutions are not economically very meaningful. The presence of the penalty reflects the desire for some mean rate of machinery investment, b(t), and the possibility of increasing opportunity costs when resources are shifted into machines.

iii) Some consideration should also be given to the terminal conditions in both models A and B. We have not done so for this would not change our qualitative results. This is, however, certainly a point to remember in computing solutions.

#### 5. Discussion of Models A and B

The constraints on the state variables representing the employment level in both models A and B are third order (odd order). Before applying Theorem 2, however, we must verify if the problems satisfy the conditions imposed therein.

In both models A and B, the Hamiltonians are regular. In model A, the term  $\zeta(t) = \min(D, L)$ , does not prevent the application of Theorem 2, as shown in Appendix I; we assume  $\overline{L}(t)$  to be sufficiently differentiable. In model B, the presence of constraints on u<sub>2</sub> and z apart from that on  $\omega$ , makes for added complexity. We show in Appendix II that these constraints do not affect our conclusions provided  $\mu_2^2 > 4n(1 - \mu_2)$ .

With these preliminaries, we can now state our central result for both problems: From Theorem 2 (and Appendix II) the characteristic of the optimal employment path is that:

-15-

<sup>&</sup>lt;sup>†</sup>This is not an overly stringent condition if education in the model is defined as short-term vocational training. Other educational services may be expressed as an exogenous component of E without affecting the end result.

<u>full employment is attained, at most, instantaneously, i.e. full</u> employment is not maintained for non-zero intervals of time.

Note that in model B, the cost of training has been assumed to remain constant as the employment level rises. By contrast, the example discussed by Dobell and Ho in [9] does not exhibit full employment along the optimal trajectory due to increasing training costs; whereas their constant training cost model of [10] exhibits sustained full employment. In both our models A and B it is the lag structure (i.e. the order of the constraint) alone that causes sustained full employment to be non-optimal.

What are the policy implications of our two employment models? If the problems were re-formulated so that L or  $\dot{\omega}$  was controlled directly, the employment level would move to its upper bound and stay there. Unequivocally, the integral of the discounted consumption stream would be larger in the case of model A (provided there is no control variable costing) than it is in the original case with the third order constraint; for value added, and hence consumption, is an everywhere increasing function of employment.

How effective the planning authorities can be in eliminating delays remains unclear. But some possibilities do exist. One is subsidized on-the-job training. Employment model B may depend too heavily on the assumption that a threshold level of skill must be achieved before hiring can be justified. On-the-job training may be less efficient from a production standpoint, but it still affords the possibility of optimal full employment. Training is conducted as part of the education process; thus an instantaneous transfer of resources into education may be plausible.

-16-

Further, there is flexibility in the skill level required for employment. Whether or not it is optimal to substitute this scheme for slower training procedures is still open to question. +

# 6. A Model of Foreign Debt

In the study of developing nations, it is interesting to evaluate the optimal accumulation path of foreign debt over time. Here mounting interest costs must be balanced against the increased capital accumulation and imports which an inflow of foreign loans permits.

Our model centers around four dynamic equations. Let us first consider the investment-demand equation.

Assume again that total value added is given by a Cobb-Douglass production function with constant returns to scale. The price of traded and domestically produced goods is the same. The level of employment is constant, and the units in which labor is expressed may be normalized to equal one. Then, following the principles of optimality for the firm, the desired level of capital stock  $K_t^*$  may be derived from the condition that the value of the marginal product of capital should be equal to the rental price of capital; for a Cobb-Douglass production function this gives:

$$K_{t}^{*} = \frac{\alpha K^{\alpha}}{z_{t}}$$
(67)

where  $z_t$  is the real rate of interest multiplied by a tax adjustment coefficient like the one in (15), and a is the capital elasticity of output.<sup>‡</sup>

-17-

<sup>&</sup>lt;sup>†</sup>Dobell [11] discusses a model which permits reductions in the extent of training as a means of offsetting rising training costs, rather than as a method of reducing the gestation lag in training. In this model it is optimal to achieve full employment.

 $<sup>\</sup>dagger_{\text{This discussion borrows heavily from the work of Jorgenson [12].}$ 

On the basis of a 'putty-clay' model of the firm, Bischoff [13] has shown that the response of investment to changes in relative prices is more delayed than its response to output. Therefore, let us divide the demand for investment, I\*, into two parts: that due to output changes  $I_V^*$ , and that due to interest changes  $I_Z^*$ . Assume that there is no demand lag in reaction to variations in output. Then we may approximate  $I_V^*$  as

$$I_{V}^{*} = \frac{a^{2}K^{\alpha - 1}}{z} \cdot \frac{d}{dt}(K)$$
(68)

The capital accumulation equation is

$$\mathbf{K} = \mathbf{I} - \mathbf{\delta}\mathbf{K} \tag{69}$$

where I is gross investment and  $\delta$  is the rate of depreciation.

On the other hand,  $I_z^*$  depends on past as well as present changes in the real rate of interest, z. With a lag structure involving geometrically declining weights, this can be expressed as

$$(I_{z}^{*})_{t} = (1 - \lambda')(\Delta K_{z}^{*})_{t} + \lambda'(I_{z}^{*})_{t-1}$$
(70)

where  $(\Delta K_z^*)_t$  is the change in the desired capital stock between time periods t - 1 and t due to a change in z. This is approximated by the first order differential equation

$$\dot{I}_{z}^{*} = \eta_{1} \frac{aK^{a}}{z^{2}} \dot{z} - \eta_{2} I_{z}^{*}$$
(71)

The control variable is defined by the equation

$$\dot{z} = u$$
 . (72)

Thus far, nothing has been said about the lag in supply; this brings us to the third dynamic equation. Generally there is a considerable length of time between the ordering of machines and structures and their availability. Specifying this gestation lag as one with geometrically declining weights, we determine current gross investment with the function

$$I_{t} = (1 - \lambda_{2})I_{t}^{*} + \lambda_{2}I_{t-1}^{*} + \delta_{1}K_{t}$$
(73)

which we approximate by the differential equation

$$\dot{I} = \mu_1 I^* - \mu_2 I + \mu_3 K \qquad . \tag{74}$$

Recognising that  $I^* = I_Z^* + I_V^*$  and using (68) we have for I

$$\dot{I} = \mu_1 [I_z^* + \frac{\alpha^2 K^{\alpha - 1}}{z} (I - \delta K)] - \mu_2 I + \mu_3 K \qquad (75)$$

The control u enters through  $\dot{I}_z^*$ ; hence we control not  $\dot{I}$  but  $\ddot{I}$ .

The last dynamic equation concerns the growth in foreign debt. Net foreign capital inflow is the difference between gross investment and gross domestic saving. Let V represent gross domestic product, and assume that gross domestic savings S may be expressed as a linear function of V (=  $K^{\alpha}$ )

$$\mathbf{S} = \mathbf{s}\mathbf{K}^{\mathbf{u}} - \mathbf{b} \tag{76}$$

where s is the aggregate (constant) savings rate. Substituting this into the identity for net foreign capital inflow and subtracting off interest payments from savings yields

$$\dot{\mathbf{D}} = \mathbf{I} - \mathbf{s}\mathbf{K}^{\mathbf{u}} + \mathbf{b} + \mathbf{f}\mathbf{D} \tag{77}$$

where D is foreign debt, and f represents interest payments as a proportion of foreign debt.

An explicit balance of payments equation is neglected. Imports, it is presumed, are allowed to vary so as to always equal the sum of exports and net capital inflow. We note that creditor nations tend to scrutinize the ratio of total debt service payments to export earnings, the 'debt-service ratio'. + Suppose that debt-service payments may be

<sup>&</sup>lt;sup>+</sup>See, for example, Avramovic [14].

represented as a fixed proportion,  $\theta$ , of total debt and that export earnings  $\overline{E}$  are taken as exogenous. Then, we assert, no more loans will be forthcoming once debt-service payments reach a certain percentage,  $\beta$ , of export earnings. Symbolically

$$\theta D(t) \leq \beta \overline{E}(t)$$
 (78)

i.e. a constraint on the debt level.

In this model the welfare functional which is to be maximized is

$$J = \int_{0}^{T} e^{-\gamma t} [\{(1 - s)K^{\alpha} + b\} - \sigma u^{2}] dt$$
(79)

subject to (69), (71), (72), (75), (77) and (78). Here T is the planning horizon and  $\gamma$  is the rate of social discount. (The remarks of the footnote on page 9 regarding per capita consumption also apply.) The main component of the integrand is consumption which is determined by subtracting savings from gross domestic product. For the reasons cited earlier, we penalize changes in the control variable with the coefficient  $\sigma$ . Some allowance should also be made for the effect of tax policy on income distribution. This effect is not accounted for as it is difficult to do so without explicitly determining the rate of interest.

In sum, the optimal debt policy is given by the following optimization problem.

Maximize J = 
$$\int_{0}^{T} e^{-\gamma t} [\{(1 - s)K^{\alpha} + b\} - \sigma u^{2}] dt$$
 (80)

subject to

$$z = u$$
 (81)  
 $(\dot{I}_{z}^{*}) = \eta_{1} \frac{\alpha K^{\alpha}}{z} u - \eta_{2} I_{z}^{*}$  (82)

$$\dot{I} = \mu_1 [I_Z^* + \frac{\alpha^2 K^{\alpha - 1}}{z} (I - \delta K)] - \mu_2 I + \mu_3 K$$
(83)

$$\dot{K} = I - \delta K \tag{84}$$

and

$$\mathbf{D} = \mathbf{I} - \mathbf{s}\mathbf{K}^{\mathbf{u}} + \mathbf{b} + \mathbf{f}\mathbf{D}$$
(85)

and subject to the third order state constraint

$$\theta D(t) \leq \beta E(t)$$
 (86)

with specified initial and terminal conditions on the five state variables.

As the Hamiltonian for the above problem is regular, we have by Theorem 2 that:

The optimal debt level touches the debt-service ratio ceiling at most instantaneously i.e. optimal debt level is not maintained equal to the debt-service ratio ceiling for a non-zero time interval.

There is a significant contrast between the optimal path in our model and the 'bang-bang' solutions of Chenery and MacEwan [15] and Cetin and Manne [16]. The latter models are linear programs; upper bounds are placed either on the change in investment or the net change in the level of debt. These constraints are continuously binding in the early periods of the solutions. Considering the general structure of both models, this is equivalent to saying that the constraints on maximum debt are binding in each of the initial periods. Yet, we know from the order of the constraint in our model that the debt level touches its upper bound at most instantaneously. Consequently, the nature of the optimum debt path for higher order models (which are perhaps more realistic) is considerably more complex than past programming results suggest. Given a lower order constraint on D(t), i.e. more direct control of the debt level, and no costing on the control, the economy is better off growing along the upper bound on debt than it is in meeting the optimality conditions in the third order constrained model. In calculating the social cost of discarding capital, the possible social benefits of eliminating the lagged demand must be netted out. Thus, because firms do not consider this effect in their cost calculations, subsidized discarding of capital may be justified under some circumstances. For the delay in the response of investment demand to changes in the effective interest rate may be reduced. Obviously, such tradeoffs can only be examined in the context of larger models.

# 7. Conclusions

We have shown that there exist economic growth problems, with constraints on the state variables, where some qualitative features of the optimal trajectories may be deduced a priori, if the order of the constraint is odd (but not one). The empirical validity of geometrically declining weights for the lag functions -- an assumption upon which many of our differential equations rely -- is perhaps questionable. + But few would deny that some form of lag structure exists. This, together with our results, suggests that decision rules based on systems not incorporating these lag structures must be held suspect.

Thus in this sense, our main contribution has been negative. Let us now outline some possible areas for future research.

What are the properties of the optimal employment trajectory beyond its touching the full employment bound at most instantaneously?

<sup>+</sup>However, see Grilliches [7] with regard to other estimates.

-22-

Clearly, the policy implications differ radically depending upon whether or not the state variable path is cyclical in nature, i.e. bounces on and off the full employment bound. In situations where a certain level of unemployment is optimal, it may be desirable to use income redistribution policy to compensate the unemployed (e.g., "a guaranteed annual income"). But for an optimal trajectory which is cyclical, the timing of such a policy would be critical; thus, in this case redistribution of income may be intractable in view of the institutional inflexibilities of fiscal policy. For an optimal trajectory which touches only in the terminal period, if at all, a slow implementation of policies may be considerably less serious.

Past programming results ([15] and [16]) indicate that it may be extremely costly to employ periodic limits on accumulated foreign debt other than the usual terminal condition. Our analysis throws no light on the expense inherent in the imposition of the state variable constraint. Nor do we have any indication of the number of times, if at all, the service payments strike their upper bound. These are crucial issues. Take, for instance, the case where the upper bound on service payments coincides with the terminal requirement at that point in time. If it could be established that the state variable constraint is binding only in the terminal period, then considerable support would be given to the institutionalized system of debt allocation where a given debt-service ratio is not exceeded. Insight into these problems may well come from numerical solutions.

#### 8. Acknowledgements

The authors would like to thank Professor Kenneth J. Arrow for his valuable suggestions.

-23-

#### -25-

#### References

- Gamkrelidze, R. V., "Optimal processes with bounded phase coordinates," Izv. Ahad. Nank, USSR, Sec. Mat., vol. 24, pp. 315-356, 1960.
- Jacobson, D. H., M. M. Lele and J. L. Speyer, "New necessary conditions of optimality for control problems with state-variable inequality constraints," Technical Report No. 597, Div. of Engg. and App. Physics, Harvard University, August 1969.
- 3. Bryson, A. E. Jr., and Y. C. Ho, "Applied Optimal Control," Blaisdell Publishing Co., Waltham, Mass., 1969.
- Brown, M. R., and J. S. de Cani, "Technological change and the distribution of income," International Economic Rev., vol. 4, No. 3, pp. 289-309, Sept. 1963.
- 5. David, P. A., and Th. van de Klundert, "Biased efficiency growth and capital labor substitution in the U.S. 1899-1960, "American Economic Review, June 1965, pp. 357-394.
- 6. Koyck, S. M., "Distributed lags and investment analysis," North-Holland Publishing Co., Amsterdam, 1954.
- 7. Grilliches, Zvi, "Distributed Lags: A Survey," Econometrica, vol. 35, No. 1, pp. 16-49, January 1967.
- 8. Kuh, Edwin, "Measurement of potential output," American Economic Rev., pp. 758-777, September 1966.
- 9. Dobell, A. R., and Y. C. Ho, "An Optimal Unemployment Rate," Quarterly Journal of Economics, November 1967.
- Dobell, A. R., and Y. C. Ho, "Optimal Investment Policy: A Control Problem in Economic Theory," IEEE Trans. on Autom. Control, vol. AC12, No. 1, pp. 4-14, February 1967.
- 11. Dobell, A. R., "An Optimal Employment Rate (Reply)," Quarterly Journal of Economics, vol. 83, No. 3, pp. 521-523, August 1969.
- 12. Jorgenson, D. W., "Capital Theory and Investment Behavior," American Economic Review, vol. 53, No. 2, 1962.
- 13. Bischoff, C., "Elasticities of substitution, capital malleability and distributed lag investment functions," to be published by The Brookings Institution as part of a conference on tax credits.
- 14. Avramović, Dragoslav, "Economic growth and external debt," Economics Department, International Bank for Reconstruction and Development, Baltimore, Johns Hopkins Press, 1964.

- Chenery, H. B., and A. MacEwan, "Optimal Patterns of Growth and Aid: The Case of Pakistan," Chapter 6 in "The Theory and Design of Economic Development, " edited by I. Adelman, and E. Thorbecke, Johns Hopkins Press, Baltimore, Md., 1966.
- Cetin, H., and A. S. Manne, "A Dynamic Five-sector Model for Turkey, 1967-82, "Stanford University Research Center in Economic Growth, Memo No. 61, June 1968.

#### Appendix I

<u>Lemma</u>: The Hamiltonian of employment model A is continuous and piecewise differentiable, except at points  $t_i \in [0, T] \ni D(t_i) = L(t_i)$ .

<u>**Proof</u>**: The only (possibly) non-differentiable function is</u>

 $\zeta(t) = \min[D(t), L(t)]$ 

But D(t), L(t) are continuous and differentiable on [0, T]. Hence  $\zeta(t)$  is continuous and piecewise differentiable except (possibly) at  $t_i \in [0, T]$  3

$$D(t_i) = L(t_i)$$

where the derivative  $\zeta(t)$  may not be continuous.

The discontinuities in  $\zeta(t)$  will not affect the application of Theorem 2 provided they do not occur at  $t_j \{ \varepsilon [0, T] \}$  such that  $L(t_j) = \overline{L}(t_j)$ . That this is the case is seen if we re-write (31) in the form

 $\dot{L} = \eta_1 (D - L) + (\eta_1 - \eta_2) L$ 

Then, assuming that the initial value of L is less than  $\overline{L}$ ,  $\overline{L}(t_j) = \overline{L}(t_j)$ if and only if  $D(t_j) > \overline{L}(t_j)$  (as  $\eta_1 > \eta_2$  and  $\eta_1 - \eta_2 < 1$ ). So the changeover  $\zeta(t) = L(t)[D(t)]$  from  $\zeta(t) = D(t)[L(t)]$  does not occur at  $t_j$ . The case when the initial value of L,  $L(t_0)$ , is equal to  $\overline{L}(t_0)$  and  $D(t_0) = L(t_0) (= \overline{L}(t_0))$  causes no difficulties; for at  $t = t_0 + \epsilon$  ( $\epsilon > 0$ )

$$L(t_{o} + \epsilon) < L(t_{o}) = \overline{L}(t_{o})^{\dagger}$$

So, if at  $t_0$  we set  $\zeta(t_0) = L(t_0)$ , at time t  $\zeta(t)$  is still equal to L(t) [if D(t) > L(t), if not set  $\zeta(t_0) = D(t_0) = L(t_0)$ ]. In either case, there is no changeover when  $L(t) = \overline{L}(t)$ .

+ L(t) is assumed to be a monotone increasing function of time.

#### Appendix II

```
We have the following constraints [(63)-(66)]
```

$0 \leq \omega \leq 1$	(II.1)
$0 \leq z \leq 1$	(II. 2)
$0 \leq u_2 \leq 1$	(II. 3)
$0 \leq u_2 + z \leq 1$	(II. 4)

Before we can apply Theorem 2, we must ensure that the presence of constraints (II. 2) - (II. 4) does not affect the continuity of  $u_1$ ,  $u_2$  and their derivatives.

Consider only (II. 2) - (II. 4). This gives rise to the seven cases: A.  $z \text{ and } u_2 \text{ both slack, } 0 < u_2 + z < 1.$ B.  $z \text{ and } u_2 \text{ both slack, } 0 < u_2 + z = 1.$ C.  $z = 0, u_2 = 0, u_2 + z = 0.$ D.  $z = 0, 0 < u_2 < 1, 0 < u_2 + z < 1.$ E.  $z = 0, u_2 = 1, u_2 + z = 1.$ F.  $0 < z < 1, u_2 = 0, 0 < u_2 + z < 1.$ G.  $z = 1, u_2 = 0, u_2 + z = 1.$ 

We will now analyze each case individually.

A. No constraints effective. Then we can apply Theorem 2 directly.

B.  $u_2$  and z slack;  $u_2 + z = 1$ . As z is slack,  $u_1$  is given by

$$H_{u_1} = 0 = -2\sigma_1 u_1 + \pi_2 \lambda z \qquad (II.5)$$

Then

$$u_1 = \frac{\pi_2}{2\sigma_1} \lambda_z \tag{II. 6}$$

and, assuming that  $f_k$ ,  $f_{\omega}$  exist -- a reasonable assumption --  $u_1$ ,  $\dot{u}_1$  are continuous and  $\ddot{u}_1$  exists. From  $u_2 + z = 1$ ,  $u_2 = 1 - z$ ; hence,  $u_2$ ,  $\dot{u}_2$ ,  $\ddot{u}_2$  are continuous. We can now repeat the analysis (given in [2]) leading to the equation (11); this gives an expression for the multiplier  $\nu_{\omega}$  of the form

$$\nu_{\omega} = (-1)^{p} \frac{H_{u_{1}u_{1}}^{-} [(\ddot{u}_{1})^{-} - (\ddot{u}_{1})^{+}]^{2} + H_{u_{2}u_{2}}^{-} [(\ddot{u}_{2})^{-} - (\ddot{u}_{2})^{+}]^{2}}{\frac{2p-1}{(S)}} \quad . \quad (II. 7)$$

The second term on the r.h.s. is zero, but the first is not (except under very unusual circumstances). Thus we can apply a modified version of Theorem 2, and state that for this case  $\omega = 1$  at most instantaneously.

Cases C, D and E can be treated together, for from the dynamic equations for  $\omega$  and y, namely

$$\dot{\omega} = y$$
 (II. 8)

$$\dot{y} = \mu_1 f(k, \omega) \cdot z - (\mu_2 + 2n)y - n(n+1)\omega$$
 (II. 9)

we see that if z = 0,  $\omega$  is governed by a homogeneous second order differential equation. For feasibility, if  $\omega = 1$ ,  $\dot{\omega} = y \leq 0$ . So, provided  $\mu_2^2 > 4n(1 - \mu_2)$  i.e. negative real eigenvalues, the trajectory will not stay on  $\omega = 1$  except instantaneously.

F. z slack,  $u_2 = 0$ ,  $u_2 + z$  slack. This is further subdivided as follows: Let  $\omega = 1$  at  $t = t_1$  where condition F holds. Then either

i)  $u_2$  has saturated prior to time  $t_1$ . In this case  $u_2$ ,  $u_2$  exist and are continuous and the modification of Theorem 2 used in case B holds, and  $\omega = 1$  only instantaneously.

ii)  $u_2$  saturates at the same time, i.e. the transition from any of the other cases to this is made at time  $t_1$ . In this case as  $\omega < 1$  prior to  $t_1$  (we anticipate some of our analysis) we cannot unequivocally rule out the possibility of a sustained boundary arc in  $\omega$ , i.e.  $\omega = 1$  for a non-zero interval of time. Were this to be the case, however, the optimal solution would exhibit simultaneously

- a. decreasing per capita capital stock
- b. increasing per capita investment in education
- c. decreasing per capita consumption.

Economically, this makes little sense; further an optimal solution exhibiting such a sustained arc would be (economically) indefensible. We thus conclude that we can safely rule out this possibility on purely economic grounds.

G. z = 1,  $u_2 = 0$ ,  $u_2 + z = 1$ . Then  $u_2$  must saturate prior to the time,  $t_1$ , at which  $\omega = 1$  -- from continuity of  $\dot{z}$  and  $u_2 + z = 1$ . This leaves only two possibilities

- i) z saturates at the same instant,  $t_1$
- ii) z saturates prior to  $t_1$ .

In either case, subsequent to the time  $t_1$ , if the solution is to exhibit a sustained boundary arc in  $\omega$ , the controls  $u_1$ ,  $u_2$  must satisfy

$$u_1 = \frac{\pi_2}{\pi_1} = \text{constant} \tag{II. 10}$$

$$u_2 = 0$$
 (II.11)

and

$$\omega = 0 = \psi(u_1, u_2, t)$$
 (II. 12)

But (II.12) would require  $u_1$  and  $u_2$  to be time-varying, hence a boundary arc cannot be sustained.

#### Avedemy Library (DPSLB) U. S. Ait Force Avademy Colorada Springs, Colorada #6640

Hq. ARBC (ARTS) Alla: Library/Documente Arnold AFB, 1enn. 17184

Astonautusa Library Graduata Astonautusai Laboratoryes California (astinite of Technology 1801 E. California Biod Pasadena, California 93109

Autospace Corporation P. O. Ben 95065 Los Argeles, California, 96245 Attor: Library Acquisitions Group

Arrborne Instruments Laboratory Deerpark, New York 11729

AFAL (AVTA/R. D. Larson) Wright-Patterson AFB Ohio 44413

AFCRL (CRMPLR) AFCRL Research Library, Stop 29 L. G. Hanzcom Field Bedford, Mays. 01711

ADTC (ADBPS-11) Eglin Air Force Bare Flarida 31541

AFETS Technical Library (ETV, MU-131) Patrick AFB, Florida 32925

Armospheric Sciences Office Annespheric Sciences Laboratory White Sands Minstle Range New Movice 93002 ADTC (ADBPS-13) Eglin AFB Florida 32542

Case britten of Technology Engineering Division University Circle Cleveland, Ohio 44106 AULJT-1663 Manwali AFB Alabama Jolid

Gemmanding Officer Kavai Waapons Center Cerons Laboratories Aitui Library Cerona, California 91730

Gemmander U. S. Naval Mizzile Conter Point Mugu, Galifernia 93041

Deputy for Research and Engineering (ALUSWE-DRE) U. S. Army Wespess Command Sech Island Argensi Rock Island, Difinals 61201

Hailander Associates P. O. Bez 2275 Fullarisa, Califernia 42533

Carnegie Institute of Technology Electrical Engineering Dept Pittsburg, Pa. 15213

Central Intelligence Agency Attn: OCR/DD Publications Washington, D. C. 20505

Dr. G. M. Janney, AMEL-HL-NVOR Hight Vision Laboratory, USAECOM Fort Belvete, Virginia 11060

Birector, Electronic Programs Department of the Navy Washington, D. C. 20360 Attn; Code 427 [3]

Commandant U. S. Army and General Staff College Atta: Aegolefitima, Lib Div. Fort Leavenworth, Kansas 85370

Commander (ADL) Naval Air Devalopment Gomer Ježneville, Warminnier, Pa. 16936

Testmini Birestor (BAUFA-A2000-107-1) Frankford Arsenal Philadalphis, Pa. 10137

Commandani U. S. Army Air Defense School Atlin: Missile Sciences Drv. C & 5 Dept. P. O. Box 9390 Fort Blise, Texas 29916 U. S. Army Mobility Equipment Research and Development Center Atta: Technical Decement Center, Bidg.115 Fart Betweir, Virginia 12064

Commanding General Attn: STEWS-RB-L, Technical Lebrary White Sands Micsula Range Naw Mexico \$1002 (2)

Commanding General U. S. Army Electronics Command Fort Monmouth, New Jarsey 01703

Fort Hosmoura, ... ATTN: AMSEL-SC HL-B-2(Mr. D. Harata) EL-BB4(Dra Schlaf) BL-DB XL-D XL-D XL-C XL-C XL-C XL-C MD B. Busarj

XL-2 XL-10, 8. Second HL-57+70D HL-57+70D HL-57+70D HL-57+70 HL-57+74 HL-57+74 HL-57+74 HL-57+74 HL-57+74 KL-510D, K. Kulley() NL-8 KL-8 KL-7 HL-8 KL-9 K

Commanding General U. S. Army Material Command Attn: AMCRD-TP Washington, D. C. 20315

Connected of Contend U. S. Army Mitanle Considered Attact Technical Laboraty, AMSUL-REA Redatore Arsenal, Alabama, 5500-

Commanding Officer Naval Avioris a Facility Indianapoles, Indiana 46241 Commandar Net Original of Educatory Wate Oak, Maryland (21502 - (2)) Attac Tableson

Allh: Libratian Gummandas (Gode 753) Hevel Wanpons Genter China Laba, California 93555 Aita: Tachaical Library

Commanding Officer Naval Training Device Center Urlando, Florida 1481 Pepely Director and Chiel Scientist Office of Naval Research Branch Office 1930 East Green Street Pasadena, California 91101

Commanding Officer Office of Navat Research Branch Office 219 South Draeburn Street Chicago, Nilovas 66604

Commanding Oilicer Oilice ut Naval Research Branch Oilice 495 Summer Street Boston, Massachuaetta: 02210

U. 8. Poet Office Department Library - Room 6012 12th & Pezzayirzais Ave., N.W Washington, D. C. 20260

Commanding Officer Office of Neval Research Branch Office Bus 59, IPO New York, New York De550 (2)

Project Manager Commun Positioning and Navigation Systems Alta: Navid M, Bahr (AMCPH-NS-TM) Building 41-U S Army Electronics Command Fort Monmuch, Nen Jersey 19703

Commanding Officer U. S. Army Electromics 8 + D Activity White Senda Hisselle Range New Mexico. \$8006

Director of Faculty Research Department of the Air Force UEAF Academy Colorado Springe, Colorado Stell

Richard O. Ulab (CRDARD-IPO) U. S. Army Research Office (Durla Bux CH. Date Station Darham, North Carolosa 27704

Commanding General U. S. Army Satalegic Comm. Command Atta: SCC-CC-SAS Port Haarburg, Arianza 85813

Commanding Officer Harry Diemond Laboratories Atta: Dr. Berhold Altman (AMXDO-TI)-Consectories Access and Van Nees St. NW Weshington, D. C. 40438

Commanding Officer Human Engineering Laboratories Abardean Proving Ground Maryland 21005

Commanding Officer U. S. Army Ballistice Research Lab Atin: ANRED-BAY Aberdeen Proving Ground Aberdeen, Maryland 21005

Diescior, USAF Project RAND Vist: Air Force Lisison Office The RAND Corporation 1760 Main Street Santa Monica, California 90406 Attn: Library D

Director U. S. Army Engineer Grodeer, Dictligence and Mapping Research and Division Agency Fort Baltury, Virgania 2606 Dr. G. M. R. Winkler Director, Third Service Division U. S. Naval Observatory Washington, D. C. 20140

Gemmander, U.S. Navel So Attn: G43 3801 Nebraska Avenus Washington, D. C. 20390

Division of Engineering and Applied Physica 130 Pierce Hell Harvard University Cambridge, Massachusette 02330 Hq. BBD (EFT) L. G. Hanacom Field Bedford, Mass. 01731 (2)

Europess Office of Asrospace Research APO New York 04667

Prof. J. J. D'Asso Dept. of Electrical Engineering Air Force Institute of Technology Wright-Patterson AFB, Ohu 49433

Liscola Laboratory Massachusetts Lastitute of Technology Lexington, Mass. 02173

Professor Nicholas George Galifornia Institute of Technology Pasadena, Galifornia 91109

Dr. John C. Hanroch, Had School of Electrical Engineering Pardua University Lafayette, Indiana 47507

Dr. H. Harrison, Code RRE Chisi, Electrophysics Branch NASA Washameragen, D. C. 20Mb

Hund, Technical Bervices Division Naval Lovistigalius Bervica Hea 4420 North Fairfas Drive Artington, Virginia 22203

Un elby control Detenve Communal alzona Agency (349) Washington, D. C. 203-95 Dr. L. M. Hollzneworth AFCRL (CRN) L. G. Hanssom Field Bedford, Massachusetta (1751

Joint Nervices Electronics Program 20014-87-A-0698-0008, 0004 and room

Buss Library Cerergie-Mellon University Scheesly Park Patietergh, P.a. 15215

The Johns Hopkins University Applied Physics Laboratory 8621 Georgia Arenae Silver Spring, Maryland 20410 Ann: Document Libration

Lz. Col. Robert B. Kolsach (SREE) Chief, Electronics Discound Directorate of Dispaceting Sciences Are Force Office of Sciences in Remercia Art Force Office of Sciences in Remercia Artington, Verpinia 22209 (S)

U. S. Army Limited War Laborators Alter Technical Director Aberdeen Proving Ground Aberdeen, Maryland 21005

Commending Olliver Army Materials Research Welertionn Arsenal Materiann, Massachusette 04172 Atin: Dr. H. Plucet

Aitn: Dr. H. Piseet Commending General U. S. Army Sciencity Agency Arlington Hall Station Arlington, Virgenia 22212 Althr: LART-D

Commending Officer and Director U.S. Navai Underwater Sound Lab. Full Transfoll New London, Contectioner 06440

Drinner Documentation Center Attn: DDC-TCA Cemeron Station Alexandria, Virginia 22114 (20)

Det Na 6, OAR Art Force Unit Post Office Los Angeles, California 90045

Director Advars of Research Projects Agency Department of Delens Washington, D. C. 20191 Director for Materials Sciences Advanced Registry Projects Agency Department of Delense Washington, D. C. 20101

Director Columbia Radiation Laboratory Columbia University 314 Mess L200 Arrest New York, New York 10027

Director Coordinated Science Laboratory Verversity of Direct Urbana, Direct AIRP3

Derestor Electronics Research Laboratory University of California Berbeiry, California 96720

Director Electronic Sciences Laboratory University of Southern California Los Angeles, California 90007

Director Microwave Physics Laboratory Stanford University Stanford, California 94305

Mr. Rubert O. Parker, AMSEL-8D-5 Evenutive Secretary, JSTAC U.S. Army Electronic Cummand Furt Hummonth, New Jeracy. 07703

Director Not mai Security Agent y Fart Coarge G. Musde Maryland 20755 Atta: TDL

Director, Naval Research Laboratory Technical Information Officer Washington, D. C. 48360 Atto: D. W. C. Hall, Code 1000 (6) Dr. A. D. Bredziesky, Supi 11) Descriter Dyractor Research Laboratory of Electronics Massachusetts Institute of Technology Carrbridge, Massachusette 02139

Director Stanford Electronics Laboratories Stanford University Stanford, California 94305

Has USAF (AFRDDD, The Pentages Washington, D. C. 20330

Illinois Institute of Technology Dept. of Electrical Engineering Chicago, Illinois \$6616

Los Alamos Scientific Laboratory Atta: Reports Library P. O. Box 1653 Los Alamos, New Maxico \$1544

Commander U. S. Naval Electronics Laboratory Cest San Diago, California 95152 (2) Auto: Library

The University of Artsona Dept. of Electrical Engineering Tocson, Arisona 25721

Dr. L R. Mirman AFSC (SCT) Andrews Air Force Basa Maryland 20331

Director, Aerespace Machanics Div Frank J. Sailer Research Laboratory U. S. Air Force Academy Colorado Springs, Colorado 80912 Dr. G. J. Marphy The Technological Institute Northwestern University Evanation, Blinois 60201

Director Air Fori e Asioni e Leborelory Wright-Patteraon AFB, Olio - 45411 NASA Lewis Research Center Allo: Library 21000 Brinkpark Road Cleveland, Obio 44135

Hu. USAF (AFRIDD) The Protegos Werkington, D. C. 20310

The University of Lows The University Librarian fows City, Jown 52240

Lenkurt Electric Go, Inc. 1105 County Read Sun Carlos, California 54070 Atta: Mr. E. K. Peterson

Yale University Engineering Department New Haven, Connecticut 06520

Dr. Leo Yozog Stanford Research Institute Menio Park, California 94025

No AND (AMR) Brocks Air Force Base Trass 78615

Philco-Ford Corporation Communications and Electronics Div Union Manting and Jolly Roads Shea Ball, Pa. 19412

Morium M. Pavane, Chiel AFSC Scientific & Technical Lisseon Office 26 Federal Plana, Rm. 1313 New Yurk, New York 10007

Library (Code 2124) U. S. Navy Post Graduate School Monterey, California 93940 Aun: Technical Report Section

Director Bioctromics Research Center University of Texas at Austin Austin, Texas 78712

Me. H. E. Webb (RMID) Rome Air Development Center Griffica Air Force Base New York, 1140

Col. E. P. Oaines, Jr. ACDA/FO 1991 Pennsylvanis Ave., N.W. Washington, D.C. 20451

Mer Billy Locks Technical Adviser, Requirements USAF Security Service Nully Air Force Bare, Taxas 78241

Wrapows Systems Evaluation Group Atta: Culure) Blaine D. Yogt 408 Army-Navy Drive Artington, Virginis 22202

W A Eberapacher, Assoc. Head dystems integration Division Code 5340A, Bau 15 Naval Missels Conster Point Muga, California 93041

Gian A. Mysrs (Code 32Mv) Assoc. Prof. of Electrical Engineering Naval Postgraduats School Monterey, California 93940

Mr Narman J Field, AMSEL-RD-8 Chief, Office of Science and Tachaulagy R and D Drectorate U. S. Army Electronics Command Fort Mammuch, New Jarsay 07703

Redetone Scientific Information Center Attai Chief, Document Section U B. Army Missife Command Redetone Arsenel, Alabama 35809

Mr. M. Zans Thornton, Chief Network Engineering, Communications and Operations Branch Litter Hill National Center for Biomedical Communications 1860 Rockwills Pike Betheads, Maryland 20014

Federal Aviation Administration Atta: Admin Stde Div (MS-110) Atta: Admin Stde Div (MS-110) Weshington, D. C. 20190

Ng. URAF (AIRDDG) The Periagon Washington, D. C. 20301

Director The Walter Reed Institute of Research Walter Reed Medical Center Washington, D. C. 20014

Missile Electronic Warelars Technicsi Aras, AMSEL-WT-hef White Sands Missile Runge New Maxicu All602

Dr. Rubert E. Fundapa Systems Research Laboratoriek Inc 2001 bollan Ripple Rayton, Obio: 45440

Naclaar Instrumentation Group Bidg. 29, Room 101 Lawrenza Raduatica Laboratory University of Catifornia Berkaley, Catifornia 94720

Sylvania Elacitonic Systems Applied Research Laboratory Atta: Decements Librarian 69 Sylvan Road Waitham , Masa, 02154

AIR 01 Mashington, D. C. 20360 (2)

Neval Electronics Systems Command ELEX 01, Rm. 2016 Monitors Bidg Dept. of the Nevy Washington, D.C. 20106 (2)

Unh State University Dept. of Electrical Engineering Logan, Utah \$4321 Nasal Ship Systems Command SHIP 015 Washington, D. C. 20160

Naval Ship Systems Command SHIP 018 Washington, D. C. 20360

New York University College of Engineering New York, New York (10019

Dr. H. V. Noble (CAV1) Air Furce Associes Laboratory Wright-Patterson AFB, Okou. 45433

Office of Deputs Director (Research and Information Rm. 3D1037) Department of Defense Department of Defense The Pentagon Washington, D. C. 20101

Polyterhau Institute of Brochijn 51 Johnson Street Brochijn, New York 11201 Alfa: N. Jerome Fax Research Contributor

Rema Air Davelopment Center Griffics AFB, New York (\$140 Atta: Documents Library (EMTLD)

Rasshrun Cu. Bedluzo, Mase. 01730 Alla: Librarian

Dr. A. A. Dozgał Asit. Director of Rescarch Difus of Defense Res. and Reg. Department of Defense Washington, D. C. 20101

Union Carbide Corporation Electronic Division P. O. Ben 1209 Neuntain View, California 94041

School of Engineering Sciences Arisona State University Tompe, Arisona 85281

Nes. SAMBO (SMTTA/Ls. Neissa) AF Unit Port Office Los Angeles, California 40045

Raytheon Company Research Division Library 15 Sayon Street Waltham, Moss. 02154

URAFRAM (EMKOR) Brocks Air Force Bars Tuxas 78235

Syracuse Uraversity Department of Electrical Engineering Syracuse, New York 13210

Enginearing and Meth. Sciences Library University of California at L. A. 405 Hilgred Avenue Los Angeles, California 90026

Prot Joseph E Rows, Chairman University of Michigan Electrical Engineering Department Ann Arbor, Michigan 48104

U. S. Army Munitions Command Atta: Technicsi Information Branci Picationey Areanal, SMUPA-VA6 Dover, New Jerseny (Stad)

U. S. Army Research Offics Physical & Engineering Sciences Div 1045 Columbia Pike Arlington, Virginia 22204

Dr. A. D. Schnittler, AMSEL-HL-NVI Mght Vision Laboratory, UAAECOM Fort Belvoir, Virginis 22060

Department of Electrical Engineering Texas Technological College Lubbook, Texas 19409

U. S. Naval Weapons Laboratory Dahlgran, Virginia 22465

Government Publications Section University of California Santa Barbara, California 93100 Atla: Library

Dr. H. Robi, Deputy Chief Scientist U. S. Army Research Office (Darbam) Box GM, Duba Batton Durbam, Nirth Carolina, 27756

Dr. Boldon J. Wallas Electronaca Proparties Information Center Hughes Arrizal Company Mail Batton K-125 Cultur City, California 90230

AFSC (SCTSE) Andrews Air Furce Base Matyland 20131

Unclassified						
Security Classification		A D				
DOCUMENT CONT	ROL DATA - R	& D				
ORIGINATING ACTIVITY (Corporate author)	aunotation must be	2a. REPORT SI	overall report is classified)			
Division of Engineering and Applied Physics			Unclassified			
Harvard University			2b. GROUP			
Cambridge, Mass. 02138						
. REPORT TITLE						
QUALITATIVE APPLICATION OF A R PROBLEMS OF ECONOMIC GROWTH	ESULT IN	CONTRO	L THEORY TO			
DESCRIPTIVE NOTES (Type of report and inclusive dates) Interim technical report			· · · · · · · · · · · · · · · · · · ·			
Milind M. Lele, David H. Jacobson, and	James L. N	lcCabe				
REPORT DATE	78. TOTAL NO. O	FPAGES	7b, NO. OF REFS			
December 1969	33		16			
a, CONTRACT OR GRANT NO.	98. ORIGINATOR	S REPORT NUM	BER(S)			
N00014-67-A-0298-0006 and NASA Grant						
<i>b</i> , project No. NGR 22-007-068	Technical Report No. 602					
<b>c.</b>	9b. OTHER REPORT NO(S) (Any other numbers that may be assign this report)					
d.						
0. DISTRIBUTION STATEMENT	· · · · · · · · · · · · · · · · · · ·					
This document has been approved for publ unlimited. Reproduction in whole or in pa	lic release a art is permi	and sale; in the state of the s	its distribution is e U. S. Government.			
1. SUPPLEMENTARY NOTES	12. SPONSORING	MILITARY ACTI	VITY			
	Office of Naval Research					
3. ABSTRACT						
Recent investigations into necessary problems with inequality constraints on th	v conditions ne state vari	of optimal ables have es not stav	lity for control e shown that, for a y on the constraint			

The third example is concerned with the optimal investment and foreign aid policies for an underdeveloped economy. An institutional constraint on the stock of foreign debts may be derived from the 'debt-service' ratio. It appears that, contrary to earlier results obtained from simpler models, this constraint is binding at most instantaneously along the optimal trajectory.

# Unclassified

Security Classification

14.		< A	LIN	кв	LINI	кс
	ROLE	ΨТ	ROLE	wт	ROLE	wт
Economic Growth						
Optimal Employment						
Optimal Foreign Aid Allocation						
State Variable Inequality Constraint						
	-					
					l	
DD FORM 1473 (BACK)		T Tana		i ad		