

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

Quarterly Progress Report

4

Radar Studies of the Moon


15 April 1969

Prepared for the U.S. National Aeronautics and Space
Administration under Contract NAS 9-7830 by

Lincoln Laboratory

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

Lexington, Massachusetts



N 70 - 25207

(ACCESSION NUMBER)

10
(PAGES)

CR-108351
(NASA CR OR TMX OR AD NUMBER)

(THRU)

1
(CODE)

30
(CATEGORY)

FACILITY FORM 602

Quarterly Progress Report

4

Radar Studies of the Moon

15 April 1969


Issued 8 May 1969

Prepared for the U.S. National Aeronautics and Space
Administration under Contract NAS 9-7830 by

Lincoln Laboratory

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

Lexington, Massachusetts



FOREWORD

This report is the fourth in the series under Contract NAS 9-7830. The measurements for the high-resolution lunar maps are 70 percent complete, and the production of the subarea maps is under way. The investigation of ephemeris anomalies and the interpretation of the data have begun.

We have been informally advised that NASA will extend the completion date for this work through the end of calendar 1969 as a result of their request that we add to this task an intensive program of topographic radar measurements on Mars, centered around the 31 May - 1 June apposition. A change in scope and funding to the existing contract to cover this work is in progress. The Mars observations have been placed on the Haystack schedule beginning in early May.

RADAR STUDIES OF THE MOON

I. SUMMARY

Of the 227* ZAC areas on the near hemisphere, 157 (70 percent) had been successfully measured, with apparently good data resulting, by 1 April. An additional 13 areas (out of 36) in ZAC Ring 10.0 have also been measured as the moon's libration has permitted. Computer post-processing is still lagging, in part because of program difficulties. To date, however, 43 ZAC areas have been processed completely, 38 of them in both the polarized and depolarized returns.

Ephemeris discrepancies are still observed and are being investigated with the help of our improved resolution in both delay and doppler.

II. PLANNING OF THE OBSERVATIONS

The Planetary Radar Box was on the antenna through 7 February and again from 10 March through the end of this reporting period. We were able to make use of a relatively large fraction of the available time for our lunar mapping observations, thanks to a powerful set of long-range and short-range planning programs that could be computer-generated well in advance of our scheduled PR Box time. Figure 1 is a sample page from a short-range planning run showing for each half-hour the available range resolution (in units of 10 microseconds) for each of those ZAC areas that also satisfy our other criteria for an acceptable map. These criteria are:

- (a) Range and doppler resolution strips to be within 15 degrees of a right angle to each other,
- (b) No ambiguous points to be within the antenna beam,
- (c) For ZAC Ring 10.0, at least half the area to be observable on the sub-earth hemisphere.

* Stated, erroneously, as 224 in QPR No.3, 15 January 1969.

Fig. 1. Short-range lunar planning run (16 July 1969).

| LUNAR MAPPING PLANNING RUN FOR 7/16/1969 | | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|------|
| | 1300 | 1400 | 1500 | 1600 | 1700 | 1800 | 1900 | 2000 | 2100 | 2200 |
| ZAC | 0 | 30 | 0 | 30 | 0 | 30 | 0 | 30 | 0 | 30 |
| 4.20 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 4.21 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 4.22 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 4.23 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 | 133 |
| 4.24 | 133 | 133 | 133 | 157 | 157 | 158 | 158 | 158 | 158 | 158 |
| 5.01 | .. | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 | 157 |
| 5.02 | .. | .. | 156 | 156 | 156 | 156 | 156 | 156 | 156 | 156 |
| 5.03 | .. | .. | .. | .. | .. | 155 | 155 | 155 | 155 | 155 |
| 5.04 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.05 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.06 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.07 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.08 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.09 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.10 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.11 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.12 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.13 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.14 | 145 | 145 | 145 | 141 | 141 | 141 | 141 | 141 | 141 | 141 |
| 5.15 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 | 141 |
| 5.16 | .. | 138 | 138 | 138 | 138 | 138 | 139 | 139 | 139 | 139 |
| 5.17 | .. | .. | 135 | 135 | 135 | 135 | 135 | 136 | 136 | 136 |
| 5.18 | .. | .. | .. | .. | .. | .. | .. | 132 | 133 | 133 |
| 5.19 | .. | .. | .. | .. | .. | .. | .. | 133 | 133 | 133 |
| 5.20 | .. | .. | .. | .. | .. | .. | .. | .. | 130 | 130 |
| 5.21 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 133 |
| 5.22 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 132 |
| 5.23 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 136 |
| 5.24 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.25 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.26 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.27 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 5.28 | 158 | 158 | 158 | 159 | 159 | 159 | 159 | 159 | 159 | 159 |
| 5.29 | 159 | 159 | 159 | 159 | 159 | 159 | 159 | 159 | 159 | 159 |
| 5.30 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 | 158 |
| 6.01 | .. | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 | 179 |
| 6.02 | .. | .. | 177 | 177 | 177 | 177 | 177 | 177 | 177 | 177 |
| 6.03 | .. | .. | .. | 175 | 175 | 175 | 175 | 175 | 175 | 175 |
| 6.04 | .. | .. | .. | .. | 176 | 176 | 176 | 176 | 176 | 176 |
| 6.05 | .. | .. | .. | .. | .. | 177 | 177 | 177 | 177 | 177 |
| 6.06 | .. | .. | .. | .. | .. | .. | 178 | 178 | 178 | 178 |
| 6.07 | .. | .. | .. | .. | .. | .. | .. | 179 | 179 | 179 |
| 6.08 | .. | .. | .. | .. | .. | .. | .. | .. | 180 | 180 |
| 6.09 | .. | .. | .. | .. | .. | .. | .. | .. | .. | 182 |
| 6.10 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 6.11 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 6.12 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 6.13 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| 6.14 | 170 | 170 | 170 | 167 | 167 | 167 | 167 | 167 | 167 | 167 |
| 6.15 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 | 167 |
| 6.16 | .. | 163 | 163 | 163 | 163 | 163 | 164 | 164 | 164 | 164 |
| 6.17 | .. | .. | 160 | 160 | 160 | 160 | 161 | 161 | 162 | 162 |
| 6.18 | .. | .. | .. | 157 | 157 | 157 | 158 | 158 | 159 | 159 |
| 6.19 | .. | .. | .. | .. | .. | .. | .. | .. | 156 | 156 |

In addition to this detailed planning sheet, there is a long-range form (Fig. 2) that shows the available ZAC areas for an entire month on a daily basis from which we can decide on our requests for observing time on the antenna. Finally, after a day's operation has been blocked out, a detailed plan (Fig. 3) is computed a day or two in advance that presents all pertinent settings for the radar sequencer, the antenna pointing coordinates, and check values for antenna and doppler tracking for each 5 minutes of the observing period. With this plan, we are able to recover from a bad start in time for the next 5-minute mark and can reduce to a minimum any time lost because of operator errors. Actually, there have been fewer operator errors from the start than are to be expected in such a complex operation.

III. PROGRESS OF THE OBSERVATIONS

During this quarter, 143 additional ZAC areas were measured, bringing to 157* the total in Rings 1.0 through 9.0 and adding 13 of the 36 areas in Ring 10.0 (on the far-side hemisphere). Figure 4 is a diagram of the areas that have been observed so far. The heavy outlines in Fig. 4 indicate the 42 near-side ZAC's which have been carried through to finished photographs, 38 of them to a pair of photographs in both polarizations. We obtained excellent resolution from the first through the 8th rings and a good but noisy return from the 9th ring. For the 10th ring, although features can be discerned, the back-scattered signal is so weak that most of the map is covered by noise "snow." A few more 10th-ring areas will be attempted, but only where the results are expected to be unusually interesting (e.g., Mare Smythii).

We have begun to examine some of the maps but will not report on any interpretation of our results at this time.

It should perhaps be reported that several weeks were spent in February on revisions of the mapping program (Phase 3 of the data reduction), mainly to set up all four conformal map projections and equalize the scale factors between them, and also to permit us to edit bad spots from the data tapes.

*The ZAC 5.22 data measured during the last quarter were found to be defective and had to be discarded.

Fig. 2. Lunar long-range plan (July 1969).

-3-11835

GMT DATE 7 16 1969
 OFFSET FOR SELEN LATITUDE(DEG) -24.559
 DIRECTION COSINES XI=0.572061 AND Eta=0.415627

| DATE | GMT HR MIN | RUN TIME FILLS 2 REELS, DUAL POLN AZIM ELEV ANG | | | LOC DOP (CPS) | E DELAY (HS) | TYP (MIN) | RUN (MIN) | LATE BURST (HS) | CTR.OFFSET (HS) | PURS-IN-CORNER DELAYS (MICROSECONDS) | REFCIRF |
|------|---------------|--|---------|----------|---------------|--------------|-----------|-----------|-----------------|-----------------|--------------------------------------|---------|
| | | SELEN LONGITUDE(DEG) | -36.973 | ZAC 5.20 | | | | | | | | |
| 7 16 | 22 0 | 255.084 | 40.158 | 13.840 | -11678.929 | 2650.658 | 36.724 | 14 | 7770 | 2.733 | -655 | 655 |
| 7 16 | 22 5 | 256.079 | 39.273 | 13.2/9 | -11902.261 | 2651.109 | 37.248 | 14 | 7776 | 2.732 | -655 | 649 |
| 7 16 | 22 10 | 257.056 | 38.386 | 12.704 | -12119.681 | 2651.569 | 37.787 | 14 | 7769 | 2.732 | -655 | 650 |
| 7 16 | 22 15 | 258.016 | 37.494 | 12.114 | -12331.089 | 2652.037 | 38.341 | 14 | 7768 | 2.731 | -654 | 655 |
| 7 16 | 22 20 | 258.961 | 36.600 | 11.509 | -12536.392 | 2652.513 | 38.912 | 15 | 7768 | 2.731 | -654 | 650 |
| 7 16 | 22 25 | 259.890 | 35.704 | 10.888 | -12735.497 | 2652.997 | 39.500 | 15 | 7768 | 2.731 | -654 | 650 |
| 7 16 | 22 30 | 260.805 | 34.805 | 10.249 | -12928.315 | 2653.488 | 40.106 | 15 | 7768 | 2.730 | -654 | 650 |
| 7 16 | 22 35 | 261.707 | 33.904 | 9.593 | -13114.761 | 2653.987 | 40.731 | 15 | 7766 | 2.730 | -653 | 654 |
| 7 16 | 22 40 | 262.596 | 33.001 | 8.918 | -13294.750 | 2654.493 | 41.375 | 15 | 7766 | 2.730 | -653 | 652 |
| 7 16 | 22 45 | 263.474 | 32.097 | 8.223 | -13468.203 | 2655.005 | 42.040 | 16 | 7767 | 2.729 | -653 | 653 |
| 7 16 | 22 50 | 264.341 | 31.191 | 7.507 | -13635.844 | 2655.524 | 42.726 | 16 | 7767 | 2.729 | -653 | 651 |
| 7 16 | 22 55 | 265.198 | 30.285 | 6.769 | -13795.199 | 2656.049 | 43.435 | 16 | 7765 | 2.729 | -652 | 653 |
| 7 16 | 23 0 | 266.045 | 29.377 | 6.089 | -13948.604 | 2656.581 | 44.168 | 17 | 7765 | 2.729 | -652 | 653 |
| 7 16 | 23 5 | 266.884 | 28.468 | -5.224 | -14095.235 | 2657.117 | 44.926 | 17 | 7765 | 2.729 | -652 | 653 |
| 7 16 | 23 10 | 267.714 | 27.559 | 4.414 | -14234.978 | 2657.659 | 45.710 | 17 | 7766 | 2.728 | -652 | 652 |
| 7 16 | 23 15 | 268.537 | 26.650 | 3.577 | -14367.772 | 2658.206 | 46.524 | 17 | 7765 | 2.728 | -652 | 653 |
| 7 16 | 23 20 | 269.353 | 25.741 | 2.712 | -14493.558 | 2658.758 | 47.362 | 18 | 7765 | 2.728 | -651 | 652 |
| 7 16 | 23 25 | 270.163 | 24.831 | 1.817 | -14612.283 | 2659.315 | 48.233 | 18 | 7765 | 2.728 | -651 | 652 |
| 7 16 | 23 30 | 270.966 | 23.922 | .891 | -14723.896 | 2659.877 | 49.137 | 18 | 7766 | 2.728 | -652 | 653 |
| 7 16 | 23 35 | 271.764 | 23.014 | -0.067 | -14828.348 | 2660.442 | 50.074 | 19 | 7766 | 2.728 | -652 | 653 |
| 7 16 | 23 40 | 272.558 | 22.105 | -1.060 | -14925.597 | 2660.012 | 51.048 | 19 | 7766 | 2.728 | -651 | 651 |
| 7 16 | 23 45 | 273.347 | 21.198 | -2.090 | -15015.600 | 2661.584 | 52.060 | 20 | 7765 | 2.728 | -653 | 651 |
| 7 16 | 23 50 | 274.132 | 20.292 | -3.157 | -15098.321 | 2662.161 | 53.113 | 20 | 7765 | 2.728 | -650 | 651 |
| 7 16 | 23 55 | 274.914 | 19.386 | -4.264 | -15173.725 | 2662.740 | 54.209 | 20 | 7766 | 2.728 | -651 | 650 |
| 7 17 | 0 0 | 275.692 | 18.482 | -5.413 | -15241.783 | 2663.322 | 56.528 | 21 | 7766 | 2.728 | -651 | 654 |
| 7 17 | 0 5 | 276.468 | 17.579 | -6.607 | -15302.477 | 2663.906 | 57.770 | 22 | 7766 | 2.728 | -651 | 654 |
| 7 17 | 0 10 | 277.242 | 16.678 | -7.846 | -15355.770 | 2664.492 | 57.782 | 22 | 7766 | 2.729 | -651 | 654 |
| 7 17 | 0 15 | 278.014 | 15.779 | -9.133 | -15401.642 | 2665.081 | 59.080 | 22 | 7766 | 2.729 | -650 | 654 |
| 7 17 | 0 20 | 278.785 | 14.881 | -10.470 | -15440.076 | 2665.670 | 60.436 | 23 | 7766 | 2.729 | -649 | 655 |
| 7 17 | 0 25 | 279.555 | 13.985 | -11.860 | -15571.058 | 2666.261 | 61.855 | 23 | 7767 | 2.729 | -650 | 649 |
| 7 17 | 0 30 | 280.324 | 13.092 | -13.304 | -15494.578 | 2666.854 | 63.342 | 24 | 7767 | 2.730 | -650 | 649 |
| 7 17 | 0 35 | 281.093 | 12.201 | -14.805 | -15511.621 | 2667.447 | 64.901 | 25 | 7767 | 2.730 | -650 | 649 |
| 7 17 | 0 40 | 281.862 | 11.312 | -16.564 | -15519.205 | 2668.040 | 66.539 | 25 | 7768 | 2.730 | -650 | 649 |
| 7 17 | 0 45 | 282.632 | 10.426 | -17.943 | -15520.307 | 2668.634 | 68.26n | 26 | 7768 | 2.730 | -650 | 649 |
| 7 17 | 0 50 | 283.402 | 9.543 | -19.6t4 | -15513.939 | 2669.228 | 70.072 | 27 | 7747 | 2.731 | -649 | 650 |
| 7 17 | 0 55 | 284.174 | 8.663 | -21.407 | -15500.104 | 2669.821 | 71.982 | 27 | 7769 | 2.731 | -650 | 649 |
| 7 17 | 1 0 | 284.947 | 7.745 | -23.215 | -15478.813 | 2670.413 | 71.998 | 27 | 7769 | 2.732 | -651 | 656 |
| 7 17 | 1 5 | 285.722 | 6.911 | -25.0R8 | -15450.036 | 2671.004 | 74.014 | 28 | 7769 | 2.732 | -650 | 648 |
| 7 17 | 1 1 | 286.499 | 6.041 | -27.025 | -15413.837 | 2671.594 | 76.146 | 29 | 7770 | 2.732 | -650 | 648 |

Fig. 3. Detailed plan for lunar observations (ZAC 5.20, 16 July 1969).




Fig. 4. Lunar ZAC area (shaded areas have been observed as of 12 April 1969).

IV. EPHemeris DISCREPANCIES

On 25 March, we were scheduled for 1.5 consecutive hours of observations, during which time we took calibration measurements on the leading edge of the moon (center of the visible disk) at 2-hour intervals. The results of these measurements were corrected for instrumental effects and then compared with the Eckert (JPL integrated) lunar ephemeris for both doppler and range. Discrepancies were found in both quantities. The analysis is not yet complete and several more days' data have yet to be reduced, but it appears that both quantities are time-varying and also, surprisingly, that the time-derivative of the range error does not equal the doppler error. The possibility still exists that an instrumental effect is causing the discrepancies, but no type of error has been determined that would produce these results.

V. PLANS FOR NEXT QUARTER

The observations for the map should be completed early in the next quarter except for any need to replace bad data. However, it does not appear that the post-processing can be finished before September at the earliest, in part because of the pressure of other radar observations on the computer for real-time processing and in part because of the computer time that has been needed for debugging programs.

The ephemeris discrepancies will be investigated in more detail in the hope of providing precise data to assist in the revision of existing lunar ephemerides.

In addition, work will be started on the interpretation of the results in terms of physical characteristics of the lunar surface on a detailed, rather than a statistical, basis.