

STUDY ON THEORY AND APPLICABILITY
OF LASER TECHNIQUES FOR MEASURING
ATMOSPHERIC PARAMETERS

APPENDIX 1

OF
SECOND QUARTERLY REPORT

CONTRACT NAS 12-540
OCTOBER 1967

PREPARED FOR
NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
ELECTRONICS RESEARCH CENTER
CAMBRIDGE, MASSACHUSETTS

PREPARED BY

J. Pressman
T. Wentink
C. Schuler

GCA CORPORATION
GCA TECHNOLOGY DIVISION
BEDFORD, MASSACHUSETTS

GPO PRICE \$ _____

CFSTI PRICE(S) \$ _____

Hard copy (HC) 3.00

Microfiche (MF) 6.5

FACILITY FORM 602

N 68 - 23184

(ACCESSION NUMBER)

(THRU)

24
(PAGES)

(CODE)

CF-94513
(NASA CR OR TMX OR AD NUMBER)

16
(CATEGORY)

CR-86042

APPENDIX I

COMPILATION OF KNOWN FRANCK-CONDON FACTORS AND r -CENTROIDS

The following table lists a compilation* of sources of $q_{v'v''}$ and $\bar{r}_{v'v''}$ matrices. This is PRELIMINARY and will be revised for the final report under Contract No. NAS12-540 in early 1968. Readers are requested to report any errors or omissions, suggestions to improve utility, and particularly any new references or unpublished but retrievable new results.

In the tables, we list references to the original arrays for approximately 50 diatomic molecules and in some cases additionally their ions or isotopic modifications, and some 165 separate band systems. The matrix size (extent in maximum v' and v'' covered) is given, whether it is based on the Morse or RKR (more realistic, tabular) potential assumption, and if the known calculation included an equivalent r -centroid array. The $q_{v'v''}$ and/or $\bar{r}_{v'v''}$ may not be published but are listed if they are retrievable.

We have refrained from judgements as to the best array, although we intend this later. In general, the largest $q_{v'v''}$ matrix size, especially if accompanied by a $\bar{r}_{v'v''}$ matrix, is a indication that modern large computers have been used and also is fairly recent and so probably is a best choice. This is particularly true if an RKR potential well was used. An important exception, based on our experience, is Reference F-5 for NO(γ); Reference W-7 is recommended instead.

* By T. Wentink, Jr. and E. D. Schultz.

The 96 references pertaining to this Appendix and following Table 1 have been typed by an IBM printer directly from IBM cards. This approach was chosen to facilitate present and future editing, and subsequent printings of an anticipated expanded reference list.

KEY TO TABLE 1

- a: Includes some modification of potential such as Morse-Pekeris.
- b: Rydberg-Klein-Rees or alternative experimentally determined potential.
- c: Matrix size given means maximum value of v' and v'' ; e.g., 4 x 9 covers $v' = 0$ through 4 and $v'' = 0$ through 9. In many publications, the arrays are not complete, and often $\sum_{v''} q_{v',v''}$ or $\sum_{v'} q_{v',v''}$ are less than unity. 0 x 0 means only $v' = 0, v'' = 0$ data given.
- d: () indicates unpublished data but usually available on request.
- e: [] indicates reference for potentials used in calculation of RKR arrays.
- f: N-11 quoted as unpublished in Reference N-10.
- g: Data of Reference S-8 for D-A of MgO are applicable to a good approximation to C-A since the vibrational constants of C and D are so similar.
- h: $q_{v',v''}$ not given explicitly.

TABLE 1

SOURCES OF FRANCK-CONDON FACTORS AND r-CENTROIDS FOR DIATOMIC MOLECULES

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b		
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	Reference (Note c,d)
A ₂ O	Green	$2\Sigma^+$ A	$2\Sigma^+$ X	7 x 7		9 x 9	9 x 9	S-6 [S-6]
B ₂		$3\Sigma_u^-$ A	$3\Sigma_g^-$ X	0 x 0 2 x 3				H-1 N-2
BH		$1\Sigma^+$ B	1Π A	0 x 0 2 x 2				H-1 N-2
BCl		1Π A	1Σ X	4 x 8	(4 x 8)			W-5
BBr		1Π A	1Σ X	(3 x 5)	(3 x 5)			S-4
BF		$3\Sigma^+$ b	3Π a	4 x 9 3 x 3	(4 x 9) 3 x 3			W-5 P-1
BN	Violet	3Π A	3Π X	0 x 0 3 x 4 (?)				H-1 N-2 (N-11) N-10 ^f
BO	Alpha	$2\Pi_i$ A	$2\Sigma^+$ X	0 x 0 8 x 8 5 x 5 (4 x 10)				H-1 N-2 N-3 S-4
	Beta	$2\Sigma^+$ B	$2\Sigma^+$ X	0 x 0 4 x 8 (4 x 15)				H-1 N-2 S-4
	(Combination)	$2\Sigma^+$ B	$2\Pi_i$ A	0 x 0 5 x 5				H-1 N-2

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b		Reference	Reference		
		Upper State	Lower State	q _{v'v''} (Note c,d)	r _{v'v''} (Note c,d)	q _{v'v''} (Note c,d)	r _{v'v''} (Note c,d)				
BaO		A 1 _Z ⁻	X 1 _Z ⁻	14 x 13 6 x 6 (?)	(?)	(N-11)	N-10	0-5 0-7			
		B 1 _Z ⁺	X 1 _Z ⁺	(10 x 5)	(10 x 5)	S-4					
FeO	Blue-green	A 1 _Z ⁻	X 1 _Z ⁺	(?)	(?)	(N-11)	N-10				
		B 1 _Z ⁺	X 1 _Z ⁺	4 x 4 4 x 4 4 x 4	4 x 4	D-1 N-3 0-7					
		(Combination Band)	B 1 _Z ⁺	A 1 _Z ⁻	(?)	(?)	(N-11)	N-10			
C ₂	Swan	A 3 _H ^g	X' 3 _H ^u	7 x 7 3 x 6 14 x 14 4 x 5 13 x 13 4 x 4 5 x 9 9 x 13	(?)						
						F-1 H-1 H-2 N-2 N-13 N-21 O-1 S-1			(8 x 15) W-4 [S-2]		
						4 x 4 (9 x 13)					(9 x 13) S-1 [S-2, J-1]
						5 x 8 5 x 8					5 x 8 J-1 [S-2, R-2]
Ballik-Ramsay		A' 3 _H ^g	X' 3 _H ^u	6 x 6 4 x 13				H-1 N-13			
		B 3 _H ^g	X' 3 _H ^u	10 x 8		H-1			(2 x 16) W-5 [R-1]		

TABLE I (continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b		Reference	Reference (Note c)	Reference (Note c, d)	Reference (Note c, d)	Reference (Note c)
		Upper State	Lower State	q _{v'v''} (Note c, d)	r _{v'v''} (Note c, d)	q _{v'v''} (Note c, d)	r _{v'v''} (Note c, d)					
C ₂	Fox-Herzberg (continued)	B 3 _g	X 3 _u	8 x 8				N-2				
		B 4 _g	X 1 _u	4 x 13				N-13				
		B 4 _g	X 3 _u	4 x 8	4 x 8			J-1	4 x 8	4 x 8	(10 x 10)	J-1 J-13, R-2
Phillips		b 1 _u	x 1 _g	8 x 6				H-1				
		b 6 _u	x 10 _g	6 x 10				N-2				
		b 8 _u	x 5 _g	8 x 5				N-13				
Deslandres- d'Azambuja		b 1 _u	x 9 _g	i 2 x 9				0-1				
		b 9 _u	x 10 _g	9 x 10				S-1	9 x 10			S-1 [S-1]
		c 5 _g	b 6 _u	5 x 6				H-1				
Mulliken		d 1 _u	x 1 _g	6 x 5				N-2				
		d 8 _u	x 8 _g	8 x 8				N-13				
		d 5 _u	x 5 _g	5 x 5				H-1	(?)	(?)		S-3 [R-1]
Freymark		e 1 _g	b 1 _u	6 x 6				H-1				
		e 5 _g	b 8 _u	5 x 8				N-13				
		A 2 _Δ	X 2 _Π	6 x 7				H-1	3 x 13			W-S [R-1]
CH and CD	4300Å	B 2 _{Σ⁻}	X 2 _Π	2 x 2				C-1				
		B 2 _{Σ⁻}	X 2 _Π	2 x 3	2 x 4			H-1				
		C 2 _{Σ⁺}	X 2 _Π	6 x 7				P-1				
CH ⁺	3900Å	B 2 _{Σ⁻}	X 2 _Π	3 x 2				C-1				
		C 2 _{Σ⁺}	X 2 _Π	0 x 4				H-1				
		A 1 _Π	X 1 _{Σ⁺}	(3 x 5)	(3 x 5)			H-1				
CH ⁺	3143Å	A 1 _Π	X 1 _{Σ⁺}	2 x 2				S-4				
		A 1 _Π	X 1 _{Σ⁺}	2 x 2				N-3, N-11				
		A 1 _Π	X 1 _{Σ⁺}	2 x 2				S-4				

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a			RKR Potential ^b		
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	Reference	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	Reference
CF		$2\Sigma^+$	2Π	2 x 13	(2 x 13)	W-3			
		$2\Sigma^+$	2Π	2 x 7	(2 x 7)	W-3			
Cl ₂		3Π	$1\Sigma^+$	0 x 0		H-1			
		2Π	$2\Sigma^+$	6 x 6		N-1			
CN	Red	2Π	$2\Sigma^+$	8 x 5		H-1			
		2Π	$2\Sigma^+$	9 x 8		N-2			
		2Π	$2\Sigma^+$	19 x 18		N-4			
		2Π	$2\Sigma^+$	15 x 18		S-1	18 x 18	(?)	S-1 [F-6]
		2Π	$2\Sigma^+$	8 x 8		W-1			
		2Π	$2\Sigma^+$		10 x 13	W-5			
CO	Fourth Positive	$2\Sigma^+$	$2\Sigma^+$	3 x 3		F-1			
		$2\Sigma^+$	$2\Sigma^+$	2 x 2		F-2			
		$2\Sigma^+$	$2\Sigma^+$	8 x 6		H-1			
		$2\Sigma^+$	$2\Sigma^+$	3 x 3		J-2			
		$2\Sigma^+$	$2\Sigma^+$	19 x 18		N-2			
		$2\Sigma^+$	$2\Sigma^+$	3 x 3	3 x 3	N-4			
CO	Fourth Positive	$2\Sigma^+$	$2\Sigma^+$	15 x 18		N-21			
		$2\Sigma^+$	$2\Sigma^+$	10 x 8		S-1	18 x 18	(?)	S-1 [F-6]
		$2\Sigma^+$	$2\Sigma^+$	7 x 7		H-1			
		$2\Sigma^+$	$2\Sigma^+$	18 x 24	7 x 7	J-3			
		$2\Sigma^+$	$2\Sigma^+$	13 x 7		N-5			
		$2\Sigma^+$	$2\Sigma^+$	(17 x 24)	(17 x 24)	O-1			
CO	Fourth Positive	$2\Sigma^+$	$2\Sigma^+$			S-3	(17 x 24)	(17 x 24)	S-3 [F-6]
		$2\Sigma^+$	$2\Sigma^+$						
CO	Hopfield-Birge	$2\Sigma^+$	$2\Sigma^+$						
		$2\Sigma^+$	$2\Sigma^+$						
CO	Angstrom	$2\Sigma^+$	2Π	1 x 6		N-3			
		$2\Sigma^+$	2Π	11 x 13		O-1			

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a			RKR Potential ^b		
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	Reference	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	Reference
CO ⁺ → CO (Con'd)	A	2Π	$1\Sigma^+$	10 x 10		W-2			
	B	$2\Sigma^+$	$1\Sigma^+$	10 x 10		W-2			
CP (like CN-red)	A	$2\Pi_i$	$2\Sigma^+$	5 x 5	5 x 5	S-4			
	B	$2\Sigma^+$	$2\Sigma^+$	5 x 10	5 x 10	S-4			
CS (like CN-violet)	A	1Π	$1\Sigma^+$	8 x 8	8 x 8	F-7			
	B	$2\Sigma^+$	2Π	5 x 5	5 x 5	S-4			
CaH	A	2Π	2Σ	3 x 3		O-7			
	B	?	2Σ	3 x 4	3 x 4	P-5			
CaO Second- Infrared	?	1Σ	$(X)1\Sigma$	6 x 6 11 x 9		O-7 O-5			
	A	?	X ?	6 x 6	6 x 6	M-1			
CrO	A	$1\Sigma^+$	$1\Sigma^+$	0 x 0		H-1			
	B	$3\Pi_0$	$1\Sigma^+$	(?)		(N-11) N-10			
D ₂ (see H ₂)	A	$1\Sigma^+$	$1\Sigma^+$	10 x 8		H-1	36 x 14	0 x 0	S-7 [S-7]
	B	$1\Sigma^+$	$1\Sigma^+$	14 x 14		H-2	20 x 0	20 x 0	G-2 [N-23]
GaI	A	$1\Sigma^+$	$1\Sigma^+$	13 x 14		N-17			
	B	$1\Sigma^+$	$1\Sigma^+$	10 x 8		H-1			
H ₂ Lyman	A	$1\Sigma^+$	$1\Sigma^+$	10 x 8		H-1			
	B	$1\Sigma^+$	$1\Sigma^+$	10 x 8		H-1			
HD	A	$1\Sigma^+$	$1\Sigma^+$	10 x 8		H-1			
	B	$1\Sigma^+$	$1\Sigma^+$	10 x 8		H-1			
HT	A	$1\Sigma^+$	$1\Sigma^+$	10 x 8		H-1			
	B	$1\Sigma^+$	$1\Sigma^+$	10 x 8		H-1			
D ₂	A	$1\Sigma^+$	$1\Sigma^+$	14 x 14		H-2			
	B	$1\Sigma^+$	$1\Sigma^+$	14 x 14		H-2			

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b		Reference (Note e)
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	
H ₂		$B' 1\Sigma_u^+$	$X 1\Sigma_g^+$	10 x 7	H-1	9 x 14	0 x 0	S-7[S-7]
HD				10 x 7	H-1			
D ₂				10 x 7	H-1			
H ₂	Werner	$C 1\Pi_u$	$X 1\Sigma_g^+$	10 x 6	H-1	14 x 14 12 x 0	0 x 0 12 x 0	S-7[S-7] G-2[N-23]
HD				10 x 6	H-1			
HT				10 x 6	H-1			
D ₂				10 x 6	H-1			
H ₂		$D 1\Pi_u$	$X 1\Sigma_g^+$	10 x 5	H-1	15 x 14	0 x 0	S-7 [S-7]
HD				10 x 5	H-1			
D ₂				10 x 5	H-1			
H ₂		$E 1\Sigma_u^+$	$B 1\Sigma_u^+$			9 x 36	0 x 0	S-7 [S-7]
		$G 1\Sigma_g^+(1)B$	$1\Sigma_u^+$			13 x 36	0 x 0	S-7 [S-7]
		$G 1\Sigma_g^+(2)B$	$1\Sigma_u^+$			20 x 36	0 x 0	S-7 [S-7]
		$I 1\Pi_g$	$1\Sigma_u^+$			14 x 36	0 x 0	S-7 [S-7]
		$d 3\Pi_u$	$a 3\Sigma_g^+$			17 x 18	0 x 0	S-7 [S-7]
		$h 3\Sigma_g^+$	$c 3\Pi_u$			18 x 20	0 x 0	S-7 [S-7]
		$k 3\Pi_u$	$a 3\Sigma_g^+$			19 x 18	0 x 0	S-7 [S-7]

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b	
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)
H ₂ ⁺ → H ₂		X 2Σ ⁺ _g	X 1Σ ⁺ _g	(?)			N-11
I ₂		B 3Π ⁺ _{ou}	X 1Σ ⁺ _g	Graphs			N-18
KH (and KD)		A 1Σ ⁺	X 1Σ ⁺	0 x 0			H-1
		A 1Σ ⁺ _u	X 1Σ ⁺ _g	0 x 0			H-1
Li ₂		A 1Σ ⁺	X 1Σ ⁺ _g	0 x 0			H-1
LiH (and LiD)		A 1Σ ⁺	X 1Σ ⁺	0 x 0			H-1
LaO	Red	A 2Π	X 2Σ	7 x 7			0-5
		B 2Σ	X 2Σ	8 x 8			0-5
MgH		A 2Π ₁	X 2Σ ⁺	2 x 2			H-1
				(?)			(N-11) N-10
		C 2Π	A 2Π ₂ or 2Σ ⁺	4 x 4			0-7
MgO			X 2Σ ⁺	(?)			(N-11) N-10
		B 1Σ	X 1Σ ⁺	7 x 7			N-1
				8 x 8			0-5
				3 x 3			0-6,0-7
				(2 x 5)	(2 x 5)		S-4
		B 1Σ	A 1Π	7 x 7			N-1
				(3 x 5)	(3 x 5)		S-4
		A 1Π	X 1Σ ⁺	(4 x 5)	(4 x 5)		S-4
		D 1Δ	A 1Π	3 x 4	3 x 4		S-8
		C 1Σ	A 1Π	(3 x 4)	(3 x 4)		Note g

TABLE 1 (Continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b		Reference	Reference (Note e)
		Upper State	Lower State	$q_{v'l'v''}$ (Note c,d)	$r_{v'l'v''}$ (Note c,d)	$q_{v'l'v''}$ (Note c,d)	$r_{v'l'v''}$ (Note c,d)		
N ₂	Vegard-Kaplan	A $3\Sigma_u^+$	X $1\Sigma_g^+$	14 x 14		13 x 20		H-2	B-1 [B-2]
		B $3\Pi_{ug}$	X $1\Sigma_g^+$	9 x 20 16 x 27 16 x 27		9 x 20		J-4 N-5 N-7 N-22	Z-1 [Z-1]
	Ogawa-Tanaka-Wilkinson	B $3\Pi_{ug}$	X $1\Sigma_g^+$		2 x 14	17 x 20			B-1 [B-2]
		B $3\Sigma_u^-$	X $1\Sigma_g^+$			18 x 20			B-1 [B-2]
	IR-Afterglow	B $3\Sigma_u^-$	B $3\Pi_g$			18 x 17			B-3 [B-2]
		C $3\Pi_u$	X $1\Sigma_g^+$			4 x 20 4 x 15			B-1 [B-2] Z-1 [Z-1]
	Tanaka	B $3\Pi_g$	A $3\Sigma_u^+$	6 x 6		17 x 13		F-4, J-4	B-3 [B-2]
				4 x 6 14 x 14 12 x 12	5 x 5		2 x 4	F-8 H-2 J-5	J-8 [F-1]
	First-Positive	C $3\Pi_u$	B $3\Pi_g$	21 x 16 20 x 20 1 x 10	5 x 5 20 x 20 12 x 12	20 x 20 12 x 9	20 x 20	J-10 N-7 W-6 T-1	W-6 [Z-1] Z-1 [Z-1]
				4 x 17 4 x 6 4 x 12 4 x 21 Obsolete				B-3 F-4, J-4 J-5 N-7 W-6 W-7	B-3 [B-2] Z-1 [Z-1]
	Second-Positive	D $3\Sigma_u^+$	B $3\Pi_g$	0 x 10	(0 x 10)				
	Fourth-Positive								
	Gaydon Green	(?)	(?)	4 x 5				N-14	

TABLE I (continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b		Reference	Reference (Note e)
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)		
N ₂ (con'd)	Lyman-Birge-Hopfield	a	1 Π_g^+	X	1 Σ_g^+	7 x 7 16 x 27	6 x 6	J-7 N-5, N-7 N-22	B-1 [B-2] S-4 [B-2] Z-1 [Z-1]
		b	1 Π_u	X	1 Σ_g^+	5 x 27		N-5, (N-11)	
	Birge-Hopfield #1	b'	1 Σ_u^+	X	1 Σ_g^+	(15 x 22) 15 x 20	(15 x 22)	W-4, S-3 W-6	B-1 [B-2] B-3 [B-2] B-3 [B-2] B-1 [B-2]
		w	1 Δ_u	X	1 Σ_g^+				
	Ogawa-Tanaka (or Wilkinson-w Mulliken)	a	1 Π_g	a	1 Π_g				
		a'	1 Σ_u^-	a'	1 Σ_u^-				
	Meinel	A	2 Π_u	X	2 Σ_g^+	6 x 6 5 x 21 5 x 5	5 x 5	F-1 N-7 N-20	B-1 [B-2]
		B	2 Σ_u^+	X	2 Σ_g^+				
	First-Negative	C	2 Σ_u^+	X	2 Σ_g^+	6 x 17 6 x 6 29 x 21 20 x 20	20 x 20	C-1 J-4 N-7 W-6	
		D	2 Π_g	A	2 Π_u	10 x 21 11 x 5 11 x 9	11 x 9	N-5 N-5 N-8	

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b		Reference	Reference (Note e)	
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)			
$N_2^+ \rightarrow N_2$	X	$2\Sigma_g^+$	$1\Sigma_g^+$	21 x 27				N-5		
		g	g	21 x 0				N-7		
	A	$2\Pi_u$	$1\Sigma_g^+$	5 x 27				N-5		
		g	g	5 x 0				N-7		
	B	$2\Sigma_u^+$	$1\Sigma_g^+$	29 x 27				N-5		
		g	g	29 x 0				N-7		
	C	$2\Sigma_u^+$	$1\Sigma_g^+$	10 x 27				N-5		
		g	g							
	D	$2\Pi_g$	$1\Sigma_g^+$	11 x 27				N-5		
		g	g							
NO	A	2Σ	2Π	2 x 2				F-5	F-5 [V-1]	
		g	g	6 x 6				J-4	W-7 [V-1]	
	B	2Π	2Π	8 x 10	8 x 10			K-1	W-7 [V-2]	
		g	g	7 x 18				N-1		
	C	$2\Sigma_u^+$	$1\Sigma_g^+$	15 x 23				N-12		
		g	g	11 x 13				O-1		
	D	$2\Pi_g$	$1\Sigma_g^+$	12 x 20				O-2		
		g	g							
	Beta	B	2Π	2Π	2 x 12				J-7	F-5 [V-1]
			g	g	10 x 9				K-1	
C		2Π	2Π	6 x 18				N-1		
		g	g	2 x 13				N-3		
D		$2\Sigma_u^+$	$1\Sigma_g^+$	19 x 23				N-12		
		g	g	15 x 15				O-1		
E		$2\Sigma_u^+$	$1\Sigma_g^+$	31 x 23				O-2		
		g	g							
(Beta prime)		B	2Δ	2Π	6 x 23				N-12	
			g	g						
	C	2Π	2Π	4 x 23				N-12		
Delta	C	2Π	2Π	6 x 6				O-3		
		g	g							
Epsilon	D	$2\Sigma^+$	2Π	11 x 23				N-12		
		g	g	6 x 6				O-3		

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b	
		Upper State	Lower State	$q_{v'v''}$ (Note c, d)	$r_{v'v''}$ (Note c, d)	$q_{v'v''}$ (Note c, d)	$r_{v'v''}$ (Note c, d)
NO(cont'd)	Feast 1	D $2\Sigma^+$	A $2\Sigma^+$	11 x 15			N-12
	Gamma (prime)	E $2\Sigma^+$	X 2Π	5 x 23			N-12
		E $2\Sigma^+$	A $2\Sigma^+$	5 x 15			N-12
	Ogawa 1	B $'2\Delta$	B 2Π	6 x 19			N-12
M	a 4Π	X 2Π	3 x 23				N-12
	b $4\Sigma^-$	a 4Π	6 x 7 3 x 3				C-1 N-12
NO ⁺	A 1Π	X $1\Sigma^+$	(?)				(N-11) N-10 W-7 (S-4)
	X $1\Sigma^+$	X 2Π	5 x 17 (20 x 20)	(20 x 20)			W-2, (N-10) W-2, (N-10)
NO ⁺ → NO	A 1Π	X 2Π	10 x 0 ^{h?} 10 x 0 ^{h?}				H-1
	A $1\Sigma^+$	X $1\Sigma^+$	0 x 0				N-3 N-15 F-1 N-15
O ₂	a $1\Delta_g$	X $3\Sigma_g^-$	2 x 2 5 x 6 6 x 6 3 x 6				N-15
	b $1\Sigma_g^+$	X $3\Sigma_g^-$	3 x 5				J-7 N-15 N-15
Noxon	b $1\Sigma_g^+$	a $1\Delta_g$	10 x 9 12 x 12 6 x 6				11 x 2
	A $3\Sigma_u^+$	X $3\Sigma_g^-$	6 x 6				J-9 [J-9]
Herzberg I	c $1\Sigma_u^-$	X $3\Sigma_g^-$	6 x 6				N-15
	D $3\Delta_u$	X $3\Sigma_g^-$	6 x 6				N-15

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b		Reference	Reference		
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)				
O ₂ (Con'd)	Schumann-Runge	B	X	3 Σ_u^-	3 Σ_g^-	25 x 15 14 x 14 fragments 15 x 2 15 x 21 21 x 21 21 x 21 15 x 0 21 x 25		F-1 H-2 J-6 J-7 N-2 N-5 N-9 N-21 O-4			
										fragments	
											J-6 [J-11, 12, R-2]
O ₂ ⁺	Chamberlain (Airglow)	D	a	3 Δ_u	1 Δ_g	6 x 5		N-15			
		A	b	3 Σ_u^+	1 Σ_g^+	12 x 3		N-15			
		A	X	2 Π_u	2 Π_g	9 x 9 8 x 8 15 x 15		J-4 N-3 N-19 N-22 W-6			
						20 x 20					
O ₂ ⁺ → O ₂	First Negative	b	a	4 Σ_g^-	4 Π_u	7 x 7 10 x 10 20 x 20 10 x 0 (?) 20 x 0 (?)		J-7 N-19 W-6 W-2 N-11 W-2 N-11			
		X	X	2 Π_g	3 Σ_g^-	20 x 20					
		A	X	2 Π_u	3 Σ_g^-						
O ₂ ⁺ → O ₂		b	X	4 Σ_g^-	3 Σ_g^-	10 x 0 (?)		W-2 N-11			
		a	X	4 Π_u	3 Σ_g^-	15 x 0 (?)		W-2 N-11			

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a		RKR Potential ^b		Reference	Reference (Note c, d)	Reference (Note c, d)	
		Upper State	Lower State	$q_{v'v''}$ (Note c, d)	$r_{v'v''}$ (Note c, d)	$q_{v'v''}$ (Note c, d)	$r_{v'v''}$ (Note c, d)				
OH	Violet	$2\Sigma^+$	$2\Pi_i$	10 x 12	10 x 12			F-8			
		A	X	4 x 3				H-1			
				7 x 7					J-7		
				4 x 4					L-1		
				4 x 4					N-2		
				4 x 4					N-16		
PH		$2\Sigma^+$	$2\Pi_i$	3 x 3	3 x 3			N-21			
		B	X	1 x 12	1 x 12			F-8			
		$2\Sigma^+$	$2\Sigma^+$	1 x 10	1 x 10			F-8			
		B	A	3 x 12	3 x 12			F-8			
		C	X	3 x 10	3 x 10			F-8			
			A								
PbO		A	X	0 x 0				H-1			
				5 x 8				N-2			
		D	X	0 x 0				H-1			
				4 x 6				N-2			
RbH		$1\Sigma^+$	$1\Sigma^+$	0 x 0				H-1			
		A	X	(5 x 10)-h				G-1			
S ₂		$3\Sigma^-_{g1}$	$3\Sigma^-_g$	12 x 12	12 x 5			H-3			
		B	X								
SH		$2\Sigma^+$	$2\Pi_i$	3 x 3				N-3			
		A	X								
ScF		1Σ	$1\Sigma^+$	(?)				M-3			
		C	X								

J-14[J-14]

(11 x 5)

11 x 5

H-1

G-1

H-3

N-3

M-3

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a			RKR Potential ^b		
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	Reference	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	Reference
SiF	Alpha	A 2Σ	X 2Π	3 x 8	(3 x 8)	W-5			
		B 2Σ	X 2Π	3 x 10	(3 x 10)	W-5			
		B $2\Sigma^+$	X $2\Sigma^+$	5 x 10	(5 x 10)	W-5			
SiO	A	1Π	X $1\Sigma^+$	10 x 10	()	N-1			
						S-4			
ScO	Orange	A 2Π	X 4Σ	8 x 8		0-5			
		B 2Σ	X 4Σ	10 x 9		0-5			
SrO	A	1Σ	X 1Σ	6 x 6		N-1			
		A 3Δ	X 3Π	6 x 6		F-1, 0-6			
TiO	Gamma (IR)	A 3Δ	X 3Π	5 x 5	5 x 5	P-2			
				5 x 6		0-6			
VO	Gamma (Yellow-Blue)	A 2Δ	X 2Δ	10 x 10		N-1			
				6 x 6		0-6			
				5 x 5		P-2			
YO	Orange	A 2Π	X 2Σ	4 x 4		0-6			
		B 2Σ	X 2Σ	8 x 10		0-5			
ZrO	Gamma	A 3ϕ	X 3Δ	4 x 4		0-6			
				6 x 6	6 x 6	N-24			
				2 x 4	4 x 4	S-9			
Beta	B	3Π	X 3Δ	6 x 6	6 x 6	N-24			

TABLE 1 (continued)

Molecule	System Name	Transition		Morse Potential ^a			RKR Potential ^b		
		Upper State	Lower State	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	Reference	$q_{v'v''}$ (Note c,d)	$r_{v'v''}$ (Note c,d)	Reference
ZrO (con'd)	Alpha	3Δ	3Δ	5 x 6		N-24			
				6 x 6		0-6			
				3 x 4	3 x 4	S-5			
A (b-a)	1Σ or 1Δ	1Σ or 1Δ	6 x 6	6 x 6	N-24				
B (d-c)	1Σ or 1Δ	1Σ or 1Δ	3 x 2	3 x 2	N-24				

REFERENCES FOR APPENDIX I, TABLE 1.

- B1 BENESCH, W., VANDERSLICE, J. T., TILFORD, S. G., AND WILKINSON, P. G.
ASTROPHYS. J., V. 143, P. 236 (1966).
- B2 BENESCH, W., VANDERSLICE, J. T., TILFORD, S. G., AND WILKINSON, P. G.
ASTROPHYS. J., V. 142, P. 1227 (1965).
- B3 BENESCH, W., VANDERSLICE, J. T., TILFORD, S. G., AND WILKINSON, P. G.
ASTROPHYS. J., V. 144, P. 408 (1966).
- B4 BATES, D.
MON. NOT. ROY. ASTRON. SOC., V. 112, P. 614 (1952).
- C1 CHILDS, D. R.
J. QUANT. SPECTROSC. RADIAT. TRANSFER, V. 4, P. 283 (1964).
- D1 DRAKE, G. W. F., TYTE, D. C., AND NICHOLLS, R. W.
J. QUANT. SPECTROSC. RADIAT. TRANSFER, V. 7, P. 639 (1967).
- F1 FRASER, P. A., JARMAN, W. R., AND NICHOLLS, R. W.
ASTROPHYS. J., V. 119, P. 286 (1954).
- F2 FRASER, P. A.
PROC. PHYS. SOC. (LONDON), V. 67, P. 939 (1954).
- F3 FRASER, P. A.
PROC. PHYS. SOC. (LONDON), V. 66, P. 1153 (1953).
- F4 FRASER, P. A. AND JARMAN, W. R.
PROC. PHYS. SOC. (LONDON), V. 66 P. 1145 (1953).
- F5 FLINN, D. J., SPINDLER, R. J., FIFER, S., AND KELLY, M.
J. QUANT. SPECTROSC. RADIAT. TRANSFER, V. 4, PP. 271 (1964).
- F6 FALLON, R. J., VANDERSLICE, J. T., AND CLONEY, R. D.
J. CHEM. PHYS., V. 37, P. 1097 (1962).
- F7 FELENBOK, P.
PROC. PHYS. SOC. (LONDON), V. 86, P. 676 (1965).
- F8 FELENBOK, P.
ANN. DE ASTROPHYS., V. 26, P. 393 (1963).
- G1 GAYDON, A. G. AND PEARSE, R. W. B.
PROC. ROY. SOC. (LONDON), V. 173, P. 37 (1939).
- G2 GIEGER, J. AND TOPSCHOWSKY, M.
Z. NATURFORSCH., V. 21A, P. 626 (1966).

- H1 HALMANN,M. AND LAULICHT,i.
ASTROPHYS. J., SUPPL. SER., V.12,P.307 (1966).
- H2 HALMANN,H. AND LAULICHT,i.
J. CHEM. PHYS., V.44,P.2398 (1966).
- H3 HERMAN,L. AND FELENBOK,P.
J. QUANT. SPECTROSC. RADIAT. TRANSFER, V.3,P.247 (1963).
- J1 JAIN,D.C.
J. QUANT. SPECTROSC. RADIAT. TRANSFER, V.4,P.427 (1964).
- J2 JARMAIN,W.R. AND FRASER, P.A.
PROC. PHYS. SOC. (LONDON), V.66,P.1153 (1953).
- J3 JARMAIN,W.R.,EBISUZAKI,R.,AND NICHOLLS,R.W.
CAN. J. PHYS., V.38,P.510 (1960).
- J4 JARMAIN,W.R.,FRASER,P.A.,AND NICHOLLS,R.W.
ASTROPHYS. J., V.118,P.228 (1953).
- J5 JARMAIN,W.R. AND NICHOLLS,R.W.
CAN. J. PHYS., V.32,P.201 (1954).
- J6 JARMAIN,W.R.
CAN. J. PHYS., V.41,P.414,P.1926 (1963).
- J7 JARMAIN,W.R.,FRASER,P.A.,AND NICHOLLS,R.W.
ASTROPHYS. J., V.122,P.55 (1955).
- J8 JAMES,T.C.
J. MOL. SPECTRY., V.20,P.77 (1966).
- J9 JARMAIN,W.R. AND NICHOLLS,R.W.
PROC. PHYS. SOC. (LONDON), V.90,P.545 (1967).
- J10 JARMAIN,W.R. AND NICHOLLS,R.W.
REP. NO. 20, UNIV. W. ONTARIO (1955).
- J11 JARMAIN,W.R.
CAN. J. PHYS., V.38,P.217 (1960).
- J12 JARMAIN,W.R.
SCI. REP. NO. 1, DEPT. PHYS., UNIV. W. ONTARIO (1961).
- J13 JAIN,D.C. AND SAH,P.
CAN. J. PHYS., V.40,P.1269 (1962).
- J14 JAIN,D.C. AND SAHNI,R.C.
PROC. PHYS. SOC. (LONDON), V.88,P.495 (1966).

- K1 KIVEL, B., MAYER, H., AND BETHE, H.
ANN. PHYS., V.2, P.57 (1957).
- L1 LEARNER, R.C.M.
PROC. ROY. SOC. (LONDON), V.269A, P.311 (1962).
- M1 MURTHY, N.S. AND NAGARAJ, S.
PROC. PHYS. SOC. (LONDON), V.84, P.827 (1964).
- M2 MURTHY, N.S., SETTY, AND SUMATHI,
INDIAN J. PHYS., V.38, P.428 (1964).
- M3 MCLEOD, JR., D. AND WELTNER, JR., W.
J. PHYS. CHEM., V.70, P.3293 (1966).
- N1 NICHOLLS, R.W.
J. RES. NATL. BUR. STD., (U.S.), V.66A, P.227 (1962).
- N2 NICHOLLS, R.W., FRASER, P.A., AND JARMAN, W.R.
COMBUST. FLAME, V.3, P.13 (1959).
- N3 NICHOLLS, R.W., FRASER, P.A., JARMAN, W.R., AND MCEACHRAN, R.P.
ASTROPHYS. J., V.131, P.399 (1960).
- N4 NICHOLLS, R.W.
J. RES. NATL. BUR. STD., (U.S.), V.68A, P.75 (1964).
- N5 NICHOLLS, R.W.
J. QUANT. SPECTROSC. RADIAT. TRANSFER, V.2, P.433 (1962).
- N6 NICHOLLS, R.W.
CAN. J. PHYS., V.40, P.1772 (1962).
- N7 NICHOLLS, R.W.
J. RES. NATL. BUR. STD., (U.S.), V.65A, P.451 (1961).
- N8 NICHOLLS, R.W.
CAN. J. PHYS., V.40, P.523 (1962).
- N9 NICHOLLS, R.W.
CAN. J. PHYS., V.38, P.1705 (1960).
- N10 NICHOLLS, R.W.
J. QUANT. SPECTROSC. RADIAT. TRANSFER, V.5, P.647 (1965).
- N11 NICHOLLS, R.W.
UNPUBLISHED WORK, QUOTED BY NICHOLLS (N10).
- N12 NICHOLLS, R.W.
J. RES. NATL. BUR. STD., (U.S.), V.68A, P.535 (1964).

- N13 NICHOLLS,R.W.
J. RES. NATL. BUR. STD., (U.S.), V.69A,P.397 (1965).
- N14 NICHOLLS,R.W.
J. CHEM. PHYS., V.42,P.804 (1965).
- N15 NICHOLLS,R.W.
J. RES. NATL. BUR. STD., (U.S.), V.69A,P.369 (1965).
- N16 NICHOLLS,R.W.
IN SUPERSONIC FLOW, CHEMICAL PROCESSES, AND RADIATIVE TRANSFER,
P.413, (ED. OLFE,D.B. AND ZACKKAY,V.), PERGAMON PRESS, N.Y. (1964).
- N17 NICHOLLS,R.W.
ASTROPHYS. J., V.141,P.819 (1965).
- N18 NICHOLLS,R.W.
J. CHEM. PHYS., V.38,P.1029 (1963).
- N19 NICHOLLS, R.W.
CAN. J. PHYS., V.43,P.1390 (1965).
- N20 NICHOLLS,R.W.
J. ATMOS. TERRES. PHYS., V.12,P.211 (1958).
- N21 NICHOLLS,R.W.
PROC. PHYS. SOC. (LONDON), V.A69,P.741 (1956).
- N22 NICHOLLS,R.W.
PROC. PHYS. SOC. (LONDON), V.A69,P.713 (1956).
- N23 NAMIOKA,T.
J. CHEM. PHYS., V.43,P.1636 (1965).
- N24 NICHOLLS,R.W. AND TYTE,D.C.
PROC. PHYS. SOC. (LONDON), V.91,P.489 (1967).
- 01 ORTENBERG,F.S.
OPT. SPECTRY.(USSR), V.16,P.398 (1964).
- 02 ORY,H.A.,GITTLEMAN,A.P.,AND MADOX,J.P.
ASTROPHYS. J., V.139,P.346 (1964).
- 03 ORY,H.A.
J. CHEM. PHYS., V.40,P.562 (1964).
- 04 ORY,H.A. AND GITTLEMAN,A.P.
ASTROPHYS. J., V.139,P.357 (1964).

- 05 ORTENBERG, F.S., GLASKO, V.B., AND DMITRIEV, A.I.
SOVIET ASTRON.-AJ, V.8, P.258 (1964).
- 06 ORTENBERG, F.S. AND GLASKO, V.B.
SOVIET ASTRON.-AJ, V.6, P.714 (1963).
- 07 ORTENBERG, F.S.
OPT. SPECTRY.(USSR), V.9, P.82 (1960).
- P1 PATHAK, A.N. AND MAHESHWARI, R.C.
INDIAN J. PURE APPL. PHYS, V.5, P.138 (1967).
- P2 PRASAD, S.S.
PROC. PHYS. SOC. (LONDON), V.82, P.419 (1963).
- P3 PRASAD, S.S.
INDIAN J. PHYS., V.37, P.457 (1963).
- P4 PATCH, R.W.
J. CHEM. PHYS., V.41, P.1881 (1964).
- P5 PATHAK, A.N. AND SINGH, P.D.
PROC. PHYS. SOC. (LONDON), V.87, P.1008 (1966).
- R1 READ, S.M. AND VANDERSLICE, J.T.
J. CHEM. PHYS., V.36, P.2366 (1962).
- R2 REES, A.L.G.
PROC. PHYS. SOC. (LONDON), V.59, P.998 (1947).
- S1 SPINDLER, R.J.
J. QUANT. SPECTROSC. RADIAT. TRANSFER, V.5, P.165 (1965).
- S2 SINGH, N.L. AND JAIN, D.C.
CAN. J. PHYS., V.40, P.520 (1962).
- S3 SPINDLER, R.J.
UNPUBLISHED (1966).
- S4 SPINDLER, R.J. AND WENTINK, T., JR.
UNPUBLISHED (1967).
- S5 SINGH, P.D. AND PATHAK, A.N.
PROC. PHYS. SOC. (LONDON), V.90, P.543 (1967).
- S6 SHARMA, A.
J. QUANT. SPECTROSC. RADIAT. TRANSFER, V.7, P.289 (1967).
- S7 SPINDLER, R.J.
NASA REP. CR-72107, AVCO, LOWELL MASS. REP. AVSSD-0287-66-RR (1966).

- S8 SRIVASTARA, Y.P. AND MAHESHWARI, R.C.
 PROC. PHYS. SOC. (LONDON), V.90, P.1177 (1967).
- S9 SINGH, P.D. AND PATHAK, A.N.
 PROC. PHYS. SOC. (LONDON), V.91, P.497 (1967).
- T1 TURNER, R.G. AND NICHOLLS, R.W.
 CAN. J. PHYS., V.32, P.475 (1954).
- V1 VANDERSLICE, J.T., MASON, E., MAISCH, W., AND LIPPINCOTT, E.
 J. CHEM. PHYS., V.31, P.738 (1959).
- V2 VANDERSLICE, J.T.
 J. CHEM. PHYS., V.37, P.384 (1962).
- w1 WHYLER, A.A.
 ASTROPHYS. J., V.127, P.763 (1958).
- w2 WACKS, M.E.
 J. CHEM. PHYS., V.41, P.930 (1964).
- w3 WENTINK, T., JR. AND ISAACSON, L.
 J. CHEM. PHYS., V.46, P.603 (1967).
- w4 WENTINK, T., JR.
 UNPUBLISHED (1967).
- w5 WENTINK, T., JR., ISAACSON, L., MARRAM, E.P., AND SPINDLER, R.J.
 AVCO AVSSD-0105-67-RR, AFWL TR-67-30 (1967).
- w6 WENTINK, T., JR., ISAACSON, L., AND SPINDLER, R.J.
 AFWL TR-65-139 (1965).
- w7 WENTINK, T., JR., MARRAM, E.P., AND ISAACSON, L.
 AFWL TR-67-6 (1967).
- Z1 ZARE, R.N., LARSON, F.O., AND BERG, R.A.
 J. MOL. SPECTRY., V.15, P.117 (1965).