

FINAL REPORT

Submitted to

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Grant NsG-381 In Support of Research

In the Aerospace Physical Sciences

A Development of the Describing Functions for
Two Nonlinearities Separated by a Linear Function

Work Performed During Period September 1, 1965-February 1, 1966

Submitted by

Dr. R. E. Lueg

Department of Electrical Engineering

N66 27963

FACILITY FORM 802

(ACCESSION NUMBER)

(THRU)

20
(PAGES)

1
(CODE)

CR-75533
(NASA CR OR TMX OR AD NUMBER)

10
(CATEGORY)

GPO PRICE \$ _____

UNIVERSITY OF ALABAMA CFSTI PRICE(S) \$ _____

May 15, 1966

Hard copy (HC) 1.00

Microfiche (MF) 1.50

A Development of the Describing Function for
Two Nonlinearities Separated by a Linear Function

Frequency response techniques are a valuable tool in the analysis and synthesis of linear as well as nonlinear systems. The describing function analysis of a nonlinear system often clearly indicates the existence of a possible limit cycle frequency and amplitude as well as the effect of system gain on the amplitude and frequency of the limit cycle.

The use of describing functions in analyzing a system containing a single nonlinearity has been investigated in many papers and books in the past. When the describing function of a nonlinearity is amplitude but not frequency sensitive the analysis of a system containing only one such nonlinearity can be carried out by standard procedure. If the nonlinearity is frequency sensitive, the resultant analysis is considerably more involved.

In many practical problems there exist two or more nonlinearities which are separated by one or two linear blocks. In this case the overall describing function is almost always frequency and amplitude dependent. This is so because even though the two nonlinearities may be frequency insensitive the intervening linear block is usually frequency dependent.

The often encountered nonlinearities of dead zone and backlash appear many times in such a way that the separation of linear and non-linear portions cannot be achieved. This report deals in analyzing such type of problem.




Fig. 1.

The combined nonlinear function of [deadzone .H. backlash].

Fig. 1 indicates a combination of deadzone and backlash nonlinearity separated by a linear block $H(j\omega)$. It is apparent that, in general, the describing function of the combined nonlinearity will be sensitive to the amplitude as well as the frequency of R . It is known that if $H(j\omega)$ is a sufficiently good filter so that a sinusoidal input may be assumed to the backlash nonlinearity, then it is permissible to multiply the describing functions obtaining

$$G_D'(I_1, \omega_0) \triangleq G_{DZ}(I_1) G_{BL}(I)$$

where $R = I_1 \sin \omega_0 t$

and $I = I_1 G_{DZ}(I_1) H(\omega_0)$

where the describing function G_{BL} of the backlash nonlinearity is seen to be a function of I_1 , G_{DZ} , and H .

When $H(j\omega)$ does not act as a good filter then the problem is much more complicated due to the presence of higher harmonics in Y . In the general case let

$$H(s) = \frac{K}{\tau s + 1}$$

$$R = I_1 \sin \omega_0 t$$

Then $X(t) =$ (See Fig. 2)

$$\beta = \sin^{-1} \frac{\delta}{I_1}$$

$$X(t) = 0 \dots 0 \leq t \leq \beta$$

$$X(t) = (I_1 \sin \omega_0 t - \delta) \dots \beta \leq \omega_0 t \leq \pi - \beta$$




Fig. 2. Deadzone Output

$$X(t) = 0 \quad (\pi - \beta) \leq \omega_0 t \leq (\pi + \beta)$$

$$X(t) = (I_1 \sin \omega_0 t + \mathcal{J}) \dots (\pi + \beta) \leq \omega_0 t \leq (2\pi - \beta)$$

$$= 0 \quad (2\pi - \beta) \leq \omega_0 t \leq 2\pi$$

$X(t)$ is a periodic function of period $\frac{2\pi}{\omega_0}$.

Now let

$$X_1(t) = X(t) \quad 0 \leq t \leq \frac{2\pi}{\omega_0}$$

$$= 0 \quad t > \frac{2\pi}{\omega_0}$$

Note that $X_1(t) = X(t)$ over one interval and is zero elsewhere.

It can be shown that where Y_{ss} is the desired steady state solution, Y_1 is the total solution and Y_t is the transient solution.

$$Y(t) = Y_{ss}(t) - Y_t(t)$$

and $Y_1(t) = \mathcal{L}^{-1} [X_1(s) H(s)]$

and $Y_t(t) = \text{Residue of } \frac{X_1(s) H(s)}{1 - \exp\left(\frac{-2\pi}{\omega_0} s\right)} e^{st} \text{ at the poles of } H(s).$

$$H(s) = \frac{k}{\tau s + 1} = \frac{k}{\tau} \left(\frac{1}{s + 1/\tau} \right)$$

Now

$$X_1(s) = \frac{I_1 (\cos \beta) \omega_0}{s^2 + \omega_0^2} \left[e^{-as} + e^{-bs} - e^{-cs} - e^{-ds} \right]$$

$$+ \frac{\mathcal{J}}{s} \left[-e^{-as} + e^{-bs} + e^{-cs} - e^{-ds} \right]$$

$$+ \frac{\mathcal{J} s}{s^2 + \omega_0^2} \left[e^{-as} - e^{-bs} - e^{-cs} + e^{-ds} \right]$$

where

$$a = \beta/\omega_0$$

$$b = \frac{\pi - \beta}{\omega_0}$$

$$c = \frac{\pi + \beta}{\omega_0}$$

$$d = \frac{2\pi - \beta}{\omega_0}$$

¹Seshu & Balbianian, LINEAR NETWORK ANALYSIS, Wiley, pp 168-173.

$$\begin{aligned}
\text{Now } Y_1(t) &= \mathcal{L}^{-1} \left[X_1(s) H(s) \right] \\
&= \mathcal{L}^{-1} \left[X_1(s) \cdot \frac{1}{(\tau s + 1)} \right] \\
Y_1(t) &= \frac{I_1 \omega_0 \cos \beta}{\left(\frac{1}{\tau^2} + \omega_0^2 \right)} \left[e^{-t/\tau} - \cos \omega_0 t + \frac{\sin \omega_0 t}{\tau \omega_0} \right] \left\{ (e^{-as} + e^{-bs} - e^{-cs} - e^{-ds}) \right\} \\
&\quad + \frac{\sqrt{}}{\tau^2 \left(\frac{1}{\tau^2} + \omega_0^2 \right)} \left[\cos \omega_0 t + \omega_0 \sin \omega_0 t - e^{-t/\tau} \right] \left\{ e^{-as} - e^{-bs} - e^{-cs} + e^{-ds} \right\} \\
&\quad - \int \left[1 - e^{-t/\tau} \right] \left\{ e^{-as} - e^{-bs} - e^{-cs} + e^{-ds} \right\}
\end{aligned}$$

$$\begin{aligned}
\text{and } Y_t(t) &= \text{Res} \frac{X_1(s) H(s)}{1 - \exp\left(\frac{-2\pi s}{\omega_0}\right)} \\
&= \left\{ \frac{I_1 \omega_0 \cos \beta}{\tau \left(\frac{1}{\tau^2} + \omega_0^2 \right)} \right\} (e^{a/\tau} + e^{b/\tau} - e^{c/\tau} - e^{d/\tau}) \\
&\quad - \left\{ \frac{\sqrt{}}{\tau^2 \left(\frac{1}{\tau^2} + \omega_0^2 \right)} \right\} (e^{a/\tau} - e^{b/\tau} - e^{c/\tau} + e^{d/\tau}) \\
&\quad - (-e^{a/\tau} + e^{c/\tau} - e^{d/\tau} + e^{b/\tau}) \left\{ \frac{e^{-t/\tau}}{1 - \exp\left(\frac{-2\pi}{\omega_0 \tau}\right)} \right\}
\end{aligned}$$

$$Y(t) = Y_1(t) - Y_t(t) \quad (1)$$

Equation 1 was solved on a digital computer and $Y(t)$ was obtained for various values of I_1 . Because $Y(t)$ is periodic and symmetric $Z(t)$ can be easily plotted. $Z(t)$ was then expanded in a Fourier series and the amplitude as well as phase shift of the fundamental term, Z_0 , was determined. The overall describing function is

$$G_D(I_1, \omega_0) = \frac{Z_0 \angle \phi}{I_1}$$

¹The delay terms e^{-as} , e^{-bs} , e^{-cs} , and e^{-ds} should be incorporated into the time functions; i.e., $F(s)e^{-as} = f(t-a) U(t-a)$. This is not done here because it would result in a lengthy, cumbersome expression.

From this a family of describing functions is generated.

For the analysis of any system we have to solve the characteristic equation, $G_L(j\omega_0) G_D(I_1, j\omega_0) = -1$ where G_L is any linear transfer function and G_D is the describing function of the combined nonlinearities.




Fig. 3. A block diagram of a typical control system.

So for the constant ratio of $\frac{\sqrt{K}}{W}$ a family of $\left| \frac{1}{G_D} \right|$ vs. $(-180^\circ +$ phase shift) curves are plotted from which the amplitude and frequency of the limit cycle can be determined. The describing function plots are shown on Figures 4 through 10 for the various parameter variations. As an example of how to use these curves consider the following problem.

Example: Referring to Fig. 3 let the linear transfer function

G_L be

$$G_L(j\omega) = \frac{12.6K_a}{(j\omega+1)(j0.05\omega+1)}$$

and

$$H(j\omega) \text{ in } G_D \text{ be } \frac{K}{(j0.1\omega+1)}$$

Assume that the deadzone half-width \sqrt{K} and the hysteresis width W are each 0.8. Also assume that the gain factor K in $H(j\omega)$ of the combined nonlinearity is 1. For $K_a = 1$ and $K_a = 2.5$ determine the limit cycle frequency and amplitude, if any.

Solution: A plot of $G_L(j\omega) = |G_L|/\angle G_L$ for $K_a = 1$ is shown in Fig. 11. Since $\frac{\sqrt{K}}{W} = \frac{0.8 \times 1}{0.8} = 1$ choose Fig. 4 which shows a family of describing function curves for $\frac{\sqrt{K}}{W} = 1$. If Fig. 11 is superimposed on Fig. 4 note that there are no interceptions between G_L and $\frac{1}{G_D}$ plots. Therefore for $K_a = 1$ the system exhibits

no limit cycle oscillation.

If the G_L curve is moved up 8 db (for $K_a=2.5$) it can be seen that the $\omega=10$ point on Fig. 13 coincides with the $\tau\omega=1$ (or $\omega=\frac{1}{0.1} = 10$) curve on Fig. 4. This intercept occurs at a $\frac{\sqrt{I_1}}{I_1}$ ratio of 0.32. Since $\sqrt{I_1}=0.8$

$$I_1 = \frac{0.8}{0.32} = 2.5.$$
 Thus the limit cycle frequency is 10 radians/second and its amplitude is 2.5.

Conclusions. The families of describing function plots shown in Figures 4 through 10 should be of definite aid to the control system engineer who is confronted with analyzing a system containing the particular non-linearity combination of deadzone and backlash separated by a linear block. Although only one sample problem is given in this report, there are several ways in which the curves can be used in a problem analysis. For instance, the internal gain K of the linear block between the two nonlinearities exerts considerable influence over the effective backlash or deadzone widths. Thus in addition to controlling the overall system gain with K an additional factor must be considered in using K . Also the time constant τ in H can be used as a design parameter.

The technique presented here for obtaining the describing function of a particular nonlinear-linear function can be used in obtaining the describing function of many other nonlinear-linear combinations. It is anticipated that work of this nature will be done in the future.

BIBLIOGRAPHY

- 1 Kochenburger, R. J., "A frequency response method for analyzing and synthesizing contractor servomechanisms," Trans. AIEE, 1949.
2. Johnson, E. C., "Sinusoidal analysis of feedback control systems containing nonlinear elements," Trans. AIEE, Vol. 71, Part II, pp. 169-181, 1952.
- 3 Mathews, M. V., "Method for evaluating nonlinear servomechanisms," Trans. AIEE, Vol. 74, Part II, n18, pp. 114-123, May, 1955.
- 4 Vallese, L. M., "Comparison of backlash and hysteresis effects in second order feedback systems," Trans. AIEE, Vol. 75, Part II, n26, September, 1956.
- 5 Satyendra, K. N., "System inertia, backlash, and coulomb friction," Trans. AIEE, Vol. 75, Part II, 1956.
6. Gronner, A. D., "Describing function of backlash followed by dead-zone," Trans. AIEE, Vol. 77, Part II, pp. 603-609, 1958.
- 7 Freeman, E.A., "Stability analysis of control systems having two nonlinear elements with calculations for saturation and backlash," IEEE Proc., Vol. 109, Part C, n16, pp.665-675, September, 1962.

K. 1

These curves are a plot of

$(G_D)^{-1}$ vs θ_D for the nonlinear function

deadzone. $\frac{\delta}{\tau_s + 1} \cdot K$. hysteresis

$\frac{\delta}{W} \cdot K = 1$
 $\frac{\delta}{I_1}$ varies from 0.05 to 0.6

δ is the deadzone half-width.

W is the hysteresis width.

I_1 is the input amplitude.

Paths of constant τ_ω are as indicated.





Figure 4

9P -1.51

$\frac{v}{w} = 2$

32

These curves are a plot of $(G_D)^{-1}$ vs θ_D for the nonlinear function deadzone. $\frac{K}{\tau_s + 1}$. hysteresis $\frac{\delta}{I_1}$ varies from 0.05 to 0.35. δ is the deadzone half-width. W is the hysteresis width. I_1 is the input amplitude. Paths of constant τ_w are as indicated.



9p 1-51

Figure 5

$$\frac{G}{W} = 3 \quad \frac{5K}{10} = 3$$

These curves are a plot of

$(G_D)^{-1}$ vs θ_D for the nonlinear function
 deadzone. $\frac{K}{\tau s + 1}$. hysteresis

$\frac{\delta}{W} \cdot K = 3$
 $\frac{\delta}{I_1}$ varies from 0.15 to 0.75

δ is the deadzone half-width.

W is the hysteresis width.

I_1 is the input amplitude.

Paths of constant τ_w are as indicated.




Figure 6

9P 1-51

These curves are a plot of

$(G_D)^{-1}$ vs θ_D for the nonlinear function
 deadzone, $\frac{K}{\tau s + 1}$, hysteresis

$$\frac{\delta}{W} \cdot K = 4$$

$\frac{\delta}{I_1}$ varies from 0.2 to 0.8

δ is the deadzone half-width.

W is the hysteresis width.

I_1 is the input amplitude.

Paths of constant $\tau\omega$ are as indicated.




Figure 7

These curves are a plot of

$(G_D)^{-1}$ vs θ_D for the nonlinear function
 deadzone. $\frac{K}{\tau_s + 1}$. hysteresis

$$\frac{\delta}{W} \cdot K = \frac{1}{4} \quad \frac{\delta}{I_1} \text{ varies from } 0.05 \text{ to } 0.3$$

δ is the deadzone half-width.

W is the hysteresis width.

I_1 is the input amplitude.

Paths of constant τ_w are as indicated.




Figure 8

9P 1, 951

These curves are a plot of $(G_D)^{-1}$ vs θ_D for the nonlinear function $\frac{K}{\tau s + 1}$. hysteresis

$\frac{\delta}{W} \cdot K = \frac{1}{3}$ $\frac{\delta}{I_1}$ varies from 0.05 to 0.35

δ is the deadzone half-width.
 W is the hysteresis width.
 I_1 is the input amplitude.
 Paths of constant $\tau\omega$ are as indicated.




Figure 9

60-51
 9p

2:0.5

These curves are a plot of $(G_D)^{-1}$ vs θ_D for the nonlinear function deadzone. $\frac{K}{\tau s + 1}$. hysteresis $\frac{\delta}{I_1}$ varies from 0.05 to 0.95

$\delta \cdot K = \frac{1}{2}$

δ is the deadzone half-width.

W is the hysteresis width.

I_1 is the input amplitude.

Paths of constant $\tau\omega$ are as indicated.




Figure 10

9p 1-051

$$G_1(j\omega) = \frac{12.6 K_2}{(j\omega + 1)(j0.05\omega + 1)}$$

$\omega = 1$




Figure 11