

209

CATALOG OF METEORITES

in the collections of

ARIZONA STATE UNIVERSITY

UNPUBLISHED PRELIMINARY DATA



N66-14283

(ACCESSION NUMBER)

(THRU)

209

1

(PAGES)

(CODE)

0668989

13

(NASA CR OR TMX OR AD NUMBER)

(CATEGORY)

GPO PRICE \$ _____

CFSTI PRICE(S) \$ _____

Hard copy (HC) 6.00

Microfiche (MF) 1.25

ff 853 July 85

Arizona State University

Tempe, Arizona

1964

FACILITY FORM 602

CATALOG OF METEORITES IN THE COLLECTIONS OF ARIZONA STATE UNIVERSITY

Including the

NININGER METEORITE COLLECTION

by

Carleton B. Moore, Director

and

Charles F. Lewis, Asst. Curator

ARIZONA STATE UNIVERSITY LABORATORY FOR METEORITE RESEARCH

Arizona State University

Tempe, Arizona

1964

This catalog prepared with the support of Grant NsG-399

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

Introduction

In July 1960 the Ninninger Meteorite Collection was purchased by Arizona State University with the aid of the National Science foundation, the Arizona State University Foundation and a private donor. This collection numbering over 680 falls is among the most important collections in the world with respect to both size and quality. Since the original purchase the number of specimens in the collection has been increased by gifts, purchases and exchanges.

The collection is administered by the Director of the Ninninger Meteorite Collection with the assistance of a national advisory board made up of representatives of the following bodies:

- American Museum of Natural History
- Arizona State University
- National Academy of Sciences
- National Science Foundation
- Smithsonian Institution
- State of Arizona

The meteorite collection is being administered primarily for the purposes of scientific research by qualified scientists at Arizona State University and other institutions throughout the nation. Investigators may request specimens for research purposes as outlined in the following regulations.

This catalog was prepared with the financial support of the National Aeronautics and Space Administration Grant NSG-399. The meteorites have been classified according to Mason's Meteorites and catalogued according to their classification. The olivine-bronzite chondrites and the olivine-hypersthene chondrites have been subdivided according to whether they are falls or finds. The catalog has been arranged so that additions can be made to keep it up to date without reprinting it entirely. Suggestions and corrections to the catalog are welcomed.

Following the recommendations of the Advisory Committee, the collection is administered under the following regulations:

1. Specimens will be provided only for specific investigations. An annual report on the specimens may be requested until the specimen is destructively used or returned to the collection. Specimens received may not be exchanged with other parties for additional material without permission of Arizona State University. Any material not used must be returned to the collection.
2. Material will be provided to qualified investigators for a service charge. This charge is necessary to provide for specimen replacement, sample preparation and mailing. If an investigator does not have funds available for the purchase of specimens, he should submit a request for needed material stating this fact. Specimen exchanges are welcomed.
3. Material may be loaned for non-destructive methods of investigation. If cutting is required, specimen loss will be charged at the sample rate.
4. Requests for material should be in the form of a letter including the following information:
 - a) type of investigation being undertaken.
 - b) type of specimen needed
 - c) reasons for need of specific specimens
 - d) quantities of material necessary for the investigation
 - e) previous work and qualifications of investigators.
 - f) requests to other institutions for the same or similar specimens
5. Requests for specimens of rare types may require extensive consultation with other interested parties. Any requests in this category should include strong support for the need of these specimens.
6. Requests for a major portion (greater than 5%) of the available specimens may require action similar to that taken for rare specimens.
7. Requests will be evaluated on the basis of the quantity of material available in light of the apparent importance of the data expected from the proposed investigation

Request for information should be sent to:

Carleton B. Moore, Director
Arizona State University Laboratory for
Meteorite Research
Arizona State University
Tempe, Arizona

INDEX

- | | | | |
|------------------------|------|---------------------|-------------------|
| Abancay | 1002 | Ampurnagla | 301 |
| Abee | 201 | Anoka | 1003 |
| Abernathy | 451 | Anthony | 352 |
| Achilles | 351 | Antofagasta | 801 |
| Acme | 351 | Apoala | 1003 |
| Adams County | 351 | Appley Bridge | 401 |
| Admire | 801 | Arapahoe | 451 |
| Adrian | 351 | Arcadia | 1201 |
| Agen | 301 | Archie | 301 |
| Ahumada | 801 | Argonia | 802 |
| Aimsworth | 1002 | Arispe | 1003 |
| Akron | 351 | Arlington | 1003 |
| Akron No. 2 | 352 | Arriba | 451 |
| Alais | 601 | Arva | 1004 |
| Alamogordo | 352 | Ashburton Downs .. | see Dalgety Downs |
| Alamosa | 451 | Asheville | 1004 |
| Albaretto | 401 | Askfork | 1004 |
| Albin (stone) | 352 | Assisi | 301 |
| Albin | 801 | Atara | 401 |
| Alexander County | 1002 | Atemajac | 401 |
| Alfianello | 401 | Athens | 402 |
| Allegan | 301 | Atlanta | 201 |
| Allessandria | 301 | Auburn | 901 |
| Altonah | 1002 | Aurora | 353 |
| Amates | 1002 | Aussun | 402 |

INDEX

- Australites1501
 Aztec 402
 Babbs Mill1101
 Bachmut 402
 Bacubirite1004
 Bahjoi1005
 Bald Mountain 402
 Ballinger 901
 Ballinoo1005
 Barbotan 403
 Barranca Blanca1005
 Barratta 452
 Bath 302
 Bath Furnace 403
 Baxter 403
 Bear Creek1005
 Beardsley 302
 Bear Lodge1005
 Beaver Creek302
 Bediasites1301
 Beenham 452
 Bella Roca1006
 Bendego1006
 Bennett County 901
 Benton403
 Bethanysee Gibeon
 Bethune1201
 Bielokrymitsche 302
 Billings1006
 Billitonite1301
 Bishop Canyon1005
 Bishopville 101
 Bishampur 302
 Bitburg 802
 Bjurbole 403
 Black Mountain1007
 Blenket 404
 Bluff 452
 Bocas 404
 Boerne 353
 Bolivia1007
 Bondoc1201
 Bonita Springs 353
 Bori 404
 Bovesmont 353
 Boxhole1007
 Brady 452
 Braunan 901
 Bresce1007

INDEX

Bremevorde	404	Canyon Diablo No. 2	1016
Brenham	802	Canyon Diablo No. 3	1016
Brewster	452	Cape Girardeau	303
Briggsdale	1008	Cape of Good Hope	1101
Briscoe	453	Cape York	1017
Bristol	1008	Carbo	1017
Broken Bow	353	Carlton	1017
Brownfield	353	Carraweena	453
Bruderheim	404	Cases Grandes	1017
Bruno	901	Casimiro	1018
Bur-Gheluzi	303	Castalia	303
Burkett	1008	Cavour	354
Burlington	1008	Cedar, Kansas	354
Bushnell	354	Cedar, Texas	354
Bustee	101	Central Missouri	1018
Butler	1009	Chainpur	501
Butsura	303	Chamberlin	354
Cacaria	1009	Channing	355
Callibam	453	Chantonway	405
Cambria	1009	Charcas	1018
Campbellsville	1009	Charlotte	1018
Camp Verde	1010	Charsonville	303
Canyon City	1010	Charwallis	304
Canyon Diablo	1010	Chassigny	101
		Chateau-Renard	405

INDEX

Cherokee Springs	405	Coon Butte	454
Chesterville	902	Coopertown	1021
Chicora	405	Cope	356
Chihuahua City	1019	Cortez	356
Chilcoat Inlet	1019	Cosby's Creek	1022
Chile (stone)	355	Costilla Peak	1022
Chile (Iron)	1019	Cotesfield	454
Chinaulta	1019	Cottonwood	356
Chulafinnsee	1020	Covert	356
Chupaderos	1020	Coya Norte	902
Clareton	453	Crab Orchard	701
Clark County	1020	Cranbourne	1022
Cleveland	1020	Cranganore	406
Clinton	1021	Guernavaca	1022
Clover Springs	701	Gulbertson	357
Clovis	355	Gullison	357
Coahuila	902	Cumberland Falls	101
Colby, Kansas	355	Cynthiana	406
Colby, Wisconsin	405		
Cold Bokkeveld	601	Dale Dry Lake	454
Coldwater (Stone)	355	Dalgaranga	701
Coldwater (Iron)	1021	Dalgety Downs	454
Concepcion	1021	Dalton	1023
Concho	453	Daniel's Hill	201
Coolidge	356	Danville	406

INDEX

Darwin Glass	1202	Eli Elwah	455
Dayton	1101	Elkhart	358
Deep Springs	1101	Elm Creek	358
Delegate	1023	Enon	702
De Nova	454	Ensisheim	407
Deport	1023	Ergheo	407
Descubridora	1023	Eroleben	304
Dhurmaala	407	Estacado	358
Dimitt	357	Estherville	702
Dispatch	357	Farley	358
Dix	455	Farmington	407
Djati-Pengilon	304	Farnum	455
Dokachi	304	Fayetteville	304
Doyleville	357	Felix	501
Drake Creek	406	Ferguson Switch	358
Drum Mountain	1024	Finmarken	803
Duchesne	1024	Finney	359
Dungannon	1024	Fisher	407
Durango	1024	Fleming	359
Dwight	455	Florence	304
Eagle Station	803	Flows	305
Eaton	1202	Floydada	1025
El Burro	902	Forest City	305
El Capitan	1025	Forkville	407

INDEX

Forsyth	408	Gretna	456
Fort Pierre	1025	Gruver	360
Four Corners	1025	Guadalupe County	1027
Franceville	1026	Guffey	1102
Fukutomo	408	Gun Creek	1028
Futtehpur	408		
		Haig	1028
Gambat	408	Hainholz	702
Ganado	1026	Hale Center No. 1	457
Garnett	359	Hale Center No. 2	360
Gibeon	1026	Hammond	1028
Gifu	408	Haraiya	101
Gilgoin Station	359	Harding County	457
Girgenti	409	Hardwick	457
Gladstone (Iron)	1026	Harleton	409
Gladstone (Stone)	359	Harrison County	409
Glorietta Mountain	803	Harrisonville	457
Gnadenfrei	305	Haskell	457
Goodland	456	Hat Creek	360
Goose Lake	1027	Hatfield	1028
Grady	456	Haven	360
Grady No. 2	360	Haviland	361
Grand Rapids	1027	Hawk Springs	361
Grant County	456	Hayes Center	458
Grants	1027	Henbury	1029

INDEX

- Hendersonville 458
 Hermitage Plains 458
 Hessle 305
 Hex River Mountains 902
 Hildreth 458
 Hoba 1102
 Hobbs 361
 Holbrook 409
 Holly 361
 Holyoke 361
 Homestead 411
 Horace 458
 Horace (Spec. 448.1x) ... 362
 Horse Creek 903
 Howe 362
 Hressk 903
 Hualapai 1031
 Huckitta 803
 Hugo 362
 Hugoton 362
 Huizopa 1031
 Hüttinen see Hvittas
 Hvittas 201
 Tmilac 804
 Impactite 1202
 Indarch 201
 India (Stone) 1202
 Indianola 459
 Indian Valley 903
 Indo-Chinites 1301
 Ingalls 362
 Ivanpah 1032
 Jajh Deh Kot Lalu 202
 Javaites 1301
 Jelica 411
 Jerome, Idaho 459
 Jerome, Kansas 363
 Jewell Hill 1032
 Joe Wright Mountain 1032
 Johnson 459
 Johnstown 101
 Jonzac 102
 Juvinas 102
 Ksalijarv 1102
 Kalambi 411
 Kamsagar 411

INDEX

- | | | | |
|----------------------|------|---------------------------|-----------------|
| Karkh | 411 | Kyushu | 412 |
| Karocnda | 501 | La'Aigle | 412 |
| Karval | 363 | La Caille | 1034 |
| Kearney | 363 | Ladder Creek | 460 |
| Keen Mountain | 903 | Lafayette | 102 |
| Kelly | 459 | La Grange | 1034 |
| Kendall County | 903 | Lake Browne | 460 |
| Kensington | 460 | Lake Labyrinth | 461 |
| Kenton County | 1032 | Lake Moore | see Lake Browne |
| Kernouve | 306 | Lake Okechobie | 461 |
| Kesen | 306 | Laketon | 461 |
| Keyes | 460 | La Lande | 461 |
| Khairpur | 202 | Langhalsen | 413 |
| Khojar | 412 | Lenton | 1034 |
| Kilbourne | 306 | La Porte | 1035 |
| Kingfisher | 460 | Lawrence | 462 |
| Kingston | 1033 | Lechatelierite | 1202 |
| Klamath Falls | 1033 | Leadey | 413 |
| Klein-Wenden | 306 | Leeds | 1035 |
| Knowles | 1033 | Lenarto | 1035 |
| Knyahinya | 412 | Libyan Desert Glass | 1202 |
| Kodaikanal | 1033 | Lime Creek | 1102 |
| Krasnojarsk | 804 | Limerick | 306 |
| Kuttippuram | 412 | Lincoln County | 363 |
| Kyancutta | 1034 | | |

INDEX

- Linwood 1035
 Lissa 413
 Little Piney 413
 Livingston 1036
 Lockney 462
 Locust Grove 1103
 Logan 363
 Lombard 903
 Long Island 462
 Loomis 462
 Loreto 1036
 Losttown 1036
 Lua 413
 Lubbock 462
 Lumpkin 107
 Lusk 1045

 McJ.ão 461
 McKinney 46
 McLean 364
 Mainz 463
 Mapleton 1037
 Maria Elena 1037
 Marion, Iowa 414
 Marion, Kansas 463

 Marjalahti 804
 Marshall County 1037
 Marsland 364
 Mart 1037
 Mayday 364
 Mayodan 904
 Mazapil 1038
 Mbosi 1038
 Melrose 463
 Merceditas 1038
 Merua 307
 Mezo-Madaras 414
 Miami 364
 Mighel 601
 Milena 414
 Miller 307
 Mincy 703
 Minnesota (Iron) 1038
 Minnesota (Stone) 464
 Mino see Gifu
 Mission 464
 Misteca 1039
 Mocs 414
 Moctezuma 1039
 Modoc 415a

INDEX

Modoc No. 2	364	Nakla	102
Mokoia	501	Nammianthal	307
Moldavites	1301	Naoki	308
Molina	415a	Narraburra Creek	1040
Molong	804	Nas	464
Monahans	1103	Nashville (Iron)	1041
Monument Rock	1039	Nashville (Stone)	365
Monze	415a	Nativitas	1041
Moore County	102	Navajo	904
Mooresfort	307	Nejed	1041
Morito	1039	Nelson County	1041
Morland	365	Nenntmannsdorf	904
Morrill	1040	Ness County	465
Morristown	703	Ness County No. 2	365
Mount Dyrning	805	Netschaevo	1042
Mount Joy	904	New Albalo	465
Mount Morris	1202	New Baltimore	1042
Mount Stirling	1040	New Concord	415a
Mount Vernon	805	New Leipzig	1042
Mungindi	1040	New Mexico	905
Muroc	464	Newport	805
Muroc Dry Lake	464	Newsom	465
Murphy	904	Nobleborough	102
Murray	601	Nogoya	602
		Norcatur	466

INDEX

Norfolk	1042	Parnallee	415
Norfolk	1043	Pasamonte	103
Norton County	102	Patwar	703
Oakley	365	Peck's Springs	466
Oberlin	466	Peetz	467
Obernkirchen	1043	Pena Blanca Springs	103
Ochansk	308	Perpeti	416
Odessa	1043	Perryville	1045
Ogallala	1044	Petersburg	103
Olivenza	415	Philippinites	1302
Ollague	805	Phillips County	805
Orange River	1044	Picacho	1045
Orgueil	602	Pierceville	467
Orvinio	415	Pierceville No. 2	1046
Osseo	1044	Pine River	1046
Otis	466	Pinon	1103
Ovid	365	Pipe Creek	366
Owens Valley	1044	Plainview	366
Facula	415	Plainview No. 2	368
Falidades Park	1045	Pleasanton	369
Pantar	308	Plymouth	1046
Para de Minas	1045	Pohlitz	416
Paragould	415	Pojoaque	806
		Ponca Creek	1046
		Potter	369

INDEX

Puente del Zacate	1047	Rolla No. 2	370
Puente-Ladron	467	Rolla No. 3	370
Pultusk	308	Rolla No. 4	370
Puripica	905	Rolla No. 5	370
Putnam County	1047	Romero	371
		Rosebud	371
Quartz Mountain	1047	Rose City	309
Quenggouk	308	Roswell	1049
		Roy	467
Raco	308	Roy No. 2	467
Ramsdorf	416	Ruff's Mountain	1049
Ranchapur	309	Rush County	371
Rancho de la Presa	369	Rush Creek	468
Rangala	416	Russell Gulch	1049
Ransom	369	Sacramento Mountains	1049
Rawlina	369	St. Ann	371
Red River	1047	St. Francois County	1050
Reed City	1048	St. Genevieve	1050
Richardton	309	St. Masmin	416
Rifle	1048	St. Michel	417
Rio Lea	905	Salina	1050
Rochester	309	Saline	309
Rodeo	1048	Salla	371
Roebourne	1048	Salt River	1050
Rolla	370	Samelia	1051

INDEX

Sam's Valley	1051	Shallowater	103
San Angelo	1051	Shaw	468
Sanchez Estate	905	Shelburne	417
Sanderson	1051	Shergotty	104
Sandia Mountains	905	Shirahagi	1053
San Emigdio Mountains ...	372	Shrewsbury	1054
San Francisco Mountains .	1052	Shytal	417
Santa Catherine	1103	Sidney	468
Santa Cruz	602	Siena	417
Santa Fe	1052	Sikhote Alin	906
Santa Luzia	1052	Simmern	310
Santa Rosa	1104	Sindhri	310
Santa Rosalia	806	Sioux County	104
Sao Juliao de Moreira ...	906	Smith's Mountain	1054
Sarepta	1052	Smithville	1054
Scott City	372	Soper	906
Scottsville	906	South Byron	1104
Searsmont	310	Spearman	1054
Seelasgen	1053	Springfield	468
Segowlie	417	Springwater	806
Seibert	372	Stalldalen	310
Seligman	1053	Stannern	104
Selma	372	Staunton	1055
Seneca	372	Stavropol	418
Seneca Twp.	1053	Steinbach	806
Shalka	103		

INDEX

- | | | | |
|------------------------------------|-------------|-------------------------|------|
| Stonington | 373 | Trenton | 1056 |
| Sultanpur | 418 | Trenzano | 311 |
| Supuhee | 310 | Treysa | 1057 |
| Tabory | see Ochansk | Troup | 419 |
| Tacubaya | 1055 | Tryon | 469 |
| Taiban | 469 | Tucson | 1105 |
| Tambo-Quemado | 1055 | Tulia | 373 |
| Tarapaca | 1055 | Twenty-Nine Palms | 470 |
| Tawallah Valley | 1104 | Uden | 419 |
| Tazewell | 1056 | Ulysses | 374 |
| Temple | 469 | Union County | 1057 |
| Tenham | 418 | Unter-Massing | 1057 |
| Texline | 373 | Ute Creek | 374 |
| Thunda | 1056 | Uwet | 906 |
| Tilden | 418 | Vaca Muerta | 703 |
| Tirupati | 311 | Vera | 470 |
| Tlacotepec | 1104 | Verkhne Udinsk | 1057 |
| Tomatlan | 311 | Vernon County | 311 |
| Tomhannock Creek | 373 | Vigarano | 501 |
| Tonganoxie | 1056 | Vouville | 419 |
| Torrington | 311 | Wabar | 1058 |
| Tourinnes-La-Grosse | 418 | Waconda | 470 |
| Township No. 8 ... see Lincoln Co. | | Waldo | 470 |
| Travis County | 373 | | |

INDEX

Walker County	906	Wolf Creek	1060
Walters	470	Wood's Mountain	1060
Warrenton	501	Woodward County	375
Washougal	104	Woolgarong	419
Waterville	1058	Wray	375
Weatherford	704		
Weaver	1105	Xiquipilco	1061
Weekeroo	1058	Xiquipilco No. 2	1061
Weldona	374	Yanhuitlan	1062
Welland	1058	Yarri	1062
Wellman	374	Yatooor	312
Western Arkansas	1059	York	471
Weston	312	Youndegin	1062
Whitman	374	Zacatecas	1062
Wichita County	1059	Zende	1062
Wickenburg (Iron)	1059		
Wickenburg (Stone)	471		
Wilburton	471		
Wiley	1105		
Willamette	1059		
Williamstown	1060		
Willow Creek	1060		
Wilmot	375		
Winona	704		
Wold Cottage	419		

Achondrites**Enstatite Achondrites**

Bishopville
Bustee
Cumberland Falls
Norton County
Pena Blanca Springs
Shallowater

Hypersthene Achondrites

Johnstown
Shalka

Olivine Achondrites

Chassigny

Pyroxene-Plagioclase Achondrites

Haraiya
Jonzac
Juvinas
Moore County
Nobleborough
Pasamonte
Petersburg
Shergotty
Sioux County
Stannern
Washougal

Diopside-Olivine Achondrites

Lafayette
Nakhla

ACHONDRITES

BISHOPVILLE, Sumter Co., South Carolina

Achondrite, enstatite. Fell
 March 25, 1843. Total known
 weight 5.9 kg. (13 lb.)

Specimens:..... 212a..... 26.4 g.
 212.4 8.0 g.

BUSTEE, N. W. P., India

Achondrite, enstatite. Fell
 December 2, 1852. Total known
 weight 1.43 kg. (3.14 lb.)

Specimen:..... 632.1..... 7.1 g.

CHASSIGNY, Haute Marne, France

Achondrite, olivine. Fell
 October 3, 1815. Total known
 weight 4 kg. (8.8 lb.)

Specimens:..... 580.1..... 0.6 g.
 580.2..... 0.3 g.

CUMBERLAND FALLS, Whitley Co., Kentucky

Achondrite, enstatite. Fell
 April 9, 1919. Total known
 weight 20 kg. (44 lb.)

Specimens:..... 26a 112.2 g.
 26.4 98.2 g.
 26.5 179.7 g.
 — 74.7 g.

HARAIYA, Basti district, United Provinces, India

Achondrite, eucrite. Fell
 August or September, 1878.
 Total known weight 1 kg. (2.2 lb.)

Specimen:..... 637.1 65.2 g.

JOHNSTOWN, Weld Co., Colorado

Achondrite, hypersthene. Fell
 July 6, 1924. Total known
 weight 40.3 kg. (88.66 lb.)

Specimen:..... 125.5x..... 1150 g.

ACHONDROTES

JONZAC, Charente Inferours, France

Eucrite. Fell June 13,
1819. Total known weight
at least 5 kg. (11 lb.)

Specimen:568.1 0.07 g.

JUVINAS, Libonnes, Entraigues, Ardeche,

France. Eucrite. Fell
June 15, 1812. Total known
weight 91 kg. (200.2 lb.)

Specimens: 65a 41.1 g.
..... 1.8 g.

LAFAYETTE, Tippecanoe Co., Indiana

Achondrite, diopside.
Recognized 1931. Total
known weight 939 g.

Specimen:167ax 42.4 g.

MOORE COUNTY, North Carolina

Eucrite. Fell April 21,
1913. Total known weight
1.9 kg. (4.18 lb.)

Specimen: 294ax 58.7 g.

NAKHLA, Abu Hommos, Alexandria, Egypt

Achondrite, diopside. Fell
June 28, 1911. Total known
weight 40 kg. (88 lb.)

Specimen: 84a 5.1 g.

NOBLEBOROUGH, Lincoln Co., Maine

Eucrite. Fell August 7,
1823. Total known weight
2.3 kg. (5 lb.)

Specimen: 349.1 10.4 g.

NORTON COUNTY, Kansas

Achondrite, enstatite.
Fell February 18, 1948.
Total known weight,
over a ton.

Specimens:523.3x 1687 g.
..... 91.4 g.

ACHONDRITES

PASAMONTE, Union Co., New Mexico
 Eucrite. Fell March 24,
 1933. Total known weight
 3.62 kg. (7.964 lb.)

Specimens:	197e	77.2 g.
	197g	296.0 g.
	197k	51.0 g.
	197n	36.2 g.
	197y	24.7 g.
	197bt	12.6 g.
	197gg	3.8 g.
	197ss	118.9 g.
	197uu	40.7 g.
	197.04	129.9 g.
	197.98	42.1 g.
	—	41.7 g.

PENA BLANCA SPRINGS, Brewster Co., Texas
 Achondrite, enstatite. Fell
 August 2, 1946. Total known
 weight 70.4 kg. (155 lb.)

Specimen:	509.1	57.4 g.
-----------	-------	---------

PEPERSBURG, Lincoln Co., Tennessee
 Eucrite. Fell August 5,
 1855. Total known weight
 1.7 kg. (4.04 lb.)

Specimen:	334.2	69.7 g.
-----------	-------	---------

SHALKA, Bishnupur, Bankura district, Bengal, India
 Achondrite, hypersthene.
 Fell November 30, 1850.
 Total known weight 3.6 kg.
 (8 lb.)

Specimens:	325.1	8.0 g.
	325.3	214.0 g.

SHALLOWATER, Lubbock Co., Texas
 Achondrite, enstatite.
 Found July, 1936. Total
 known weight 4.7 kg.
 (10.2 lb.)

Specimen:	318.9	208.0 g.
-----------	-------	----------

ACHONDrites

MIRGOTTY, Gya, Bihar, India

Eucrite. Total known
weight 5 kg. (11 lb.)

Specimen: 548.2 7.1 g.

SIOUX COUNTY, Nebraska

Eucrite. Fell August 8,
1933. Total known weight
4.1 kg. (9 lb.)Specimens: 198a 208.0 g.
..... 198.5 336.1 g.
..... 198.8 358.2 g.

STANERN, Igla, Moravia, Czechoslovakia

Eucrite. Fell May 22, 1908.
Total known weight 52 kg.
(114.4 lb.)

Specimen: 263.1 48.1 g.

~~WASHINGTON, Clark Co., Washington~~Howardite. Fell
~~July 1939~~. Total
~~weight~~ 220 g.

Specimen: 112.2 15.7 g.

Enstatite Chondrites

Abee

Atlanta

Daniel's Kuil

Hvittas

Indarch

Jajh deh Kot Lalu

Khairpur

ENSTATITE CHONDRITES

ABEE, Alberta, Canada

Enstatite chondrite
 Fell June 10, 1952. Total
 known weight 107.5 kg.
 (236.5 lb.)

Specimens:	701	1500.9 g.
	701.1.....	21.9 g.
	701.2.....	7.5 g.

ATLANTA, Winn Parish, Louisiana

Enstatite chondrite
 Found 1938. Total known
 weight 5.5 kg. (12 lb.)

Specimens:	427.1x	1480.8 g.
	427.5	120.8 g.

DANIEL'S KULL, Griqualand West, South Africa

Enstatite chondrite
 Fell March 20, 1868. Total
 known weight 1 kg. (2.2 lb.)

Specimen:	571.7	0.5 g.
-----------------	-------------	--------

°
HVITTAS, Abo, Finland

Enstatite chondrite
 Fell October 21, 1901. Total
 known weight 14 kg. (30.8 lb.)

Specimen:	524.1	9.5 g.
	524.2	23.8 g.

INDARCH, Shusha, Elisavetpol, Transcaucasia, Russia

Enstatite chondrite
 Known in 1822. Total known
 weight 27 kg. (59.41 lb.)

Specimen:	63a	31.4 g.
-----------------	-----------	---------

ENSTATITE CHONDRITES

JAJH DEH KOT LAJU, Khaipur State, Pakistan

Enstatite chondrite
 Fell May 2, 1926. Total
 known weight 973 g.

Specimens: 617.1 16.8 g.

KHAIGPUR, Bhawalpur, State, Pakistan

Enstatite chondrite
 Fell September 23, 1873.
 Total known weight 14.5 kg.
 (30 lb.)

Specimens: 615.1 31.0 g.

Olivine-Bronzite Chondrites Falls

Agen	Limerick
Allegan	Lumpkin
Allessandria	Merua
Amburnagla	Miller
Archie	Moorefort
Assisi	Nannianthal
Bath	Naoki
Beardsley	Ochansk
Beaver Creek	Pantar
Bielokrynitsche	Pultusk
Bishunpur	Quenggouk
Bur-Cheluai	Raco
Butsura	Ranchapur
Cape Girardeau	Richardton
Castalia	Rochester
Charsonville	Rose City
Charwallis	Saline
Djati-Pengilon	Searsmont
Dokachi	Simmern
Erleben	Sindhri
Fayetteville	Stalldalen
Florence	Supuhee
Flows	Tirupati
Forest City	Tomatlan
Gnadenfrei	Torrington
Hessle	Trenzano
Kernouve	Vernon County
Kesen	Weston
Kilbourne	Yatoor
Klein-Wenden	

OLIVINE-BRONZITE CHONDRITES

- AGEN, Lot-et-Garonne, France
Olivine-bronzite chondrite
Fell September 5, 1814.
Total known weight 30 kg. (66 lb.)
Specimens: 542.1 2.6 g.
542.2 0.71 g.
- ALLEGAN, Allegan Co., Michigan
Olivine-bronzite chondrite
Fell July 10, 1899. Total
known weight 35.5 kg. (78.10 lb.)
Specimen: 7a 285.3 g.
- ALESSANDRIA, Piedmont, Italy
Olivine-bronzite chondrite
Fell February 2, 1860. Total
known weight, about 7 kg.
(15 lb.)
Specimen: 563.1 1.0 g.
- AMBURNAGLA, Abigarh Dist., India
Olivine-bronzite chondrite
Fell May 27, 1895. Total
known weight 6.4 kg. (14 lb.)
Specimen: 622.1 5.4 g.
- ARCHIE, Cass Co., Missouri
Olivine-bronzite chondrite
Fell August 10, 1932. Total
known weight 5.2 kg. (11.44 lb.)
Specimen: 175ax 150.7 g.
- ASSISI, Perugia, Italy
Olivine-bronzite chondrite
Fell May 24, 1886. Total
known weight 2 kg. (4.4 lb.)
Specimen: 573.1 5.5 g.

OLIVINE-BRONZITE CHONDRITES

BATH, Brown Co., South Dakota

Olivine-bronzite chondrite

Fell August 29, 1892. Total

known weight 21.2 kg. (46.6 lb.)

Specimen: 713 51.9 g.

BEARDSLEY, Rawline Co., Kansas

Olivine-bronzite chondrite

Fell October 15, 1929. Total

known weight 16 kg. (35.2 lb.)

Specimens:,.....	134ax	4401.8 g.
	134mm	22. g.
	134pp	12. g.
	134ss	10. g.
	134tt	10. g.
	134uu	6. g.
	134vv	3. g.
	134ww	704. g.
	134.54.....	9. g.

BEAVER CREEK, West Kootenay Dist., British Columbia, Canada

Olivine-bronzite chondrite

Fell May 26, 1893. Total

known weight 14.1 kg. (31 lb.)

Specimen: 15a 30.8 g.

BIELOKRYNITSCHIE, Zaslavl, Volhynia, Ukraine

Olivine-bronzite chondrite

Fell January 1, 1887. Total

known weight, several stones

Specimen: 150b 20.0 g.

BISHUNPUR, Mirzapur Dist., India

Olivine-bronzite chondrite

Fell April 26, 1895. Total

known weight 1.038 kg.

(2.28 lb.)

Specimen: 61f.1 26.2 g.

OLIVINE-BRONZITE CHONDRITES

DUR-GHELUAI, Dur-Hagaba Dist., Italian Somaliland

Olivine-bronzite chondrite
Fell October 16, 1919. Total
known weight 120 kg. (264 lb.)

Specimen: 381.1 19.7 g.

BUTSURA, Champaran Dist., Bihar, India

Olivine-bronzite chondrite
Fell May 12, 1861. Total
known weight 22.3 kg.
(49.06 lb.)

Specimen: 253.4 9.5 g.

CAPE GIRARDEAU, Cape Girardeau Co., Missouri

Olivine-bronzite chondrite
Fell August 14, 1846. Total
known weight 2.3 kg. (6.06 lb.)

Specimen: 236a 8.0 g.

CASTALIA, Nash Co., North Carolina

Olivine-bronzite chondrite
Fell May 14, 1874. Total
known weight 7.3 kg. (16.06 lb.)

Specimen: 347.1 27.6 g.

CHARSONVILLE, Maung, Loiret, France

Olivine-bronzite chondrite
Fell November 23, 1810. Total
known weight 27 kg. (59.4 lb.)

Specimen: 538.1 35.8 g.

OLIVINE-BRONZITE CHONDRITES

CHARWALLIS, Hissar Dist., Punjab, India

Olivine-bronzite chondrite
Fell June 12, 1834. Total
known weight 12 kg. (26.5 lb.)

Specimen: 562.1 0.5 g.

DJATI-PENGILON, Ngawi Dist., Java

Olivine-bronzite chondrite
Fell March 19, 1884. Total
known weight 166 kg. (365 lb.)

Specimen: 566.1 0.5 g.

DOKACHI, Dacca Dist., East Bengal, Pakistan

Olivine-bronzite chondrite
Fell October 22, 1903. Total
known weight 3.8 kg. (8.4 lb.)

Specimen: 624.1 166.7 g.

ERXLEBEN, Magdeburg, Prussia

Olivine-bronzite chondrite
Fell April 15, 1812. Total
known weight 2.3 kg. (4.6 lb.)

Specimen: 553.1 0.6 g.

FAYETTEVILLE, Washington Co., Arkansas

Olivine-bronzite chondrite
Fell December 26, 1934. Total
known weight 2.4 kg. (5.3 lb.)

Specimens: 327.1 23.1 g.

FLORENCE, Williamson Co., Texas

Olivine-bronzite chondrite
Fell January 21, 1922. Total
known weight 3.64 kg. (8 lb.)

Specimens: 218 a 50.4 g.

OLIVINE-BRONZITE CHONDRITES

FLAWS, Cabarrus Co., North Carolina
Olivine-bronzite chondrite
Fell October 31, 1849. Total
known weight 8.6 kg. (19 lb.)

Specimen: 274 b 64.5 g.

FOREST CITY, Winnebago Co., Iowa
Olivine-bronzite chondrite
Fell May 2, 1890. Total known
weight 122 kg. (268 lb.)

Specimens: 49a 13.0 g.
..... 49b 2.5 g.
..... 49f 467. g.
..... 49j 562.7 g.
..... 49q 27.0 g.
..... 49r 6.0 g.
..... 49n 3.0 g.
..... 49s 1.0 g.
..... 49t 109.0 g.
..... 49u 27.0 g.
..... 49v 14.0 g.
..... 49w 16.0 g.
..... 49.27 19.5 g.
..... 644.1 112.0 g.

GNADENFREI, Silesia
Olivine-bronzite chondrite
Fell May 17, 1879. Total
known weight 1.75 kg. (3.8 lb.)

Specimen: 565.1 0.3 g.

HESSLE, Upsala, Sweden
Olivine-bronzite chondrite
Fell January 1, 1869. Total
known weight 18 kg. (39 lb.)

Specimens: 263 a 102.0 g.
..... 263.2 35.0 g.

OLIVINE-BRONZITE CHONDRITES

KERNOUVE, Morbihan, France

Olivine-bronzite chondrite
 Fell May 22, 1869. Total
 known weight 80 kg. (176 lb.)

Specimen: 339.1 4.8 g.

KESEN, Rikuzen, Japan

Olivine-bronzite chondrite
 Fell June 12, 1850. Total
 known weight 135 kg. (297 lb.)

Specimen: 362.1 628.0 g.

KILBOURNE, Columbia Co., Wisconsin

Olivine-bronzite chondrite
 Fell June 16, 1911. Total
 known weight 800 g.

Specimen: 250 a 25.9 g.

KLEIN-WENDEN, Nordhausen, Erfurt, Germany

Olivine-bronzite chondrite
 Fell September 16, 1843. Total
 known weight 3.25 kg. (7.2 lb.)

Specimen: 564.1 < 1 g.

LIMERICK, Limerick Co., Ireland

Olivine-bronzite chondrite
 Fell September 10, 1813. Total
 known weight 45.9 kg. (101 lb.)

Specimen: 73 a 3.0 g.

OLIVINE-BRONZITE CHONDRITES

LUMPKIN, Stewart Co., Georgia

Olivine-bronzite chondrite

Fell October 6, 1869. Total

known weight 336 g.

Specimen: 560.1 0.3 g.

MERUA, Allahabad Dist., India

Olivine-bronzite chondrite

Fell August 30, 1920. Total

known weight 71.4 kg. (157.1 lb.)

Specimen: 611.1 223.6 g.

MILLER, Cleburne Co., Arkansas

Olivine-bronzite chondrite

Fell July 13, 1930. Total

known weight 16.7 kg. (36.74 lb.)

Specimen: 404.1x 10.1 g.

MOORESFORT, County Tipperary, Ireland

Olivine-bronzite chondrite

Fell August, 1810. Total known

weight 3.5 kg. (7.75 lb.)

Specimen: 539.1 14.0 g.

NAMMIANTHAL, Madras, India

Olivine-bronzite chondrite

Fell January 27, 1886. Total

known weight 4.5 kg. (9.9 lb.)

Specimen: 639.1 9.4 g.

OLIVINE-BRONZITE CHONDRITE

- NAOKI**, Parbhani Dist., India
 Olivine-bronzite chondrite
 Fell September 29, 1928. Total
 known weight 17 kg. (37.4 lb.)
 Specimen: 614.1 54.8 g.
- OCHANSK**, Perm, Russia
 Olivine-bronzite chondrite
 Fell August 30, 1887. Total
 known weight 500 kg. (1,100 lb.)
 Specimens: 364.1 16.1 g.
 364.2 42.0 g.
- PANTAR**, Lanao, P. I.
 Olivine-bronz. ? chondrite
 Fell June 16, 1938. Total
 known weight 10.33 kg. (22.73 lb.)
 Specimen: 503.3 924.4 g.
- FULTUSK**, Warsaw, Poland
 Olivine-bronzite chondrite
 Fell January 30, 1868. Total
 known weight 200 kg. (440 lb.)
 Specimen: 97 a 39.6 g.
- QUENGGOUK**, Bassein Dist., Lower Burma
 Olivine-bronzite chondrite
 Fell December 27, 1857. Total
 known weight 6.1 kg. (13.42 lb.)
 Specimen: 265.2 10.4 g.
- RACO**, Departamento Rafi, Provincia de Tucuman, Argentina
 Olivine-bronzite chondrite
 Fell November 17, 1957. Total
 known weight 5 kg. (11 lb.)
 Specimen: 687.1 5.2 g.

OLIVINE-BRONZITE CHONDRITES

RANCHAPUR, Santhal Parganas, India

Olivine-bronzite chondrite

Fell February 20, 1917. Total

known weight .3663 kg. (.805 lb.)

Specimen: 630.1 39.7 g.

RICHARDTON, Stark Co., North Dakota

Olivine-bronzite chondrite

Fell June 30, 1918. Total

known weight 90.9 kg. (200 lb.)

Specimens: 100 h 5775 g.
..... 100 j 4658 g.

ROCHESTER, Fulton Co., Indiana

Olivine-bronzite chondrite

Fell December 21, 1876. Total

known weight 340 g.

Specimen: 581.1 0.3 g.

ROSE CITY, Ogemaw Co., Michigan

Olivine-bronzite chondrite

Fell October 17, 1921. Total

known weight 10.6 kg. (23.251 lb.)

Specimen: 301.1x 243.3 g.

SALINE, Sheridan Co., Kansas

Olivine-bronzite chondrite

Fell November 15, 1898. Total

known weight 30.9 kg. (68 lb.)

Specimens: 107 a 7.9 g.
..... 107 b 293.0 g.

OLIVINE-BRONZITE CHONDRITES

SEARSMONT, Waldo Co., Maine

Olivine-bronzite chondrite
 Fell May 21, 1871. Total
 known weight 5.4 kg. (12 lb.)

Specimen: 105.2 50.0 g.

SIMMERN, Hanaruck, Rhenish Prussia

Olivine-bronzite chondrite
 Fell July 1, 1920. Total known
 weight 8.4 kg. (18.48 lb.)

Specimen: 591.1 71.7 g.

SINDHRI, Thar and Parkar Dists., Bombay, India

Olivine-bronzite chondrite
 Fell June 10, 1901. Total
 known weight 8.4 kg. (18.48 lb.)

Specimen: 625.1 49.3 g.

STALLDALEN, Nya Kopparberg, Orebro, Sweden

Olivine-bronzite chondrite
 Fell June 28, 1876. Total
 known weight 34 kg. (74.8 lb.)

Specimen: 185 a 56.1 g.

Supuhee, Padrauna, Gorakhpur Dist., United Provinces, India

Olivine-bronzite chondrite
 Fell January 19, 1865. Total
 known weight, about 74 kg.
 (162.8 lb.)

Specimen: 537.1 13.6 g.

OLIVINE-BRONZITE CHONDRITES

TIRUPATI, Chittor Dist., India
 Olivine-bronzite chondrite
 Fell March 20, 1934. Total
 known weight --

Specimen: 516.1 35.3 g.

TOMATLAN, Jalisco, Mexico
 Olivine-bronzite chondrite
 Fell September 17, 1879. Total
 known weight - unknown

Specimen: 561.1 0.5 g.

TORRINGTON, Goshen Co., Wyoming.
 Olivine-bronzite chondrite
 Fell September 23, 1944.
 Total known weight 259.1 g.

Specimens: 510.1x 64.8 g.
 510.3 23.7 g.

TRENZANO, Brescia, Italy
 Olivine-bronzite chondrite
 Fell November 12, 1856. Total
 known weight 9 kg. (19.8 lb.)

Specimen: 123 a 15.9 g.

VERNON COUNTY, Wisconsin
 Olivine-bronzite chondrite
 Fell March 26, 1865. Total
 known weight 1.5 kg. (3.3 lb.)

Specimen: 575.1 1.7 g.

OLIVINE-BRONZITE CHONDRITES

WESTON, Fairfield Co., Connecticut
 Olivine-bronzite chondrite
 Fell December 14, 1807. Total
 known weight 150 kg. (330 lb.)

Specimens:	238 a	10.0 g.
	238.2	20.4 g.
	238.6	60.1 g.

YATCOR, Nellore, Madras, India
 Olivine-bronzite chondrite
 Fell January 23, 1852. Total
 known weight 13.6 kg. (30 lb.)

Specimens:	259 a	15.2 g.
	259 b	26.0 g.

Olivine-Bronzite Chondrites - Finds

Achilles	Dispatch	Mayday	Texline
Acme	Doyleville	McLean	Tomhannock Creek
Adams County	Elkhart	Miami	Travis County
Adrian	Elm Creek	Modoc No. 2	Tulia
Akron	Estacado	Morland	Ulysses
Akron No. 2	Farley	Nashville	Ute Creek
Alamogordo	Ferguson Switch	Ness County No. 2	Waldona
Albin	Finney	Oakley	Wellman
Anthony	Fleming	Ovid	Whitman
Aurora	Garnett	Pipe Creek	Wilmot
Boerne	Gilgoin Station	Plainview	Woodward County
Bonita Springs	Gladstone	Plainview No. 2	Wray
Bowesmont	Grady No. 2	Pleasanton	
Broken Bow	Gruver	Potter	
Brownfield	Hale Center No. 2	Rancho de la Presa	
Bushnell	Hat Creek	Ransom	
Cavour	Haven	Rawlins	
Cedar, Kansas	Haviland	Rolla	
Cedar, Texas	Hawk Springs	Rolla No. 2	
Chamberlin	Hobbs	Rolla No. 3	
Channing	Holly	Rolla No. 4	
Chile	Holyoke	Rolla No. 5	
Clovis	Horace	Romero	
Colby	Howe	Rosebud	
Coldwater	Hugo	Rush County	
Coolidge	Hugoton	St. Ann	
Cope	Ingalls	Salla	
Cortez	Jerome	San Emigdio Mountains	
Cottonwood	Karval	Scott City	
Covert	Kearney	Seibert	
Culbertson	Lincoln County	Selma	
Cullison	Logan	Seneca	
Dimmitt	Marsland	Stonington	

OLIVINE-BRONZITE CHONDRITES

ACHILLES, Rawlins Co., Kansas

Olivine-bronzite chondrite
 Found 1926, recognized 1950.
 Total known weight 1.22 kg.
 (2.68 lb.)

Specimen: 596.1 19.2 g.

ACME, Chaves Co., New Mexico

Olivine-bronzite chondrite
 Found 1947. Total known
 weight 76 kg. (167 lb.)

Specimen: 516.1x 41,659.7 g.

ADAMS COUNTY, Adams Co., Colorado

Olivine-bronzite chondrite
 Found 1928. Total known
 weight 5.7 kg. (12.54 lb.)

Specimen: 2ax 194.4 g.

ADRIAN, Deaf Smith Co., Texas

Olivine-bronzite chondrite
 Found 1936. Total known
 weight 23.979 kg. (52 lb.)

Specimens: 298.12
 298.24x 6690.6 g.

AKRON, Washington Co., Colorado

Olivine-bronzite chondrite
 Found 1940. Total known
 weight 408 g.

Specimens: 462.1x 77.5 g.
 462.3 174.9 g.

OLIVINE-BRONZITE CHONDRITES

AKRON No. 2, Washington Co., Colorado

Olivine-bronzite chondrite

Found 1954. Total known

weight 642 g.

Specimens:	662.1	322. g.
	662.2	321. g.

AJAMOGORDO, Otero Co., New Mexico

Olivine-bronzite chondrite

Found 1938. Total known

weight 13.6 kg. (29.9 lb.)

Specimens:	77.9	224.5 g.
	77.1	405.2 g.
	77.12	463. g.
	77.20	243.5 g.
	77	107.5 g.
	77	"

ALBIN, Laramie Co., Wyoming

Olivine-bronzite chondrite

Recognized 1949. Total known

weight 15.4 kg. (33.9 lb.)

Specimen:	532.1	8.6 g.
-----------------	-------------	--------

ANTHONY, Harper Co., Kansas

Olivine-bronzite chondrite

Found 1919. Total known

weight 20 kg. (44 lb.)

Specimen:	6ax	51.4 g.
-----------------	-----------	---------

OLIVINE-BRONZITE CHONDRITES

AURORA, Colfax Co., New Mexico
Olivine-bronzite chondrite
Found 1938. Total known
weight 1 kg. (2.2 lb.)

Specimen: 85.1x247.8 g.

BOERNE, Kendall Co., Texas
Olivine-bronzite chondrite
Found 1932. Total known
weight 1.1 kg. (2.4 lb.)

Specimen: 270ax 46. g.

BONITA SPRINGS, Lee Co., Florida
Olivine-bronzite chondrite
Found 1938. Total known
weight 41.2 kg. (90.6 lb.)

Specimen: 702320.5 g.

BOWESMONT, North Dakota
Olivine-bronzite chondrite
Found 1962. Total known
weight 2.3 kg. (5 lb.)

Specimen: 709121.8 g.

BROKEN BOW, Custer Co., Nebraska
Olivine-bronzite chondrite
Found 1937. Total known
weight 6.8 kg. (15 lb.)

Specimen: 401.1x 2849. g.

BROWNFIELD, Terry Co., Texas
Olivine-bronzite chondrite
Total known weight 325 g.

Specimen: 367.1x172.5 g.

OLIVINE-BRONZITE CHONDRITES

BUSHNELL, Kimball Co., Nebraska

Olivine-bronzite chondrite

Found 1939. Total known
weight 1240 g.

Specimens:	446.1x	577.3 g.
	446.2	53.4 g.

CAVOUR, Beedle Co., South Dakota

Olivine-bronzite chondrite

Recognized 1941. Total
known weight 21.3 kg. (47 lb.)

Specimen:	504.1	104.6 g.
-----------------	-------------	----------

CEDAR, KANSAS, Smith Co., Kansas

Olivine-bronzite chondrite

Found 1937. Total known
weight 4.9 kg. (10.78 lb.)

Specimen:	408.1x	1514.6 g.
-----------------	--------------	-----------

CEDAR, TEXAS, Fayette Co., Texas

Olivine-bronzite chondrite

Found 1900. Total known
weight 14 kg. (30.8 lb.)

Specimen:	20a	508.5 g.
-----------------	-----------	----------

CHAMBERLIN, Chamberlin, Dallam Co., Texas

Olivine-bronzite chondrite

Found 1936. Total known
weight 13 kg. (28 lb.)

Specimen:	474.4	792.1 g.
-----------------	-------------	----------

OLIVINE-BRONZITE CHONDRITES

CHANNING, Hartley Co., Texas

Olivine-bronzite chondrites

Found 1936. Total known

weight 13 kg. (28 lb.)

Specimen: 317.1x 2538.7 g.

CHILE,

Olivine-bronzite chondrite

Date of find unknown. Total

weight unknown

Specimen: 214a 37.6 g.

CLOVIS, Curry Co., New Mexico

Olivine-bronzite chondrite

Found 1961. Total known

weight 283 kg. (622.6 lb.)

Specimen: 708 667.5 g.

COLBY, KANSAS, Thomas Co., Kansas

Olivine-bronzite chondrite

Found 1940. Total known

weight 2.433 kg. (5.35 lb.)

Specimen: 466.1x 1071.3 g.

COLDWATER, Comanche Co., Kansas

Olivine-bronzite chondrite

Found 1924. Total known

weight 11 kg. (24.2 lb.)

Specimens: 24.11 85.9 g.
24.12x 2664. g.

OLIVINE-BRONZITE CHONDRITES

COOLIDGE, Hamilton Co., Kansas
Olivine-bronzite chondrite
Found 1937. Total known
weight 4-5 kg. (10 lb.)

Specimen: 397.2x1664.5 g.

COPE, Washington Co., Colorado
Olivine-bronzite chondrite
Found 1938. Total known
weight 12 kg. (26 lb.)

Specimens: 116.3250.8 g.
116.8x1136. g.

CORTEZ, Montezuma Co., Colorado
Olivine-bronzite chondrite
Found 1940. Total known
weight 715.6 g.

Specimen: 482.1x155.8 g.

COTTONWOOD, Yavapai Co., Arizona
Olivine-bronzite chondrite
Found October 1955. Total
known weight 811 g.

Specimen: 645.1809.1 g.

COVERT, Osborne Co., Kansas
Olivine-bronzite chondrite
Recognized 1929. Total
known weight 61 kg. (140 lb.)

Specimens: 22ax3629. g.
22b5083. g.
22.166681. g.
22.22131. g.

OLIVINE-BRONZITE CHONDRITES

CULBERTSON, Hitchcock Co., Nebraska

Olivine-bronzite chondrite

Found 1913. Total weight

6 kg. (13 lb.)

Specimen: 417.1x 83.9 g.

CULLISON, Pratt Co., Kansas

Olivine-bronzite chondrite

Found 1911. Total known

weight 10 kg. (22 lb.)

Specimen: 215.2 263.7 g.

DIMMITT, Castro Co., Texas

Olivine-bronzite chondrite

Recognized as distinct fall

in 1950. Total weight unknown

Specimens:	584.1	38.4	g.
	584.2	20.4	g.
	584.48	1420.	g.
	584.49	475.	g.
	584.50x	152.3	g.
	584.51	716.2	g.

DISPATCH, Smith Co., Kansas

Olivine-bronzite chondrite

Found 1956. Total known

weight 222.5 g.

Specimen: 663.1 215.2 g.

DOYLEVILLE, Gunnison Co., Colorado

Olivine-bronzite chondrite

Found 1887. Total known

weight (estimate) 5 kg.

(11 lb.)

Specimen: 131ax 34.3 g.

OLIVINE-BRONZITE CHONDRITES

ELKHART, Morton Co., Kansas

Olivine-bronzite chondrite
 Found 1936. Total known
 weight 573 g.

Specimens: 505.1 340.1 g.
 505.2 82.7 g.

HEM CREEK, Lyon Co., Kansas

Olivine-bronzite chondrite
 Found 1906. Total known
 weight 7,075 g.

Specimen: 43a 53.3 g.

ESTACADO, Hale Co., Texas

Olivine-bronzite chondrite
 Found 1863. Total known
 weight 290 kg. (640 lb.)

Specimen: 44a 13,750. g.

FARLEY, Colfax Co., New Mexico

Olivine-bronzite chondrite
 Found July 1936. Total known
 weight 19.5 kg. (43 lb.)

Specimens: 316.5x 1773.3 g.
 316.16 470.8 g.

FERGUSON SWITCH, Hale Co., Texas

Olivine-bronzite chondrite
 Found 1937. Total known
 weight 1.3 kg. (2.9 lb.)

Specimens: 513.1x 321.6 g.
 513.2 417.2 g.

OLIVINE-BRONZITE CHONDRITES

FINNEY, Texas

Olivine-bronzite chondrite
 Found 1962. Total known
 weight 10.4 kg. (22.9 lb.)

Specimen: 711 71.0 g.

FLEMING, Logan Co., Colorado

Olivine-bronzite chondrite
 Found 1940. Total known
 weight 1.75 kg. (3.85 lb.)

Specimen: 461.1x 476.8 g.

GARNETT, Anderson Co., Kansas

Olivine-bronzite chondrite
 Recognized 1938. Total
 known weight 4.7 kg. (10.3 lb.)

Specimens: 428.1x 837.9 g.
 428.5

GILGOIN STATION, Brewarrina, County Clyde, New South Wales, Australia

Olivine-bronzite chondrite
 Found 1889. Total known weight
 147.5 kg. (324.5 lb.)

Specimens: 51a 616. g.
 51c 17,667. g.

GLADSTONE, Colfax Co., New Mexico

Olivine-bronzite chondrite
 Found 1936. Total known
 weight 57.3 kg. (126 lb.)

Specimen: 315.1 45,526. g.

OLIVINE-BRONZITE CHONDRITES

GRADY No. 2, Curry Co., New Mexico

Olivine-bronzite chondrite

Found 1937. Total known

weight 9.3 kg. (20 lb.)

Specimen: 373.4x 2486. g.

GRUVER, Hansford Co., Texas

Olivine-bronzite chondrite

Found 1934. Total known

weight 11.3 kg. (24.86 lb.)

Specimens: 241.5x 1227. g.

241.7 445. g.

HALE CENTER No. 2, Hale Co., Texas

Olivine-bronzite chondrite

Found 1936. Total known

weight 0.7 kg. (1.5 lb.)

Specimen: 305.3x 24.6 g.

HAT CREEK, Niobrara Co., Wyoming

Olivine-bronzite chondrite

Found 1939. Total known

weight 8.9 kg. (19.6 lb.)

Specimen: 456.1x 198.6 g.

HAVEN, Reno Co., Kansas

Olivine-bronzite chondrite

Found 1950. Total known

weight 2.95 kg. (6 lb.)

Specimen: 597.1 24.0 g.

OLIVINE-BRONZITE CHONDRITES

HAVILAND, Kiowa Co., Kansas

Olivine-bronzite chondrite

Found 1937. Total known

weight 1,033 g.

Specimen: 407.1x 422.8 g.

HAWK SPRINGS, Goshen Co., Wyoming

Olivine-bronzite chondrite

Found December 23, 1935.

Total known weight 367 g.

Specimen: 311.1x 104.9 g.

HOBBS, Lea Co., New Mexico

Olivine-bronzite chondrite

Recognized 1933. Total

known weight 2.3 kg. (5.06 lb.)

Specimen: 177cx 65. g.

HOLLY, Prowers Co., Colorado

Olivine-bronzite chondrite

Found 1937. Total known

weight 299.2 g.

Specimens: 386.3 43.0 g.
..... 386.4 45.4 g.

HOLYOKE, Phillips Co., Colorado

Olivine-bronzite chondrite

Recognized 1935. Total known

weight 5.4 kg. (11.8 lb.)

Specimens: 281.1x 1886.8 g.
..... 281.4 98.4 g.

OLIVINE-BRONZITE CHONDRITES

HORACE, (Spec. No. 448.lx), Greeley Co., Kansas

Olivine-bronzite chondrite

Found 1940. Total known

weight 9,201 g.

Specimen: 448.lx 291.3 g.

HOWE, Grayson Co., Texas

Olivine-bronzite chondrite

Found 1938. Total known

weight 8,635 g.

Specimen: 433.lx 2750. g.

HUGO, Lincoln Co., Colorado

Olivine-bronzite chondrite

Found 1936. Total known

weight 80 g.

Specimen: ..x..... 344.lx 30.3 g.

HUGOTON, Stevens Co., Kansas

Olivine-bronzite chondrite

Found 1935. Total known

weight 350 kg. (770 lb.)

Specimens: 280 a 313,476. g.
 280.103 1,350. g.

INGALLS, Gray Co., Kansas

Olivine-bronzite chondrite

Found 1937. Total known

weight 243.7 g.

Specimen: 430.lx 120.7 g.

OLIVINE-BRONZITE CHONDRITES

JEROME, KANSAS, Cove Co., Kansas
 Olivine-bronzite chondrite
 Found 1894. Total known
 weight 29.8 kg. (65.56 lb.)

Specimen: 237a 2.7 g.

KARVAL, Lincoln Co., Colorado
 Olivine-bronzite chondrite
 Found December 1936. Total
 known weight 1,104 g.

Specimen: 345.1x 418.5 g.

KEARNEY, Kearney Co., Nebraska
 Olivine-bronzite chondrite
 Recognized 1934. Total known
 weight 1.1 kg. (2.4 lb.)

Specimen: 228bx 37.3 g.

LINCOLN COUNTY, Colorado
 Olivine-bronzite chondrite
 Found 1937. Total known
 weight 0.5 kg. (1.1 lb.)

Specimens: 377.1 382.0 g.
 377.4x 1870.8 g.

LOGAN, Beaver Co., Oklahoma
 Olivine-bronzite chondrite
 Recognized 1933. Total known
 weight 1.32 kg. (3 lb.)

Specimen: 178as 394.7 g.

OLIVINE BRONZITE CHONDRITES

MARSLAND, Dawes Co., Nebraska
 Olivine-bronzite chondrite
 Found 1933. Total known
 weight 4.6 kg. (9.2 lb.)

Specimen: 192ax 497.7 g.

MAYDAY, Riley Co., Kansas
 Olivine-bronzite chondrite
 Found July 1955. Total
 weight 6.9 kg. (15.2 lb.)

Specimen: 665.1 >1 g.

McLEAN, Gray Co., Texas
 Olivine-bronzite chondrite
 Found 1939. Total known
 weight 4.3 kg. (9.5 lb.)

Specimen: 451.lbx 709.6 g.

MIAMI, Roberts Co., Texas
 Olivine-bronzite chondrite
 Recognized 1937. Total
 known weight 57.7 kg. (127 lb.)

Specimen: 399.lx 29,024. g.

MODOC No. 2, Scott Co., Kansas
 Olivine-bronzite chondrite
 Identified 1948. Total known
 weight, about 1.8 kg. (4 lb.)

Specimens: 522.1 37.7 g.
 522.2x 890. g.

OLIVINE-BRONZITE CHONDRITES

MORLAND, Graham Co., Kansas
 Olivine-bronzite chondrite
 Found 1935. Total known
 weight 327.2 kg. (720 lb.)

Specimens: 282d 274.6 g.
 282ee 722.5 g.
 282.51
 282.62 527.1 g.

NASHVILLE, Kingman Co., Kansas
 Olivine-bronzite chondrite
 Recognized 1938. Total
 known weight about 25 kg.
 (55 lb.)

Specimen: 499.1 1.8 g.

NESS COUNTY No. 2, (south central part of county), Kansas
 Olivine-bronzite chondrite
 Recognized 1938. Total known
 weight 652 g.

Specimen: 385.1x 504.5 g.

OAKLEY, Logan Co., Kansas
 Olivine-bronzite chondrite
 Found 1895. Total known
 weight 27.7 kg. (61 lb.)

Specimen: 152a 265.9 g.

OVID, Sedgwick Co., Colorado
 Olivine-bronzite chondrite
 Found 1939. Total known
 weight 6.2 kg. (13.6 lb.)

Specimen: 445.1x 1724.2 g.

OLIVINE-BRONZITE CHONDRITES

PIPE CREEK, Bandera Co., Texas
Olivine-bronzite chondrite
Found 1887. Total known
weight 13.6 kg. (30 lb.)

Specimen: 201a 82.6 g.

PLAINVIEW, Hale Co., Texas
Olivine-bronzite chondrite
Found 1917. Total known
weight (estimate) 700 kg.
(1500 lb.)

Specimens: 92a 2,265. g.
92c 5,436. g.
921 3,410. g.
92s.1 1,097.6 g.
92s.2 41.9 g.
92s.3 45.2 g.
92jj 434.0 g.
92kk 1,868. g.
92f 8,833. g.
92j and 92k .. 4,306.6 g.
92l 1,665.5 g.
P92qq 5,209. g.
P92TT 1,725.0 g.
92pp 2,162.0 g.
92tt 1,349.9 g.
P92j 381. g.
92ee 4,983. g.
92ff 2,718. g.
P92vv 1,254. g.
P92bb 864. g.
92.247 654. g.
92.279 677. g.
92.283 513. g.
92.310 2,321. g.
92.315 46. g.
92.320 17. g.
92.322 15. g.
92.323 11.5 g.
92.342 649. g.
92.344 636. g.
92.352 806. g.
92.358 1,359. g.
92.371 454.5 g.
92.373 536. g.
92.375 1,046. g.

OLIVINE-BRONZITE CHONDRITES

PLAINVIEW (continued)

Specimens:	92.379760.	g.
	92.389 1,143.	g.
	92.391 830.	g.
	92.400 783.	g.
	92.403 1,433.	g.
	92.419 2,350.	g.
	92.423.1 1,290.2	g.
	92.423.2 99.0	g.
	92.423.3 14.0	g.
	92.424 648.	g.
	92.428 1,580.	g.
	92.430 1,432.	g.
	92.431 1,220.	g.
	92.436 847.	g.
	92.437 1,403.	g.
	92.446 397.5	g.
	92.465 39.	g.
	92.466 37.	g.
	92.469 16.	g.
	92.470 18.	g.
	92.472 11.5	g.
	92.473 13.	g.
	92.481 5.7	g.
	92.501 2,718.	g.
	92.502.1 550.4	g.
	92.507 1,022.3	g.
	92.509 228.	g.
	92.518 227.	g.
	92.542 289.	g.
	92.544 1,331.	g.
	92.549 1,230.	g.
	92.552 665.	g.
	92.560 816.7	g.
	92.561 539.2	g.
	92.562 300.	g.
	92.565 649.5	g.
	92.569 784.	g.
	92.606 684.	g.
	92.607 474.	g.
	92.622 89.4	g.
	92.624 23.	g.
	92.632 10.	g.
	92.633 7.	g.
	92.658 271.	g.
	92.661 315.	g.
	92.669 1,518.7	g.
	92.670 1,214.	g.

OLIVINE-BRONZITE CHONDRITES

PLAINVIEW (continued)

Specimens:	92.684	943.	g.
	92.693	367.	g.
	92.694	316.	g.
	92.700	448.	g.
	92.805	408.8	g.
	92.807	594.3	g.
	92.815	734.8	g.
	92.817	562.0	g.
	92.832	15.	g.
	92.842	1,812.	g.
	92.844	450.	g.
	92.909	270.	g.
	92.910	789.5	g.
	92.914.1	109.8	g.
	92.914.2	50.7	g.
	92.914.3	49.2	g.
	92.914.4	37.5	g.
	92.914.5	66.6	g.
	92.930.1	130.3	g.
	92.930.2	720.3	g.
	92.938	287.	g.
	92.959	948.	g.
	92.993	642.5	g.
	92.995	4,983.	g.
	92.100 1	3,737.	g.

PLAINVIEW No. 2, Hale Co., Texas
 Olivine-bronzite chondrite
 Recognized as distinct fall 1950
 Total known weight 2.2 kg.
 (4.8 lb.)

Specimen:	585.1	1,810.2 g.
-----------------	-------	------------

OLIVINE-BRONZITE CHONDRITES

PLEASANTON, Linn Co., Kansas

Olivine-bronzite chondrite
 Found 1935. Total known
 weight, about 2.2 kg.
 (5 lb.)

Specimen: 312.1x 67.1 g.

FOSTER, Cheyenne Co., Nebraska

Olivine-bronzite chondrite
 Found 1941. Total known
 weight 261 kg. (574 lb.)

Specimens: 476.19 15,061. g.
 476.67 23,556. g.
 476.209 6,804. g.

RANCHO DE LA FRESA, Zenapécuaro, Michoacan, Mexico

Olivine-bronzite chondrite
 Found 1899. Total known
 weight 399 g.

Specimen: 98.1x 16.9 g.

RANSCM, Trego Co., Kansas

Olivine-bronzite chondrite
 Recognized 1938. Total
 known weight 15 kg. (33 lb.)

Specimens: 142.2 5,981.7 g.
 142.28 311.9 g.
 142.29 144.9 g.

RAWLINA, Western Australia

Olivine-bronzite chondrite
 Found before 1959
 Total known weight 136.1 g.

Specimen: 681.1 136.4 g.

OLIVINE-BRONZITE CHONDRITES

ROLLA, Morton Co., Kansas

Olivine-bronzite chondrite

Found 1939. Total known

weight 433 g.

Specimens:	609.1	9.3 g.
	609.2	12.0 g.
	609.3	3.6 g.
	609.4	3.0 g.

ROLLA No. 2, Morton Co., Kansas

Olivine-bronzite chondrite

Found 1939. Total known

weight 207.5 g.

Specimens:	463.1	126.0 g.
	463.2x	27.6 g.

ROLLA No. 3, Morton Co., Kansas

Olivine-bronzite chondrite

Found 1941. Total known

weight, about 200 g.

Specimen:	582.2	48.6 g.
-----------------	-------------	---------

ROLLA No. 4, Morton Co., Kansas

Olivine-bronzite chondrite

Found 1942. Total known

weight, about 50 g.

Specimen:	651.1	45.2 g.
-----------------	-------------	---------

ROLLA No. 5, Morton Co., Kansas

Olivine-bronzite chondrite

Found 1950. Total known

weight 185 g.

Specimen:	652.1	174.8 g.
-----------------	-------------	----------

OLIVINE-BRONZITE CHONDRITES

ROMERO, Hartley Co., Texas

Olivine-bronzite chondrite
 Found 1939. Total known
 weight 17.3 kg.

Specimens: 454.1 54.7 g.
 454.4x 403.2 g.

ROSEBUD, Falls Co., Texas

Olivine-bronzite chondrite
 Recognized 1925. Total
 known weight 54.9 kg.
 (120 lb.)

Specimens: 180a 15.0 g.
 180b

RUSH COUNTY, Indiana

Olivine-bronzite chondrite
 Recognized 1948. Total
 known weight 4.3 kg. (9.5 lb.)

Specimen: 529.1x 36.3 g.

ST. ANN, Frontier Co., Nebraska

Olivine-bronzite chondrite
 Found 1938. Total known
 weight 373.5 g.

Specimen: 114.1x 172.0 g.

SALLA, Northern Finland

Olivine-bronzite chondrite
 Found 1962. Total known
 weight 0.6 kg. (1.2 lb.)

Specimens: 707a 8.0 g.
 707b 3.0 g.

OLIVINE-BRONZITE CHONDRITES

SAN EMIGDIO MOUNTAINS, Kern Co., California

Olivine-bronzite chondrite
 Known 1887. Total known
 weight 36.4 kg. (80 lb.)

Specimen: 579.1 1.1 g.

SCOTT CITY, Scott Co., Kansas

Olivine-bronzite chondrite
 Found 1905. Total known
 weight 2.2 kg. (4.84 lb.)

Specimen: 106a 52.4 g.

SEIBERT, Kit Carson Co., Colorado

Olivine-bronzite chondrite
 Found 1941. Total known
 weight 3.5 kg. (7.75 lb.)

Specimen: 480.1x 1556.5 g.

SELMA, Dallas Co., Alabama

Olivine-bronzite chondrite
 Found 1906. Total known
 weight 140 kg. (308 lb.)

Specimens: 704.1 104.8 g.
 704.2 35.9 g.
 704.3 573.2 g.

SENECA, Nemaha, Kansas

Olivine-bronzite chondrite
 Found 1936. Total known
 weight 1.9 kg. (4.1 lb.)

Specimen: 297.1x 204.7 g.

OLIVINE-BRONZITE CHONDRITES

WYOMINGTON, Baca Co., Colorado
Olivine-bronzite chondrite
Found 1941. Total known
weight 2.3 kg. (5 lb.)

Specimen: 514.1x 940.0 g.

TEALINE, Dallam Co., Texas
Olivine-bronzite chondrite
Found July 1937. Total
known weight 26.2 kg. (57.6 lb.)

Specimens: 415.1x 7455.7 g.
415.10 704.1 g.
415.20 677.5 g.
415.21 260.2 g.

TOMMAMONCK GREEN, Rensselaer Co., New York
Olivine-bronzite chondrite
Found about 1863. Total
known weight 1.5 kg. (3.3 lb.)

Specimen: 574.1 5.0 g.

TRAVIS COUNTY, Texas
Olivine-bronzite chondrite
Found 1889. Total known
weight 2.5 kg. (5.5 lb.)

Specimens: 225ax 44.7 g.
225.2 85.3 g.

TULIA, Swisher Co., Texas
Olivine-bronzite chondrite
Found 1924. Total weight 24 kg. (52.8 lb.)

Specimens: 117.3lx 2590. g.
117.3ly 133.5 g.
117.3lz 130.5 g.

OLIVINE-BRONZITE CHONDRITES

ULYSSES, Grant Co., Kansas

Olivine-bronzite chondrite
 Recognized 1934. Total
 known weight 3.6 kg. (8 lb.)

Specimens: 279.lx 1414.7 g.
 279b 242.3 g.

UIS CREEK, Union Co., New Mexico

Olivine-bronzite chondrite
 Found July 1936. Total
 known weight 1 kg. (2.2 lb.)

Specimen: 350.lx 382.6 g.

WILDONA, Morgan Co., Colorado

Olivine-bronzite chondrite
 Found 1934. Total known
 weight 27.7 kg. (61 lb.)

Specimens: 231ax 9752.4 g.
 231.l1 116.8 g.

WELLMAN, Terry Co., Texas

Olivine-bronzite chondrite
 Found 1940. Total known
 weight 50.1 kg.

Specimen: 479.lx 26,308. g.

WELLMAN, Cherry Co., Nebraska

Olivine-bronzite chondrite
 Found 1937. Total known
 weight 221 g.

Specimen: 418.lx 152.7 g.

OLIVINE-BRONZITE CHONDRITES

WILMOT, Cowley Co., Kansas

Olivine-bronzite chondrite

Found 1944. Total known

weight 2 kg. (4.4 lb.)

Specimen: 501.1x528.2 g.

WOODWARD COUNTY, Oklahoma

Olivine-bronzite chondrite

Known before 1933. Total

known weight 45.5 kg.

(100 lb.)

Specimen: 143ax 53.4 g.

WRAY, Yuma Co., Colorado

Olivine-bronzite chondrite

Found 1936, recognized 1938.

Total known weight 281.7 g.

Specimen: 426.1168.3 g.

Olivine-Hypersthene Chondrite Falls

Albareto	Ergheo	Mocs
Alfianello	Farmington	Modoc
Appley Bridge	Fisher	Molina
Atara	Forksville	Monze
Atemajac	Forsyth	New Concord
Athens	Fukutomo	Olivenza
Aussun	Futtehpur	Orvinio
Aztec	Gambat	Pacula
Bachmat	Gifu	Paragould
Bald Mountain	Girgenti	Parnallee
Barbotan	Harleton	Perpeti
Bath Furnace	Harrison County	Pohlitz
Barter	Holbrook	Ramsdorf
Benton	Homestead	Rangala
Bjurbole	Jelica	St. Mesmin
Blanket	Kalambi	St. Michel
Bocas	Kamsagar	Sagowlie
Bori	Karkh	Shelburne
Brenevordo	Khojar	Shytal
Bruderheim	Knyahinya	Siena
Chantonnay	Kuttippuram	Stavropol
Chateau-Renard	Kyushu	Sultanpur
Cherokee Springs	La'Aigle	Tenham
Chicora	Langhalsen	Tilden
Colby, Wisconsin	Leedey	Toussaints-La-Grosse
Crauganore	Lissa	Troup
Cynthiana	Little Piney	Uden
Darville	Lua	Youville
Dharmasala	Martion, Iowa	Wald Cottage
Drake Creek	Mezp-Madaras	Woolgarung
Ensisheim	Milena	

OLIVINE-HYPERSTHENE CHONDRITES

ALBARENO, Italy

Olivine-hypersthene chondrite
 Fell middle of July, 1766,
 Total known weight 12 kg.
 (26.4 lb.)

Specimen: 515.1 14.0 g.

ALFIANELLO, Brescia, Italy

Olivine-hypersthene chondrite
 Fell February 16, 1883.
 Total known weight 228 kg.
 (501.6 lb.)

Specimen: 4a 173.0 g.

APPIEY BRIDGE, Lancashire, England

Olivine-hypersthene chondrite
 Amphoterite
 Fell October 13, 1914.
 Total known weight 15.3 kg.
 (33.66 lb.)

Specimens: 199.1 4.0 g.
 199.2 —

ATARA, Banda Dist., India

Olivine-hypersthene chondrite
 Fell December 23, 1920. Total
 known weight 1.3 kg. (2.9 lb.)

Specimen: 627.1 46.0 g.

ATEMAJAC, Sierra de Topalpo, Jalisco, Mexico

Olivine-hypersthene chondrite
 Fell February 26, 1896. Total
 weight unknown

Specimen: 5a 5.6 g.

OLIVINE-HYPERSTHENE CHONDRITES

ATHENS, Limestone Co., Alabama
 Olivine-hypersthene chondrite
 Fell July 11, 1933. Total
 known weight 265 g.

Specimen: 608.1 0.1 g.

AUSSUT, Haute Garonne, France
 Olivine-hypersthene chondrite
 Fell December 9, 1858.
 Total known weight 50 kg.
 (110 lb.)

Specimen: 3a 20.6 g.

AZTEC, San Juan Co., New Mexico
 Olivine-hypersthene chondrite
 Fell February 1, 1938.
 Total known weight 2,831 g.

Specimen: 437.2x 37.1g.

BACHMUT, Ekaterinoslav, Ukraine
 Olivine-hypersthene chondrite
 Fell February 15, 1814. Total
 known weight 18 kg. (39.6 lb.)

Specimen: 576.1 9.1 g.

BALD MOUNTAIN, Yancey Co., North Carolina
 Olivine-hypersthene chondrite
 Fell July 9, 1929. Total
 known weight 3.7 kg. (8 lb.)

Specimen: 302.1x 126.3 g.

OLIVINE-HYPERSTHENE CHONDRITES

BARBOTAN, Landes, France

Olivine-hypersthene chondrite
 Fell July 24, 1790. Total
 known weight 9 kg. (19.8 lb.)

Specimen: 338 30.4 g.

BATH FURNACE, Bath Co., Kentucky

Olivine-hypersthene chondrite
 Fell November 15, 1902.
 Total known weight 86.6 kg.
 (190.52 lb.)

Specimen: 243a 67.5 g.

BAXTER, Stone Co., Missouri

Olivine-hypersthene chondrite
 Fell January 18, 1916. Total
 known weight 611 g.

Specimen: 419.1x 265.5 g.

BENTON, Porten Settlement, New Brunswick

Olivine-hypersthene chondrite
 Fell January 16, 1949. Total
 known weight, about 5.4 kg.
 (12 lb.)

Specimen: 530.1 16.4 g.

BURBOLE, Bonga, Nyland, Finland

Olivine-hypersthene chondrite
 Fell March 12, 1899. Total
 known weight 330 kg. (726 lb.)

Specimens: 14a 528.2 g.
 14.1 22.7 g.
 14.3 37.9 g.
 14.4 70.9 g.

OLIVINE-HYPERSTHENE CHONDRITES

BLANKET, Brown Co., Texas	
Olivine-hypersthene chondrite	
Fell May 30, 1909. Total	
known weight 5 kg. (11 lb.)	
Specimen:	203bx 84.9 g.
BOCAS, San Luis Potosi, Mexico	
Olivine-hypersthene chondrite	
Fell November 24, 1804.	
Total known weight 50 g.	
preserved	
Specimen:	11a 0.7 g.
BORI, Badnur Betul Dist., C.P., India	
Olivine-hypersthene chondrite	
Fell May 9, 1894. Total	
known weight 8.6 kg. (19 lb.)	
Specimen:	621.1 8.3 g.
BREMEFORDE, Hanover, Germany	
Olivine-hypersthene chondrite	
Fell May 13, 1855. Total	
known weight 7.5 kg. (16 lb.)	
Specimen:	336.1 19.3 g.
BRUNERHEIM, Alberta, Canada	
Olivine-hypersthene chondrite	
Fell March 4, 1960. Total	
known weight 300 kg. (660 lb.)	
Specimens:	705 3,880. g.
	705.1 38.9 g.
	705.2 29.2 g.
	705.3 9.1 g.
	705.4 6.6 g.
	705.5 3.6 g.

OLIVINE-HYPERSTHENE CHONDRITES

CHANTONNAY, Vendee, France

Olivine-hypersthene chondrite
 Fell August 5, 1812. Total
 known weight 31.5 kg. (69.3 lb.)

Specimens: 341.1 7.2 g.
 341.2 352.0 g.

CHATEAU-RENAUD, Montargis, Loiret, France

Olivine-hypersthene chondrite
 Fell June 12, 1841. Total
 known weight 30 kg. (66 lb.)

Specimen: 333.1 15.0 g.

CHEROKEE SPRINGS, Spartanburg Co., South Carolina

Olivine-hypersthene chondrite
 Fell July 1, 1933. Total
 known weight 8.4 kg. (18.5 lb.)

Specimens: 319.1x 69.0 g.

CHICORA, Butler Co., Pennsylvania

Olivine-hypersthene chondrite
 Amphoterite
 Fell June 24, 1938. Total
 known weight 303 g.

Specimen: 500.1 0.7 g.

COLBY, WISCONSIN, Clark Co., Wisconsin

Olivine-hypersthene chondrite
 Fell July 4, 1917. Total
 known weight 104 kg. (228.8 lb.)

Specimen: 21a 272.2 g.

OLIVINE-HYPERSTHENE CHONDRITES

CRANGANORE, Cochin State, India

Olivine-hypersthene chondrite

Fell July 3, 1917. Total

known weight 1,460 g.

Specimen: 619.1 29.2 g.

CYNTHIANA, Harrison Co., Kentucky

Olivine-hypersthene chondrite

Fell January 23, 1877. Total

known weight 6 kg. (13.2 lb.)

Specimen: 719 1.7 g.

DANVILLE, Morgan Co., Alabama

Olivine-hypersthene chondrite

Fell November 27, 1868. Total

known weight 2 kg. (4.4 lb.)

Specimen: 570.1 0.7 g.

DHURMSALA, Kangra Dist., India

Olivine-hypersthene chondrite

Fell July 14, 1860. Total

known weight 149 kg. (327.8 lb.)

Specimen: 41a 217.2 g.

DRAKE CREEK, Nashville, Sumner Co., Tennessee

Olivine-hypersthene chondrite

Fell May 9, 1827. Total

known weight, largest of 11
stones 5.2 kg. (11.44 lb.)

Specimen: 365.1 9.2 g.

OLIVINE-HYPERSTHENE CHONDRITES

ENSISHEIM, Alsace, France

Olivine-hypersthene chondrite
 Fell November 16, 1492. Total
 known weight 127 kg. (279.4 lb.)

Specimens: 332.1 4.6 g.

ERGHEO, Brava, Italian Somaliland, East Africa

Olivine-hypersthene chondrite
 Fell July, 1889. Total known
 weight 20 kg. (44 lb.)

Specimens: 45a 85.8 g.
 45b 183.0 g.

FARMINGTON, Washington Co., Kansas

Olivine-hypersthene chondrite
 Fell June 25, 1890. Total
 known weight 90 kg. (197 lb.)

Specimens: 48.5 1,780. g.
 48.5.1 29.6 g.
 48.5.2 26.4 g.
 48.5.3 10.5 g.

FISHER, Polk Co., Minnesota

Olivine-hypersthene chondrite
 Fell April 9, 1894. Total
 known weight 5.4 kg. (11.88 lb.)

Specimen: 330.1 10.0 g.

FORKSVILLE, Mecklenburg Co., Virginia

Olivine-hypersthene chondrite
 Fell July 16, 1924. Total
 known weight 6.3 kg. (13.86 lb.)

Specimen: 2734 97.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

FORSTH, Monroe Co., Georgia

Olivine-hypersthene chondrite

Fell May 8, 1829. Total

known weight 16.4 kg. (36 lb.)

Specimen: 555.1 0.5 g.

FUKUTOMO, Kijima, Hizen, Japan

Olivine-hypersthene chondrite

Fell March 19, 1862. Total

known weight 9.7 kg. (21.4 lb.)

Specimen: 647.1 28.9 g.

FULDAHUR, Allahabad Dist., United Provinces, India

Olivine-hypersthene chondrite

Fell November 30, 1822. Total

known weight, several stones

from 1 to 4 lbs. each

Specimens: 337.2 6.5 g.

337.4 21.9 g.

GAMBAT, Khaipur State, India

Olivine-hypersthene chondrite

Fell September 15, 1897.

Total known weight 6.4 kg.

(14 lb.)

Specimen: 629.1 30.2 g.

GIFU, Yamagata, Gifu Prefecture, Japan

Olivine-hypersthene chondrite

Fell July 24, 1909. Total

known weight 13.45 kg. (29.59 lb.)

Specimen: 643.1 11.1 g.

OLIVINE-HYPERSTHENE CHONDRITES

GIRGENTI, Sicily, Italy

Olivine-hypersthene chondrite
 Fell 1853. Total known
 weight, largest stone, 3.2 kg.
 (7.04 lb.)

Specimens: 531.1 4.7 g.
 531.2 10.0 g.

HARLETON, Harrison Co., Texas

Olivine-hypersthene chondrite
 Fell May 30, 1961. Total
 known weight 6.3 kg. (17.8 lb.)

Specimen: 718 10.7 g.

HARRISON COUNTY, Indiana

Olivine-hypersthene chondrite
 Fell March 28, 1859. Total
 known weight .7 kg. (1.5 lb.)

Specimen: 545.1 3.8 g.

HOLBROOK, Navajo Co., Arizona

Olivine-hypersthene chondrite
 Fell July 19, 1912. Total
 known weight 235 kg. (517 lb.)

Specimens: 57b 14.0 g.
 57g 2,491. g.
 H-14 17.0 g.
 H-15 990.0 g.
 H-18 16.0 g.
 H-22 10.5 g.
 H-23 10.0 g.
 H-25 9.0 g.
 H-28 16.0 g.
 H-39 18.6 g.
 H-41 10.5 g.
 H-42 8.5 g.
 H-44 12.0 g.
 H-47 12.0 g.
 H-48 12.0 g.
 H-51 11.0 g.
 H-52 3,365. g.
 H-55 91.0 g.
 H-57 55.0 g.
 H-59 42.0 g.
 H-60 32.0 g.
 H-61 25.0 g.

OLIVINE-HYPERSTHENE CHONDRITES

HOLBROOK (continued)

Specimens:	H-62	23.0 g.
	H-63	19.0 g.
	H-64	17.0 g.
	H-69	76.0 g.
	H-70	94.0 g.
	H-71	55.0 g.
	H-72	31.0 g.
	H-73	34.0 g.
	57.75	3,572. g.
	57.101	38.3 g.
	57.104	12.2 g.
	57.105	12.0 g.
	57.106	11.1 g.
	57.107	14.8 g.
	57.108	10.5 g.
	57.109	10.9 g.
	57.110	13.2 g.
	57.112	8.9 g.
	57.113	8.1 g.
	57.114	7.8 g.
	57.118	7.4 g.
	57.119	6.0 g.
	57.120	7.3 g.
	57.122	7.3 g.
	57.123	14.4 g.
	57.124	11.7 g.
	57.125	10.4 g.
	57.126	6.7 g.
	57.127	11.4 g.
	57.130	11.1 g.
	57.131	11.2 g.
	57.132	9.5 g.
	57.133	6.3 g.
	57.135	7.8 g.
	57.137	7.0 g.
	57.138	12.2 g.
	57.139	9.2 g.
	57.140	6.5 g.
	57.141	5.9 g.
	57.146	~
	2200 individuals

OLIVINE-HYPERSTHENE CHONDRITES

HOMESTEAD, Iowa Co., Iowa

Olivine-hypersthene chondrite

Fell February 12, 1875

Total known weight 227.3 kg.

(500 lb.)

Specimen: 59b 26.1 g.

JELICA, Serbia

Olivine-hypersthene chondrite

Fell December 1, 1889. Total

known weight 35.8 kg. (74.36 lb.)

Specimen: 64a 1.6 g.

KALAMBI, Satara Dist., Bombay, India

Olivine-hypersthene chondrite

Fell November 4, 1879. Total

known weight 4.5 kg. (10 lb.)

Specimen: 631.1 6.2 g.

KANSAGAR, Channagiri Taluk Shimoga Dist., India

Olivine-hypersthene chondrite

Fell November 12, 1902. Total

known weight 1,293 g. (2.84 lb.)

Specimen: 620.1 2.0 g.

KARKHI, Jhalawan, Baluchistan, India

Olivine-hypersthene chondrite

Fell April 27, 1905. Total

known weight 22 kg. (48.4 lb.)

Specimen: 163.1 7.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

KHONAR, Banda Dist., India

Olivine-hypersthene chondrite

Fell September 19, 1910.

Total known weight 9.7 kg.

(21.3 lb.)

Specimens: 623.1 108.6 g.

KRYAHINYA, Nagy-Berezna, Ungvar, Czechoslovakia

Olivine-hypersthene chondrite

Fell June 9, 1866. Total

known weight 500 kg. (1,100 lb.)

Specimens: 153a 80.0 g.

KUTTIPEURAM, Malabar Dist., India

Olivine-hypersthene chondrite

Fell April 6, 1914. Total

known weight 45.4 kg. (100 lb.)

Specimens: 610.1 180.1 g.

KYUSHU, Japan

Olivine-hypersthene chondrite

Fell October 26, 1886. Total

known weight 31 kg. (68.2 lb.)

Specimens: 68a 110.2 g.

LA TAIGLE, Orne, France

Olivine-hypersthene chondrite

Fell April 26, 1803. Total

known weight 37 kg. (81.4 lb.)

Specimens: 74a 10.0 g.

OLIVINE-HYPERSTHENE CHONDRITES

LANGHAUSEN, Vrena, Sodermanland, Sweden

Olivine-hypersthene chondrite

Fell February 6, 1947. Total
weight unknown

Specimen: 688.1 37.6 g.

LEEDEY, Dewey Co., Oklahoma

Olivine-hypersthene chondrite

Fell November 25, 1943.

Total known weight 50 kg.

(110 lb.)

Specimens: 489.1 3,502. g.
489.14x 6,123.6 g.
489.15 898.0 g.

LISSA, Bunzlau, Bohemia

Olivine-hypersthene chondrite

Fell September 3, 1808. Total
known weight 10.4 kg. (22.9 lb.)

Specimen: 567.1 < 1. g.

LITTLE PINEY, Pulaski Co., Mississippi

Olivine-hypersthene chondrite

Fell February 13, 1839. Total
known weight 22.7 kg. (50 lb.)

Specimen: 519.1 1.3 g.

LUA, Udaipur State, India

Olivine-hypersthene chondrite

Fell July 26, 1926. Total
known weight 9.241 kg. (20.3 lb.)

Specimen: 613.1 52.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

MARION, IOWA, Linn Co., Iowa
 Olivine-hypersthene chondrite
 Fell February 25, 1847.
 Total known weight 28.4 kg.
 (62.48 lb.)

Specimen: 244a 790.8 g.

MEZO-MADARAS, Transylvania
 Olivine-hypersthene chondrite
 Fell September 4, 1852
 Total known weight 22.7 kg.
 (49.9 lb.)

Specimens: 340.2 36.9 g.
 340.3 60.1 g.

MILENA, Varazdin, Croatia, Yugoslavia
 Olivine-hypersthene chondrite
 Fell April 26, 1842. Total
 known weight 10 to 12 kg.
 (22 to 26.2 lb.)

Specimen: 335.1 7.3 g.

MOCS, Cluj (Klausenburg, Kolozsvar), Transylvania
 Olivine-hypersthene chondrite
 Fell February 3, 1882. Total
 known weight (estimate)
 300 kg. (660 lb.)

Specimens: 80a 21.7 g.
 80c 13.9 g.

OLIVINE-HYPERSTHENE CHONDRITES

MODOC, Scott Co., Kansas

Olivine-hypersthene chondrite
 Fell September 2, 1905. Total
 known weight 30 kg. (66 lb.)

Specimens: 81a 491.8 g.
 81.3 269.7 g.

MOLINA, Murcia, Spain

Olivine-hypersthene chondrite
 Fell December 24, 1858.
 Total known weight 114 kg.
 (250 lb.)

Specimen: 220a 114.1 g.

MONZE, Northern Rhodesia, Africa

Olivine-hypersthene chondrite
 Fell October 5, 1950. Total
 weight unknown, more than 70
 stones preserved

Specimens: 672.1 96.1 g.
 672.2 73.2 g.
 672.3 62.5 g.
 672.4 45.6 g.
 672.6 17.8 g.

NEW CONCORD, Muskingum Co., Ohio

Olivine-hypersthene chondrite
 Fell May 11, 1860. Total
 known weight 227.3 kg.
 (500.06 lb.)

Specimens: 202a 436.2 g.
 202b 351.0 g.
 202.1 254.5 g.
 202.2 7.0 g.
 202.3 12.1 g.
 202.4 95.4 g.

OLIVINE-HYPERSTHENE CHONDRITES

OLIVENZA, Badajoz, Spain

Olivine-hypersthene chondrite

Fell June 19, 1924. Total

known weight 150 kg. (330 lb.)

Specimen: 716 15.4 g.

ORVINIO, Rome, Italy

Olivine-hypersthene chondrite

Fell August 31, 1872. Total

known weight 3.4 kg. (7.5 lb.)

Specimen: 450.1 62.6 g.

PACULA, Jaycala, Hidalgo, Mexico

Olivine-hypersthene chondrite

Fell June 18, 1881. Total

known weight 3.4 kg. (7.5 lb.)

Specimens: 96a 65.6 g.
..... 96bx 23.0 g.

PARAGOULD, Greene Co., Arkansas

Olivine-hypersthene chondrite

Fell February 17, 1930.

Total known weight 409 kg.

(900 lb.)

Specimen: 95ax 63.9 g.

PARNALLEE, Madura Dist., Madras, India

Olivine-hypersthene chondrite

Fell February 28, 1857.

Total known weight 77.7 kg.

(171 lb.)

Specimens: 93a 18.4 g.
..... 93.2 40.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

PERPETI, Tippera Dist., India

Olivine-hypersthene chondrite

Fell May 14, 1935. Total

known weight 23.47 kg. (51.6 lb.)

Specimen: 612.1 68.0 g.

POHLITZ, Gera, Reuss, Germany

Olivine-hypersthene chondrite

Fell October 13, 1819. Total

known weight 3 kg. (6.6 lb.)

Specimen: 559.1 0.25 g.

RAMSDORF, Westphalia, Germany

Olivine-hypersthene chondrite

Fell July 26, 1958. Total

known weight 4.68 kg. (9.3 lb.)

Specimen: 703.1 51.7 g.
 703.2 61.7 g.

RANGALA, Jodhpur (Marwar) Rajputana, India

Olivine-hypersthene chondrite

Fell December 29, 1937. Total

known weight 3.224 kg. (7 lb.)

Specimen: 628.1 31.1 g.

ST. MESMIN, Aube, France

Olivine-hypersthene chondrite

Fell May 30, 1866. Total

known weight 8.3 kg. (18.26 lb.)

Specimen: 204a 7.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

ST. MICHEL, Finland

Olivine-hypersthene chondrite
 Fell July 12, 1910. Total
 known weight 17 kg. (37.4 lb.)

Specimen: 104.3 145.5 g.

SEGOWLIE, Champaum Dist., India

Olivine-hypersthene chondrite
 Fell March 6, 1853. Total
 known weight 30 stones,
 224 g. to 6.4 kg.

Specimen: 626.1 82.4 g.

SHELBURNE, Grey Co., Ontario, Canada

Olivine-hypersthene chondrite
 Fell August 13, 1904. Total
 known weight 18.6 kg. (41 lb.)

Specimens: 109a 16.0 g.
 109b 16.0 g.

SHYTAL, Madhupur Jungle, Mymensingh, Bengal, India

Olivine-hypersthene chondrite
 Fell August 11, 1863. Total
 known weight 3.2 kg. (7 lb.)

Specimens: 324.1 8.5 g.
 324.2 23.3 g.

SIENA, Tuscany, Italy

Olivine-hypersthene chondrite
 Fell June 16, 1794. Total
 known weight 3.5 kg. (7.7 lb.)

Specimen: 554.1 0.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

STAVROPOL, North side of the Caucasus, Russia

Olivine-hypersthene chondrite
Fell March 24, 1857. Total
known weight 1.5 kg. (3.3 lb.)

Specimen: 248a 5.5 g.

SULTANPUR, United Provinces, India

Olivine-hypersthene chondrite
Fell July 10, 1916. Total
known weight 2.3 kg. (5.1 lb.)

Specimen: 640.1 0.65 g.

TERRIAM, South Gregory, Queensland, Australia

Olivine-hypersthene chondrite
Fell spring, 1879. Total
known weight 159 kg. (350 lb.)

Specimen: 674.1 183.6 g.

TILDEN, Randolph Co., Illinois

Olivine-hypersthene chondrite
Fell July 13, 1927. Total
known weight 75 kg. (155.3 lb.)Specimens: 331.1 13.6 g.
331.2 2.0 g.

TOURINNES-LA-CROSSE, Tirelmont, Belgium

Olivine-hypersthene chondrite
Fell December 7, 1863. Total
known weight 14.5 kg. (31.9 lb.)

Specimen: 342.1 6.8 g.

OLIVINE-HYPERSTHENE CHONDRITES

- TROUP, Smith Co., Texas
 Olivine-hypersthene chondrite
 Fell April 26, 1917. Total
 known weight 1 kg. (2.2 lb.)
 Specimen: 276a 3.0 g.
- UDEN, North Brabant, Holland
 Olivine-hypersthene chondrite
 Fell June 12, 1840. Total
 known weight .71 kg. (1.7 lb.)
 Specimen: 595.1 7.5 g.
- VOUVILLE, Poitiers, Vienne, France
 Olivine-hypersthene chondrite
 Fell May 13, 1831. Total
 known weight 20 kg. (44 lb.)
 Specimen: 572.1 5.0 g.
- WOLD COTTAGE, Thwing, Scarborough, Yorkshire, England
 Olivine-hypersthene chondrite
 Fell December 13, 1795.
 Total known weight 25.5 kg.
 (58 lb.)
 Specimen: 577.1 1.0 g.
- WOOLGARONG, Mullewa, Western Australia
 Olivine-hypersthene chondrite
 Fell 1960. Total weight
 unknown
 Specimen: 712 97. g.

Olivine-Hypersthene Chondrites Finds

Abernathy	Hayes Center	Nas
Alamosa	Hendersonville	Ness County
Arapahoe	Hermitage Plains	New Almelo
Arriba	Hildreth	Newsom
Barratta	Horace	Norcatour
Beenham	Indianola	Oberlin
Bluff	Jerome	Otis
Brady	Johnson	Peck's Springs
Brewster	Kelly	Peetz
Briscoe	Kensington	Pierceville
Calliham	Keyes	Fuente-Ladron
Carraweena	Kingfisher	Roy
Clareton	Ladder Creek	Roy No. 2
Concho	Lake Browne	Rush Creek
Coon Butte	Lake Labyrinth	Shaw
Cotesfield	Lake Okachobie	Sidney
Dale Dry Lake	Laketon	Springfield
Dalgerty Downs	La Lande	Taiban
DeNova	Lawrence	Temple
Dix	Lockney	Tryon
Dwight	Long Island	Twenty-Nine Palms
Eli Elwah	Loomis	Vera
Farnum	Lubbock	Waconda
Goodland	McAddo	Waldo
Grady	McKinney	Walters
Grant County	Mainz	Wickenburg
Gretna	Marion	Wilburton
Hale Center No. 1	Melrose	York
Harding County	Minnesota	
Hardwick	Mission	
Harrisonville	Muroc	
Haskell	Muroc Dry Lake	

OLIVINE-HYPERSTHENE CHONDRITES

ABERNATHY, Lubbock Co., Texas

Olivine-hypersthene chondrite

Found 1941. Total known

weight 2,914 g.

Specimen: 473.1x 792.5 g.

ALAMOSA, Alamosa Co., Colorado

Olivine-hypersthene chondrite

Found 1937. Total known

weight 2.2 kg. (4.84 lb.)

Specimen: 50.1 1.3 g.

ARAPAHOE, Cheyenne Co., Colorado

Olivine-hypersthene chondrite

Found 1940. Total known

weight 19.08 kg. (41.97 lb.)

Specimen: 465.1x 6,625.8 g.

ARRIBA, Lincoln Co., Colorado

Olivine-hypersthene chondrite

Found 1936. Total known

weight 33.6 kg. (74 lb.)

Specimens:	328.1	1,290.	g.
	328.1.1	82.5	g.
	328.1.2	40.1	g.
	328.1.3	13.6	g.
	328.1.4	8.0	g.
	328.3	476.	g.
	328.5	4,021.	g.
	328.11	1,155.	g.

OLIVINE-HYPERSTHENE CHONDRITE

BARRATTA, Demiliquin, County Townsend, N. S. W., Australia

Olivine-hypersthene chondrite

Found 1845. Total known
weight 181 kg. (398.2 lb.)

Specimens: 16ax 89. g.
16bb 266.2 g.

BEEHAM, Union Co., New Mexico

Olivine-hypersthene chondrite

Found 1937. Total known
weight 44.4 kg. (97.6 lb.)

Specimen: 414.100 1,420.1 g.

BLUFF, Fayette Co., Texas

Olivine-hypersthene chondrite

Found 1878. Total known
weight 146 kg. (321 lb.)

Specimen: 13b 243.3 g.

BRADY, McCulloch Co., Texas

Olivine-hypersthene chondrite

Found 1937. Total known
weight 927 g.

Specimen: 384.1 579.0 g.

BREWSTER, Sherman Co., Kansas

Olivine-hypersthene chondrite

Known 1940. Total known
weight 16.987 kg. (37.5 lb.)

Specimen: 483.1x 6,845. g.

OLIVINE-HYPERSTHENE CHONDRITE

BRISCOE, Briscoe Co., Texas

Olivine-hypersthene chondrite

Found 1949. Total known
weight 1,773 g.

Specimen: 477.1 580. g.

CALLIHAM, McMullen Co., Texas

Olivine-hypersthene chondrite

Recognized 1958. Total
known weight 89 lb.)

Specimen: 670.3 3,941. g.

CARRAWAYNA, South Australia

Olivine-hypersthene chondrite

Found 1914. Total known
weight 28.8 kg. (63.4 lb.)

Specimen: 715 28.4 g.

CLARETON, Weston Co., Wyoming

Olivine-hypersthene chondrite

Found 1935. Total known
weight 1,074 g.

Specimen: 287b 536.3 g.

CONCHO, Glasscock Co., Texas

Olivine-hypersthene chondrite

Recognized 1939. Total known
weight 93.5 kg. (205.7 lb.)

Specimen: 714 131.0 g.

OLIVINE-HYPERSTHENE CHONDRITE

COON BUTTE, Coconino Co., Arizona
 Olivine-hypersthene chondrite
 Found 1905. Total known
 weight 2.75 kg. (7 lb.)

Specimen: 533.1 636.6 g.

COMESFIELD, Howard Co., Nebraska
 Olivine-hypersthene chondrite
 Found 1928. Total known
 weight 1.2 kg. (2.64 lb.)

Specimen: 25ax 29.6 g.

DALE DRY LAKE, San Bernardino Co., California
 Olivine-hypersthene chondrite
 Found 1957. Total known
 weight, about 300 g.

Specimen: 668.1 34.1 g.

DALGETY DOWNS, Gascoyne District, Western Australia
 Olivine-hypersthene chondrite
 Found 1941. Total
 weight unknown

Specimens: 678.1 121.5 g.
 678.2 317.6 g.

DE NOVA, Washington Co., Colorado
 Olivine-hypersthene chondrite
 Found 1940. Total known
 weight 12.7 kg. (27.9 lb.)

Specimen: 471.2x 6,633.4 g.

OLIVINE-HYPERSTHENE CHONDRITES

DIX, Kimball Co., Nebraska

Olivine-hypersthene chondrite

Found 1938. Total known

weight 44.2 kg. (97 lb.)

Specimen: 184.1x16,443. g.

DWIGHT, Geary Co., Kansas

Olivine-hypersthene chondrite

Found 1940. Total known

weight 4.1 kg. (9.02 lb.)

Specimens: 468.1x1,473.1 g.

468.5 180.9 g.

ELI ELWAH, Hay, County Waradgery, New South Wales, Australia

Olivine-hypersthene chondrite

Found 1888. Total known

weight 15.2 kg. (33.44 lb.)

Specimen: 149a 30.0 g.

FARNUM, Nebraska, across the line in Frontier Co.

Olivine-hypersthene chondrite

Found 1937. Total known

weight 4 kg. (8.8 lb.)

Specimen: 402.1x1,511.2 g.

OLIVINE-HYPERSTHENE CHONDRITES

GOODLAND, Sherman Co., Kansas

Olivine-hypersthene chondrite
 Recognized 1938. Total
 known weight 3.6 kg. (8 lb.)

Specimens: 425.1 433.8 g.
 425.2x 974.7 g.
 425.3 213.0 g.

GRADY, Curry Co., New Mexico

Olivine-hypersthene chondrite
 Found 1933. Total known
 weight 4,234 g.

Specimen: 194c 23.0 g.

GRANT COUNTY, Kansas

Olivine-hypersthene chondrite
 Found 1936. Total known
 weight 2.3 kg. (5.06 lb.)

Specimens: 346.1x 466.0 g.
 346.7 3.4 g.

GRETTA, Phillips Co., Kansas

Olivine-hypersthene chondrite
 Recognized 1933. Total
 known weight 59 kg. (130 lb.)

Specimen: 208a 28.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

HALE CENTER No. 1, Hale Co., Texas
Olivine-hypersthene chondrite
Found 1936. Total known
weight 610 g.

Specimen: 306.3x 26.5 g.

HARDING COUNTY, South Dakota
Olivine-hypersthene chondrite
Found 1941. Total known
weight 3,075 g.

Specimen: 491.1x 36.7 g.

HARDWICK, Battle Plain Township, Rock Co., Minnesota
Olivine-hypersthene chondrite
Found 1937. Total known
weight 7.8 kg. (17.25 lb.)

Specimen: 429.1x 2,905.5 g.

HARRISONVILLE, Cass Co., Missouri
Olivine-hypersthene chondrite
Found 1941. Total known
weight 16.2 kg. (35.6 lb.)

Specimens: 176f 156.4 g.
..... 176.20 6,879. g.
..... 176.24 7,021.5 g.

HASKELL, Haskell Co., Texas
Olivine-hypersthene chondrite
Found 1909. Total known
weight about 36 kg. (80 lb.)

Specimens: 527.1x 16,896.6 g.
..... 527.2 7.9 g.

OLIVINE-HYPERSTHENE CHONDRITES

HAYES CENTER, Hayes Co., Nebraska
 Olivine-hypersthene chondrite
 Found 1941. Total known
 weight 4.5 kg. (10 lb.)

Specimens: 481.1x 936.9 g.
 481.5 479.1 g.

HENDERSONVILLE, Henderson Co., North Carolina
 Olivine-hypersthene chondrite
 Found 1901. Total known
 weight 5.9 kg. (13 lb.)

Specimen: 183a 268.2 g.

HERMITAGE PLAINS, County Canbelego, New South Wales, Australia
 Olivine-hypersthene chondrite
 Found 1909. Total known
 weight 31.8 kg. (70 lb.)

Specimen: 56a 1.0 g.

HILDRETH, Franklin Co., Nebraska
 Olivine-hypersthene chondrite
 Recognized 1937. Total
 known weight 3.06 kg.
 (6.7 lb.)

Specimen: 416.1x 1,001.9 g.

HORACE, Greeley Co., Kansas
 Olivine-hypersthene chondrite
 Found 1940. Total known
 weight 9,201 g.

Specimen: 448.9 1,105.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

INDIANOLA, Red Willow Co., Nebraska

Olivine-hypersthene chondrite

Found 1939. Total known

weight 4 kg. (8.8 lb.)

Specimens: 435.1x1,473.4 g.
 435.2282.0 g.

JEROME, IDAHO, Jerome Co., Idaho

Olivine-hypersthene chondrite

Find date unknown - probably

1954. Total known weight

about 15 lb. (6.8 kg.)

Specimen: 649.1190.0 g.

JOHNSON, Stanton Co., Kansas

Olivine-hypersthene chondrite

Found 1937. Total known

weight 10.4 kg. (22.8 lb.)

Specimens: 413.1x2,470.7 g.
 413.41,436. g.

KELLY, Logan Co., Colorado

Olivine-hypersthene chondrite

Found 1937. Total known

weight 44 kg. (97.5 lb.)

Specimen: 398.1x935.1 g.

OLIVINE-HYPERSTHENE CHONDRITES

NENSINGTON, Smith Co., Kansas

Olivine-hypersthene chondrite

Found 1937. Total known

weight 1,585 g.

Specimen: 409.1x 523.3 g.

KEYES, Cimarron Co., Oklahoma

Olivine-hypersthene chondrite

Found 1939. Total known

weight 142 kg. (312.4 lb.)

Specimen: 470.5 61.9 g.

KINGFISHER, Kingfisher Co., Oklahoma

Olivine-hypersthene chondrite

Found 1950, recognized 1951.

Total known weight 8.18 kg.

(18 lb.)

Specimen: 601.2 172.2 g.

LADDER CREEK, Greeley Co., Kansas

Olivine-hypersthene chondrite

Found 1937. Total known

weight 35.1 kg. (77.2 lb.)

Specimens: 405hx 5,385. g.
405.39 410.9 g.

LAKE BROWNE (was Lake Moore), Western Australia

Olivine-hypersthene chondrite

Found and recognized before

1959. Total known weight

about 13.6 kg. (30 lb.)

Specimen: 682.1 33.7 g.

OLIVINE-HYPERSTHENE CHONDRITES

LAKE LABYRINTH, South Australia

Olivine-hypersthene chondrite

Found 1924. Total known

weight 25.85 kg. (57 lb.)

Specimen: 369.2150.5 g.

LAKE OKECHOBIE, Florida

Olivine-hypersthene chondrite

Found before 1916. Total

known weight 1.1 kg. (2.4 lb.)

Specimen: 395.1 20.1 g.

LAKENON, Gray Co., Texas

Olivine-hypersthene chondrite

Found 1937. Total known

weight 3.6 kg. (8 lb.)

Specimen: 400.1x953.5 g.

LA LANDE, De Baca Co., New Mexico

Olivine-hypersthene chondrite

Found 1933. Total known

weight about 19.6 kg.

(43 lb.)

Specimens:	464.180	176.0 g.
	464.183	167.0 g.
	464.185	173.5 g.
	464.222	60.5 g.
	464.231	40.3 g.
	464.233	34.8 g.
	464.247	161.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

LAWRENCE, Douglas Co., Kansas
 Olivine-hypersthene chondrite
 Known 1928. Total known
 weight 515 g.

Specimen: 219ax 51.4 g.

LOCKNEY, Hale Co., Texas
 Olivine-hypersthene chondrite
 Recognized 1944. Total
 known weight 824 g.

Specimen: 490.lx 242.5 g.

LONG ISLAND, Phillips Co., Kansas
 Olivine-hypersthene chondrite
 Found 1891. Total known
 weight 565 kg. (1,244 lb.)

Specimen: 71d 385.0 g.

LOOMIS, Phelps Co., Nebraska
 Olivine-hypersthene chondrite
 Recognized 1933. Total known
 weight 3.02 kg. (6.64 lb.)

Specimen: 320.lx 317.1 g.

LUBBOCK, Lubbock Co., Texas
 Olivine-hypersthene chondrite
 Found 1938. Total known
 weight 1.45 kg. (3.21 lb.)

Specimen: 432.6x 1.8 g.

OLIVINE-HYPERSTHENE CHONDRITES

McADDO, Dickens Co., Texas

Olivine-hypersthene chondrite

Found 1935. Total known

weight 1.1 kg. (2.4 lb.)

Specimen: 439.1x16.3 g.

McKINNEY, Collin Co., Texas

Olivine-hypersthene chondrite

Found 1870. Total known

weight 160 kg. (352 lb.)

Specimens: 79.15,660. g.
 79.1.1106.4 g.
 79.1.2 77.2 g.
 79.1.3 28.1 g.

MAINZ, Hesse, Germany

Olivine-hypersthene chondrite

Found 1852. Total known

weight 1.5 kg. (3.3 lb.)

Specimens: 550.1 2.5 g.
 550.2 0.5 g.

MARION, KANSAS, Marion Co., Kansas

Olivine-hypersthene chondrite

Found 1955. Total known

weight 2,888 g.

Specimen: 661.12,451.5 g.

MELROSE, Curry Co., New Mexico

Olivine-hypersthene chondrite

Found 1933. Total known

weight 36.4 kg. (80 lb.)

Specimen: 174ax10,092. g.

OLIVINE-HYPERSTHENE CHONDRITES

MINNESOTA,

Olivine-hypersthene chondrite

Date of find unknown

Total weight unknown

Specimens: 260.1 1.8 g.

MISSION, Todd Co., South Dakota

Olivine-hypersthene chondrite

Recognized 1949. Total

known weight 12 kg.

(26.5 lb.)

Specimens: 534.1 10.7 g.

MUROC, Kern Co., California

Olivine-hypersthene chondrite

Found September 20, 1936.

Total known weight 18.4 g.

Specimens: 370.1 2.6 g.

MUROC DRY LAKE, Kern Co., California

Olivine-hypersthene chondrite

Found 1936. Total known

weight 0.22 kg. (0.5 lb.)

Specimens: 366.1 14.2 g.

NAS, Varik, Dalsland, Sweden

Olivine-hypersthene chondrite

Found 1907. Total known

weight 375 g.

Specimens: 690.1 14.4 g.

OLIVINE-HYPERSTHENE CHONDRITES

WESS COUNTY, Kansas

Olivine-hypersthene chondrite

Found 1894. Total known

weight 36 kg. (79 lb.)

Specimens:	87a	1,147.5 g.
	87b	128.2 g.
	87.7x	1,223.2 g.
	87.8x	612.5 g.
	87.12	627.2 g.
	87.14x	1,968.6 g.
	87.17	88.9 g.
	87.26	36.9 g.
	87.33	18.8 g.
	87.34	16.1 g.
	87.35	13.9 g.
	87.43	106.4 g.
	87.44	73.9 g.
	87.46	251.6 g.
	87.51	46.5 g.
	87.53	42.9 g.

MAY ARNOLD, Norton Co., Kansas

Olivine-hypersthene chondrite

Recognized 1932. Total

known weight 4.8 kg. (10.5 lb.)

Specimens:	144.8	1,965. g.
	144.10	3,188.9 g.

WILSON, Alamosa Co., Colorado

Olivine-hypersthene chondrite

Found 1939. Total known

weight 892 g.

Specimen:	447.1x	205.3 g.
-----------------	--------------	----------

OLIVINE-HYPERSTHENE CHONDRITE

NORCATUR, Decatur Co., Kansas

Olivine-hypersthene chondrite

Recognized 1948. Total
known weight 3.2 kg. (7 lb.)

Specimens:	525.30	72.6 g.
	525.31x	1,351.8 g.

OBERLIN, Decatur Co., Kansas

Olivine-hypersthene chondrite

Recognized 1935. Total
known weight 2,591 g.

Specimen:	283ax	1,187. 3.
-----------------	-------------	-----------

OTIS, Rush Co., Kansas

Olivine-hypersthene chondrite

Found 1940. Total known
weight 2.6 kg. (5.7 lb.)

Specimens:	467.1x	314.3 g.
	467.2	754.2 g.
	467.3	80.0 g.
	467.4	27.6 g.
	467.5	12.3 g.
	467.6	23.6 g.

PECK'S SPRINGS, Midland Co., Texas

Olivine-hypersthene chondrite

Found 1926. Total known
weight 1.6 kg. (3.5 lb.)

Specimen:	268ax	19.3 g.
-----------------	-------------	---------

OLIVINE-HYPERSTHENE CHONDRITE

FEETZ, Logan Co., Colorado
Olivine-hypersthene chondrite
Found 1937. Total known
weight 11.6 kg. (25.5 lb.)

Specimens: 422.1x 2,749.9 g.
422.1.1 62.8 g.
422.1.2 36.5 g.
422.1.3 6.0 g.

PIERCEVILLE, Finney Co., Kansas
Olivine-hypersthene chondrite
Found 1939. Total known
weight 2.125 kg. (4.675 lb.)

Specimen: 444.1x 424.5 g.

PUENTE-LADRON, Socorro Co., New Mexico
Olivine-hypersthene chondrite
Found May 17, 1944. Total
known weight 7.67 g.

Specimen: 119.1 7.6 g.

ROY, Harding Co., New Mexico
Olivine-hypersthene chondrite
Found 1933. Total known
weight 50 kg. (110 lb.)

Specimen: 234c 4,875 g.

ROY No. 2, Harding Co., New Mexico
Olivine-hypersthene chondrite
Found 1934. Total known
weight 346 g.

Specimen: 391.1x 169.9 g.

OLIVINE-HYPERSTHENE CHONDRITES

RUSH CREEK, Kiowa Co., Colorado

Olivine-hypersthene chondrite

Found 1938. Total known
weight 9.3 kg. (20.5 lb.)

Specimen: 267.1x 498.9 g.

SHAW, Lincoln Co., Colorado

Olivine-hypersthene chondrite

Amphoterite

Found 1937. Total known
weight 3.7 kg. (8 lb.)

Specimen: 406.2x 559.0 g.

SIDNEY, Cheyenne Co., Nebraska

Olivine-hypersthene chondrite

Found 1941. Total known
weight 13 lb.

Specimen: 643.1 30.8 g.

SPRINGFIELD, Baca Co., Colorado

Olivine-hypersthene chondrite

Found 1937. Total known
weight 3.2 kg. (7 lb.)Specimens: 379.7x 984.1 g.
379.13 518.1 g.

OLIVINE-HYPERSTHENE CHONDRITES

TAIBAN, De Baca Co., New Mexico
 Olivine-hypersthene chondrite
 Found 1934. Recognized as
 distinct 1949. Total known
 weight about 25.4 kg. (55.88 lb.)

Specimens:	541.1x	1,621. g.
	541.1.1	30.9 g.
	541.1.2	10.7 g.
	541.1.3	11.9 g.
	541.6x	4,975.5 g.

TEMPLE, Bell Co., Texas
 Olivine-hypersthene chondrite
 Total known weight 0.2 kg.

Specimens:	689.2	92.1 g.
	689.3	44.8 g.
	689.4	13.0 g.
	689.5	14.6 g.
	689.6	11.6 g.
	689.7	5.0 g.
	689.8	1.4 g.

TRYON, McPherson Co., Nebraska
 Olivine-hypersthene chondrite
 Found May, 1934. Total
 known weight 15.9 kg.
 (35 lb.)

Specimens:	229a	2,545. g.
	229d	1,302. g.
	229g	569.9 g.
	229h	426.2 g.
	229i	532.5 g.
	229k	437.0 g.
	229.39	99.5 g.

OLIVINE-HYPERSTHENE CHONDRITES

TWENTY-NINE PALMS, San Bernardino Co., California

Olivine-hypersthene chondrite
 Found about 1955. Total
 known weight 19.6 kg. (43 lb.)

Specimen: 669.1 31.1 g.

VERA, Calchaqui, north of the province of Santa Fe, Argentina

Olivine-hypersthene chondrite
 Found 1941 or 1947. Total
 weight unknown

Specimen: 686.1 7.1 g.

WACONDA, Mitchell Co., Kansas

Olivine-hypersthene chondrite
 Found 1873. Total known
 weight 50 kg. (110 lb.)

Specimen: 127a 39.6 g.

WALDO, Osborne Co., Kansas

Olivine-hypersthene chondrite
 Found 1937. Total known
 weight 1.3 kg. (2.9 lb.)

Specimen: 423.1x 487.5 g.

WALTERS, Cotton Co., Oklahoma

Olivine-hypersthene chondrite
 Found before 1947. Total
 known weight 62 lb.)

Specimen: 655.1 254.5 g.

OLIVINE-HYPERSTHENE CHONDRITE

WICKENBURG, Maricopa Co., Arizona

Olivine-hypersthene chondrite
 Recognized 1940. Total known
 weight 9.2 kg. (20.25 lb.)

Specimens:	449.8x	197.0 g.
	449.9	2,202.0 g.
	449.9.1	42.8 g.
	449.9.2	26.1 g.
	449.9.3	29.6 g.

WILBURTON, Morton Co., Kansas

Olivine-hypersthene chondrite
 Found 1941. Total known
 weight 48 g.

Specimen:	478.1	41.2 g.
-----------------	-------------	---------

YORK, York Co., Nebraska

Olivine-hypersthene chondrite
 Found 1928, recognized 1936.
 Total known weight 1.4 kg.
 (3 lb.)

Specimen:	323.lx	42.2 g.
-----------------	--------------	---------

Olivine-Pigeonite Chondrites

Chainpur

Felix

Karoonda

Mokoia

Vigarano

Warrenton

OLIVINE-PIGEONITE CHONDRITES

CHAINPUR, Azamgarh District, United Provinces, India

Olivine-pigeonite chondrite

Fell May 9, 1907. Total
known weight 8.2 kg. (18 lb.)

Specimen: 424.1 73.9 g.

FELIX, Perry Co., Alabama

Olivine-pigeonite chondrite (carbonaceous)

Fell May 15, 1900. Total
known weight 3.2 kg. (7.04 lb.)

Specimen: 217a 2.6 g.

KARCONDA, Buccleuch Co., South Australia

Olivine-pigeonite chondrite

Fell November 25, 1930.
Total known weight 41.7 kg. (92 lb.)

Specimen: 434.5 55.7 g.

MOKOIA, Taranaki, North Island, New Zealand

Olivine-pigeonite chondrite (carbonaceous)

Fell November 26, 1908. Total
known weight 4.6 kg. (10 lb.)

Specimen: 75.1 241.5 g.

VIGARANO, Ferrara, Italy

Olivine-pigeonite chondrite (carbonaceous)

Fell January 22, 1910. Total
known weight 16 kg. (35.2 lb.)

Specimen: 590.1 41.9 g.

WARRENTON, Warren Co., Missouri

Olivine-pigeonite chondrite

Fell January 3, 1877. Total
known weight 45.5 kg. (100.1 lb.)

Specimen: 170a 4.2 g.

Carbonaceous Chondrites**Alais****Cold Bokkeveld****Mighei****Murray****Nogoya****Orgueil****Santa Cruz**

CARBONACEOUS CHONDRITES

ALAIS, Gard, France

Carbonaceous chondrite, Type I
 Fell March 15, 1806. Total
 known weight 6 kg. (13.2 lb.)

Specimen: 557.1 0.45 g.

COLD BOKKEVELD, Cape Province, South Africa

Carbonaceous chondrite, Type II
 Fell October 13, 1838.
 Total known weight 2.9 kg.
 (6.4 lb.)

Specimens: 578.1 1.77 g.
 578.2 0.41 g.

MIGHEI, Olviopol, Kherson, Ukraine

Carbonaceous chondrite, Type II
 Fell June 18, 1889. Total
 known weight 8 kg. (17.6 lb.)

Specimen: 211.1 4.6 g.

MURRAY, Kentucky

Carbonaceous chondrite, Type II
 Fell September 20, 1950.
 Total known weight 12,580 g.

Specimen: 635.1 28.0 g.

CARBONACEOUS CHONDRITES

NOGOYA, Entre Rios, Argentina

Carbonaceous chondrite, Type II

Fell June 30, 1879. Total
known weight 4 kg. (8.8 lb.)

Specimen: 556.1 0.3 g.

ORGUEIL, Montauban, Tarn-et-Garonne, France

Carbonaceous chondrite, Type I

Fell 1864. Total known
weight 9.8 kg. (21.7 lb.)

Specimen: 222a 2.0 g.

SANTA CRUZ, Tamaulipas, Mexico

Carbonaceous chondrite, Type II

Fell September 3, 1939.

Total weight unknown

Specimen: 460.1x 15.0 g.

Mesosiderites

Clover Springs

Crab Orchard

Dalgaranga

Enon

Estherville

Hainholz

Mincy

Morristown

Patwar

Vaca Muerta

Weatherford

Winona

MESOSIDERITES

CLOVER SPRINGS, Coconino Co., Arizona

Mesosiderite

Recognized 1954. Total known
weight 7.72 kg. (17 lb.)

Specimen: 646.1 625.4 g.

CRAB ORCHARD, Cumberland Co., Tennessee

Mesosiderite

Found 1887. Total known
weight 43 kg. (94.6 lb.)

Specimen: 33a 44.6 g.

DALGARANGA, Western Australia

Mesosiderite

Discovered 1923. Total known
weight 3,347 g.

Specimens:	C676.10	67.2 g.
	C676.11	49.1 g.
	C676.16	273.0 g.
	C676.20	132.8 g.
	C676.39	52.0 g.
	676.101	27.9 g.
	676.102	3.2 g.
	676.103	11.7 g.
	676.104	5.2 g.
	676.105	2.4 g.
	676.106	9.5 g.
	676.107	7.8 g.

MESOSIDERITES

ENON, Clark Co., Ohio

Mesosiderite

Found 1883, recognized 1938.

Total known weight 763 kg.

Specimen: 118.1 396.2 g.

ESTHERVILLE, Emmet Co., Iowa

Mesosiderite

Fell May 10, 1879.

Total known weight 338 kg.

(744 lb.)

Specimens:	42k	21.5 g.
	42L	10. g.
	42g	153.1 g.
	42.18.....	12. g.
	42.21	9. g.
	42.24	6. g.
	42.25	5. g.
	42.27	4. g.
	42.28	4. g.
	9 un-numbered pellets	
	3 " 1/2 "	

HAINHOLZ, Minden, Westphalia, Germany

Mesosiderite

Found 1856. Total known
weight 16.5 kg. (36.3 lb.)

Specimen: 343.2 366.2 g.

MESOSIDERITES

MINCY, Taney Co., Missouri

Mesosiderite

Found 1857. Total known
weight 89.5 kg. (197 lb.)

Specimen: 207a 389.8 g.

MORRISTOWN, Hamblen Co., Tennessee

Mesosiderite

Found 1887. Total known
weight 16.4 kg. (36 lb.)

Specimen: 205a 130.9 g.

PATWAR, Tippera Dist., India

Mesosiderite

Fell July 29, 1935. Total
known weight 37.35 kg.
(82.17 lb.)

Specimen: 634.1 780.0 g.

VACA MUERTA, Sierra de Chaco, Taltal, Atacama, Chile

Mesosiderite

Recognized 1861. Total
weight unknown

Specimen: 124.3 129.4 g.

MESOSIDERITES

WEATHERFORD, Custer Co., Oklahoma

Mesosiderite

Recognized 1940. Total
known weight 2 kg. (4.4 lb.)

Specimen: 459.1x 24.1 g.

WINONA, Coconino Co., Arizona

Mesosiderite

Found 1928. Total known
weight 24 kg. (52.8 lb.)

Specimens:	126a	33.8 g.
	126c	9.8 g.
	126e	3.5 g.
	126f	4.2 g.
	126g	3.4 g.
	126.8.....	280.8 g.

Pallasites

Admiré
Ahumada
Albin
Antofagasta
Argonia
Bitburg
Brenham
Eagle Station
Finmarken
Glorietta Mt.
Huckitta
Imilac
Krasnojarsk
Marjalahti
Molong
Mount Dyrring
Mount Vernon
Newport
Ollague
Phillips County
Pojoaque
Santa Rosalia
Springwater
Steinbach (Siderophyre)

PALLASITES

ADMIRE, Lyons Co., Kansas

Pallasite

Found 1881. Total known
weight about 111 kg.
(244.2 lb.)

Specimen: 8cx 4,082. g.

AHUMADA, Chihuahua, Mexico

Pallasite

Found 1909. Total known
weight 52.7 kg. (115.9 lb.)

Specimen: 354.1 774.0 g.

ALBIN, Laramie Co., Wyoming

Pallasite

Found 1915. Total known
weight 37.87 kg. (83.3 lb.)

Specimen: 314.1 28,435. g.

ANTOFAGASTA, Chile

Pallasite

Found July, 1936. Total
known weight 17.45 kg.
(38.4 lb.)

Specimen: 656.1 718.5 g.

PALLASITES

ARGONIA, Sumner Co., Kansas

Pallasite

Found many years ago; recently identified. Total weight 84 g. preserved

Specimen: 458.2 27.8 g.

BITBURG, Trier, Renish Prussia

Pallasite

Known before 1805. Total known weight 1,600 kg. (3,520 lb.)

Specimen: 156a 70.3 g.

BRENHAM, Kiowa Co., Kansas

Pallasite

Found 1885. Total known weight 4,318 kg. (9,500 lb.)

Specimens:	10b	217.3 g.
	10L	14,043. g.
	10w	122.0 g.
	10y	29,900. g.
	10.217	21,205.2 g.

- 10m
- 10m51
- 10m52
- 10m40
- 10m45
- 10m43
- 10m48
- 10m5
- 10m50
- 10m53
- 10m44a
- m12
- m15
- 10m33
- 10m58
- 10m25
- 10m29

Total weight

45,000 g.

PALLASITES

EAGLE STATION, Carroll Co., Kentucky

Pallasite

Found 1880. Total known
weight 36.4 kg. (80.08 lb.)

Specimens: 196a 96.6 g.

FINMARKEN, Arctic Norway

Pallasite

Found 1902. Total known
weight 77.5 kg. (170.5 lb.)

Specimen: 47a 88.0 g.

GLORIETTA MT., Santa Fe Co., New Mexico

Pallasite

Found 1884. Total known
weight 145.5 kg. (320.1 lb.)Specimens: 52a 335.9 g.
52.4 251.1 g.
52.6 173.0 g.

HUCKITTA, Central Australia

Pallasite

First piece found 1924; large
main mass in 1937. Total
known weight over 2 tonsSpecimens: 487.1 1,935. g.
487.14 351.5 g.

PALLASITES

IMILIAC, Chile (Atacama)

Pallasite

Known in 1822. Total known
weight several hundred lb.;
largest individual 204.5 kg.
(449.9 lb.)

Specimen: 295c 217.2 g.

KRASNOJARSK, Yenisesk, Siberia

Pallasite

Found 1749. Total known
weight about 700 kg.
(1,540 lb.)

Specimen: 182.2 86.5 g.

MARJALAHTI, Viborg, Finland

Pallasite

Fell June 1, 10:00 p.m.,
1902. Total known
weight 44 kg. (99 lb.)

Specimens: 200a 135.5 g.
200b 137. g.

MOLONG, Ashburnham Co., New South Wales, Australia

Pallasite

Found 1912. Total known
weight 104.5 kg. (230 lb.)

Specimen: 76a 37.5 g.

FALLASITES

MOUNT DYRRING, Singleton Dist., County Durham,
New South Wales, Australia

Pallasite

Total known weight

11.4 kg. (25 lb.)

Specimen: 186a 108.2 g.

MOUNT VERNON, Christian Co., Kentucky

Pallasite

Known about 1868. Total

known weight 159.5 kg.

(351 lb.)

Specimen: 221a 1,217. g.

NEWPORT, Jackson Co., Arkansas

Pallasite

Found 1923. Total known

weight 5.6 kg. (12.32 lb.)

Specimen: 8a 1,971.3 g.

OLLAGUE, Potosi Dept., Bolivia

Pallasite

Found 1924. Total known

weight 6.66 kg. (14.7 lb.)

Specimens: 146a 334.6 g.

PHILLIPS COUNTY, Colorado

Pallasite

Found 1935. Total known

weight 1.4 kg. (3.1 lb.)

Specimens: 28ax 415.5 g.

PALLASITES

POJOAQUE, Santa Fe Co., New Mexico

Pallasite

Found 1931. Total known
weight 84 g.

Specimen: 210a 6.0 g.

SANTA ROSALIA, St. Ignacio, South Dist., Baja California

Pallasite

Found before 1950. Total
known weight 1,631 g.

Specimen: 599.1 675.2 g.

SPRINGWATER, Saskatchewan, Canada

Pallasite

Found 1931. Total known
weight 94.3 kg. (195.5 lb.)

Specimens:	135a	13,777.8 g.
	135d	3,750.0 g.
	135d.1	150.9 g.
	135d.2	419.4 g.
	135d.3	395.5 g.
	135d.4	381.9 g.

STEINBACH, Erzgebirge, Saxony

Siderophyre

Found 1724. Total known
weight 98 kg. (220 lb.)

Specimen: 261a 44.5 g.

Hexahedrites

Auburn Uwet
Ballinger Walker County
Bennett County
Braunau
Bruno
Chesterville
Coahuila
Coya Norte
El Burro
Hex River Mountains
Horse Creek
Hressk
Indian Valley
Keen Mountain
Kendall County
Lombard
Mayodan
Mount Joy
Murphy
Navajo
Nenntmannsdorf
New Mexico
Puripica
Rio Loa
Sanchez Estate
Sandia Mountains
Sao Juliao de Moreira
Scottsville
Sikhote Alin
Soper

HEXAHEDRITES

AUBURN, Lee Co. Alabama

Hexahedrite

Found 1867. Total known
weight 3.6 kg. (8 lb.)

Specimen: 443.1 2.4 g.

BALLINGER, Runnels Co., Texas

Hexahedrite

Found 1927. Total known
weight 1,250 g.

Specimen: 12ax 58.2 g.

BENNETT COUNTY, South Dakota

Hexahedrite

Found 1935. Total known
weight 89 kg. (195.8 lb.)

Specimen: 374.1 1,311.0 g.

BRAUNAU, Trautenau, Bohemia

Hexahedrite

Fell July 14, 1847. Total known
weight 39 kg. (85.8 lb.)

Specimen: 226a 26.0 g.

BRUNO, Saskatchewan, Canada

Hexahedrite

Found 1931. Total known
weight 12.7 kg. (28 lb.)

Specimen: 132.1x 12,618.2 g.

HEXAHEDRITES

CHESTERVILLE, Chester Co., South Carolina

Hexahedrite.

Found before 1849. Total
known weight 16.33 kg. (35.9 lb.)

Specimen: 251a 147.2 g.

COAHUILA, Mexico

Hexahedrite

Known 1837. Total known
weight 2,064 kg. (4,541 lb.)

Specimen: 32.10 161.3 g.

COYA NORTE, Chuquicamata, Chile, South America

Hexahedrite

Found 1927. Total known
weight 18.6 kg. (41 lb.)

Specimen: 169.1x 2,260.6 g.

EL BURRO, Mexico

Hexahedrite

Known before 1941. Total
weight unknownSpecimens: 469.1 844.0 g.
469.2 311.2 g.

HEX RIVER MOUNTAINS, Cape Province, South Africa

Hexahedrite

Found 1882. Total known
weight 60 kg. (132 lb.)

Specimen: 412.1 182.5 g.

HEXAHERITES

HORSE CREEK, Baca Co., Colorado

Hexahedrite

Found 1937. Total known
weight 570 g.

Specimen: 378.1x 49.0 g.

HRESSK, Near Fukova, Hressk Dist., Minsk, U.S.S.R.

Hexahedrite

Flowed up in 1954. Total
known weight 303 kg.

Specimen: 664.1 1,296.0 g.

INDIAN VALLEY, Twp., Floyd Co., Virginia

Hexahedrite

Found 1887. Total known
weight 14.2 kg. (31.24 lb.)

Specimen: 62ax 702.9 g.

KEEN MOUNTAIN, Buchanan Co., Virginia

Hexahedrite

Found 1950. Total known
weight 6.7 kg. (14.75 lb.)

Specimen: 654.1 219.0 g.

KENDALL COUNTY, Texas

Hexahedrite

Found 1887. Total known
weight 21 kg. (46.2 lb.)

Specimen: 67a 117.8 g.

LOMBARD, Broadwater Co., Montana

Hexahedrite

Recognized 1953. Total known
weight about 16 lb.)

Specimen: 658.1 76.6 g.

HEXAHEDRITES

MAYODAN, Rockingham Co., North Carolina

Hexahedrite

Found 1920. Total known
weight 15.5 kg. (34.1 lb.)

Specimen: 636.1 559.2 g.

MOUNT JOY, Adams Co., Pennsylvania

Hexahedrite

Found 1887. Total known
weight 385 kg. (847 lb.)

Specimen: 299.48 8,580. g.

MURPHY, Cherokee Co., North Carolina

Hexahedrite

Found 1899. Total known
weight 7.7 kg. (17 lb.)

Specimen: 495.1 5.2 g.

NAVAJO, Apache Co., Arizona

Hexahedrite

Found 1922. Total known
weight 2,188 kg. (4,814 lb.)

Specimen: 83a 4.0 g.

NENNIMANNSDORF, Pirna, Saxony

Hexahedrite

Found 1872. Total known
weight 12.5 kg. (27.5 lb.)Specimens: 549.1 1.3 g.
549.2

HEXAHEDRITES

NEW MEXICO

Hexahedrite

Recognized 1935. Total
known weight about 130 g.

Specimen: 511.1 124.3 g.

PURIPICA, El Loa, Antofagasta, Chile

Hexahedrite

Known 1929. Total known
weight 19 kg. (41.8 lb.)

Specimen: 387.1x 265.7 g.

RIO LMA, Tarapaca, Chile

Hexahedrite

Found about 1915. Total
known weight 4 kg. (8.8 lb.)

Specimen: 376.1x 40.3 g.

SANCHEZ ESTATE, Coahuila, Mexico

Hexahedrite

Known 1837. Total known
weight 114 kg. (252 lb.)

Specimen: 293a 388.8 g.

SANDIA MOUNTAINS, Albuquerque, New Mexico

Hexahedrite

Found 1925. Total known
weight 15 kg. (33 lb.)Specimens: 108a 537.4 g.
..... 108e 6,310. g.

HEXAHEDRITES

SAO JULIAO DE MOREIRA, Ponte De Lima, Minho, Portugal

Hexahedrite

Known before 1863. Total
known weight 162 kg. (356.4 lb.)

Specimen: 361.1 182.8 g.

SCOTTSMVILLE, Allen Co., Kentucky

Hexahedrite

Found 1867. Total known
weight 10 kg. (22 lb.)

Specimen: 164a 137.6 g.

SIKHOYE ALIN, Eastern Siberia

Hexahedrite

Fell February 12, 1947. Total
known weight 23,000 kg.Specimens: 671.1 2,635.9 g.
671.4 655.2 g.

SOPER, Choctaw Co., Oklahoma

Hexahedrite

Recognized 1938. Total known
weight 3.7 kg. (8.14 lb.)

Specimen: 303.1x 39.3 g.

UWET, Calabar, Southern Nigeria

Hexahedrite

Known before 1903. Total
known weight 54.5 kg. (120 lb.)

Specimen: 140a 17.0 g.

WALKER COUNTY, Walker Co., Alabama

Hexahedrite

Found 1832. Total known
weight 75 kg. (165 lb.)

Specimen: 543.1 12.5 g.

Octahedrites

Abancay	Cambria	Delegate	Knowles
Aimsworth	Campbellsville	Deport	Kokaikanal
Alexander County	Camp Verde	Descubridora	Kyancutta
Altonah	Canyon City	Drum Mountain	La Caille
Amates	Canyon Diablo	Duchesne	La Grange
Anoka	Canyon Diablo No. 2	Dungannon	Lanton
Apoala	Canyon Diablo No. 3	Durango	La Porte
Arispe	Cape York	El Capitan	Leeds
Arlington	Carbo	Floydada	Lenarto
Arva	Carlton	Fort Pierre	Linwood
Asheville	Casas Grandes	Four Corners	Livingston
Ashfork	Casimiro	Franceville	Loreto
Bacubirito	Central Missouri	Ganado	Losttown
Bahjoi	Charcas	Gibeon	Lusk
Ballinoo	Charlotte	Gladstone	Mapleton
Barranca Blanca	Chihuahua City	Goose Lake	Maria Elena
Bear Creek	Chilcoot Inlet	Grand Rapids	Marshall County
Bear Lodge	Chile	Grants	Mart
Bella Roca	Chinaulta	Guadalupe County	Mazapil
Bendego	Chulafinnee	Gun Creek	Mbosi
Billings	Chupaderos	Haig	Merceditas
Bishop Canyon	Clark County	Hammond	Minnesota
Black Mountain	Cleveland	Hatfield	Misteca
Bolivia	Clinton	Henbury	Moctezuma
Boxhole	Coldwater	Hualapai	Monument Rock
Breece	Concepcion	Huizopa	Morito
Briggsdale	Coopertown	Ivanpah	Morrill
Bristol	Cosby's Creek	Jewell Hill	Mount Stirling
Burkett	Costilla Peak	Joe Wright Mountain	Mungindi
Burlington	Cranbourne	Kenton County	Narraburra Creek
Butler	Cuernavaca	Kingston	Nashville (Iron)
Cacaria	Dalton	Klamath Falls	Nativitas

Octahedrites

Nejed	St. Francois County	Waterville
Nelson County	St. Genevieve	Weekeroo
Netschaevo	Salina	Welland
New Baltimore	Salt River	Western Arkansas
New Leipzig	Samelia	Wichita County
Norfolk	Sam's Valley	Wickenburg (Iron)
Norfork	San Angelo	Willamette
Obernkirchen	Sanderson	Williamstown
Odessa	San Francisco Mts.,	Willow Creek
Ogallala	Santa Fe	Wolf Creek
Orange River	Santa Luzia	Wood's Mountain
Osseo	Sarepta	Xiquipilco
Owens Valley	Seelasgen	Xiquipilco No. 2
Palisades Park	Seligman	Yanhuatlan
Para de Minas	Seneca Twp.	Yarri
Perryville	Shirahagi	Youndegin
Pisacho	Shrewsbury	Zacatecas
Pierceville No. 2	Smith's Mountain	Zenda
Pine River	Smithville	
Plymouth	Spearman	
Ponca Creek	Staunton	
Puente del Zacate	Tacubaya	
Putnam County	Tambo-Quemado	
Quartz Mountain	Tarapaca	
Red River	Tazewell	
Reed City	Thunda	
Rifle	Tonganoxie	
Rodeo	Trenton	
Roebourne	Treysa	
Roswell	Union County	
Ruff's Mountain	Unter-Massing	
Russell Gulch	Verkhne Udinsk	
Sacramento Mountains	Wabar	

OCTAHEDRITES

ABANCAY, Peru, South America

Fine octahedrite

Date of find unknown. Total
weight unknown

Specimens: 209ax 75.0 g.

AIMSWORTH, Brown Co., Nebraska

Coarsest octahedrite

Found 1907. Total known
weight 10.7 kg. (23.54 lb.)

Specimens: 420.1 273.3 g.

ALEXANDER COUNTY, North Carolina

Coarse octahedrite

Found before 1875. Total
known weight at least 193 g.

Specimens: 569.1 1.0 g.

ALTONAH, Duchesne Co., Utah

Fine octahedrite

Found about 1932. Total known
weight 21 kg. (46.2 lb.)Specimens: 168ax 4,174.0 g.
168.lax 40.1 g.

AMATES, Iguala, Morelos, Mexico

Medium octahedrite

Found 1889. Total known
weight 300 g.

Specimens: 72ax (128.186).. 28.2 g.

OCTAHEDRITES

ANOKA, Anoka, Minnesota

Fine octahedrite

Found 1961. Total known
weight 5.5 kg. (2.5 lb.)

Specimen: 710180.7 g.

AFOALA, Oaxaca, Mexico

Fine octahedrite

Found 1889. Total known
weight 85 kg. (187 lb.)

Specimen: 475.1x194.7 g.

ARISPE, Sonora, Mexico

Octahedrite

Found 1898. Total known
weight 398 kg. (876 lb.)Specimens: 9b13,476.8 g.
9.41122,300. g.
9.471,661.0 g.

ARLINGTON, Sibley Co., Minnesota

Medium octahedrite

Found 1894. Total known
weight 9 kg. (19.8 lb.)Specimens: 1a 37.7 g.
1b 24.1 g.

OCTAHEDRITES

ARVA, Magura, Czechoslovakia
 Coarse octahedrite
 Found 1840. Total known
 weight 1,500 kg. (3,300 lb.)

Specimen: 239.3163.1 g.

ASHEVILLE, Buncombe Co., North Carolina
 Medium octahedrite
 Found 1839. Total weight
 unknown

Specimen: 558.1 1.6 g.

ASHFORK, Yavapai Co., Arizona
 Coarse octahedrite
 Found 1901. Total known
 weight 27.2 kg. (59.8 lb.)

Specimen: 717224.1 g.

BACUBIRITO, Sinaloa, Mexico
 Finest octahedrite
 Found 1863. Total known
 weight (estimated) 27,000
 kg. (59,400 lb.)

Specimen: 17a210.0 g.

OCTAHEDRITES

BAHJOI, Moradabad Dist., United Provinces, India

Coarse octahedrite

Fell July 23, 1934. Total

known weight 10.3 kg.

(22.66 lb.)

Specimen: 641.1 13.8 g.

BALLINOO, Murchison River, Western Australia

Finest octahedrite

Found 1892. Total known

weight 42.3 kg. (93.06 lb.)

Specimen: 271a 66.0 g.

BARRANCA BLANCA, Corno Caballo Pass, Atacama, Chile

Octahedrite

Found 1845. Total known

weight 12 kg. (26.4 lb.)

Specimen: 536.1 169.5 g.

BEAR CREEK, Jefferson Co., Colorado

Fine octahedrite

Found 1866. Total known

weight 227 kg. (499.4 lb.)

Specimen: 352.1x 4,225.0 g.

OCTAHEDRITES

BEAR LODGE, Crook Co., Wyoming

Octahedrite

Found 1931. Total known
weight 48.7 kg. (107.1 lb.)

Specimen: 286ax 330.6 g.

BELLA ROCA, Sierra de San Francisco, Santiago,

Papasquiara, Durango, Mexico

Fine octahedrite

Known 1888. Total known
weight 33.2 kg. (73.04 lb.)

Specimen: 266a 716.5 g.

BENDEGO, Bahia, Brazil

Coarse octahedrite

Found 1784. Total known
weight, 5,000 kg. (11,000 lb.)

Specimen: 355.1 920.0 g.

BILLINGS, Christian Co., Missouri

Coarse octahedrite

Found 1903. Total known
weight 24.5 kg. (54 lb.)

Specimen: 151a 510.3 g.

BISHOP CANYON, San Miguel Co., Colorado

Fine octahedrite

Found 1912. Total known
weight 8.6 kg. (19 lb.)

Specimen: 360.1 87.6 g.

OCTAHEDRITES

BLACK MOUNTAIN, Buncombe Co., North Carolina

Coarse octahedrite

Found 1839. Total known

weight 4 kg.

Specimen: 245a 3.5 g.

BOLIVIA, South America

Coarsest octahedrite

Known 1927. Total known

weight 21.25 kg. (47.8 lb.)

Specimens: 277ax 96.1 g.
 277b 8.0 g.
 277c 8.0 g.
 277d 1.0 g.

BOXHOLE, Plenty River, Central Australia

Medium octahedrite

Found 1937. Total known

weight, several masses, largest

82 kg. (180 lb.)

Specimens: 432.1 2,573.1 g.
 432.2 48.6 g.
 432.3 42.5 g.
 432.4 39.0 g.
 432.5 17.0 g.

BREECE, McKinley Co., New Mexico

Medium octahedrite

Found 1921. Total known

weight 51 kg. (112 lb.)

Specimen: 18bx 399.9 g.

OCTAHEDRITES

BRIGGSDALE, Weld Co., Colorado

Medium octahedrite

Recognized 1949. Total
known weight 2.23 kg. (4.9 lb.)

Specimen: 535.lx 1,172.9 g.

BRISTOL, Sullivan Co., Tennessee

Fine octahedrite

Found 1937. Total known
weight 29 kg. (44 lb.)Specimens: 216.11 1,097.1 g.
216.13 524.3 g.
216.14 528.0 g.

BURKETT, Coleman Co., Texas

Coarse octahedrite

Found 1913. Total known
weight 8.4 kg. (18.48 lb.)

Specimen: 165ax 100.5 g.

BURLINGTON, Otsego Co., New York

Medium octahedrite

Found before 1819. Total
known weight 5.5 kg. (12 lb.)

Specimen: 329.2 46.2 g.

OCTAHEDRITES

BUTLER, Bates Co., Missouri

Finest octahedrite

Found before 1874. Total
known weight 40.1 kg. (88.22 lb.)

Specimen: 137ax 374.3 g.

CACARIA, Durango, Mexico

Medium octahedrite

Found 1867. Total known
weight 41.4 kg. (98.08 lb.)

Specimen: 19a 76.3 g.

CAMBRIA, Niagara Co., New York

Fine octahedrite

Found 1818. Total known
weight 16.4 kg. (36.06 lb.)

Specimen: 359.1 367.2 g.

CAMPBELLSVILLE, Taylor Co., Kentucky

Medium octahedrite

Found 1929. Total known
weight 15.5 kg. (34 lb.)

Specimen: 351.1 279.4 g.

OCTAHEDRITES

CAMP VERDE, Yavapai Co., Arizona

Coarse octahedrite

Found about 1915; recognized
1939. Total known weight
61.5 kg. (135.5 lb.)

Specimens: 440.1 58,343.8 g.
440.2 450.0 g.

CANYON CITY, Trinity Co., California

Medium octahedrite

Found 1875. Total known
weight 8.6 kg. (18.92 lb.)

Specimen: 158ax 425.8 g.

CANYON DIABLO, Coconino Co., Arizona

Coarse octahedrite

Found 1891. Total recovered
weight (estimated) 27,000 kg.
(60,000 lb.)

Specimens: 34jj 11,200. g.
34.80 25,142. g.
34.102 1,691.0 g.
34.213 392.0 g.
34.252 37.5 g.
34.253 39.5 g.
34.257 28.7 g.
34.364 2,972. g.
34.527 118,686. g.
34.528 65,454. g.
34.529 6,795. g.
34.531 12,561. g.
34.537 9,513. g.
34.538 19,026. g.
34.539 11,325. g.
34.541 140,430. g.
34.557 325.0 g.
34.566 96.3 g.
34.589 77.3 g.
34.610 35.0 g.
34.613 31.8 g.
34.648 37.3 g.
34.730 28.8 g.
34.740 333.0 g.
34.761 64.0 g.
34.770 46,208. g.
34.790

OCTAHEDRITES

CANYON DIABLO (continued)

Specimens:	34.792	4,303.	g.
	34.795	3,044.	g.
	34.804	43,714.	g.
	34.842	512.7	g.
	34.843	462.0	g.
	34.844	442.0	g.
	34.845	437.0	g.
	34.846	432.0	g.
	34.848	502.3	g.
	34.849	346.0	g.
	34.850	222.4	g.
	34.851	158.0	g.
	34.852	178.0	g.
	34.853	116.5	g.
	34.854	52.1	g.
	34.855	44.0	g.
	34.856	54.0	g.
	34.857	53.0	g.
	34.858	42.6	g.
	34.859	55.0	g.
	34.861	69.0	g.
	34.865	101.5	g.
	34.875	249.3	g.
	34.876	345.5	g.
	34.877	76.5	g.
	34.878	132.2	g.
	34.880	239.7	g.
	34.881	136.2	g.
	34.884	210.8	g.
	34.885	242.8	g.
	34.886	473.5	g.
	34.893	517.0	g.
	34.953	478.0	g.
	34.954	109.5	g.
	34.1271	36.5	g.
	34.1335	126.6	g.
	34.1337	91.2	g.
	34.1338	1,073.0	g.
	34.3698	8,816.	g.
	34.3699	8,154.	g.
	34.3700	7,785.	g.
	34.3701	5,095.	g.
	34.3702	4,894.	g.
	34.3703	5,660.	g.
	34.3704	10,559.	g.
	34.3705	4,754.	g.
	34.3706	70,604.	g.

OCTAHEDRITES

CANYON DIABLO (continued)

Specimens:	34.3899	310.0 g.
	34.04	4,309. g.
	34.05	518. g.
	034.1	187.5 g.
	034.2	152. g.
	034.3	130. g.
	034.4	40.5 g.
	034.5	28.1 g.
	034.6	26.8 g.
	034.7	26.5 g.
	034.8	45. g.
	034.9	20. g.
	034.10	50. g.
	034.11	237.8 g.
	034.12	240.4 g.
	034.13	154.5 g.
	034.14	148.8 g.
	034.15	145.3 g.
	034.16	158.3 g.
	034.17	78.9 g.
	034.18	65.7 g.
Oxide	034.19	76.2 g.
	034.20	51.6 g.
	034.21	50.7 g.
	034.22	32. g.
	034.23	30.5 g.
	034.24	31.5 g.
	034.25	28.6 g.
	034.26	28.2 g.
	034.27	20. g.
	034.28	14.6 g.
	034.29	10. g.
	034.30	5.2 g.
	034.31	3,171. g.
	034.32	1,132.5 g.
	034.33	1,132.5 g.
	034.34	2,265. g.
	034.35	2,944.5 g.
	034.36	617.4 g.
	034.37	406.8 g.
	034.38	91. g.
	034.39	191.7 g.
	034.40	62.2 g.
	034.41	471.5 g.
	034.42	310. g.
	034.43	398.7 g.
	034.44	45.7 g.

OCTAHEDRITES

CANYON DIABLO (continued)

Specimens:	034.45	23.2 g.	
	034.46	24.6 g.	
	034.47	23. g.	
	034.48	83.3 g.	
	034.49	16. g.	
	034.50	7. g.	
	034.51	7. g.	
	034.52	10.2 g.	
	034.53	9.8 g.	
	034.54	10.3 g.	
	034.55	17,214. g.	
	034.56	12,231. g.	
Oxide	034.58	28.7 g.	
	034.59	5.5 g.	
	034.60	534.5 g.	
	034.61	568.4 g.	
	034.62	442. g.	
	034.63	555.5 g.	
	034.64	618.3 g.	
	034.65	290. g.	
	034.66	16.4 g.	
	034.67	5. g.	
	034.68	755. g.	
	034.69	1,585.5 g.	
	034.71	60. g.	
	034.72	--	
	Box #1 ..	24 individuals	
	Box #2 ..	21 individuals	
	Box #3 ..	15 individuals	
	Box #4 ..	14 individuals	
	R.M. #1..	49 individuals	
	R.M. #2..	79 individuals	
	Spheroids	500. g.	
	34.3900a	2,538.4 g.	
	34.3900b	191.9 g.	
	34.3900d	200.6 g.	
	34.3900e	289.6 g.	
	34.3900g	117.2 g.	
	34.3900h	133.0 g.	
	34.39001	589.7 g.	
	34.4001.1	363.7 g.	
	34.4002.1	549.7 g.	
	34.4003.1	199.5 g.	
	34.4004.1	426.3 g.	
	34.4005.1	350.5 g.	
	34.4006.1	195.6 g.	

Box
#16

OCTAHEDRITES

CANYON DIABLO (continued)

Specimens:	34.4007.1	206.0	g.
	34.4008.1	270.5	g.
	34.4009.1	349.1	g.
	34.4010.1	388.0	g.
	34.4011.1	438.6	g.
	34.4011.3	517.0	g.
	34.4012.1	276.5	g.
	34.4012.2	215.5	g.
	34.4012.3	428.2	g.
	34.4013.1	423.4	g.
	34.4013.3	331.6	g.
	34.4014.1	330.0	g.
	34.4014.3	315.2	g.
	34.4015.1	49.9	g.
	34.4015.2	81.9	g.
	34.4015.3	118.	g.
	34.4015.4	106.7	g.
	34.4016.1	49.9	g.
	34.4016.3	84.9	g.
	34.4016.4	115.	g.
	34.4017.1	478.	g.
	34.4017.3	223.5	g.
	34.4018.1	164.5	g.
	34.4018.2	237.	g.
	34.4018.3	449.5	g.
	34.4019.1	136.2	g.
	34.4019.2	106.3	g.
	34.4020.1	178.2	g.
	34.4020.2	86.4	g.
	34.4020.3	118.6	g.
	34.4021.1	93.5	g.
	34.4021.2	157.4	g.
	34.4022.1	242.4	g.
	34.4022.2	179.1	g.
	34.4023.1	158.5	g.
	34.4023.2	181.0	g.
	34.4024.1	225.8	g.
	34.4024.2	226.8	g.
	34.4024.3	404.5	g.
	34.4025.1	451.2	g.
	34.4025.2	249.5	g.
	34.4025.3	328.	g.
	34.4026.1	301.0	g.
	34.4026.2	222.7	g.
	34.4026.3	360.5	g.
	34.4027.1	40.5	g.
	34.4027.2	51.3	g.
	34.4028.1	106.5	g.

OCTAHEDRITES

CANYON DIABLO (continued)

Specimens:	34.4028.2	95.8 g.
	34.4029.1	107.2 g.
	34.4029.2	98.8 g.
	34.4030.1	98.0 g.
	34.4030.2	71.5 g.
	34.4030.3	70.0 g.
	34.4031.1	55.6 g.
	34.4031.2	42.2 g.
	34.4031.3	63.5 g.
	34.4032.1	57.5 g.
	34.4032.2	53.4 g.
	34.4033.1	67.2 g.
	34.4033.2	58.5 g.
	34.4034.1	54.5 g.
	34.4034.2	41.1 g.
	34.4034.3	51.5 g.
	34.4035.1	100.7 g.
	34.4035.2	86.3 g.
	34.4036.1	76.9 g.
	34.4036.2	72.2 g.
	34.4036.3	---
	34.4037.1	84.1 g.
	34.4037.2	54.8 g.
	34.4037.3	46.8 g.
	34.4038.1	80.7 g.
	34.4038.2	79.0 g.
	34.4039.1	164.9 g.
	34.4039.2	135.3 g.
	34.4039.3	121.5 g.
	34.4040.1	178.9 g.
	34.4040.2	232.4 g.
	34.4040.3	331.3 g.
	34.4041.1	178.1 g.
	34.4041.2	101.6 g.
	34.4041.3	129.0 g.
	34.4042.1	80.6 g.
	34.4042.2	54.5 g.
	34.4043.1	285.5 g.
	34.4043.2	98.3 g.
	34.4043.3	168.0 g.
	34.4044.1	163.6 g.
	34.4044.2	96.4 g.
	34.4044.3	94.9 g.
	34.4045.1	169.6 g.
	34.4045.2	177.4 g.
	34.4045.3	91.1 g.
	34.4046.1	623.5 g.
	34.4046.2	202.9 g.

OCTAHEDRITES

CANYON DIABLO (continued)

Specimens:	34.4046.3	242.3	g.
	34.4047.1	507.5	g.
	34.4047.2	132.2	g.
	34.4047.3	359.6	g.
	34.4048.1	500.0	g.
	34.4048.2	217.2	g.
	34.4048.3	312.5	g.
	34.4049.1	575.3	g.
	34.4049.2	124.0	g.
	34.4049.3	240.9	g.
	34.4050	101.0	g.
	34.4051	110.3	g.
	34.3599	310.9	g.

CANYON DIABLO No. 2, Coconino Co., Arizona

Medium octahedrite

Recognized 1936. Total
known weight 1,627 g.

Specimens:	371.1	347.0	g.
	371.2	47.9	g.
	371.3	153.2	g.
	371.10	817.5	g.

CANYON DIABLO No. 3, Coconino Co., Arizona

Medium octahedrite

Recognized as distinct fall

1949. Total known weight

846 g.

Specimen:	586.1	843.5	g.
-----------------	-------	-------	-------	----

OCTAHEDRITES

CAPE YORK, West Greenland

Medium octahedrite
 Known 1818. Total known
 weight 39,718.4 kg.
 (87,380.5 lb.)

Specimen: 403.1 327.0 g.

CARBO, Sonora, Mexico

Medium octahedrite
 Found 1923. Total known
 weight 450 kg. (990 lb.)

Specimen: 494.1x 4,053. g.

CARLTON, Hamilton Co., Texas

Fine octahedrite
 Found 1887. Total known
 weight 81.4 kg. (179.3 lb.)

Specimen: 35a 1,290.0 g.

CASAS GRANDES, Chihuahua, Mexico

Medium octahedrite
 Recognized 1867. Total known
 weight 1,549 kg. (3,407.8 lb.)

Specimen: 36a 658.0 g.

OCTAHEDRITES

CASIMIRO, DeAbreu, Brazil

Medium octahedrite

Found September 7, 1947.

Total known weight 24 kg.

(52.8 lb.)

Specimen: 603.1225.5 g.

CENTRAL MISSOURI

Coarsest octahedrite

Found about 1855. Total

known weight 25 kg. (55 lb.)

Specimen: 304.1999.0 g.

CHARCAS, San Luis Potosi, Mexico

Medium octahedrite

Known 1804. Total known

weight 780 kg. (1,716 lb.)

Specimen: 356.1x408.5 g.

CHARLOTTE, Dickson Co., Tennessee

Fine octahedrite

Fell 1835. Total known

weight 4.3 kg. (9.5 lb.)

Specimen: 382.1213.1 g.

OCTAHEDRITES

CHIHUAHUA CITY, Chihuahua, Mexico

Octahedrite

Recognized 1929 as a new
meteorite. Total known
weight 54 kg. (118.8 lb.)

Specimen: 27ax 16,102.8 g.

CHILCOOT INLET, Portage Bay, Alaska

Medium octahedrite

Known 1881. Total known
weight 43 kg. (94.6 lb.)

Specimen: 29a 16.3 g.

CHILE

Fine octahedrite

Date of find unknown.

Total weight unknown

Specimen: 388.1 235.0 g.

CHINAUTLA, Guatemala, Central America

Medium octahedrite

Found 1902. Total known
weight 5.72 kg. (12.58 lb.)

Specimen: 272a 48.1 g.

OCTAHEDRITES

CHULAFINNEE, Cleburne Co., Alabama

Medium octahedrite

Found 1873. Total known
weight 16.2 kg. (35.7 lb.)

Specimen: 551.1 3.7 g.

CHUPADEROS, Jimenez, Chihuahua, Mexico

Fine octahedrite

First mentioned 1852. Total
known weight 20,881 kg. (45,838 lb.)

Specimen: 31a 1,294.5 g.

CLARK COUNTY, Kentucky

Medium octahedrite

Identified as a new meteorite
1937. Total known weight
11.3 kg. (25 lb.)

Specimen: 181.9x 2,250.1 g.

CLEVELAND, Bradley Co., Tennessee

Medium octahedrite

Found 1860. Total known
weight 115.5 kg. (254 lb.)

Specimen: 242a 303.1 g.

OCTAHEDRITES

CLINTON, Anderson Co., Tennessee

Octahedrite

Date of find unknown. Total
known weight 7.7 kg. (17 lb.)

Specimen: 512.1 10.0 g.

COLDWATER, Comanche Co., Kansas

Octahedrite

Found 1923. Total known
weight 11 kg. (24.2 lb.)

Specimen: 23cx 1,927.5 g.

CONCEPCION, Jimenez, Chihuahua, Mexico

Medium octahedrite

Known for centuries. Total
known weight 3,325 kg.
(7,315 lb.)

Specimen: 30ax 169.8 g.

COOPERTOWN, Robertson Co., Tennessee

Medium octahedrite

Known 1860. Total known
weight 17 kg. (37.4 lb.)Specimens: 37b 312.0 g.
37c 46.3 g.

OCTAHEDRITES

GOSBY'S CREEK, Cooke Co., Tennessee

Coarse octahedrite

Known before 1837. Total
known weight 96 kg. (211.2 lb.)

Specimens: 255a 136.0 g.

COSTILLA BLANK, Taos Co., New Mexico

Medium octahedrite

Found 1881. Total known
weight 55.5 kg. (78.10 lb.)

Specimens: 190.1 2,176.5 g.

CRANBOURNE, Near Melbourne, Victoria, Australia

Coarse octahedrite

Found 1854. Total known
weight 5 tons

Specimens: 540.1 28.6 g.

CUEENAVACA, Morelos, Mexico

Fine octahedrite

Found 1889. Total known
weight 35 kg. (77 lb.)

Specimens: 28a 72.5 g.

OCTAHEDRITES

DALTON, Whitfield Co., Georgia

Medium octahedrite

Found 1877. Total known
weight 59 kg. (130 lb.)

Specimen: 396.1 35. g.

DELEGATE, County Wellesley, New South Wales, Australia

Medium octahedrite

Found 1904. Total known
weight 27.6 kg. (61 lb.)

Specimen: 650.1 39.05 g.

DEPORT, Red River Co., Texas

Coarse octahedrite

Found 1926. Total known
weight 15 kg. (33 lb.)

Specimen: 148e 204.5 g.

DESCUBRIDORA, San Luis Potosi, Mexico

Medium octahedrite

Found 1780. Total known
weight 576 kg. (1,267.2 lb.)

Specimen: 39a 293.4 g.

OCTAHEDRITES

LEHIGH MOUNTAIN, Millard Co., Utah

Medium octahedrite

Found 1924. Total known

weight 52 kg. (114.4 lb.)

Specimen: 657.1 652.0 g.

MERRILL, Duchesne Co., Utah

Fine octahedrite

Found 1906. Total known

weight 22.8 kg. (50.16 lb.)

Specimens: 40a 2,565.8 g.
..... 40b 77.0 g.

MOUNTAIN, Scott Co., Virginia

Medium to coarse octahedrite

Found 1922-1923. Total known

weight 13 kg. (28 lb.)

Specimen: 368.1 152.0 g.

MOUNTAIN, Durango, Mexico

Medium octahedrite

Discovered 1904. Total known

weight 167 kg. (367.4 lb.)

Specimen: 38ax 72.3 g.

OCTAHEDRITES

EL CAPITAN, Lincoln Co., New Mexico

Medium octahedrite

Found 1893. Total known

weight 28 kg. (61.6 lb.)

Specimen: 46a110.9 g.

FLOYDADA, Floyd Co., Texas

Medium octahedrite

Recognized 1938. Total known

weight 12.5 kg. (27.5 lb.)

Specimen: 517.1 20.8 g.

FORT PIERRE, Stanley Co., South Dakota

Medium octahedrite

Found 1856. Total known

weight 16 kg. (35.2 lb.)

Specimen: 171a149.7 g.

FOUR CORNERS, San Juan Co., New Mexico

Octahedrite

Found about 1924. Total

known weight 25 kg. (55 lb.)

Specimen: 166a547.0 g.

OCTAHEDRITES

FRANKSVILLE, El Paso Co., Colorado

Medium octahedrite

Found 1890. Total known

weight 18.8 kg. (41.4 lb.)

Specimen: 187a 417.0 g.

CANADO, Apache Co., Arizona

Octahedrite

Recognized 1958. Total known

weight 40 g.

Specimen: 542.1x 19.8 g.

GIBBON, Great Namaqualand, South Africa

Fine octahedrite

Known before 1836. Total

known weight 15,000 kg.

(33,000 lb.)

Specimens: 506.1 1,116.2 g.
506 92,250. g.

GLADSTONE, Fortcartis, Queensland, Australia

Octahedrite

Found 1914. Total known

weight 659 kg. (1,450 lb.)

Specimen: 53a 749.8 g.

OCTAHEDRITES

GOOSE LAKE, Modoc Co., California

Medium octahedrite

Found 1938. Total known
weight 1,169.5 kg. (2,573 lb.)

Specimen: 438.2x 378.0 g.

GRAND RAPIDS, Kent Co., Michigan

Fine octahedrite

Found 1883. Total known
weight 51.5 kg. (113.3 lb.)

Specimen: 54a 1,538.0 g.

GRANTS, Valencia Co., New Mexico

Fine octahedrite

Found 1928. Total known
weight 480 kg. (1,060 lb.)

Specimen: 275a 104.2 g.

GUADALUPE COUNTY, Texas

Octahedrite

Date of find unknown.

Total weight unknown

Specimen: 521.1 20.5 g.

OCTAHEDRITES

GUN CREEK, Gila Co., Arizona

Medium octahedrite

Found 1909. Total known

weight 22.7 kg. (50 lb.)

Specimen: 383.1 42.1 g.

HAIG, Western Australia (30 miles S.E. of Rawlins)

Octahedrite

Found before 1957. Total

known weight 480 kg. (1,057 lb.)

Specimen: 680.2 45.3 g.

HAMMOND, St. Croix Co., Wisconsin

Octahedrite

Found 1884. Total known

weight 24.1 kg. (53.02 lb.)

Specimen: 235a 378.2 g.

HATFIELD, Polk Co., Arkansas

Octahedrite

Found 1941. Total

weight unknown

Specimen: 488.1 21.2 g.

OCTAHEDRITES

HENEURY, McDonnell Ranges, Central Australia

Medium octahedrite

Found 1931. Total known

weight about 681 kg. (1,500 lb.)

Specimens:	193b	82.	g.
	193c	60.	g.
	193d	53.	g.
	193e	36.	g.
	193g	11,325.	g.
	193i	470.	g.
	193j	253.	g.
	193n	184.	g.
	193r	68.	g.
	193s	100.	g.
	193t	90.	g.
	193w	75.	g.
	193x	91.	g.
	193aa	107.	g.
	193cc	59.	g.
	193dd	66.	g.
	193ee	54.	g.
	193ff	60.	g.
	193mm	47.	g.
	193oo	53.	g.
	193pp	57.	g.
	193qq	37.	g.
	193rr	40.	g.
	193xx	19.	g.
	S193r	95.	g.
	S193v	172.	g.
	S193y	1,826.	g.
	S193x	436.	g.
	193.107	257.	g.
	193.113	146.	g.
	193.122	121.	g.
	193.124	132.	g.
	193.126	112.	g.
	193.127	121.	g.
	193.130	100.	g.
	193.131	100.	g.
	193.132	112.	g.
	193.134	92.	g.
	193.135	99.	g.
	193.137	111.	g.
	193.138	117.	g.
	193.139	99.	g.
	193.140	94.	g.
	193.141	84.	g.

OCTAHEDRITES

HENBURY (cont.)

Specimens:	193.150		
	193.1529,160.	g.
	193.1561,938.	g.
	193.16626,274.	g.
	193.230170.	g.
	193.233135.	g.
	193.235104.5	g.
	193.23668.	g.
	193.23753.	g.
	193.23846.	g.
	193.24049.	g.
	193.25317.	g.
	193.2569.5	g.
	193.26210.5	g.
	193.29081.5	g.
	193.29189.7	g.
	193.292102.6	g.
	193.29438.1	g.
	193.29767.8	g.
	193.30060.5	g.
	193.30180.	g.
	193.30352.	g.
	193.30849.	g.
	193.31044.	g.
	193.31132.7	g.
	193.31241.8	g.
	193.3456.8	g.
	193.3466.	g.
	193.3474.1	g.
	193.348117,936.	g.
	0193a		
	0193b		
	0193c		
	0193d		
	0193e		
	0193f		
	0193g		
	0193h		
	0193i		
	0193j		
	0193k		
	0193l		
	0193m		
	0193n		
	0193o		
	0193p		

Oxide

OCTAHEDRITES

HEMBURY (cont.)

Specimens:	O193q }	Oxide
	S193a }	
	S193b }	
	S193c }	
	S193d }	
	S193e }	
	S193f }	Impactite
	S193g }	
	S193h }	
	S193i }	
	S193j }	
	S193k }	
	S193l }	
	S193y }	
	G193a }	Silica glass
	G193b }	
	G193c }	
	G193e }	
	G193f }	

HUALAPAI, Hualapai Reservation, Arizona

Fine octahedrite

Found 1927, July 28. Total
known weight 423.6 kg. (932 lb.)

Specimen: 58bx597.5 g.

HUIZOPA, Temosachic, Chihuahua, Mexico

Fine octahedrite

Found 1907. Total known
weight 130 kg. (286 lb.)Specimens: 55bx1,204.2 g.
55c675.5 g.

OCTAHEDRITES

IVANPAH, San Bernardino Co., California

Medium octahedrite

Found 1880. Total known

weight 58.3 kg. (128.26 lb.)

Specimen: 61a 20.1 g.

JEWELL HILL, Madison Co., North Carolina

Coarse octahedrite

Found 1873. Total known

weight 11.4 kg. (25.08 lb.)

Specimen: 257a 166.7 g.

JOE WRIGHT MOUNTAIN, Independence Co., Arkansas

Octahedrite

Found 1884. Total known

weight 42.5 kg. (94 lb.)

Specimen: 484.1 96.9 g.

KENTON COUNTY, Kentucky

Octahedrite

Fell May 22, 1889. Total

known weight 163 kg. (358.6 lb.)

Specimen: 66a 436.5 g.

OCTAHEDRITES

KINGSTON, Sierra Co., New Mexico

Medium octahedrite

Found 1891. Total known
weight 13 kg. (28.5 lb.)

Specimen: 189a 827.0 g.

KLAMATH FALLS, Oregon

Fine octahedrite

Recognized 1952. Total known
weight, said to have been taken
from a 30 lb. mass. Probably
13.6 kg.

Specimen: 659.1 6.3 g.

KNOWLES, Beaver Co., Oklahoma

Octahedrite

Found 1903. Total known
weight 161.4 kg. (355 lb.)

Specimen: 411.1x 74.5 g.

KODAIKANAL, Palni Hills, India

Fine octahedrite

Fell 1888. Total known
weight 15.9 kg. (35 lb.)

Specimen: 653.1 161.0 g.

OCTAHEDRITES

KYANCUITA, Le Hunte Co., South Australia

Medium octahedrite

Found June, 1932. Total
known weight 32.2 kg.
(72 lb.)

Specimen: 285a 482.2 g.

LA CAILLE, Grasse, Alpes Maritimes, France

Medium octahedrite

Recognized 1828. Total
known weight 625 kg. (1,375 lb.)

Specimen: 254a 33.0 g.

LA GRANGE, Oldham Co., Kentucky

Fine octahedrite

Found 1860. Total known
weight 50.9 kg. (111.98 lb.)

Specimens: 291a 516.3 g.
291.3 396.5 g.

LANTON, Howell Co., Missouri

Fine octahedrite

Found 1932. Total known
weight 13.78 kg. (30.3 lb.)

Specimen: 308.1 80.6 g.

OCTAHEDRITES

LA PORTE, La Porte Co., Indiana

Medium octahedrite

Found 1900. Total known
weight 14.5 kg. (32 lb.)

Specimen: 486.1 48.5 g.

LEEDS, Quebec, Canada

Medium octahedrite

Recognized 1931. Total known
weight 1.5 kg. (3.3 lb.)

Specimen: 69ax 597.0 g.

LENARTO, Saros, Czechoslovakia

Medium octahedrite

Found 1814. Total known
weight 108.5 kg. (237.6 lb.)

Specimen: 70a 111.2 g.

LINWOOD, Butler Co., Nebraska

Octahedrite

Recognized 1943. Total
known weight 45.9 kg.

Specimen: 492.1 42.4 g.

OCTAHEDRITES

LIVINGSTON, Park Co., Montana

Octahedrite

Found 1936. Total known
weight 1.6 kg. (3.5 lb.)

Specimen: 526.1x 728.2 g.

LORETO, Baja California, Mexico

Medium octahedrite

Known before 1950. Total
known weight 95 kg.
(209.5 lb.)

Specimen: 600.2 417.5 g.

LOSTTOWN, Cherokee Co., Georgia

Medium octahedrite

Found 1868. Total known
weight 3 kg. (6.6 lb.)

Specimen: 288a 49.4 g.

LUSK, Niobrara Co., Wyoming

Octahedrite

Found 1940. Total known
weight 46 g.

Specimen: 457.1x 22.5 g.

OCTAHEDRITES

MAPLETON, Monona Co., Iowa

Medium octahedrite

Found June 17, 1939. Total
known weight 49 kg. (107.8 lb.)

Specimen: 485.1x 10.6 g.

MARIA ELENA, Antofagasta, Chile

Medium octahedrite

Known before 1935. Total
known weight 15.5 kg. (34.1 lb.)

Specimen: 392.1 70.8 g.

MARSHALL COUNTY, Kentucky

Medium octahedrite

Described 1860. Total known
weight 6.9 kg. (15.18 lb.)

Specimen: 292ax 205.4 g.

MART, McLennan Co., Texas

Finest octahedrite

Found 1898. Total known
weight 7.2 kg. (15.75 lb.)

Specimen: 82a 472.5 g.

OCTAHEDRITES

MAZAPIL, Zacatecas, Mexico

Medium octahedrite

Fell November 27, 1885.

Total known weight 4 kg.
(8.8 lb.)

Specimen: 497.1 2.6 g.

MBOSI, Rungwe Dist., Tanganyika Territory, Africa

Medium octahedrite

Found 1930. Total known
weight (estimate) 27 tons

Specimen: 199a 487.2 g.

MERCEDITAS, Chanaral, Atacama, Chile

Medium octahedrite

Found 1884. Total known
weight 42.8 kg. (94.16 lb.)

Specimen: 188a 254.9 g.

MINNESOTA

Medium octahedrite

Date of find unknown. Total
weight unknown

Specimen: 518.1 6.3 g.

OCTAHEDRITES

MISTECA, Oaxaca, Mexico (doubtless Yanhuitlan)

Medium octahedrite

Known 1804. Total weight

unknown

Specimens:	162a	2,807.5 g.
	162.1	27.6 g.

NOCTEZUMA, Sonora, Mexico

Medium octahedrite

Found 1899. Total known

weight 1.7 kg. (3.7 lb.)

Specimen:	78a	373.1 g.
-----------------	-----------	----------

MONUMENT ROCK, Meteor Crater, Coconino Co., Arizona

Coarse octahedrite

Found 1948, April. Total

known weight 90 g.

Specimen:	587.1x	33.7 g.
-----------------	--------------	---------

MORITO, Chihuahua, Mexico

Medium octahedrite

Known 1600. Total known

weight 11,000 kg. (24,200 lb.)

Specimens:	375.1	371.2 g.
	375.2	262.1 g.

OCTAHEDRITES

MORRILL, (Found 16 miles north of Morrill in Sioux Co.),
Nebraska

Medium octahedrite

Recognized 1933. Total
known weight 1.4 kg. (3.08 lb.)

Specimen: 195.1x 300.1 g.

MOUNT STIRLING, York, South West Division, Western Australia

Coarse octahedrite

Known 1892. Total known
weight 90.9 kg. (200 lb.)

Specimen: 191a 1,227.0 g.

MUNGINDI, County Benarba, New South Wales, Australia

Finest octahedrite

Found 1897. Total known
weight 51.4 kg. (113 lb.)

Specimen: 496.1 11.3 g.

NARRABURRA CREEK, New South Wales, Australia

Finest octahedrite

Found 1885. Total known
weight 32.3 kg. (71 lb.)

Specimen: 598.1 38.2 g.

OCTAHEDRITES

NASHVILLE (IRON), Nashville Co., North Carolina

Octahedrite

Known before 1934. Total
known weight about 18 kg.

Specimen: 206a266.0

NATIVITAS, Tlaxcala, Santa Apolinia, Mexico

Medium octahedrite

Found 1904. Total known
weight 1,315 kg. (2,893 lb.)Specimens: 112a8,493.0 g.
fragments400. g.

NEJED, Wadee Bane Khaled, Central Arabia

Medium octahedrite

Found 1863. Total known
weight 121.8 kg. (268 lb.)Specimens: 86a 29.8 g.
86b176.9 g.

NELSON COUNTY, Kentucky

Coarsest octahedrite

Found 1856. Total known
weight 73.2 kg. (161 lb.)

Specimen: 544.1 82.0 g.

OCTAHEDRITES

NETSCHAEVO, Tula, Russia

Octahedrite

Found 1846. Total known
weight 250 kg. (550 lb.)

Specimen: 247a 77.7 g.

NEW BALTIMORE, Somerset Co., Pennsylvania

Coarsest octahedrite

Found 1922. Total known
weight 18 kg. (40 lb.)

Specimen: 88a 62.2 g.

NEW LEIPZIG, Grant Co., North Dakota

Coarse octahedrite

Found 1936. Total known
weight 20 kg. (44 lb.)

Specimen: 394.1x 19.0 g.

NORFOLK, Norfolk or Princess Anne Co., Virginia

Medium octahedrite

Fell 1907. Total known
weight 23 kg. (50.6 lb.)

Specimen: 410.3 33.5 g.

OCTAHEDRITES

NORFORK, Baxter Co., Arkansas

Medium octahedrite
 Fell October, 1918. Total
 known weight 1.05 kg.
 (2.3 lb.)

Specimen: 296.1x 481.9 g.

OBERNKIRCHEN, Buckeberg, Rinteln, Hesse-Nassau, Germany

Fine octahedrite
 Known before 1863. Total
 known weight 41 kg. (90.2 lb.)

Specimen: 606.1 60. g.

ODESSA, Ector Co., Texas

Coarse octahedrite
 Found 1922. Total known
 weight more than a ton

Specimens: 91c 610. g.
 91j 200. g.
 91m 65. g.
 91n 64. g.
 91o 51. g.
 91p 28. g.
 91s 16. g.
 91u 15. g.
 D91.72 129. g.
 D91.75 339. g.
 D91.77 700. g.
 D91.83 700. g.
 D91.87 911. g.
 D91.89 1,695. g.
 D91.91 3,171. g.
 D91.93 78,389. g.
 D91.95 1,129. g.
 91.45 53.5 g.
 91.32 154. g.
 91.33
 91.34
 91.35
 91.36
 91. 117.5 g.
 91. 333.5 g.

OCTAHEDRITES

OGALLALA, Keith Co., Nebraska

Medium octahedrite

Found 1918. Total known
weight 3.3 kg. (7.3 lb.)

Specimen: 90.1x1,176.3 g.

ORANGE RIVER, South Africa

Medium octahedrite

Known 1855. Total known
weight 149 kg. (328 lb.)

Specimen: 322.1x567.1 g.

OSSEO, Temiskaming, Ontario, Canada

Coarsest octahedrite

Found 1931. Total known
weight 46.3 kg. (102 lb.)

Specimen: 309.2x204.6 g.

OWENS VALLEY, Inyo Co., California

Medium octahedrite

Found 1913. Total known
weight 193.2 kg. (425 lb.)

Specimen: 145a430.0 g.

OCTAHEDRITES

PALISADES PARK, Randall Co., Texas

Coarse octahedrite
 Found 1935. Total known
 weight 120 g.

Specimen: 520.1x 26.6 g.

PARA DE MINAS, Brazil

Medium octahedrite
 Fell about 1934. Total
 known weight 116.3 kg.
 (255.86 lb.)

Specimen: 604.1 347.0 g.

PERRYVILLE, Perry Co., Missouri

Finest octahedrite
 Found 1906. Total known
 weight 17.5 kg. (38.5 lb.)

Specimen: 172ax 196.5 g.

PICACHO, Lincoln Co., New Mexico (10 mi. S.E. of Picacho)

Medium octahedrite
 Found 1952. Total known
 weight 48 lb.

Specimen: 660.1 297.9 g.

OCTAHEDRITES

PIERCEVILLE No. 2, Finney Co., Kansas

Octahedrite

Found 1917; recognized
1952. Total known weight
230 lb.

Specimen: 675.122,700. g.

PINE RIVER, Waushara Co., Wisconsin

Octahedrite

Found 1931. Total known
weight 3.6 kg. (8 lb.)

Specimen: 493.1x127.6 g.

PLYMOUTH, Marshall Co., Indiana

Medium octahedrite

Found 1893. Total known
weight 3 kg. (6.6 lb.)

Specimen: 160a349.7 g.

PONCA CREEK, Holt Co., Nebraska

Coarsest octahedrite

Found 1863. Total known
weight (estimate) 45.4 kg.
(100 lb.)

Specimen: 421.1398.4 g.

OCTAHEDRITES

FUENTE DEL ZACATE, Monclova Dist., Coahuila, Mexico

Medium octahedrite

Found 1904. Total known

weight 30.7 kg. (67.54 lb.)

Specimen: 94b 204.2 g.

FUJINAM COUNTY, Georgia

Fine octahedrite

Found 1839. Total known

weight 32.7 kg. (72 lb.)

Specimen: 246.2 1,371.3 g.

QUARTZ MOUNTAIN, Nye Co., Nevada

Medium octahedrite

Found 1935. Total known

weight 4.8 kg. (10.5 lb.)

Specimen: 310.1x 16.1 g.

RED RIVER, Cross Timbers, Johnson Co., Texas

Medium octahedrite

Found 1808. Total known

weight 743.2 kg. (1,635.04 lb.)

Specimen: 252a 95.5 g.

OCTAHEDRITES

REED CITY, Osceola Co., Michigan

Coarse octahedrite

Found 1895. Total known
weight 20 kg. (44 lb.)

Specimen: 154a 193.4 g.

RIFLE, Garfield Co., Colorado

Coarse octahedrite

Recognized 1948. Total known
weight 102.7 kg. (226 lb.)

Specimen: 528.1x 25,870.2 g.

RODEO, Durango, Mexico

Fine octahedrite

Found 1852. Total known
weight 44.1 kg. (97 lb.)

Specimen: 101ax 805.4 g.

ROEBOURNE, North West Division, Western Australia

Medium octahedrite

Found 1892. Total known
weight 87 kg. (191.5 lb.)

Specimen: 353.1 1,465.6 g.

OCTAHEDRITES

ROSWELL, Eddy Co., New Mexico

Octahedrite

Date of find unknown.

Total weight unknown

Specimen: 213.1x 30.3 g.

RUFF'S MOUNTAIN, Lexington Co., South Carolina

Medium octahedrite

Found 1844. Total known

weight 53.2 kg. (117 lb.)

Specimen: 99b 2,420.0 g.

RUSSELL GULCH, Gilpin Co., Colorado

Fine octahedrite

Found 1863. Total known

weight 13.2 kg. (29 lb.)

Specimen: 307.1 78.6 g.

SACRAMENTO MOUNTAINS, Eddy Co., New Mexico

Medium octahedrite

Found 1896. Total known

weight 237.7 kg. (523 lb.)

Specimen: 372.1 109.4 g.

OCTAHEDRITES

ST. FRANCOIS COUNTY, Missouri

Coarse octahedrite
 Found before 1863. Total
 known weight 2.7 kg.
 (5.94 lb.)

Specimens: 173a 117.5 g.
 173b 193.5 g.

ST. GENEVIEVE, Missouri

Fine octahedrite
 Found 1888. Total known
 weight 245 kg. (539 lb.)

Specimen: 139b 58,210. g.

SALINA, Sevier Co., Utah

Medium octahedrite
 Found about 1908. Total
 known weight 235 g.

Specimen: 321.1x 17.8 g.

SALT RIVER, Bullitt Co., Kentucky

Finest octahedrite
 Found 1850. Total known
 weight 3.6 kg. (8 lb.)

Specimen: 258a 34.3 g.

OCTAHEDRITES

SAMELIA, Shahpura State, India
 Coarse octahedrite
 Fell May 20, 1921. Total
 known weight 2,461 g.

Specimen: 642.1 15.8 g.

SAM'S VALLEY, Jackson Co., Oregon
 Medium octahedrite
 Found 1894. Total known
 weight 6.9 kg. (15.25 lb.)

Specimen: 436.1 26.3 g.

SAN ANGELO, Tom Green Co., Texas
 Medium octahedrite
 Found 1897. Total known
 weight 88.2 kg. (194 lb.)

Specimen: 159.2 528.9 g.

SANDERSON, Terrell Co., Texas
 Fine octahedrite
 Found 1936. Total known
 weight 6.8 kg. (15 lb.)

Specimen: 441.3x 2,274.5 g.

OCTAHEDRITES

SAN FRANCISCO MOUNTAINS, Arizona

Finest octahedrite

Found about 1920. Total
known weight 1 kg. (2.2 lb.)

Specimen: 138ax 30.9 g.

SANTA FE, Santa Fe Co., New Mexico

Medium octahedrite

Found 1928. Total known
weight 11.3 kg. (25 lb.)

Specimen: 224ax 19.4 g.

SANTA LUZIA, Goyaz, Brazil

Coarsest octahedrite

Found 1921. Total known
weight 1,912 kg. (4,206 lb.)Specimens: 110.ax 176.8 g.
110.2 105.5 g.

SAREPTA, Saratov, Russia

Coarse octahedrite

Found 1854. Total known
weight 14 kg. (30.8 lb.)

Specimen: 546.1 4.5 g.

OCTAHEDRITES

SEELASGEN, Schwiebus, Brandenburg, Prussia

Coarsest octahedrite

Found 1847. Total known
weight 102 kg. (224.4 lb.)

Specimen: 102a 18.4 g.

SELIGMAN, Coconino Co., Arizona

Coarse octahedrite

Found 1949. Total known
weight 2.2 kg. (4.8 lb.)

Specimen: 583.3 274.8 g.

SENECA TWP., Lenawee Co., Michigan

Medium octahedrite

Found 1923. Total known
weight 11.5 kg. (25.3 lb.)

Specimen: 300.1x 121.8 g.

SHIRAHAGI, Niikawa, Toyama, Honabu, Japan

Octahedrite

Found 1890. Total known
weight 22.7 kg. (49.94 lb.)

Specimen: 685.1 91.2 g.

OCTAHEDRITES

SHREWSBURY, York Co., Pennsylvania

Medium octahedrite

Found 1907. Total known
weight 12.3 kg. (27.06 lb.)

Specimen: 233a 24.0 g.

SMITH'S MOUNTAIN, Rockingham Co., North Carolina

Fine octahedrite

Found about 1863. Total
known weight 5 kg. (11 lb.)

Specimen: 507.1 35.5 g.

SMITHVILLE, De Kalb Co., Tennessee

Coarse octahedrite

Found 1840. Total known
weight 60 kg. (132 lb.)

Specimen: 111a 274.6 g.

SPEARMAN, Hansford Co., Texas

Medium octahedrite

Found 1934. Total known
weight 10.4 kg. (23 lb.)

Specimen: 230.3 515.5 g.

OCTAHEDRITES

STAUNTON, Augusta Co., Virginia

Medium octahedrite

Found 1858-59. Total known
weight 121.6 kg. (267.52 lb.)

Specimen: 155a 659.4 g.

TACUBAYA, Mexico

Medium octahedrite

Found 1931. Total known
weight 7 kg. (15.4 lb.)

Specimen: 115.1x 401.5 g.

TAMBO-QUEMADO, Ayacucho, Peru

Medium octahedrite

Date of fall unknown.

Recognized 1949. Total known
weight 130 kg. (286 lb.)

Specimen: 605.6 103.3 g.

TARAPACA, Chile

Medium octahedrite

Known since 1894. Total
weight unknown

Specimen: 547.1 7. g.

OCTAHEDRITES

TAZEWELL, Claiborne Co., Tennessee

Finest octahedrite
 Found 1853. Total known
 weight 27.3 kg. (60 lb.)

Specimen: 289a164.1 g.

THUNDA, Windorah, County Grey, Queensland, Australia

Medium octahedrite
 Found 1886. Total known
 weight 62.3 kg. (137 lb.)

Specimen: 121a642.9 g.

TONGANOXIE, Leavenworth Co., Kansas

Medium octahedrite
 Found 1886. Total known
 weight 11.8 kg. (26 lb.)

Specimen: 120a223.0 g.

TRENTON, Washington Co., Wisconsin

Medium octahedrite
 Found 1858. Total known
 weight 65.1 kg. (143.25 lb.)

Specimens: 136a501.0 g.
 136b153.0 g.

OCTAHEDRITES

TREYSA, Hesse, Germany

Octahedrite

Found April 3, 1916. Total
known weight 63 kg. (138.6 lb.)

Specimen: 592.1 108.2 g.

UNION COUNTY, Georgia

Coarsest octahedrite

Found 1853. Total known
weight 6.8 kg. (15 lb.)

Specimens: 326.1x 132.6 g.
326.2 27.3 g.

UNTER-MASSING, Bavaria

Finest octahedrite

Found 1920. Total known
weight 8 kg. (17.6 lb.)

Specimen: 593.1 53.6 g.

VERKHNE UDINSK, (Werchne). Transbaikal, Siberia

Medium octahedrite

Found 1854. Total known
weight 18 kg. (39.6 lb.)

Specimen: 249a 12.4 g.

OCTAHEDRITES

WABAR, Saudi Arabia (was Rub Al'Kali)

Medium octahedrite

Found 1932. Total weight
unknown

Specimens:	607.1	21.6 g.
	607.2	71.6 g.
	607.3	28.1 g.

WATERVILLE, Douglas Co., Washington

Octahedrite

Found before 1929. Total
known weight 34 kg. (75 lb.)

Specimen: 453.2x146.2 g.

WEEKEROO, Mannahill, South Australia

Coarse octahedrite

Found 1924. Total known
weight 94.2 kg. (207.5 lb.)

Specimen: 133a5,630. g.

WELLAND, Welland Co., Ontario, Canada

Medium octahedrite

Found 1888. Total known
weight 8.2 kg. (18 lb.)

Specimens:	502.1
	502.2

OCTAHEDRITES

WESTERN ARKANSAS

Fine octahedrite
 Found before 1890. Total
 known weight 1.75 kg.
 (3.85 lb.)

Specimen: 278ax 17. g.

WICHITA COUNTY, Texas

Coarse octahedrite
 Known before 1836. Total
 known weight 145.4 kg. (320 lb.)

Specimens: 232a 59.9 g.
 232.1 275.3 g.

WICKENBURG (IRON), Maricopa Co., Arizona

Coarse octahedrite
 Recognized 1939. Total
 known weight about 200 g.

Specimen: 455.1 47.2 g.

WILLAMETTE, Clackamas Co., Oregon

Medium octahedrite
 Found 1902. Total known
 weight 15 1/2 tons

Specimens: 141.4 1,847.3 g.
 141.5 1,128. g.
 141.6 116. g.
 141.7 132.5 g.
 141.8 138.5 g.
 141.9 97.5 g.
 141.10 76.5 g.
 141.11 10.3 g.
 141.12 10. g.
 141.13 8.5 g.

OCTAHEDRITES

WILLIAMSTOWN, Grant Co., Kentucky

Medium octahedrite

Found 1892. Total known
weight 30.9 kg. (68 lb.)

Specimen: 161a 625.0 g.

WILLOW CREEK, Natrona Co., Wyoming

Medium octahedrite

Found 1914. Total known
weight 51.2 kg. (112.6 lb.)

Specimen: 227.14x 16,852. g.

WOLF CREEK, Wyndham, Kimberley, Australia

Octahedrite

Found 1947. Total
weight unknown

Specimens:	673.1	1,222.0 g.
	673.2	1,048.0 g.
	673.3	1,000. g.
	673.4	601.0 g.
	673.5	443.0 g.

WOOD'S MOUNTAIN, McDowell Co., North Carolina

Finest octahedrite

Found 1918. Total known
weight 3,017 g.

Specimen: 393.1x 60.7 g.

OCTAHEDRITES

XIQUIFILCO, Mexico State, Mexico

Medium octahedrite

Known before 1776. Total
known weight at least 18,000 kg.
(39,600 lb.)

Specimens:	128a	9,396.	g.
	128s	1,100.	g.
	128w	733.	g.
	128x	336.	g.
	128v	862.	g.
	128ee.....	2,250.	g.
	128ll	20,838.	g.
	128oo	94.0	g.
	128nn	3,960.	g.
	128xx	925.5	g.
	128iii	2,419.	g.
	X128a	378.	g.
	128.42	404.	g.
	128.176	90,826.	g.
	128.177	368.	g.
	128.178	336.	g.
	128.226	8,720.	g.
	128.272	9,060.	g.

XIQUIFILCO No. 2, Mexico

Coarse octahedrite

Recognized 1949. Total
known weight about 600 g.

Specimen:	588.1	313.0 g.
-----------------	-------------	----------

OCTAHEDRITES

YANHUITLAN, Oaxaca, Mexico

Fine octahedrite

Known before 1825. Total
known weight 421 kg. (926.21 lb.)

Specimen: 129a 280.7 g.

YARRI, Western Australia (8 miles from Yerilla)

Medium octahedrite

Date of find unknown. Total
weight 1.5 kg. (3.4 lb.)

Specimen: 679.1 210.5 g.

YOUNDEGIN, Avon, South West Division, West Australia

Coarse octahedrite

Found 1884. Total known
weight 1,136.2 kg.
(2,499.75 lb.)Specimens: 157a 516.4 g.
157b 45.5 g.

ZACATECAS, Mexico

Octahedrite

Known before 1792. Total
known weight 1,000 kg.
(2,200 lb.)

Specimen: 130a 60.6 g.

ZENDA, Sec. 28, Linn Twp. Walworth County, Wisconsin

Octahedrite

Found about 1954, spring.
Total weight 8 lb. 3 oz.

Specimen: 666.1 60.3 g.

Ataxites

Babbs Mill
Cape of Good Hope
Dayton
Deep Springs
Guffey
Hoba
KaaliJarv
Lime Creek
Locust Grove
Monahans
Pinon
Santa Catherine
Santa Rosa
South Byron
Tawallah Valley
Tlacotepec
Tucson
Weaver
Wiley

ATAXITES

BABBS MILL, Greene Co., Tennessee

Ataxite

Found 1842. Total known
weight 143 kg. (314 lb.)

Specimen: 290a 184.6 g.

CAPE OF GOOD HOPE, Cape Province, South Africa

Ataxite

Found 1793. Total known
weight 137 kg. (301.4 lb.)

Specimen: 262a 64.7 g.

DAYTON, Montgomery Co., Ohio

Ataxite

Found 1892-93. Total
known weight 25.5 kg.
(56 lb.)

Specimen: 653.1 324.4 g.

DEEP SPRINGS, Rockingham Co., North Carolina

Ataxite

Found 1846. Total known
weight 11.5 kg. (25 lb.)

Specimen: 357.1 450.8 g.

ATAXITES

LOCUST GROVE, Henry Co., Georgia

Ataxite

Found 1857. Total known
weight 10 kg. (22 lb.)

Specimen: 269a213.0 g.

MONAHANS, Ward Co., Texas

Ataxite

Found 1938. Total known
weight 27.9 kg. (61.5 lb.)Specimens: 256.1x1,661. g.
256.133,624. g.

PINON, Otero Co., New Mexico

Ataxite

Found 1928 or 1930. Total
known weight 17.85 kg.
(39.27 lb.)

Specimen: 147.3x883.0 g.

SANTA CATHERINE, Brazil

Ataxite

Found 1875. Total known
weight 25,000 kg. (25 tons)Specimens: 223a837.7 g.
223b292.0 g.

ATAXITES

SANTA ROSA, Columbia, South America

Ataxite

Found 1810. Total known
weight 813 kg. (1,788.6 lb.)

Specimen: 103a 518.5 g.

SOUTH BYRON, Genesee Co., New York

Ataxite

Found 1915. Total known
weight 6 kg. (13.2 lb.)

Specimen: 358.1x 187.0 g.

TAWALLAH VALLEY, Northern Territory, Australia

Ataxite

Found 1939. Total known
weight 75.75 kg. (166.65 lb.)

Specimen: 602.1 14.0 g.

TLACOTEPEC, Tecmachalco, Puebla, Mexico

Ataxite

Found 1903. Total known
weight 70.6 kg. (155.3 lb.)Specimens: 113ax 7,664. g.
113.1 121.5 g.
113.2 75.1 g.

ATAXITES

TUCSON, Pima Co., Arizona

Ataxite

Found 1850. Total known
weight 975 kg. (2,145 lb.)

Specimen: 122a 932.0 g.

WEAVER, (Mountains), Wickenburg, Maricopa Co., Arizona

Ataxite

Found 1898. Total known
weight 38.9 kg. (85.5 lb.)

Specimen: 313.1 49.8 g.

WILEY, Prowers Co., Colorado

Ataxite

Found 1938. Total known
weight 3.5 kg. (7.7 lb.)

Specimen: 380.1x 1,054.4 g.

Miscellaneous and Unclassified

Arcadia

Bethune

Bondoc

Darwin Glass

Eaton

Impactite

Impactite

India

Lechatelierite

Libyan Desert Glass

Mount Morris

MISCELLANEOUS AND UNCLASSIFIED

ARCADIA, Valley Co., Nebraska

Unclassified

Found 1937. Total known
weight 19.4 kg. (43 lb.)

Specimens: 390.2 6,010. g.

BETHUNE, Kit Carson Co., Colorado

Unclassified

Found 1941. Total known
weight 0.07 kg.Specimens: 472.2 24.5 g.
472.3 15.0 g.

BONDOC, Luzon, P. I.

Unclassified

Found 1957; recognized 1959.
Total known weight - unknown

Specimens: 684 20,000. g.

MISCELLANEOUS AND UNCLASSIFIED

DARWIN GLASS, Tasmania, Australia

EATON, Weld Co., Colorado

Unclassified

Coppery Meteorite?

Fell May 10, 1931. Total

known weight 29.5 g.

Specimen: 508.1 28.8 g.

IMPACTITE, Canyon Diablo, Coconino Co., Arizona

IMPACTITE, Wabar, Saudi Arabia

INDIA (stone)

Unclassified

Date of find unknown. Total

weight unknown

Specimen: 348.1 1.2 g.

LECHATLIERITE, Meteor Crater, Coconino Co., Arizona

LIBYAN DESERT GLASS, Libya

MOUNT MORRIS, Waushara Co., Wisconsin

Unclassified

Found before 1937. Total

known weight 0.7 kg. (1.5 lb.)

Specimen: 389.1x 59.5 g.

Tektites**Australites****Bediasites****Billitonite****Indo-Chinites****Javaites****Moldavites****Philippinites**

TEKTITES

AUSTRALITES, Kalgoorlie region, Australia
Tektites

1200 spec.

BEDIASITES, Texas
Tektites

4 spec.

BILLITONITE, Billiton Island, Java Sea
Tektite

1 spec.

INDO-CHINITES, South Viet Nam
Tektites

1,000 spec.

JAVAITES, Sangarin Dome, Central Java
Tektites

11 spec.

MOLDAVITES, České Budějovice, S. Bohemia, Czechoslovakia
Tektite

2 spec.

MOLDAVITES, Dolní Chrást, S. Bohemia, Czechoslovakia
Tektites

3 spec.

MOLDAVITES, Habře, S. Bohemia, Czechoslovakia
Tektites

2 spec.

MOLDAVITES, Koroseky, S. Bohemia, Czechoslovakia
Tektites

6 spec.

TEKTITES

MOLDAVITES, Lhenice, S. Bohemia, Czechoslovakia
Tektites

7 spec.

MOLDAVITES, Netolice, S. Bohemia, Czechoslovakia
Tektites

5 spec.

MOLDAVITES, Radomilice, S. Bohemia, Czechoslovakia
Tektites

4 spec.

MOLDAVITES, Slavice, S. Bohemia, Czechoslovakia
Tektites

6 spec.

MOLDAVITES, Bohemia, Czechoslovakia
Tektites

11 spec.

PHILIPPINITES, Luzon, Philippine Islands
Tektites

120 spec.