



UNIVERSITY OF LEEDS

This is a repository copy of *What influences the decision to use automated public transport? Using UTAUT to understand public acceptance of Automated Road Transport Systems*.

White Rose Research Online URL for this paper:  
<http://eprints.whiterose.ac.uk/119738/>

Version: Accepted Version

---

**Article:**

Madigan, R [orcid.org/0000-0002-9737-8012](http://orcid.org/0000-0002-9737-8012), Louw, T, Dziennus, M et al. (2 more authors) (2017) What influences the decision to use automated public transport? Using UTAUT to understand public acceptance of Automated Road Transport Systems. *Transportation Research Part F: Traffic Psychology and Behaviour*, 50. pp. 55-64. ISSN 1369-8478

<https://doi.org/10.1016/j.trf.2017.07.007>

---

© 2017 Elsevier Ltd. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <http://creativecommons.org/licenses/by-nc-nd/4.0/>

**Reuse**

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.



[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>

# 1           **What influences the decision to use automated public** 2 **transport? Using UTAUT to understand public acceptance** 3 **of Automated Road Transport Systems**

4           Ruth Madigan<sup>a</sup>, Tyron Louw<sup>a</sup>, Marc Dziennus<sup>b</sup>, Anna Schieben<sup>b</sup>, Natasha Merat<sup>a</sup>

5  
6           <sup>a</sup> Institute for Transport Studies, University of Leeds, LS2 9JT, United Kingdom;

7           <sup>b</sup> DLR German Aerospace, 38108 Braunschweig, Germany.

## 8           **Abstract**

9           The main aim of this study was to use an adapted version of the Unified Theory of Acceptance  
10 and Use of Technology (UTAUT) to investigate the factors that influence users' acceptance of  
11 automated road transport systems (ARTS). A questionnaire survey was administered to 315  
12 users of a CityMobil2 ARTS demonstration in the city of Trikala, Greece. Results provide  
13 evidence of the usefulness of the UTAUT framework for increasing our understanding of how  
14 public acceptance of these automated vehicles might be maximised. Hedonic Motivation, or  
15 users' enjoyment of the system, had a strong impact on Behavioural Intentions to use ARTS in  
16 the future, with Performance Expectancy, Social Influence and Facilitating Conditions also  
17 having significant effects. The anticipated effect of Effort Expectancy did not emerge from this  
18 study, suggesting that the level of effort required is unlikely to be a critical factor in consumers'  
19 decisions about using ARTS. Based on these results, a number of modifications to UTAUT are  
20 suggested for future applications in the context of automated transport. It is recommended that  
21 designers and developers should consider the above issues when implementing more  
22 permanent versions of automated public transport.

23           Keywords: automated public transport, acceptance of automation, social-psychological model, user-acceptance

## 24           **1. Introduction**

25           There is currently an intense interest in the potential benefits to road transport of various types  
26 of automated vehicles, with both private vehicle manufacturers, and service providers such as  
27 Google (Urmson, 2015), considering the benefit of such technology. Examples include Tesla's  
28 Model S Autopilot (TESLA, 2016), and the Volvo IntelliSafe Autopilot (Volvo Cars, 2016),  
29 which provide automation at SAE Levels 2 and 3 (SAE, 2016). Another category of automated  
30 vehicles, functional at SAE Level 4, operate at low speeds in urban environments, and do not  
31 include a steering wheel or any other conventional driver controls. These vehicles operate  
32 without a driver, and use simultaneous localisation and mapping (SLAM) along with laser and  
33 LiDAR technology to navigate through designated areas (e.g. Roldão, Pérez, González, &  
34 Milanés, 2015). Examples of such vehicles include the Google "driverless" pods (Google,  
35 2016), the LUTZ pathfinder vehicles (Transport Systems Catapult, 2016), and the CityMobil2  
36 Automated Road Transport Systems (ARTS) – see Figure 1. Funded as part of the European  
37 Commission's Seventh Framework Programme, the main aim of the CityMobil2 project is to  
38 test the feasibility of such vehicles in providing an alternative public transport option to urban  
39 environments across Europe. It is anticipated that these vehicles can deliver a first mile/last

40 mile option which will provide users with a way to get to and from their homes to public  
41 transport hubs.

42 The ARTS vehicles range in capacity between 2 and 10 passengers, and their aim is to provide  
43 public transport options when demand is low or pick-up points are far apart. Also known as  
44 ‘cyber-cars’, these vehicles operate within existing infrastructure, and can be deployed in a  
45 shared environment among pedestrians, cyclists, motorcyclists and cars (Alessandrini,  
46 Campagna, Delle Site, Filippi, & Persia, 2015). To date, CityMobil2 has implemented seven  
47 demonstrations of ARTS in various cities across Europe, including large scale demonstrations  
48 in La Rochelle in France, Lausanne in Switzerland, and Trikala in Greece. The purpose of these  
49 demonstrations was, firstly, to gain an understanding of the design and implementation issues  
50 related to ARTS (see Milanés, 2014); along with investigating the interaction between ARTS  
51 and other road users (see Merat, Louw, Madigan, Dziennus, & Schieben, submitted). In  
52 addition, they provided an opportunity to explore the legal framework for certifying automated  
53 vehicles (see Csepinszky, Giustiniani, Holguin, Parent, Flament & Alessandrini, 2015), and to  
54 establish the technical specifications for connected ARTS, including communication  
55 architecture (CityMobil2, 2016).

56



57

58 **Figure 1: An example of one the CityMobil2 ARTS Vehicles (designed by Robosoft)**


59 If ARTS are to provide a viable alternative to other modes of transport, and for their value to  
60 be recognised by public organisations investing in such systems, it is important to establish  
61 users’ acceptance and uptake of these systems. This point is highlighted by Najm, Stearns,  
62 Howarth, Koopman and Hitz (2006), who suggest that “driver acceptance is the precondition  
63 that will permit new automotive technologies to achieve their forecasted benefit levels” (p.5-  
64 1). For that reason, the main aim of this study was to identify the factors that affect the use of  
65 such automated systems, using a validated social-psychological model of user acceptance: the

66 Unified Theory of Acceptance and Use of Technology (UTAUT; Venkatesh, Morris, Davis, &  
67 Davis, 2003).

### 68 **1.1 User acceptance of technological systems**

69 Across the domains of psychology, information systems, and sociology, numerous theoretical  
70 models have been developed to explain users' acceptance of technology. One of the most  
71 widely cited frameworks in the area of transport technology is the Technology Acceptance  
72 Model (TAM), which builds on Ajzen's (1985) Theory of Reasoned Action (TRA) in an effort  
73 to understand acceptance related specifically to the uptake of new technologies (Davis, 1989).  
74 Using TAM, Davis (1989) posits that Perceived Ease of Use and Perceived Usefulness are the  
75 two most important determinants of technology use. Adaptations of TAM have since been used  
76 to explain technology acceptance in a variety of transportation contexts, including switching  
77 intentions towards public transport (Chen & Chao, 2011), eco-driving interfaces  
78 (Meschtscheriakov, Wilfinger, Scherndl, & Tscheligi, 2009; Hötl & Trommer, 2012),  
79 navigational systems (Park & Kim, 2014), and distraction mitigation systems (Roberts,  
80 Ghazizadeh, & Lee, 2012); explaining up to 50% of the variance in Behavioural Intentions  
81 around these systems.

82 One of the most useful aspects of TAM is the capacity to successfully extend the core constructs  
83 of the model to include additional external variables which may become relevant in different  
84 contexts (Ghazizadeh, Lee, & Boyle, 2012). One such extension is the Unified Theory of  
85 Acceptance and Use of Technology (UTAUT, Venkatesh et al., 2003), which focuses on  
86 acceptance of technology in the workplace. The UTAUT framework brings together eight  
87 different models of acceptance, including the TRA and TAM, into a coherent model designed  
88 to capture all of the factors impacting on Behavioural Intentions to use a particular technology.  
89 UTAUT posits that Performance Expectancy, Effort Expectancy and Social Influence all  
90 influence Behavioural Intentions towards technology use, which in turn predicts actual system  
91 use (see Table 1 for definitions). This model has been found to predict 56% of the variance in  
92 Behavioural Intentions and 40% variance in actual use of a technology or system. UTAUT2,  
93 the most recent, consumer-oriented version of UTAUT, claims that there are seven main  
94 constructs that influence consumer Behavioural Intentions towards technology use, namely  
95 Performance Expectancy, Effort Expectancy, Social Influence, Facilitating Conditions,  
96 Hedonic Motivation, Price Value, and Habit (Venkatesh, Thong, & Xu, 2012, see Table 1).  
97 Based on the research conducted by Venkatesh et al. (2012), age and gender are proposed as  
98 moderators of the relationship between these variables and Behavioural Intentions. Previous  
99 research has not shown any impact of increased experience with a system on the relationship  
100 between Performance Expectancy and Behavioural Intentions, and thus experience is only  
101 expected to moderate the relationship between Effort Expectancy, Social Influence, Facilitating  
102 Conditions, and Hedonic Motivation with Behavioural Intentions (see Figure 2). Venkatesh et  
103 al. (2012) found that UTAUT2 predicted an additional 14% variance in Behavioural Intentions  
104 of consumers, above that of the original UTAUT, and predicted over 50% variance in actual  
105 use of a mobile internet system.



**Figure 2: Model to be investigated based on UTAUT2 (Venkatesh et al., 2012)**

UTAUT has traditionally been applied to understanding intentions to use information systems, such as online banking (Zhou, Lu, & Wang, 2010), e-government services (AlAwadhi & Morris, 2008), and mobile devices/services (Carlsson, Carlsson, Hyvönen, Puhakainen, & Walden, 2006; Venkatesh et al., 2012). In recent years, a number of studies have incorporated elements of UTAUT into their understanding of user acceptance of vehicle technology (e.g. Park, Junghwan, Changi, & Seongcheol, 2013; Osswald Wurhöfer, Trosterer, Beck & Tscheligi, 2012; Zmud, Sener & Wagner, 2016). However, despite the strong predictive power of UTAUT in other contexts, only two previous studies have applied the full model in a transport context. Adell (2010) used the original version of UTAUT (Venkatesh et al., 2003) to investigate driver acceptance of a “Safe Speed and Safe Distance” function as part of a field trial of a driver support system. The results showed that although Performance Expectancy and Social Influence affected intentions to use the system, Effort Expectancy did not. However, the model only accounted for 20% of the variance in Behavioural Intentions towards this support system, a figure much lower than that found in other industries. Madigan et al. (2016) also used the original UTAUT to investigate users’ acceptance of ARTS as part of the CityMobil2 trials in La Rochelle, France, and Lausanne, Switzerland. Results indicated that Performance Expectancy, Effort Expectancy, and Social Influence all impact on users’ Behavioural Intentions towards ARTS in these locations. However, the explanatory power of the model was only 22%, suggesting that this model failed to capture many of the factors influencing users’ decisions around uptake and use of automated transport systems.

130 **Table 1: UTAUT Construct Definitions adapted from Venkatesh et al. (2012)**

Construct	Definition
Performance Expectancy (PE)	The degree to which using an ARTS vehicle will provide benefits to consumers in their travel activities
Effort Expectancy (EE)	The degree of ease associated with ARTS use
Social Influence (SI)	The extent to which consumers perceive that important others (e.g. family and friends) believe that they should use ARTS
Facilitating Conditions (FC)	<i>Consumers' perceptions of the resources and support available to use ARTS</i> e.g. infrastructure design and implementation strategies
Hedonic Motivation (HM)	The fun or pleasure derived from using ARTS

131 The aim of the current study was, therefore, to build on the research outlined in Madigan et al.  
 132 (2016) by extending the UTAUT model to include the effects of Facilitating Conditions and  
 133 Hedonic Motivation on intention to use ARTS vehicles (see Table 1 for a list of the definitions  
 134 used in this study). Based on the previous research in both driving (Adell, 2010; Madigan et  
 135 al., 2016) and other domains (e.g. Venkatesh et al., 2012), it was expected that all of the factors  
 136 included would have a positive impact on Behavioural Intentions to use ARTS.

137 The impact of Facilitating Conditions and Hedonic Motivation on acceptance of automation  
 138 has rarely been explored, but in the most relevant study available, Park et al. (2013) found a  
 139 strong positive relationship between Facilitating Conditions and drivers' intention to use car  
 140 connectivity services. Similarly, it is highly likely that the resources provided to support the  
 141 implementation of ARTS, including infrastructure design, implementation strategy, and  
 142 consideration of social, economic and environmental impacts, will all influence user uptake of  
 143 these systems (Sessa, Pietroni, Alessandrini, Stam, Delle Site, & Holguin, 2015). User  
 144 enjoyment is also likely to play a role in such a new and innovative environment. Indeed,  
 145 Hedonic Motivation has been shown to be the strongest predictor of consumer acceptance of  
 146 technology across a variety of sectors (van der Heijden, 2004; Venkatesh et al., 2012).

147 Thus, in the current study it was expected that each of the five UTAUT2 variables (see Table  
 148 1) would have a significant, positive relationship with Behavioural Intentions towards ARTS;  
 149 with each variable expected to make a unique contribution to the overall predictive capability  
 150 of the model. The influence of the moderated relationships proposed by Venkatesh et al. (2012;  
 151 see Figure 2) were also investigated.

152 Finally, the value of this study to decisions on deployment and implementation of ARTS is  
 153 thought to be particularly important, because this paper reports the first study of its kind where  
 154 a social-psychological model is used to investigate Behavioural Intentions and user acceptance  
 155 of automated systems during their actual demonstration. This is of particular relevance, as  
 156 research has shown that there is a change in ratings of acceptability of transport systems before  
 157 their implementation and their acceptance after actual use (Schuitema, Steg & Forward, 2010).

158 **2. Method**

159 **2.1 Procedure**

160 The results reported in this study were part of a larger, 57 item questionnaire, administered to  
161 users of the ARTS demonstration vehicles in Trikala, Greece between December 2015 and  
162 February 2016. The demonstration involved six Robosoft ARTS vehicles operating alongside  
163 different traffic modes on a dedicated lane in Trikala city centre (see Figure 3). Each vehicle  
164 had capacity for up to 10 passengers and travelled along a 2.5km route including 8 station stops.  
165 The average speed of the ARTS vehicles was approximately 13 km/h. For legal and safety  
166 reasons, an operator travelled on board at all times and had the power to intervene in the  
167 operation and maneuvering of the vehicle, if and when required.

168  
169



170  
171

**Figure 3: CityMobil2 vehicles in Trikala, Greece**

172 Informed by a series of one to one interviews in Leeds, UK and Braunschweig, Germany (see  
173 Merat, Louw, Madigan, Dziennus, & Schieben, 2016) the 52 item questionnaire was  
174 administered by members of staff from E-Trikala, using a tablet-based application. The  
175 questionnaire items were translated into Greek by the E-Trikala team, and independently  
176 checked for accuracy by the Institute of Communication and Computer Systems (ICCS) in  
177 Greece, and a bilingual colleague in England. Questionnaires were largely self-administered  
178 but staff could help with capturing responses if required.

179 To ensure that respondents had some knowledge of the vehicles, only members of the public  
180 who had used the ARTS at least once during the demonstrations were asked to complete the  
181 questionnaire. Each questionnaire took between 8 and 10 minutes to complete. Data was  
182 collected in blocks of 30 minutes to 11 hours on 27 dates between 16<sup>th</sup> December 2015 and  
183 26<sup>th</sup> February 2016. The information was recorded anonymously and no compensation was  
184 offered.

185 **2.2 Participants**

186 A total of 315 participants (54.6% Male, 45.4% Female) completed the questionnaire.  
187 Participant age ranged from 9.18 to 65.83 years (M=33.35, SD=10.76). All participants had

188 used the ARTS vehicles at least once ( $M=2.22$ ,  $SD=1.39$ ), with 14 participants having used it  
 189 more than 5 times.

### 190 2.3 Measures

191 In order to understand whether respondents' expectancies around the ARTS vehicles were  
 192 related to their intention to use it, we developed measures of Performance Expectancy, Effort  
 193 Expectancy, Social Influence, Facilitating Conditions, Hedonic Motivation and Behavioural  
 194 Intentions, based on the relevant constructs identified by Davis (1989) and Venkatesh et al.  
 195 (2012). The measurement scales built upon the items used in an earlier UTAUT-based  
 196 questionnaire, which was administered at ARTS demonstrations in La Rochelle in France and  
 197 Lausanne in Switzerland (Madigan et al., 2016). Based on the results of that study and a further  
 198 literature review, a refined 20-item questionnaire was developed, with all items measured using  
 199 a five-point Likert scale, ranging from 1 (strongly disagree) to 5 (strongly agree). The final  
 200 items developed to measure each of the UTAUT2 constructs are shown in Table 2.

201

202 **Table 2: UTAUT Questionnaire Items**

Construct	Adapted Item
Performance Expectancy	PE1: I find the ARTS a useful mode of transport
	PE2: Using the ARTS to travel helps me to achieve things that are important to me
	PE3: Using the ARTS will help me reach my destination more quickly
Effort Expectancy	EE1: My interaction with the ARTS is clear and understandable
	EE2: I find the ARTS easy to use
	EE3: Learning to use an ARTS is easy for me
Social Influence	SI1: People who are important to me think that I should use ARTS.
	SI2: People who influence my behavior think that I should use ARTS
	SI3: People whose opinions I value would like me to use ARTS
	SI4: In general the authority would support the use of ARTS
Facilitating Conditions	FC1: I have the resources necessary to use ARTS
	FC2: I have the knowledge necessary to use ARTS
	FC3: The ARTS is compatible with other forms of transport I use
	FC4: I can get help from others when I have difficulties using ARTS
Hedonic Motivation	HM1: Using ARTS is fun
	HM2: Using ARTS is entertaining
	HM3: Using ARTS is enjoyable
Behavioural Intentions	BI1: Assuming that I had access to ARTS, I predict that I would use it in the future
	BI2: If ARTS become available permanently, I plan to use it
	BI3: I intend to use ARTS again during the demonstration period.

203

### 204 3. Results

205 This section outlines the results of the UTAUT analysis. A factor analysis was first conducted  
 206 to ensure the divergent and convergent validity of all of the scale items. Thereafter,  
 207 correlational analyses were used to explore the interrelationships between the scales and their



208 individual relationships with Behavioural Intentions. Finally, in order to assess the additional  
 209 effects of the moderating variables, a hierarchical multiple regression analysis was used to test  
 210 the UTAUT model outlined in Figure 2 (see Aiken and West, 1991).

### 211 3.1 Behavioural intentions towards ARTS

212 To ensure that the six UTAUT dimensions investigated were distinct, a factor analysis was  
 213 conducted, using maximum likelihood extraction and varimax rotation (Costello & Osborne,  
 214 2005). Four items did not have the expected loadings. Firstly, item FC4 and SI4 (see Table 2)  
 215 both loaded most strongly onto the Effort Expectancy construct, while item FC3 was most  
 216 strongly linked to Hedonic Motivation and PE3 cross-loaded strongly onto Social Influence.  
 217 Similar to previous studies, these cross-loading items were deleted for the remaining analyses  
 218 (Venkatesh et al., 2012).

219 After removing cross-loading items, a second factor analysis was conducted. Six clear factors  
 220 emerged as expected, with all factor loadings greater than 0.4, indicating high construct validity  
 221 (Field, 2013; see Table 2). The Cronbach's alpha values were all above 0.70, indicating high  
 222 internal consistency for each of the scales (Nunnally, 1989).

223 **Table 3: UTAUT Items, factor loadings, and scale reliabilities**

Construct	Adapted Item	Factor Loading
Performance Expectancy ( $\alpha = 0.773$ )	Using the ARTS to travel helps me to achieve things that are important to me	0.719
	I find the ARTS a useful mode of transport	0.582
Effort Expectancy ( $\alpha = 0.885$ )	I find the ARTS easy to use	0.844
	Learning to use an ARTS is easy for me	0.569
	My interaction with the ARTS is clear and understandable	0.510
Social Influence ( $\alpha = 0.891$ )	People who influence my behavior think that I should use ARTS	0.850
	People who are important to me think that I should use ARTS	0.776
	People whose opinions I value would like me to use ARTS	0.803
Facilitating Conditions ( $\alpha = 0.844$ )	I have the knowledge necessary to use ARTS	0.874
	I have the resources necessary to use ARTS	0.529
Hedonic Motivation ( $\alpha = 0.867$ )	Using ARTS is fun	0.700
	Using ARTS is entertaining	0.666
	Using ARTS is enjoyable	0.642
Behavioural Intentions ( $\alpha = 0.895$ )	Assuming that I had access to ARTS, I predict that I would use it in the future	0.825
	If ARTS become available permanently, I plan to use it	0.682
	I intend to use ARTS again during the demonstration period.	0.584

224  
 225  
 226  
 227  
 228

229 **Table 4: Correlations between the UTAUT scales**

	M	SD	1.	2.	3.	4.	5.	6.	7.	8.
1. Age	33.35	10.76	1							
2. No. times using ARTS	2.23	1.39	-0.65	1						
3. Performance Expectancy	3.62	0.84	-0.21**	0.02	1					
4. Effort Expectancy	3.92	0.71	-0.19**	-0.05	0.66**	1				
5. Social Influence	3.37	0.79	-0.21**	0.13*	0.44**	0.38**	1			
6. Facilitating Conditions	3.91	0.75	-0.13**	-0.05	0.54**	0.68**	0.33**	1		
7. Hedonic Motivation	3.82	0.74	-0.24**	0.02	0.51**	0.69**	0.45**	0.64**	1	
8. Behavioural Intentions	3.74	0.74	-0.24**	0.08	0.60**	0.59**	0.51**	0.59**	0.68**	1

230 \*p<0.01, \*\*p<0.001

231

232 Prior to evaluating the model as a whole, correlational analysis were run to check for  
 233 multicollinearity. As shown in Table 4, there were no correlations larger than 0.70, and the  
 234 Tolerance statistics computed as part of the regression indicate that none of the values were  
 235 less than 0.1, which is sufficient to rule out multicollinearity (Laerd, 2015).

236 Hierarchical multiple regression was used to test the moderated research model (see Figure 2),  
 237 as recommended by Aiken and West (1991). Prior to entry into the regression model, the  
 238 independent variables were centred to reduce multicollinearity (Stevens, 1986); the product  
 239 terms to test moderation were also created from these centred independent variables. The  
 240 categorical variables of gender and experience (i.e. number of times using ARTS) were dummy  
 241 coded, consistent with previous studies (Venkatesh et al., 2003, 2012). Variables were then  
 242 entered in three steps: (1) the predictor variables (Performance Expectancy, Effort Expectancy,  
 243 Social Influence, Facilitating Conditions, and Hedonic Motivation); (2) the moderator variables  
 244 (age, gender, and experience); and (3) the interaction terms for moderation analysis. As none  
 245 of the predicted moderated relationships reached significance, only the main predictor variables  
 246 (excluding interactions) are presented in Table 5.

247 **Table 5: Hierarchical multiple regression results**

Step		Step 1 $\beta$	Step 2 $\beta$	R <sup>2</sup>	$\Delta R^2$
1	Performance Expectancy	0.24**	0.23**	0.586	0.586**
	Effort Expectancy	-0.01	-0.003		
	Social Influence	0.19**	0.18**		
	Facilitating Conditions	0.18*	0.18**		
	Hedonic Motivation	0.37**	0.35**		
2	Age		-0.05	0.59	0.005
	Gender		-0.01		
	No. times using ARTS		0.05		

248 \*p<0.01, \*\*p<0.001

249 The first step of the equation shows the individual effects of each of the UTAUT predictors.  
 250 Together, the variables accounted for 58.6% of variance in Behavioural Intentions, with  
 251 Hedonic Motivation being the strongest predictor ( $\beta=0.37$ ,  $p<0.001$ ), followed by Performance  
 252 Expectancy ( $\beta=0.24$ ,  $p<0.001$ ), Social Influence ( $\beta=0.19$ ,  $p<0.001$ ), and Facilitating  
 253 Conditions ( $\beta =0.18$ ,  $p<0.01$ ). However, Effort Expectancy did not predict Behavioural

254 Intentions ( $\beta=0.003$ ,  $p=0.96$ ). In the second step of the model, none of the demographic  
255 variables had a significant effect, suggesting that any impact of these variables disappears once  
256 all of the other factors are taken into consideration. In addition, none of the proposed moderated  
257 relationships reached significance, and their inclusion did not increase the predictive power of  
258 the model.

#### 259 **4. Discussion**

260 Although there is much excitement surrounding the introduction of various forms of vehicle  
261 automation, there is little understanding of the factors which will influence the uptake of these  
262 systems. While the acceptance of private vehicle automation has received some research  
263 attention (e.g. Adell, 2010; Kyriakidis, Happee, & de Winter, 2015; Roberts et al., 2012;  
264 Schoette & Sivak, 2014), only one previous study has investigated Behavioural Intentions to  
265 use automated forms of public transport, such as the low speed ARTS currently being  
266 demonstrated as part of the CityMobil2 project in cities across Europe (Madigan et al., 2016).  
267 In addition, much of the research to date has focused on respondents' views of proposed  
268 automation ideas rather than actual experience of the automated systems. Thus, the purpose of  
269 the current study was to use the comprehensive UTAUT model as a framework to gain a more  
270 detailed understanding of the factors that will affect intentions to use such systems in the future.  
271 Results indicate that the model was successful in predicting Behavioural Intentions towards  
272 ARTS vehicles, accounting for 58.6% variance.

273 Four of the model's predicted relationships were supported, with Performance Expectancy,  
274 Social Influence, Facilitating Conditions, and Hedonic Motivation all making unique, positive,  
275 contributions to users' Behavioural Intentions towards ARTS vehicles. Similar to Venkatesh  
276 et al. (2012), Hedonic Motivation was the strongest predictor, suggesting that the most  
277 important factor influencing intentions to use ARTS is how enjoyable they find it. As these  
278 vehicles are new and innovative, this result is perhaps not surprising. However, it is imperative  
279 that developers keep this factor in mind as the systems advance and become a more common  
280 sight. A Stated Preference survey administered prior to one of the CityMobil1 demonstrations  
281 in Rome found that variables such as on-board comfort were very important in determining  
282 users' preference towards automated transport (Delle Site, Filippi, & Giustiniani, 2011), and,  
283 over time, this may well be a factor which supersedes the technology's novelty factor. In  
284 addition, Nordhoff, van Arem, and Happee (2016) suggest that one of the ways in which  
285 automated driving can become more enjoyable relates to how people choose to spend their  
286 newly available time, and indeed how automated vehicles can be designed to promote work or  
287 social networking.

288 Performance Expectancy also had a strong impact on Behavioural Intentions to use ARTS,  
289 emphasizing the importance of ensuring high system performance, particularly in relation to  
290 helping the public to achieve their transport goals in an efficient and effective manner. Related  
291 to this, the reliability of the vehicles and their connectivity with other transport services is likely  
292 to be of great importance in guaranteeing their use (see Sessa et al., 2015). Furthermore, the  
293 positive impact of Facilitating Conditions on Behavioural Intentions highlights the need to  
294 supply the right resources to support the effective use of ARTS. Designers and developers need  
295 to consider issues such as providing the correct infrastructure for implementing such systems,

296 along with ensuring public engagement and awareness of the vehicle's capabilities, for example  
297 by using appropriate Human Machine Interface (HMI) on the ARTS to promote safe and  
298 effective interaction and communication. Indeed, results of a focus group study conducted with  
299 residents of La Rochelle (Merat et al., submitted), highlighted the desire for clearly demarcated  
300 sections for these ARTS, along with providing recommendations for how these vehicles might  
301 communicate with other road users. Finally, the significant impact of Social Influence on  
302 Behavioural Intentions suggests that the opinions of others will have an effect on whether the  
303 public will choose to use ARTS. This finding supports previous research on road pricing, which  
304 found that social norms had the highest impact on the acceptability of road pricing strategies  
305 (Schade & Schlag, 2003). Therefore, through effective marketing campaigns, developers need  
306 to focus on generating social norms that include the use of ARTS as a valid alternative to other  
307 public transport modes.

308 Effort Expectancy failed to reach significance in this study, suggesting that effort was not a  
309 factor in users' Behavioural Intentions towards ARTS. It is unclear whether this is because they  
310 found the system easy to use, or whether they did not mind exerting more effort to use this  
311 novel form of transport. This finding may also be related to the fact that the ARTS worked in  
312 a similar fashion to regular public transport, and, therefore, did not require any new skills or  
313 expertise. This result is in contrast to our findings from the La Rochelle and Lausanne  
314 demonstrations, where Effort Expectancy did have a significant, albeit weak, impact on  
315 Behavioural Intentions (Madigan et al., 2016). However, a related study in vehicle automation  
316 also failed to find a relationship between Effort Expectancy and Behavioural Intentions (Adell,  
317 2010). The authors suggest that this is due to the fact that vehicle automation does not require  
318 continuous input/effort from the user to run effectively (Adell, 2010), unlike studies  
319 considering the use of IT/mobile technology systems (e.g. Venkatesh et al., 2012; Carlsson et  
320 al., 2006). Taken together, these results suggest that the vehicles are well-designed for public  
321 understanding, and that the level of effort required is unlikely to be a deciding factor in the  
322 public's decision to use ARTS.

323 The relationship between the predictor variables and Behavioural Intentions was not found to  
324 be affected by moderating factors such as age, gender or experience in this study. This is in  
325 contrast to previous studies by Venkatesh et al. (2003, 2012), who found evidence for the  
326 effects of all of the moderators. However, other studies have also failed to find any effects of  
327 these moderating variables on users' interactions with automated systems (Madigan et al.,  
328 2016; Adell, 2010). Recently, Zmud et al. (2016) found that the only demographic variable  
329 associated with intention to use an automated vehicle was having a physical condition that  
330 prohibits driving. Taken together, these results suggest that age, gender, and experience may  
331 not be relevant in the context of automated transport, per se. Although this result was not  
332 predicted by UTAUT2, research from a range of sources suggest that personal beliefs and  
333 preferences are often better predictors of technological adoption than demographic variables  
334 (e.g. Kyriakidis et al., 2015; Osswald et al., 2010; Zmud et al., 2016), and these type of  
335 variables might provide additional insights into the factors affecting the uptake of automated  
336 vehicles. In conclusion, results from this study imply that the effect of Hedonic Motivation,  
337 Facilitating Conditions, Performance Expectancy, and Social Influence all occur independently  
338 of any demographic differences, and targeted campaigns to increase the usability/acceptability

339 of ARTS for specific groups are unlikely to be required. However, it should be noted that the  
340 sample sizes in all of these studies was significantly smaller than the 1,512 responses collected  
341 by Venkatesh et al. (2012), and therefore, greater numbers may be required to capture these  
342 effects.

#### 343 **4.1 Adapting UTAUT for Automated Vehicles**

344 The results reported in this study provide evidence that the UTAUT model is a valuable  
345 framework for increasing our understanding of user acceptance of automated road transport  
346 systems. The framework accounted for over half of the variance in Behavioural Intentions  
347 towards ARTS. One of the strengths of the UTAUT model outlined in the introduction is its  
348 adaptability to suit different contexts (Ghazizadeh et al., 2012) and the results of this study  
349 suggest that a number of modifications are required for the model to be used in studies of  
350 vehicle automation. For example, Effort Expectancy does not appear to be an important  
351 predictor of users' Behavioural Intentions towards automated road transport systems, and could  
352 be excluded from future studies in this context. In addition, it seems that demographic variables  
353 such as age and gender do not significantly impact on people's intentions towards ARTS,  
354 suggesting that broader societal acceptance is more important than targeting specific groups.  
355 However, more research is required to understand the impact of other demographic variables  
356 such as income or education, as these first mile/last mile solutions are likely to be targeted at  
357 marginalised groups who are not catered for by current public transport provisions.

358 According to a recent study by Zmud et al., (2016) current adoption of both public and private  
359 vehicles is likely to have an impact on future use of automated public transport systems, and  
360 several studies have shown the impact of financial costs on attitudes towards technology (e.g.  
361 Chan, Gong, Xu & Thong, 2008; Kuo & Yen, 2009; Venkatesh et al., 2012). Unfortunately,  
362 these factors could not be included in the current study as the ARTS demonstrations were  
363 temporary and free-to-use, and thus accurate knowledge on current habit patterns and the  
364 effects of cost could not be collected. Therefore, in order to increase the predictive power of  
365 the model in the context of vehicle automation, the impact of other relevant constructs such as  
366 price/willingness to pay and habit should be explored in future studies. Finally, perceived safety  
367 is another issue which is likely to be of particular relevance in a transport context (see  
368 Kyriakidis et al., 2015), particularly as members of the public are still very much getting used  
369 to the idea of travelling in a moving vehicle without a driver present (Zmud et al., 2016). At  
370 the moment, the ARTS vehicles travel very slowly (at a maximum speed of around 16 km/h)  
371 and include an operator. However, as the speed of these vehicles increases, and the need for an  
372 operator is removed, personal safety is likely to become more of an issue for the users of these  
373 systems.

#### 374 **4.2 Conclusions**

375 The main aim of this study was to use an adapted version of the UTAUT framework to  
376 investigate the social-psychological factors that influence users' acceptance of an automated  
377 road transport system (ARTS). Results of our survey, conducted with users of ARTS in the city  
378 of Trikala, Greece, provide evidence of the usefulness of this framework for increasing our  
379 understanding of public acceptance of these vehicles. In particular, users' enjoyment of the

380 system plays a big part in their desire to use it again, whilst the performance of the system, the  
381 resources provided to support its use, and the social popularity of the system all appear to be  
382 important factors. It is hoped that in order to maximise system uptake, designers and developers  
383 of such automated systems can consider the above issues when implementing more permanent  
384 versions of automated public transport. The current findings build on previous research in La  
385 Rochelle in France, and Lausanne in Switzerland which suggest that similar factors are likely  
386 to have an influence in all three countries (Madigan et al., 2016), although the specific  
387 requirements for promoting user enjoyment, performance expectancy etc. may vary across  
388 cultures. From a theoretical point of view, a number of modifications to UTAUT are suggested  
389 for future use in understanding automated transport. These include the exclusion of the  
390 construct of effort expectancy, and the addition of price, public transport habits, and perceived  
391 safety.

## 392 **5. Acknowledgements**

393 The research presented in this paper was supported by the CityMobil2 project, funded through  
394 the European Commission Seventh Framework Programme (Grant no. 314190). The authors  
395 would also like to thank the teams at ICCS and E-Trikala, particularly Dr Evangelia Portouli,  
396 Kristina Karaberi, and George Gorgogetas for their assistance in facilitating data collection.

## 397 **6. References**

- 398 Adell, E. (2010). Acceptance of driver support systems. In J.Krems, T. Petzoldt, & M. Henning (Eds.)  
399 Proceedings of the European Conference on Human Centred Design for Intelligent Transport Systems (pp. 475-  
400 486). Berlin, Germany: Humanist VCE.
- 401 Aiken, L.S., & West, S.G. (1991). Multiple Regression: Testing and Interpreting Interactions. Newbury Park,  
402 London: Sage.
- 403 Ajzen, I. (1985). From intentions to actions: A theory of planned behaviour. In J. Kuhl & J. Beckman (Eds.),  
404 Action-control: From Cognition to Behaviour (pp. 11-39). New York: Springer.
- 405 AlAwadhi, S., & Morris, A. (2008). The use of the UTAUT model in the adoption of E-Government services in  
406 Kuwait. In Proceedings of the 41<sup>st</sup> Hawaii International Conference on System Sciences (HICSS), Waikoloa,  
407 Hawaii (pp. 1-5).
- 408 Alessandrini, A., Campagna, A., Delle Site, P., Filippi, F., & Persia, L. (2015). Automated vehicles and the  
409 rethinking of mobility and cities. *Transportation Research Procedia*, 5, 145-160.
- 410 Carlsson, C., Carlsson, J., Hyvönen, K., Puhakainen, J., & Walden, P. (2006). Adoption of mobile  
411 devices/services – Searching for answers with the UTAUT. Proceedings of the 39<sup>th</sup> Hawaii International  
412 Conference on System Sciences, (Vol. 6, pp. 132a-132a). IEEE.
- 413 Chan, K.Y., Gong, M., Xu, Y., & Thong, J.Y.L. (2008). Examining user acceptance of SMS: An empirical study  
414 in China and Hong Kong. In Proceedings of the 12<sup>th</sup> Pacific Asia Conference on Information Systems, 3<sup>rd</sup>-7<sup>th</sup>  
415 July, Suzhou, China.
- 416 Chen, C-F., & Chao, W-H. (2011). Habitual or reasoned? Using the theory of planned behaviour, technology  
417 acceptance model, and habit to examine switching intentions towards public transit. *Transportation Research*  
418 *Part F*, 14, 128-137.

419 Csepinszky, A., Giustiniani, G., Holguin, C., Parent, M., Flament, M., & Alessandrini, A. (2015). Safe  
420 integration of fully automated road transport systems in urban environments: Basis for missing legal framework.  
421 In Transportation Research Board 94<sup>th</sup> Annual Meeting (No. 15-4073).

422 CityMobil2 (2016). What are Automated Systems? Accessed at [http://www.citymobil2.eu/en/About-](http://www.citymobil2.eu/en/About-CityMobil2/What-are-automated-systems/)  
423 [CityMobil2/What-are-automated-systems/](http://www.citymobil2.eu/en/About-CityMobil2/What-are-automated-systems/) on 28<sup>th</sup> June 2016.

424 Costello, A.B., & Osborne, J.W. (2005). Best practices in exploratory factor analysis: four recommendations for  
425 getting the most from your analysis. *Practical Assessment, Research & Evaluation*, 10, 1-9.

426 Davis, F.D. (1989). Perceived usefulness, perceived ease of use, and user acceptance of information technology.  
427 *MIS Quarterly*, 13, 319-340.

428 Delle Site, P., Filippi, F., & Giustiniani, G. (2011). Users' preferences towards innovative and conventional  
429 public transport. *Procedia Social and Behavioural Sciences*, 20, 906-915.

430 Field, A. (2013). *Discovering Statistics Using IBM SPSS Statistics*. London: Sage

431 Ghazizadeh, M., Lee, J.D., Boyle, L.N. (2012). Extending the technology acceptance model to assess  
432 automation. *Cognition, Technology, and Work*, 14, 39-49.

433 Google (2016). Google Self-Driving Car Project. Accessed at <https://www.google.com/selfdrivingcar/> on 1<sup>st</sup>  
434 May 2016.

435 Hötl, A., & Trommer, S. (2012). Driver assistance systems for transport system efficiency: Influencing factors  
436 on user acceptance. *Journal of Intelligent Transportation Systems: Technology, Planning and Operations*, 17,  
437 245-254.

438 Kuo, Y.F., & Yen, S.N. (2009). Towards an understanding of the behavioural intention to use 3G mobile value-  
439 added services. *Computers in Human Behaviour*, 25, 103-110.

440 Kyriakidis, M., Happee, R., & de Winter, J.C.F. (2015). Public opinion on automated driving: Results of an  
441 international questionnaire among 5000 respondents. *Transportation Research Part F*, 32, 127-140.

442 Laerd Statistics (2015). Multiple regression using SPSS Statistics. *Statistical Tutorials and Software Guides*.  
443 Retrieved from <https://statistics.laerd.com/premium/spss/mr/multiple-regression-in-spss-20.php> on 1st May  
444 2016.

445 Madigan, R., Louw, T., Dziennus, M., Graindorge, T., Ortega, E., Graindorge, M., & Merat, N. (2016).  
446 Acceptance of automated road transport systems (ARTS): An adaptation of the UTAUT model. *Transportation*  
447 *Research Procedia*, 14, 2217-2226.

448 Merat, N., Louw, T., Madigan, R., Dziennus, M., & Schieben, A. (submitted). Communication between VRUs  
449 and fully automated road transport systems: What's important? Manuscript submitted for publication.

450 Merat, N., Louw, T., Madigan, R., Dziennus, M., & Schieben, A. (2016). Road users' comprehension of  
451 automated driverless vehicles. *CityMobil2 Deliverable 18.1: European Commission Seventh Framework*  
452 *Programme*

453 Meschtscheriakov, A., Wilfinger, D., Scherndl, T., & Tscheligi, M. (2009). Acceptance of future persuasive in-  
454 car interfaces towards a more economic driving behaviour. *Proceedings of the First International Conference of*  
455 *Automotive User Interfaces and Interactive Vehicular Applications (Automotive UI)*, 21<sup>st</sup>-22<sup>nd</sup> September, 2009,  
456 Essen, Germany.

457 Milanés, V. - INRIA (2014). Selection of Offers for the City Demonstrations. *CityMobil2 Deliverable D15.6:*  
458 *European Commission Seventh Framework Programme*.

459 Najm, W.G., Stearns, M.D., Howarth, H., Koopman, J., Hitz, J. (2006). Evaluation of an Automotive Rear-End  
460 Collision Avoidance System. Report no. DOT HS-810-569. National Highway Traffic Safety Administration,  
461 Washington, DC.

462 Nordhoff, S., van Arem, B., & Happee, R. (2016). A conceptual model to explain, predict, and improve user  
463 acceptance of driverless vehicles. Proceedings of the 95<sup>th</sup> Annual Meeting of the Transportation Research  
464 Board, January 2016, Washington, USA.

465 Nunnally, J.C. (1978). Psychometric Theory. New York: McGraw-Hill.

466 Osswald, S., Wurhofer, D., Trösterer, S., Beck, E., Tscheligi, M. (2010). Predicting information technology  
467 usage in the car: towards a car technology acceptance model. In Proceedings of the 4<sup>th</sup> International Conference  
468 on Automotive User Interfaces and Interactive Vehicular Applications (pp. 51-58). ACM.

469 Park, E., & Kim, K.J. (2014). Driver acceptance of car navigation systems: integration of locational accuracy,  
470 processing speed, and service and display quality with technology acceptance model. Personal Ubiquitous  
471 Computing, 18, 503-513.

472 Park, J., Junghwan, K., Changi, N., & Seongcheol, K. (2013). Driver's intention to use smartphone-car  
473 connectivity. Proceedings of the 24<sup>th</sup> European Regional Conference of the International Telecommunication  
474 Society, Florence, Italy, 20-23<sup>rd</sup> October, 2013.

475 Roldão, L., Pérez, J., González, D., & Milanés, V. (2015). Description and technical specifications of cybernetic  
476 transportation systems: an urban transportation concept. Proceedings of the 2015 IEEE International  
477 Conference on Vehicular Electronics and Safety, Yokohama, Japan, Nov 5-7, 2015.

478 Roberts, S.C., Ghazizadeh, M., & Lee, J.D. (2012). Warn me now or inform me later. Drivers' acceptance of  
479 real-time and post-drive mitigation systems. International Journal of Human-Computer Studies, 70, 967-979.

480 Schade, J., & Schlag, B. (2003). Acceptability of urban transport pricing strategies. Transportation Research  
481 Part F, 6, 45-61.

482 Schoette, B. & Sivak, M. (2014). A Survey of Public Opinion about Autonomous and Self-Driving Vehicles in  
483 the U.S., the U.K., and Australia. Michigan, USA. Accessed at  
484 <https://deepblue.lib.umich.edu/bitstream/handle/2027.42/108384/103024.pdf> on 7<sup>th</sup> June 2016.

485 Schuitema, G., Steg, L., & Forward, S. (2010). Explaining differences in acceptability before and acceptance  
486 after the implementation of a congestion charge in Stockholm. Transportation Research Part A, 44, 99-109.

487 SAE On-Road Automated Vehicle Standards Committee (2016). Taxonomy and Definitions for Terms Related  
488 to On-Road Motor Vehicle Automated Driving Systems; Technical Report J3016\_201609, SAE International.

489 Sessa, C., Pietroni, F., Alessandrini, A., Stam, D., Delle Site, P., & Holguin, C. (2015). Results of the On-Line  
490 DELPHI Survey. CityMobil2 Deliverable 27.2: European Commission Seventh Framework Programme.

491 Stevens, J. (1986). Applied Multivariate Statistics for Social Sciences. Hillsdale, NJ: Lawrence Erlbaum  
492 Associates.

493 TESLA. (2016). Model S Software Version 7.0. Accessed at  
494 [https://www.teslamotors.com/en\\_GB/presskit/autopilot\\_on\\_1st\\_May\\_2016](https://www.teslamotors.com/en_GB/presskit/autopilot_on_1st_May_2016).

495 Transport Systems Catapult (2016). Self-driving pods. Accessed at <https://ts.catapult.org.uk/pods> on 1st May  
496 2016.

497 URMSON, C. (2015). Progress in Self-Driving Vehicles. National Academy of Engineering, The Bridge.

498 Van der Heijden, H. (2004). User acceptance of hedonic information systems. MIS Quarterly, 28, 695-704.

499 Venkatesh, V., Morris, M.G., Davis, G.B., & Davis, F.D. (2003). User acceptance of information technology:  
500 Toward a unified view. MIS Quarterly, 27, 425-478.

501 Venkatesh, V., Thong, J.Y.L., & Xu, X. (2012). Consumer acceptance and use of information technology:  
502 extending the unified theory of acceptance and use of technology. MIS Quarterly, 36, 157-178.

503 Volvo Cars (2016). Intellisafe Autopilot. Accessed at [http://www.volvocars.com/uk/about/our-](http://www.volvocars.com/uk/about/our-innovations/intellisafe/autopilot)  
504 [innovations/intellisafe/autopilot](http://www.volvocars.com/uk/about/our-innovations/intellisafe/autopilot) on 1st May 2016.



- 505 Zhou, T., Lu, Y., Wang, B. (2010). Integrating TTF and UTAUT to explain mobile banking user adoption.  
506 Computers in Human Behaviour, 26, 760-767.
- 507 Zmud, J., Sener, I.N., & Wagner, J. (2016). Consumer acceptance and travel behaviour impacts of automated  
508 vehicles. Texas A&M Transportation Institute, PRC15-49F.