

Open Research Online

The Open University's repository of research publications and other research outputs

Patterns of Design

Conference or Workshop Item

How to cite:

Corneli, Joseph; Holland, Simon; Pease, Alison; Mulholland, Paul; Murray-Rust, Dave; Scaltsas, Theodore and Smail, Alan (2018). Patterns of Design. In: Proceedings of the 23rd European Conference on Pattern Languages of Programs (EuroPLoP '18), ACM, New York, NY, USA, article no. 22.

For guidance on citations see [FAQs](#).

© [not recorded]

Version: Accepted Manuscript

Link(s) to article on publisher's website:
<http://dx.doi.org/doi:10.1145/3282308.3282331>

Copyright and Moral Rights for the articles on this site are retained by the individual authors and/or other copyright owners. For more information on Open Research Online's data [policy](#) on reuse of materials please consult the policies page.

oro.open.ac.uk

Patterns of Design

Joseph Corneli
School of Informatics
University of Edinburgh
joseph.corneli@ed.ac.uk

Paul Mulholland
Knowledge Media Institute
Open University
paul.mulholland@open.ac.uk

Simon Holland
Centre for Research in Computing
Open University
simon.holland@open.ac.uk

Dave Murray-Rust
Edinburgh College of Art
University of Edinburgh
d.murray-rust@ed.ac.uk

Alison Pease
School of Science & Engineering
University of Dundee
a.pease@dundee.ac.uk

Theodore Scaltsas
School of Philosophy, Psychology and
Language Sciences
University of Edinburgh
Dory.Scaltsas@ed.ac.uk

Alan Smaill
School of Informatics
University of Edinburgh
A.Smaill@ed.ac.uk

Abstract

In a straightforward meta-level shift of focus, we use design patterns as a medium and process for capturing insight about the process of design. We survey mainstream design genres, and draw conclusions about how they can help inform the design of intelligent systems.

CCS Concepts

• **Computing methodologies** → **Knowledge representation and reasoning**; • **Software and its engineering** → **Patterns**; • **Human-centered computing** → *Collaborative interaction*;

Keywords

Design Processes, Design Patterns, Conceptual Blending, Artificial Intelligence, Human-Centered Artificial Intelligence, Creativity

ACM Reference Format:

Joseph Corneli, Simon Holland, Alison Pease, Paul Mulholland, Dave Murray-Rust, Theodore Scaltsas, and Alan Smaill. 2018. Patterns of Design. In *23rd European Conference on Pattern Languages of Programs (EuroPLoP '18)*, July 4–8, 2018, Irsee, Germany. ACM, New York, NY, USA, 11 pages. <https://doi.org/10.1145/3282308.3282331>

Introduction

What is design, and why does it matter? The word derives from the Latin verb for marking (*dēsīgnō*). The etymological perspective tells us that design is linked with designation, and, more fundamentally, with significance. Etymology also shows us that design is close to

‘programming’, which comes from the ancient Greek word for a written public notice or edict (Figure 1). Knox [45] describes the modern evolution of the meaning of ‘design’, which has variously denoted:



Figure 1

- “an art of giving form to products for mass production,”
- a practical theory of “planned obsolescence,”
- combinations of “science, technology and rationalism” addressed to “human and environmental problems,”
- surfaces for “the luring of consumers for the purpose of gaining their money,”
- the deeper problem of “designing the consumers themselves.”

Johansson-Sköldberg et al. [44] discuss five related contemporary theoretical perspectives on “design and designerly thinking,” encompassing the *creation of artefacts*, *reflexive practice*, *problem-solving*, *reasoning and sensemaking*, and *the creation of meaning*. Design may be, by now, the essential discipline needed for survival in the Anthropocene era, in which humanity is at work on a “concrete and discrete project of global immune design” [80, p. 451]. At any rate, it no longer belongs to the “pipe-smoking boffin” or even the “solitary style warrior” [30, p. 2]. In practice “various experts are in constant close co-operation” and indeed “no group covers a wide enough field” [8, p. 20].

Landscape designer Rolf Roscher suggests that ‘belief’ and ‘landscape’ are related in two ways:

The ‘specific’: where belief is derived from a place.
[. . .] The ‘transported’: where a landscape is created as a metaphor for a set of beliefs. [75, p. 124]

A now-popular account by the UK’s Design Council [24] takes on a somewhat similar two-part form. They propose: “In all creative processes a number of possible ideas are created (‘divergent thinking’) before refining and narrowing down to the best idea (‘convergent thinking’), and this can be represented by a diamond shape.” They then suggest that in the process of design, “this happens twice – once to confirm the problem definition and once to create the solution” (Figure 2).



Figure 2

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

EuroPLoP '18, July 4–8, 2018, Irsee, Germany

© 2018 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 978-1-4503-6387-7/18/07...\$15.00

<https://doi.org/10.1145/3282308.3282331>

Section 1:	DESIGN PATTERNS <i>Decision support for complex situations</i>	LEARNING DESIGN <i>Strategies for learning while doing</i>	BUSINESS DESIGN <i>Innovations that have a chance of succeeding in the marketplace</i>
Section 2:	RESEARCH DESIGN <i>Developing a worthwhile problem to work on</i>	CONCEPT DESIGN <i>New ways to think about things</i>	PRODUCT DESIGN <i>Address problems using prior knowledge and common sense</i>
Section 3:	EXPERIENCE DESIGN <i>Transformations of participants</i>	KNOWLEDGE BASE DESIGN <i>Strategies for making “meaning” available to computers</i>	DESIGNING INTELLIGENCE <i>Strategies for building intelligent systems</i>

Table 1: Primary Contents: A survey of mainstream design genres.

Accordingly, the Design Council describes the overall process in terms of four phases: *discovery*, *definition*, *development* and *delivery*. Other divisions are possible. Tim Brown [12], one of the chief proponents of “design thinking,” describes design in terms of three “spaces”—*inspiration*, *ideation*, and *implementation*—noting that “Projects will loop back through these spaces – particularly the first two – more than once as ideas are refined and new directions taken” (p. 89). Some design thinking acolytes translate this into a more methodical process, based on the six steps *empathize*, *define*, *ideate*, *prototype*, *test*, and *implement*, with additional feedback loops as appropriate. Peffers et al. [72] present a somewhat similar six-phase model; Vaishnavi and Kuechler [86, p. 130] use five phases, and give detailed design patterns that are relevant at each phase. Nessler [65] divides the Design Council’s double diamond into no fewer than sixteen sub-phases, and Mann [56] points out that design is often a highly iterative process so that the basic diamond shape could be repeated many times on the way to an ideal solution.

In the design patterns literature, individual patterns are models for specific design processes, and pattern languages are models of more complex design processes with moving, optional, parts. Kohls [46, 47] had described design patterns as being like a journey or route map, but in light of the remarks above they can also be understood in a more ecological way. Moran [63, p. 131] had already remarked, “From the point of view of methodology, it is not so important how good each pattern is, but only that each one is transparent and open to criticism and can be improved over time.” Design patterns emerge from an interaction between interpretation and application. The terrain is shaped by patterned behaviour.


By analogy with solution-oriented phases of design work—where machine intelligence is employed in Computer Aided Drafting (CAD) [50], procedural architecture [70], etc.—we think that technological support could make a big difference to conceptual aspects of problem-oriented work. Several recognised technical efforts notwithstanding, many teams continue to do early-stage design with simple, flexible, analogue tools, such as 3M’s PostIt Notes, relying on methods that date back to classical dialectic [29, 68]. These tools and methods are useful for the problems to which they are applied—but these simple, useful, familiar ways of working do not readily incorporate computational intelligence. By engaging computational intelligence in the early stages of design, more perspectives could be taken into account, and more complex problems addressed. The benefits must be bootstrapped using both technical and informal means [64, pp. 67–68].

Nevertheless, there is an important caveat. Alexander [2] argued that once we have a well-defined problem, computers can be used for optimisation, but that this was never the core issue in design. Nevertheless, experimental work has applied computers to design problems both autonomously and together with users [18, 19]. “Creative design” is seen as a testbed for cutting edge AI research [51]. Considering the complexity of today’s challenges, and the opportunity that widespread distribution of computing power provides, another effort to understand the key concepts of design is called for. We focus on surveying mainstream genres of design, as summarised in Table 1, with a broader theoretical discussion and practical conclusions in Sections 4 and 5 respectively.

1 Patterns in the creative process

We begin with a recursive move: we describe design patterns *using* a design pattern. This first pattern helps show how all of the patterns are variations on a central theme. We make use of a simple design pattern template inspired by the foundational work of Alexander and Poyner [6].

DESIGN PATTERNS



Assuming You work in a context that has reasonably stable features; in which the wholes have a somewhat modular form; in which documentation can and will be read and used.

If Forces x and y are frequently seen to be in conflict, and the conflict can be resolved better by β than any alternatives ζ the relation between x , y , and β is not already well understood.

Then Describe the relation as a design pattern, so that it is accessible and its fitness may be judged.


Example This section can serve as a first example of a *design pattern*, and the paper as a whole serves as an example of a *pattern language*.¹

Alternatives TRIZ is an approach to engineering design centred on common conflicts (e.g., an aeroplane must be both big and light) [84].

Comment. An important implication is that: *whereas design is concerned with the form or structure of objects and processes, the way we think is also structured, and can be shaped by design.* However, design patterns should not be understood as a silver bullet. Alexander reflects, “To caricature this I could say that one of the hallmarks of pattern language architecture, so far, is that there are alcoves all over the place; or that the windows are all different” [36, p. 189]. The way in which patterns are deployed matters. For example, in a programming context, Graham [37] has argued that “regularity in the code is a sign [...] that I’m generating by hand the expansions of some macro that I need to write.”

Here we have opted to use a pattern template that is simpler than the ones often used in pattern languages for programming. Other fields often have standard templates of their own. We collect examples in Tables 2 and 3, later on below.

LEARNING DESIGN



Assuming You are working with or within a process that is robust enough to incorporate feedback; there is time and liberty for repeating practice.

If You, or someone you know, needs to keep doing x ζ continuing to do x unchanged is likely to incur a big cost, or else, there could be a big benefit to changing ζ change will not be instantaneous.

Then Incorporate suitably-structured feedback into the process to adapt it as it goes.


Example Writers Workshops [31].

Alternatives *Self-directed* learning tends to integrally involve RESEARCH DESIGN.

Comment. Learning is said to come in three main varieties: classical conditioning, instrumental conditioning, and skills-based practice (cf., e.g., [20, pp. 160–161]). The questions *who is learning* and *what are their native capacities* are closely linked with how they learn, and with the corresponding learning designs that are applied. There are often one or more thresholds of response, with different consequences on either side. At a population level, this can lead to stratification.

Watt [88, pp. 7-8] observes that “The way that people learn declarative knowledge (such as facts and rules) is simply different from the way that people learn procedural knowledge (such as skills).” Although some regularities can be observed, learning is not an entirely predictable process, or it would be referred to instead as “control.” In pragmatic terms, learning is related to the broader concepts of sociality and co-evolution. Deleuze’s [21] remark that “There is no more a method for learning than there is a method for finding treasures” serves to highlight the difference between *design* and *method*.

BUSINESS DESIGN



Assuming A new way of doing things (a method) or a new connection between disparate regions (with a corresponding opportunity for arbitrage) opening the way to desirable products or exchanges.

If You know that there is a market for x ζ You reckon that you can deliver x' , which has some differences.

Then Figure out how people perceive x' ; be prepared to market x' in a different way from x , or to adjust the process and produce x'' (etc.) instead

Example Honda could not compete with Harley Davidson in the US, but their Super Cub was fun to ride off-road: they made a niche for dirt bikes.

Alternatives Markets; central planning.

Comment. Designing a business means thinking about a product or service in context. A perfectly good product might not sell if it’s marketed the wrong way. A great idea might not be economical if it’s produced in the wrong way. According to Ronald Coase, firms come into being when in-house communication is more efficient than market transactions. Simon [78, Chapter 2] contends that the key difference between businesses and markets has to do with the way they process information, namely via hierarchy in the business setting. Businesses may be thought about in systematic or even quasi-organic terms: although they remain somewhat modular, the parts are not strictly interchangeable. Along with supply, demand, competition, and turnover, one of the important parameters is how the business is funded: as with a home mortgage, responsibilities

¹We use the “ ζ ” symbol to demarcate the conflicting forces in each pattern. Accompanying diagrams are intended to illustrate these conflicts pictorially.

<p>Pattern Name (Scope, Purpose): Intent: Also Known As: Motivation: Applicability: Structure: Participants: Collaborations: Consequences: Implementation: Sample Code and Usage: Known Uses: Related Patterns: <i>Gang of Four pattern template</i></p>	<p>Course Aims: Course Structure: Learning Outcomes: Assessment Plan and Submission Dates: Timetable: Course Tools and Requirements: Indicative Reading List: <i>standard course syllabus outline</i></p>	<p>Key Partners: Key Activities: Key Resources: Value Propositions: Customer Relationships: Channels: Customer Segments: Cost Structure: Revenue Streams: <i>Business Model Canvas, from Alexander Osterwalder</i></p>
---	--	--

Table 2: Sample templates for DESIGN PATTERNS, LEARNING DESIGN, and BUSINESS DESIGN

to funders can come with considerable constraints on future development [36, Chapter XIV]. As software eats the world, “business” may increasingly tend to rely on statistical A/B testing. (Notice as well the similarity to LEARNING DESIGN: this is in some sense a discretised version of that pattern.)

2 Parameters of design processes

Each of the patterns we present has a number of parameters that can change the way it works in specific instances. For example: *Who is creating the design in question? What are their capacities and constraints? How will the designs be used? How fluid is the overall situation?* In this section, our aim is to outline strategies that address basic questions that will come up time and time again in various design settings. *What is the problem? How might it be addressed? and How can the solution be developed?* Given the general nature of these questions, there are many ways to go about generating an answer. These constitute the essential parameters of design.

RESEARCH DESIGN



- Assuming** A knowledge domain that is at least implicitly organised; some liberty of choice to select and explore problems, strategies, and priorities.
- If** You need something worthwhile to work on. \nexists You don't know in advance what will turn out best. \nexists It might not even be clear what's possible or practical
- Then** This can be tackled at the meta-level—make it personal. Ask how known problems relate to each other through you. What

do you need to learn to participate more fully? What's at stake? (Cf. LEARNING DESIGN, BUSINESS DESIGN.)

Example Edward Jenner, inoculated with smallpox as a child (a risky process!), later developed vaccination (safer and more effective) by drawing on local knowledge and careful experiments, subsequently carrying out impactful dissemination.

Alternatives Individual grants are even more about “the person” than standard grants.

Comment. Russell [76, p. 110] suggested that the essential thing is “the substitution of observation and inference for authority.” According to Kuhn [48, p. 5] “normal science,” makes some compromises *vis à vis* that requirement. Further varieties include “basic”, “applied” and “use-inspired” research [83]; another typical division is between research that is “exploratory,” “descriptive,” or “explanatory” [85].

PRODUCT DESIGN



- Assuming** An at least somewhat decomposable problem; empathy for those affected; previous problem-solving experience.
- If** You are confronted with a problem y \nexists You have a repertoire of solution strategies x_1, x_2 , etc., none of which apply directly to y .
- Then** “Reverse” the difficult parts of y , one by one, until you find an easier variant of the problem that can be solved using one of your existing strategies. Think about how the solution

would be perceived emotionally by those affected, and then adjust the solution based on your assessment.

Example Scaltsas [77] analyses the famous myth of the Trojan horse using this model (Figure 3). *The reversal*: What if Troy was no longer impenetrable: say the Trojans opened the gates? *Emotional assessment*: They would be happy to do this if they were receiving a gift. *The adjustment*: What if the gift disguised a trap? Compare: homelessness might be addressed (symptomatically) by creating small-scale shelters: would the public and users find it acceptable if shelters were built into advertising hoardings [40, p. 59]?

Alternatives TRIZ similarly says to move from a specific problem to a generic one that has a solution. The overall structure of this pattern is also similar to the basic situation in case based reasoning. Something along the lines of anti-unification, which leads to the least-general generalisation, may be relevant to making the reversal step useful.


Comment. Scaltsas’s “BrainMining” approach attempts to work with the human tendency to *anchoring bias*, which in the case of a difficult problem can readily result in “stuckness.” The same bias might tend to make every problem “look like a nail” relative to existing solution strategies. The emotional assessment phase moderates that tendency. However, if the emotional assessment component ends up dominating, the process could begin to look like “design by committee.” The focus on solutions in this pattern could come with a tendency to develop symptomatic treatments rather than etiological understanding.

This pattern could be seen as the mirror image of RESEARCH DESIGN, and they can be used together. Whereas that pattern assumed a stock of problems that must be navigated and selected from or added to, this one assumes a stock of existing solution strategies.



Figure 3

CONCEPT DESIGN



Assuming the capacity to think about one thing in terms of another, to find common themes, and to keep a potentially complex array of models in mind; also, a certain background understanding of the way the world works, and some sense of the distinction between fiction and fact.

If you need to think or communicate about x but you don’t understand it completely $\&$ you understand the phenomenon y reasonably well $\&$ x has some abstract features in common with y .

Then form a blended structure β that integrates x and y by first identifying and incorporating their common features; combine additional structure from both sides, possibly recruiting additional extraneous structure to round out the picture.

Example “Thatcher, Thatcher, milk snatcher” blended the then-Secretary of State for Education and Science with a policy whose implementation she oversaw, creating an image at human scale.

Alternatives With minor changes to the above, two different phenomena, both understood only partially, can be thought about by integrating them together.


Comment. The central goal in concept blending or concept integration, as described by Fauconnier and Turner [28], is to *achieve human scale*. This is similar to the process of making things personal that comprised the core of the solution in RESEARCH DESIGN. Blending has influenced our analysis of all of the patterns we present here. This can perhaps be seen most clearly in the accompanying diagrams, each of which presents a different variant on the x, y, β scheme. Whereas Alexander and Poyner [6] focused on resolving contradictions, this takes on further dimensionality in the blending process: first, finding an analogy between the two sides, then finding a context in which they fit together, and, moreover, in which this becomes meaningful. In contrast to the metaphor of “atoms” that Alexander and Poyner used, Fauconnier and Turner [27] write that “the most suitable analog for conceptual integration is not chemical

composition but biological evolution.” They contrast their model of figurative thought with formal approaches, in which “identity is taken for granted,” “analogy [. . .] is typically not even recognized” and in which, accordingly, difference is hard to conceptualise [28, Chapter 1].

3 Relationships with technology

This section presents three patterns with a more speculative feel, ultimately drawing together the themes discussed so far.

EXPERIENCE DESIGN



Assuming organisation of activity is to be maintained over time, or created anew; emotions can be aroused and senses engaged.

If new whole persons must be created \neq relevant experience is not immediately accessible or likely to happen on its own.

Then Build experiences that shape the person, so that they enact patterns of structure, order, hierarchy, and category—or their opposites, chaos, play, unpredictability—as well as associated contrasts such as in/out, reveal/conceal, inversion/reversion. If the experience should result in transformation, resolve contradictions between who the person is and who they must become, using significant lived symbolism. The experiences should be immersive: time may pass differently for those engaged in them; in the extreme it may be as if an entire lifetime had passed.

Example In the pattern *ENTRANCE TRANSITION*, Alexander et al. describe a building entrance as a place to shed the persona associated with the street (Figure 4). “The experience of entering a building influences the way you feel inside the building. If the transition is too abrupt there is no feeling of arrival, and the inside of the building fails to be a sanctum” [5, p. 594]. Elsewhere, Alexander remarks that “The buildings that I build very often have a dreamlike reality. I don’t mean by that they have a fantasy quality at all, in fact quite the reverse. They contain in some degree the ingredients that give dreams their power” [9].

Alternatives Handelman [38] gives a typology of “public events” and a thorough analysis that inspires this pattern. In particular, *events that present* are juxtaposed with *events that model*. The former “are mirrors held up to social order, reflecting and expressing the compositions that their composers desire for society” (p. xxix). An event of the latter sort “generates




Figure 4

and produces controlled change within itself, change which has a directed and direct effect on the world beyond the event” (pp. xxi–xxii). He also describes a third variety, *events that re-present*, which “do work of comparison and contrast in relation to social realities [. . .] by offering propositions and counter-propositions, within itself, about the nature of these realities” (p. 49).

Comment. In typical usage, “experience design” would imply *user experience design*. Human beings tend to be able to make sense of phenomena such as being distinctly separate yet intimately related [38, pp. 155–156] which would presumably fail to register for current machines. Notice as well that despite the power of conceptual blending as described in *CONCEPT DESIGN*, it doesn’t directly explain which concepts will be experienced as significant.

KNOWLEDGE BASE DESIGN



Assuming Some agent who must navigate an unfamiliar space.

If the agent needs to make sense of possible behaviours in this space \neq the agent has their own background of meaningful behaviours in some other space.

Then form bridges between the two ways of thinking, e.g., by making the goals and beliefs that apply in the new space explicit.

Example Two paradigmatic examples are depicted in the image above. The first is the Logo turtle, a virtual robot that followed instructions written in the Logo language, originally developed by Seymour Papert, to run on a custom computer

<p>Who benefits, and how do they benefit: Description for a general audience: Track record: Objectives & Methods: Research Programme: Project Gantt Chart: Justification Of Resources: Pathways To Impact (Knowledge, People, Society, Economy): Academic beneficiaries: National importance: <i>“Standard Research” from the Engineering and Physical Sciences Research Council</i></p>	<p>Compress what is diffuse. Obtain global insight. Strengthen vital relations. Come up with a story. Go from Many to One. <i>Sub-goals of blending, from Fauconnier and Turner</i></p>	<p>Theory of evaluation: utility theory, statistical decision theory Computational methods: choosing optimal alternatives for choosing satisfactory alternatives The formal logic of design: imperative and declarative logics Heuristic search: factorization and means-ends analysis Allocation of resources for search: Theory of structure and design organization: hierarchic systems Representation of design problems: Social design: Bounded rationality Data for planning Identifying the client Organizations Time and space horizons Designing without final goals <i>Curriculum for design from Herbert Simon</i></p>
---	--	---

Table 3: Sample templates for RESEARCH DESIGN, CONCEPT DESIGN, and DESIGNING INTELLIGENCE

for educational use designed by Marvin Minsky [11]. Physical turtle robots had been developed previously, typically with sensors. In standard Logo implementations, there were no sensors, and moreover, the turtle did not have access to a global coordinate system: it follows strictly local instructions, step-by-step [34]. (Subsequent work with StarLogo expanded upon these basic features [74].) The other example comes from another educational program, ChipWits, released in 1984. The eponymous *ChipWits* are virtual robots that “inhabit maze-like worlds of connected rooms, each filled with an odd assortment of junk” [7]. Unlike the Logo turtle, these robots have sensors, which they can use to detect useful items and avoid threats. In addition, rather than being programmed in a restricted dialect of LISP, ChipWits are programmed in an Icon Based Operating Language, hooking actions together on circuit boards (Figure 5). The visual language makes it more clear that alongside the maze-like worlds, there is an abstract space of possible programs for navigating these worlds. This seems to help the programmer identify with the agents’ mental states [88]. A natural evolution of ChipWits would add facilities for meta-programming, whereby simulated robots could self-program by interacting with their environments. Devlin et al. [25] tackle a similar problem using examples and code synthesis; DeepMind’s breakthroughs in videogame-playing used self-programming with non-symbolic representations (i.e., pixel-level inputs and neural networks) [61].

Alternatives Word co-occurrence and ordering are two ways by which meanings are transmitted in language [39], using associations which have developed over time [20, pp. 63–64].


Contemporary computational models often exploit this property. For instance, McGregor [59] uses a geometric approach to build models that locate sub-categories within categories, in such a way that projections onto lower dimensional sub-spaces reveal the salient relationships between terms. Thus, predators and pets, as well as canines and felines, are found within the category of animals; in one subspace “wolf” and “lion” are nearby, in another, “wolf” and “dog” are nearby (pp. 38–39). Character-level analyses have the advantage that they do not require prior knowledge of the language [73].



Figure 5

Comment. Simon [78, p. 111] says that “Everyone designs who devises courses of action aimed at changing existing situations into preferred ones.” Clearly, some representation of the state of world is a prerequisite. Simon considers memory as external to the agent.

DESIGNING INTELLIGENCE



Assuming a notion of “intelligence” that is recognisable to humans.

If designing a system where intelligence is needed, of whatever form or scale ℓ which cannot be abstract but must be embodied in some social, physical, or software system.

Then Notice when the patterns we have described are blocked, so that, e.g., learning doesn't happen, businesses stagnate or crumble, research is ineffective, products are not useful, concepts are unclear, experiences are not meaningful, the world is incomprehensible. This can suggest conflicts around which new DESIGN PATTERNS can be created, or hint at how existing patterns can be refined.

Example Marvin Minsky's [60] *Society of Mind* presents a high-level design in which the small component systems—agents—contribute different aspects to the system as a whole. His core rubric is: “Each mental agent by itself can only do some simple thing that needs no mind or thought at all” (p. 17).

Alternatives The patterns we have presented point out some directions in what is clearly a vast possibility space. According to Alexander [3, p. 10] what is essential is to “build on the structure that is there, do not destroy it or interfere with it, but rather enhance it and elaborate it and deepen it,” in contribution to a larger whole. Consider that animal and even vegetable intelligences can learn [32], and, moreover, engage in niche creation.

Comment. Andy Clark [16] remarks on the special form this takes for humans:

“Against the enabling backdrop of the homeostatic machinery that keeps us within our windows of organismic viability, the shape and contents of the rest of our mental lives are determined by prediction-driven learning as it unfolds in the ecologically unique context of our many designer environments [. . .] that enforce exploration and novelty-seeking in ways hitherto unknown among terrestrial animals.”

Good [35] sketches a neural model comprised of relatively stable assemblies and more frenetic subassemblies, closer to the senses, which seems analogous to the above: “If assemblies correspond to conscious thoughts, it might well be that subassemblies correspond to unconscious and especially to preconscious thoughts” (p. 58).

4 Discussion

Galle [33] meditates on design patterns as potential “atoms of conceptual structure.” He notes that, with few exceptions—such as Moran's classic proposal for an “Architect's Adviser”—design patterns were ignored in the knowledge-based systems literature. Many of the historically-early support tools emphasised the physical properties of objects and their combinations.

With this in mind, we can contrast *conceptual design*, as we understand this term, with the perspectives on “making” advanced by Ingold [42]. Ingold follows Deleuze and Guattari [22, p. 408] in highlighting interactions between maker and medium, e.g., “sur-rendering to the wood, and following where it leads.” This example is cited in opposition to simplified narratives of form-giving considered as a “technical operation which imposes a form on a passive

and unspecified matter” [79]. The passive and active processes might be diagrammed as follows:

$$\frac{\text{clay}}{\text{brick}} \text{ form} \qquad \frac{\text{axe wood}}{\text{split wood}} \text{ technique}$$

A clue that these authors are not actually refuting “hylomorphism” in the way they claim comes directly from the choice of examples, and the fact that *húlē* originally means wood. In any case, Ingold's broader concern is with theories and thinking that he deems to be insufficiently aware of process, including applications of causal thinking to situations which are more complex. He makes the case that co-evolution is more widespread than we tend to acknowledge. Following Alexander and Poyner [6, p. 318], let us fly right into the heart of the debate with another diagram rather like the two above:

$$\frac{\text{if}}{\text{then}} \text{ because}$$

The associated issues seem to become clearer if, instead of “because,” we understand “assuming,” as per our usage in the foregoing sections. In design patterns, the links between “if” and “then” seem to depend on complex articulations, not on single causes. Consider these examples, adapted from Aristotle (*Physics*, Book II, Part 9):

- If you want to make a house, *then* you need a roof, *assuming* the house is for humans on open ground.
- If you want to make a saw, *then* use hard material for the blade, *assuming* the saw is driven by hand-power.

When phrased this way, it is as if we have been explicitly invited to think of exceptions to the rule. Moreover, when the exceptions have something in common, they can be captured in design patterns. Consider:

- Both a *sheep pen* and a *cave dwelling* do not need a roof because they *REUSE A NATURAL COVERING*.
- Both a *water jet cutter* and a *plasma cutter* can *HAVE THE POWER SOURCE DO THE HARD WORK*.

From a design perspective there will be further exceptions, e.g., a sheep's wool can protect it against rain, not against predators; a plasma cutter can only cut conductive materials, and so on.

Simon [78] described “goals” as the interface between internal and external organisation, and something similar is going on in the diagrams above. Goal structure, whether situated in form, technique, cause, or articulation through reasoning or embodied action, relates systems' internal and external structure. This helps explain why the brick-making and wood-splitting scenarios feel different. The grasp of the hands on the axe handle is intimately related to the mind's grasp on the chop. Part of the goal structure of the activity of chopping wood has been solidified in the shape of the axe itself. However this is not fully determining: the axe could, under different circumstances, be used as a weapon [20, p. 72–74]. More broadly,

“The existence of top-down causality implies that the evolution of any given assemblage will be partly autonomous and partly influenced by the environment created by the larger assemblage of which it is a part” (*ibid.*).

DeLanda points out that the term *assemblage*

[. . .] fails to capture the meaning of the original *agencement*, a term that refers to the action of matching or fitting together a set of components (*agencer*),

as well as to the result of such an action: an ensemble of parts that mesh together well. (*ibid.*, p. 1)

This notion of an evolving “*agencement*” nicely characterises the status of the proto-patterns *REUSE A NATURAL COVERING* and *HAVE THE POWER SOURCE DO THE HARD WORK*. In contrast to the brick-making and wood-cutting examples, these two example proto-patterns are *creative*, insofar as they involve concepts “not present in [the] statement of the problem and the general knowledge surrounding it” [57]. Let’s consider this more deeply.

Smith [81] describes *concepts*, as they are treated within Deleuze’s analytics, as existing in a state of becoming that requires both self-consistency and internal variability. Moreover, new concepts only arise when we are forced to think! Alexander and Poyner [6] say something quite similar: *design* is only needed when there is a conflict between tendencies that cannot be resolved in a more direct way. Nevertheless, where could new concepts possibly come from if not some broader or restructured context surrounding the problem? For instance, one class of inventions could be accounted for in terms of Simondon’s notion of *autocorrelation*, which is involved in the literal *REINVENTION OF THE WHEEL* as built around a hub that contains free-rolling ball bearings [15, pp. 10-11]. Another distinct option would be to go on a journey and collect new material (Figure 6). The journey metaphor is preferred by Kohls in his model of design patterns [46, 47]. Notice that with a long-enough journey, it may be natural for the set of assumptions themselves to change, hinting at something akin to Peircean abduction [26]. Combinations of the two pattern-schemas recover Alexander’s abstract model of “harmony” [3, p. 38].




Figure 6: Two different pattern-schemas

Elsewhere, Alexander [1, p. 134] observed a distinct meta-level phenomenon that is similar to autocorrelation, namely the “structural correspondence between the pattern of a problem and the process of designing a physical form which answers that problem.”

As always, the precise details depend on context—and also on how “context” is understood. Surveying developments in 18th and 19th Century science, Georges Canguilhem [13] pointed out that:

With the success of the term *milieu* [over the related notions of *circumstances* and *ambience*] the representation of an indefinitely extendible line or plane, at once continuous and homogeneous, and with neither definite shape nor privileged position, prevailed over the representation of a sphere or circle, which are qualitatively defined forms, and, dare we say, attached to a fixed center of reference.” (Translation in [14].)

Both Alexander and Deleuze have sought to recover certain circumstantial and vital aspects of being, without descending wholesale into vitalism (*viz.*, the belief that “living organisms are fundamentally different from non-living entities *because they contain some non-physical element or are governed by different principles than are inanimate things*” [10], emphasis added). In fact, both authors take the concept of “life” and extend it to the inorganic [4, 23]. Ingold [41] discusses a related perspective. “Creativity” is the essence of this leap. Here, we have traced connections between creativity and conceptual design, with examples, leading to the following:

5 Conclusions

Artificial intelligence pioneer John McCarthy [58] wrote: “The key to reaching human-level AI is making systems that operate successfully in the common sense informatic situation.” Conceptual design, e.g., via developing pattern catalogues, offers opportunities for feedback and evolution of a humanistic, social, approach to *Intelligence Augmentation*—and, perhaps eventually to Artificial Intelligence as McCarthy described.

The linked problems of representing design knowledge so that it is useful for collaborative design in distributed communities, or usable at all by artificially intelligent computer systems—though of longstanding interest [87]—still needs further effort. Experiments like Oxman’s Think-Maps [69, 71] and other examples surveyed by Galle [33] have the air of being technical demonstrations, and are not in widespread use. Pattern repositories like the one described by Inventado and Scupelli [43] do not make significantly more intensive use of computer technology than the Portland Pattern Repository which was hosted on the world’s first wiki. The usefulness, for common sense reasoning purposes, of logic-based representations has been debated [62, 66]: evidence suggests that there is always more to the picture. For example, technologies based on the conceptual graphs of Sowa [82], deployed in architectures inspired by the society of mind, have seen industrial use [55], while associated efforts to automate natural language understanding are still ongoing [49, 52, 54]. Fauconnier and Turner [28, p. 109–110] suggest that complex mental phenomena like blending should be studied with human data not simulations.

“Crowd creativity” manages to integrate many of these themes. Here, designs are produced by an evolutionary process with humans in the loop [53, 67, 89, 90]. However, current workflows miss a reflexive component. Design patterns could usefully be incorporated into these processes, to serve as “a living language” that supports design and guides reflection [5, p. xvii]. Corneli et al. [17] outlined one approach for evolving design patterns in a collaboration. Future work could make use of more sophisticated ways to integrate feedback in “biomechanical” [35, p. 34] social systems. The expected outcome would be that citizens would be able to more fully engage with processes that matter. This is just one of many possible designs that these patterns could inform (Figure 7).

Acknowledgements

We are grateful to our shepherd for EuroPLoP 2018, Andreas Rüping, and to the participants in Writers Workshop F: their engagement with the paper led to many improvements. Corneli was supported by the EPSRC (EP/N014758/1, “The Integration and Interaction of Multiple Mathematical Reasoning Processes”).




Figure 7: A practical exercise in which we used PostIt notes and a projection of Table 1 to design a research project

References

- [1] Christopher Alexander. 1964. *Notes on the Synthesis of Form*. Harvard University Press.
- [2] Christopher Alexander. 1965. The Question of Computers in Design. *Landscape* 14, 3 (1965), 6–8.
- [3] Christopher Alexander. 2005. Harmony-seeking computations: A science of non-classical dynamics based on the progressive evolution of the larger whole. In *The Grand Challenge in Non-Classical Computation International Workshop 18-19th April 2005*, Susan Stepney (Ed.). University of York.
- [4] Christopher Alexander. 2005. *The Nature of Order: An Essay on the Art of Building and the Nature of the Universe: Book III - A Vision of a Living World*. The Center for Environmental Structure.
- [5] Christopher Alexander, Sara Ishikawa, and Murray Silverstein. 1977. *A Pattern Language: Towns, Buildings, Construction*. Center for Environmental Structure.
- [6] Christopher Alexander and Barry Poyner. 1973. The atoms of environmental structure. In *Emerging Methods in Environmental Design and Planning*, G.T. Moore (Ed.). MIT Press, 308–321.
- [7] JJ Anderson. 1985. ChipWits: Bet You Can't Build Just One. *Creative Computing* 11, 12 (1985), 76.
- [8] Ove Arup. 1942. Science and World Planning. Reprinted in *Ove Arup: Philosophy of Design*, Nigel Tonks (Ed.). Prestel, 2012.
- [9] Kenneth Baker. 2006. To be a good builder, you need a feel for what surrounds you. Christopher Alexander knows. *SFGate.com*.
- [10] William Bechtel and Robert C. Richardson. 1998. Vitalism. (1998). <https://doi.org/10.4324/9780415249126-Q109-1>
- [11] Jeremy Bernstein. 1981. Marvin Minsky's Vision of the Future. *The New Yorker*.
- [12] Tim Brown. 2008. Design Thinking. *Harvard Business Review* 86, 4 (2008), 84–92.
- [13] Georges Canguilhem. 1952. La connaissance de la vie. *Paris, Hachette* (1952).
- [14] Georges Canguilhem. 2001. The living and its milieu. *Grey Room* 3 (2001), 6–31.
- [15] Pascal Chabot. 2013. *The philosophy of Simondon: Between technology and individuation*. A&C Black.
- [16] Andy Clark. 2018. A nice surprise? Predictive processing and the active pursuit of novelty. *Phenomenology and the Cognitive Sciences* 17, 3 (01 Jul 2018), 521–534. <https://doi.org/10.1007/s11097-017-9525-z>
- [17] Joseph Corneli, Charles Jeffrey Danoff, Charlotte Pierce, Paola Ricuarte, and Lisa Snow MacDonald. 2015. Patterns of Peeragogy. In *Pattern Languages of Programs Conference 2015, Pittsburgh, PA, USA, October 24-26, 2015*, Filipe Correia (Ed.).
- [18] Nigel Cross (Ed.). 1972. *Design participation: proceedings of the Design Research Society's conference, Manchester, September 1971*. Academy Editions.
- [19] Nigel Cross. 2001. Can a machine design? *Design Issues* 17, 4 (2001), 44–50.
- [20] Manuel DeLanda. 2016. *Assemblage Theory*. Edinburgh University Press.
- [21] Gilles Deleuze. 2004. *Difference and repetition*. Continuum International Publishing Group Ltd.
- [22] Gilles Deleuze and Felix Guattari. 1987. *A thousand plateaus*. University of Minnesota Press.
- [23] Leslie Dema. 2007. "Inorganic, yet alive": How can Deleuze and Guattari deal with the accusation of vitalism. *Rhizomes: Cultural Studies in Emerging Knowledge* 15 (2007), 91–100.
- [24] Design Council. 2015. The Design Process: What is the Double Diamond? <https://www.designcouncil.org.uk/news-opinion/design-process-what-double-diamond> [Online; Accessed 5 February 2017].
- [25] Jacob Devlin, Rudy R Bunel, Rishabh Singh, Matthew Hausknecht, and Pushmeet Kohli. 2017. Neural Program Meta-Induction. In *Advances in Neural Information Processing Systems 30*, I. Guyon, U. V. Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, and R. Garnett (Eds.). Curran Associates, Inc., 2080–2088. <http://papers.nips.cc/paper/6803-neural-program-meta-induction.pdf>
- [26] Igor Douven. 2017. Supplement: Peirce on Abduction. In *The Stanford Encyclopedia of Philosophy* (summer 2017 ed.), Edward N. Zalta (Ed.). Metaphysics Research Lab, Stanford University.
- [27] Gilles Fauconnier and Mark Turner. 1998. Conceptual integration networks. *Cognitive science* 22, 2 (1998), 133–187.
- [28] Gilles Fauconnier and Mark Turner. 2008. *The way we think: Conceptual blending and the mind's hidden complexities*. Basic Books.
- [29] Aron D. Fischel and Kim Halskov. 2018. A Survey of the Usage of Sticky Notes. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems (CHI EA '18)*, ACM, New York, NY, USA, Article LBW080, 6 pages. <https://doi.org/10.1145/3170427.3188526>

- [30] Christopher Frayling. 1993. Research in art and design. *Royal College of Art Research Papers*, 1, 1, (1993/4).
- [31] Richard P Gabriel. 2002. *Writer's Workshops and the Work of Making Things: Patterns, Poetry...* Addison-Wesley Longman Publishing Co., Inc.
- [32] Monica Gagliano, Vladyslav V Vyazovskiy, Alexander A Borbély, Mavra Grimonprez, and Martial Depeczynski. 2016. Learning by association in plants. *Scientific reports* 6 (2016), 38427.
- [33] P Galle. 1991. Alexander patterns for design computing: atoms of conceptual structure? *Environment and Planning B: Planning and Design* 18, 3 (1991), 327–346.
- [34] Ron Goldman, Scott Schaefer, and Tao Ju. 2004. Turtle geometry in computer graphics and computer-aided design. *Computer-Aided Design* 36, 14 (2004), 1471–1482. <https://doi.org/10.1016/j.cad.2003.10.005> CAD Education.
- [35] Irving John Good. 1966. Speculations Concerning the First Ultra-intelligent Machine. *Advances in Computers*, Vol. 6. Elsevier, 31–88. [https://doi.org/10.1016/S0065-2458\(08\)60418-0](https://doi.org/10.1016/S0065-2458(08)60418-0)
- [36] Stephen Grabow. 1983. *Christopher Alexander: the search for a new paradigm in architecture*. Routledge Kegan & Paul.
- [37] Paul Graham. 2002. Revenge of the Nerds. Keynote talk at the 2002 International ICAD Users Group Annual Conference, Boston; available at <http://paulgraham.com/icad.html>. [Online; accessed 15-April-2018].
- [38] Don Handelman. 1998. *Models and mirrors: Towards an anthropology of public events*. Berghahn Books.
- [39] Michael Hoey. 2012. *Lexical priming: A new theory of words and language*. Routledge.
- [40] iF Design Talents GmbH. 2012. *Design talents : iF Concept Design Award yearbook 2012*. iF Design Media GmbH.
- [41] Tim Ingold. 2008. Anthropology is Not Ethnography. In *Proceedings of the British Academy, Volume 154, 2007 Lectures*. British Academy, 68–92. <https://doi.org/10.5871/bacad/9780197264355.003.0003>
- [42] Tim Ingold. 2009. The textility of making. *Cambridge Journal of Economics* 34, 1 (2009), 91–102.
- [43] Paul Salvador Inventado and Peter Scupelli. 2017. Towards a Community-Centric Pattern Repository. In *Proceedings of the 22nd European Conference on Pattern Languages of Programs*. ACM, 36.
- [44] Ulla Johansson-Sköldberg, Jill Woodilla, and Mehves Çetinkaya. 2013. Design thinking: past, present and possible futures. *Creativity and innovation management* 22, 2 (2013), 121–146.
- [45] Paul L Knox. 2010. *Cities and Design*. Routledge.
- [46] Christian Kohls. 2010. The structure of patterns. In *Proceedings of the 17th Conference on Pattern Languages of Programs*. ACM, 12.
- [47] Christian Kohls. 2011. The structure of patterns: part II—qualities. In *Proceedings of the 18th Conference on Pattern Languages of Programs*. ACM, 27.
- [48] Thomas Kuhn. 1962. *The structure of scientific revolutions*. Chicago University Press.
- [49] Kyndi. 2018. True Natural Language Understanding: How Does Kyndi Numeric Mapping Work? Available via <https://kyndi.com/wp-content/uploads/2018/01/True-Natural-Language-Understanding-1-1.pdf>. [Online; accessed 14-October-2018].
- [50] Gianfranco La Rocca. 2012. Knowledge based engineering: Between AI and CAD. Review of a language based technology to support engineering design. *Advanced engineering informatics* 26, 2 (2012), 159–179.
- [51] Brenden M Lake, Tomer D Ullman, Joshua B Tenenbaum, and Samuel J Gershman. 2017. Building machines that learn and think like people. *Behavioral and Brain Sciences* 40 (2017).
- [52] Steve Lohr. 2018. Is There a Smarter Path to Artificial Intelligence? Some Experts Hope So. *New York Times*.
- [53] Maximilian Mackeprang, Abderrahmane Khiat, and Claudia Müller-Birn. 2018. Concept Validation During Collaborative Ideation and Its Effect on Ideation Outcome. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems (CHI EA '18)*. ACM, New York, NY, USA, Article LBW033, 6 pages. <https://doi.org/10.1145/3170427.3188485>
- [54] Arun Majumdar, John Sowa, and John Stewart. 2008. Pursuing the Goal of Language Understanding. In *Conceptual Structures: Knowledge Visualization and Reasoning*, Peter Eklund and Ollivier Haemmerlé (Eds.). Springer Berlin Heidelberg, Berlin, Heidelberg, 21–42.
- [55] Arun K. Majumdar and John F. Sowa. 2009. Two Paradigms Are Better Than One, and Multiple Paradigms Are Even Better. In *Conceptual Structures: Leveraging Semantic Technologies*, Sebastian Rudolph, Frithjof Dau, and Sergei O. Kuznetsov (Eds.). Springer Berlin Heidelberg, Berlin, Heidelberg, 32–47.
- [56] Darrell Mann. 2018. Start With Converge? <https://triz-journal.com/start-with-converge/>. [Online; accessed 15-April-2018].
- [57] John McCarthy. 1999. Creative solutions to problems. In *AISB'99 Symposium on AI and Scientific Creativity*. 44–48.
- [58] John McCarthy. 2007. From here to human-level AI. *Artificial Intelligence* 171, 18 (2007), 1174–1182.
- [59] Stephen McGregor. 2017. *Geometric Methods for Context Sensitive Distributional Semantics*. Ph.D. Dissertation. Queen Mary University of London.
- [60] Marvin Minsky. 1988. *Society of Mind*. Simon and Schuster.
- [61] Volodymyr Mnih, Koray Kavukcuoglu, David Silver, Alex Graves, Ioannis Antonoglou, Daan Wierstra, and Martin Riedmiller. 2013. Playing Atari With Deep Reinforcement Learning. In *NIPS Deep Learning Workshop*.
- [62] Robert C. Moore. 1982. The Role of Logic in Knowledge Representation and Commonsense Reasoning. In *Proceedings of the Second AAAI Conference on Artificial Intelligence (AAAI'82)*. AAAI Press, 428–433. <http://dl.acm.org/citation.cfm?id=2876686.2876789>
- [63] TP Moran. 1971. (Artificial, intelligent) architecture: Computers in design. *Architectural Record* 149 (1971), 129–134.
- [64] Dave Murray-Rust and Dave Robertson. 2015. Bootstrapping the Next Generation of Social Machines. In *Crowdsourcing*. Springer, 53–71.
- [65] Dan Nessler. 2016. How to apply a design thinking, HCD, UX or any creative process from scratch. <https://medium.com/digital-experience-design/how-to-apply-a-design-thinking-hcd-ux-or-any-creative-process-from-scratch-b8786efb812>. [Online; accessed 15-April-2018].
- [66] Allen Newell. 1982. The Knowledge Level. *Artificial Intelligence* 18, 1 (Jan. 1982), 87–127.
- [67] Jeffrey V Nickerson. 2013. Human-based evolutionary computing. In *Handbook of Human Computation*. Springer, 641–648.
- [68] Michael O'Rourke and Stephen J Crowley. 2013. Philosophical intervention and cross-disciplinary science: the story of the Toolbox Project. *Synthese* 190, 11 (2013), 1937–1954.
- [69] Rivka Oxman. 2004. Think-maps: teaching design thinking in design education. *Design studies* 25, 1 (2004), 63–91.
- [70] Rivka Oxman. 2017. Thinking difference: Theories and models of parametric design thinking. *Design Studies* 52 (2017), 4–39.
- [71] Rivka E Oxman. 1994. Precedents in design: a computational model for the organization of precedent knowledge. *Design studies* 15, 2 (1994), 141–157.
- [72] Ken Peffers, Tuure Tuunanen, Marcus A Rothenberger, and Samir Chatterjee. 2007. A design science research methodology for information systems research. *Journal of management information systems* 24, 3 (2007), 45–77.
- [73] Joseph D Prusa and Taghi M Khoshgoftaar. 2017. Deep Neural Network Architecture for Character-Level Learning on Short Text. In *FLAIRS Conference*. 353–358.
- [74] Mitchel Resnick. 1997. *Turtles, termites, and traffic jams: Explorations in massively parallel microworlds*. MIT Press.
- [75] Rolf Roscher and Chris Rankin. 2010. The Hidden Gardens, Glasgow. In *Close: Landscape Design and Land Art in Scotland* (2nd ed.), Allan Pollok-Morris (Ed.). Northfield Editions.
- [76] Bertrand Russell. 1953. *The impact of science on society*. Routledge.
- [77] Theodore Scaltsas. 2016. Brainmining emotive lateral solutions. *Digital Culture & Education* 8, 2 (2016).
- [78] Herbert A Simon. 1996. *The sciences of the artificial* (3rd ed.). MIT Press.
- [79] Gilbert Simondon. 1964. *L'individu et sa genèse physico-biologique: l'individuation à la lumière des notions de forme et d'information*. Presses Universitaires de France.
- [80] Peter Sloterdijk. 2014. *You must change your life*. John Wiley & Sons.
- [81] Daniel W Smith. 2012. On the Nature of Concepts. *Parallax* 18, 1 (2012), 62–73.
- [82] John F Sowa. 2008. Conceptual Graphs. In *Handbook of Knowledge Representation*, F. van Harmelen, V. Lifschitz, and B. Porter (Eds.). Elsevier, Chapter 5, 213–237.
- [83] Donald E Stokes. 2011. *Pasteur's quadrant: Basic science and technological innovation*. Brookings Institution Press.
- [84] R Stratton and D Mann. 2003. Systematic innovation and the underlying principles behind TRIZ and TOC. *Journal of Materials Processing Technology* 139, 1-3 (2003), 120–126.
- [85] Valerie M Sue and Lois A Ritter. 2011. *Conducting online surveys*. SAGE publications.
- [86] Vijay K Vaishnavi and William Kuechler. 2015. *Design Science Research Methods and Patterns: Innovating Information and Communication Technology* (2nd ed.). CRC Press.
- [87] Theodora Vardouli. 2015. Who Designs? Technological Mediation in Participatory Design. In *Empowering Users through Design*. Springer, 13–41.
- [88] Stuart Watt. 1998. Syntonicity and the psychology of programming. In *Proceedings of the Tenth Annual Meeting of the Psychology of Programming Interest Group*, J. Domingue and P. Mulholland (Eds.). 75–86.
- [89] Lixiu Yu and Jeffrey V Nickerson. 2011. Cooks or cobblers?: crowd creativity through combination. In *Proceedings of the SIGCHI conference on human factors in computing systems*. ACM, 1393–1402.
- [90] Lixiu Yu and Jeffrey V Nickerson. 2011. Generating Creative Ideas Through Crowds: An experimental study of combination. In *Thirty Second International Conference on Information Systems*. Association for Information Systems.