

UNIVERSITY OF BIRMINGHAM

Research at Birmingham

Practitioner evaluation of an on-line oral health and risk assessment tool for young patients

Busby, Mike; Fayle, Stephen; Chapple, Liz; Clover, Henry; Chapple, Iain

DOI:

[10.1038/sj.bdj.2017.841](https://doi.org/10.1038/sj.bdj.2017.841)

License:

Other (please specify with Rights Statement)

Document Version

Peer reviewed version

Citation for published version (Harvard):

Busby, M, Fayle, S, Chapple, L, Clover, H & Chapple, I 2017, 'Practitioner evaluation of an on-line oral health and risk assessment tool for young patients', *British Dental Journal*, pp. 595-599.

<https://doi.org/10.1038/sj.bdj.2017.841>

[Link to publication on Research at Birmingham portal](#)

Publisher Rights Statement:

Article published in *British Dental Journal* on 13/10/2017

doi:10.1038/sj.bdj.2017.841

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

Practitioner evaluation of an on-line oral health and risk assessment tool for young patients

Mike Busby, M Phil, BDS, LDSRCS, DGDP, FDSRCS (Edin)
Dental Advisor Denplan. Hon Lecturer in Primary Dental Care University of
Birmingham
The Stables,
Heritage Ct,
Clifton Reynes,
Olney,
MK46 5FW

Stephen Fayle, BDS, MSc, FDS RCS (Eng), FRCD (Can)
Consultant in Paediatric Dentistry
Clarendon Way
Leeds
LS2 9LU

Liz Chapple, BA (Hons), ACA
Managing Director Oral Health Innovations Ltd
Birmingham Research Park
Vincent Drive
Birmingham, B15 2SQ

Henry Clover BDS
Head of Dental Policy Denplan Ltd
Denplan Court
Victoria Road
Winchester
SO23 7RG

Iain Chapple PhD, BDS, FDSRCPS, FDSRCS, CCST (Rest Dent)
Professor of Periodontology and Consultant in Restorative Dentistry
Head of School of Dentistry and Periodontal Research Group
College of Medical and Dental Sciences and Birmingham Community
Healthcare Foundation Trust;
Birmingham Dental School
5 Mill Pool Way
Edgbaston
Birmingham, B5 7EG

Practitioner evaluation of an online oral health and risk assessment tool for young patients

Abstract

Aim To test the validity and acceptability of an online oral health assessment and biofeedback tool for young patients (under 17) for use in general dental practice.

Methods A convenience sample of thirteen practitioners were recruited to test the functionality of a novel version of the Denplan PreViser Patient Assessment tool (DEPPA) developed for young patients (YDEPPA). Dentists who had completed 8 or more assessments during a one month window were sent a link to an on line feedback survey, comprising 8 statements about YDEPPA, with scoring options of 0-10, where a score of 10 indicated complete agreement with the relevant questions. Verbatim comments were encouraged. The clinical data submitted was held in a central database in an encrypted format so that only the user practice could identify individual patients.

Results Twelve practitioners completed 8 or more assessments and were included in the survey. A total of 175 patient assessments were received. Ten practitioners completed the on-line survey. The statement '*YDEPPA produces a valid measurement of each patient's oral health*' received an average

feedback score of 8.8. The statement '*The full YDEPPA report is a valuable communication aid*' received a score of 9.6. Feedback was generally very positive with all scores ≥ 8.2 . Constructive critical feedback was received for the caries risk aspect of the YDEPPA protocol, with suggestions made for improving objectivity of data inputs. Eighty one percent of the verbatim comments received were positive.

Conclusions Once the caries risk issues raised by pilot dentists have been addressed, YDEPPA appears suitable as a pragmatic analytical and biofeedback tool for use in general dental practice to assess the oral health of young patients, and to facilitate education and engagement of young patients and their parents/carers in positive health behaviours.

Practitioner evaluation of an online oral health and risk assessment tool for young patients

Background

A validated risk assessment tool has been shown to predict periodontitis and associated tooth loss in un-treated patients with a high degree of accuracy and validity^{1,2}. This tool, along with two further systems also appears to predict bone loss and tooth loss in treated patients on periodontal maintenance programmes³⁻⁵

A recent European consensus based on systematic reviews of the scientific literature concluded that brief interventions on risk factor control were beneficial for the primary and secondary prevention of oral diseases¹. One of those systems, PreViser™ underpins the Denplan PreViser Patient Assessment tool (DEPPA) for adult patients (17 and over), the development and validation of which has been previously reported⁶⁻⁹. Moreover, the PreViser system has been shown to improve psychological parameters associated with positive cognitive behaviours and self-efficacy in adult patients¹⁰. More recently, biofeedback for the same system was reported to significantly improve oral hygiene behaviours of adults and, for the first time, to significantly improve clinical outcomes by reducing plaque and gingival inflammation scores after 3-months¹¹. However, to date no such system has previously been reported for use in children and young adults, therefore this paper reports the development of a similar online system for assessing young

patients using DEPPA and its evaluation by practitioners regarding functionality.

As part of its practice certification programme Denplan Excel, Denplan Ltd launched Denplan Excel for Children in 2008. A revised version was released in 2013¹². This programme included protocols for a separate Oral Health Assessment (a clinician assessment of dental status and future disease risk) and an Oral Wellbeing Assessment encompassing patient/parental perceptions of the young person's oral health. A red, amber and green (RAG) report presentation format was developed in order to support patient understanding and motivation. However, these assessments were paper based and in 2016 it was decided to add functionality to DEPPA to extend the electronic adult assessment system to young patients. The protocols for adult DEPPA, the Oral Health Assessment and the Oral Wellbeing Assessment were taken as the starting point for development. A working title of Young DEPPA (YDEPPA) was assigned to the enhanced functionality.

Development of YDEPPA

The same team that led the development of adult DEPPA comprising a Senior Dental Adviser from Denplan, the Managing Director of OHI Ltd (the UK licence holders for PreViser) and a Professor of Periodontology were joined by a Consultant in Paediatric Dentistry who had acted as the lead adviser in the revision of Denplan Excel for Children in 2013. This core team are grateful

to the many colleagues who also generously provided their valuable time, expertise and input during the development period.

The impetus for YDEPPA and the factors that guided the development of the protocol for practitioner testing were:

- 1) The recognition that a significant majority of hospital-performed extractions in young patients are focused within a minority of high risk patients, with significant regional oral health inequalities existing in 5-9 year-olds ¹³
- 2) The realisation that oral health inequalities are evident as early as 3-4 years-of-age in specific minority populations with high needs¹⁴
- 3) The demonstration that chronic periodontitis may start developing in the early teens in specific risk groups and have progressed significantly by 19 years-of-age ^{15,16}
- 4) The need to build on the strengths and success of adult DEPPA and create a system for younger people that included the use of RAG score reporting to facilitate patient engagement in behaviour change. Numerical scoring in the adult version has also proved valuable both in the audit of individual patient progress and in group clinical audits⁷.
- 5) The need to establish protocols for oral health and risk scoring that are evidence based and specific to young patients. The revised manual for Denplan Excel for Children¹² (2013) proved to be a very valuable resource in this respect.

- 6) The need to create a tool for general dental practice that was simple and practical to help support practices to be effective and efficient in their care of younger patients.
- 7) The evidence base for risk factors in child oral health is less mature than for adult oral health, although progress is being made particularly in the area of caries risk in young patients¹⁷.

These factors led to the development of a composite protocol for YDEPPA for piloting in general dental practice, that included patient oral health self-perceptions, the clinical assessment of oral health status and simple assessments of caries risk and the risk of tooth erosion.

Overview of the pilot version of the YDEPPA protocol

The protocol followed the convention from the Oral Health Score (OHS) of adult DEPPA that 100 points should represent perfect oral health. Ten factors were considered necessary in order to construct a composite assessment score for young patients (table 1).

Adult DEPPA employs separate scores (calculated by evidence-based algorithms) to the OHS for future risk of caries, periodontal disease, tooth wear and oral cancer. As illustrated in table 1, simple risk scores for caries and tooth erosion were incorporated into the composite protocol of YDEPPA as subsections of the main disease status scores. No attempt was made to construct complex algorithms for risk scoring, or to score periodontal disease

risk or oral cancer risk, as the current body of evidence for young patients was deemed insufficient for such an approach at the present time.

As summarised in table 1, tooth health was recorded across 4 separate domains:

- Aspect 4 Caries
- Aspect 5 Tooth wear
- Aspect 6 Tooth development abnormalities
- Aspect 7 Dento-alveolar trauma

Aspects 6 and 7 do not specifically feature in adult DEPPA but were considered as essential in the assessment of young patients. In adult DEPPA defective restorations are recorded in addition to caries activity. There was no option to record defective restorations in the pilot version of YDEPPA unless the defect in question had been caused by caries activity. Any odontogenic infections with pus caused by advanced caries (e.g. abscess or sinus tract) were recorded in the 'soft tissues' aspect of the system.

The periodontal health inputs for YDEPPA were based on The British Society of Periodontology and The British Society for Paediatric Dentistry guidelines for a Basic Periodontal Examination of Children¹⁶. From these inputs, a simple formula calculated one of the five disease status categories for each patient (see table1).

Figure 1 illustrates a screen view of the input options available for each patient assessment and the reports produced by YDEPPA.

Figure 1 – please see attached pdf

Table 1 – Summary of the scoring protocol for the YDEPPA pilot study

Aspect status	No	Outcome	Score
Comfort	1	No oral discomfort or pain	8
		Some pain or discomfort	4
		In pain	0
Function	2	Able to eat an unrestricted diet	8
		Some restrictions	4
		Marked difficulties with eating or drinking	0
Appearance	3	Happy with appearance	8
		Some concerns	4
		Marked concerns	0
Caries Status	4 a	No caries experience	12
		Past caries experience but more than 2 years ago	8
		Past caries experience within the last 2 years	4
		Current new/active caries	0
Caries Risk Diet	4 b	Low	4
		Medium	2
		High	0
Caries Risk Fluoride	4 c	Low	4
		Medium	2
		High	0
Tooth wear (NCTSL) Status	5a	None	8
		Mild	4
		Severe	0
Dietary erosion risk	5b	Low	4
		Medium	2
		High	0
Tooth developmental Abnormalities	6	None	8
		Minor defects	4
		Major defects	0
Dento/alveolar trauma	7	None	8
		Monitoring required	4
		Active intervention or referral required	0
Periodontal	8	No disease	12
		Localised gingivitis (bleeding in one or two sextants)	9
		Generalised gingivitis (bleeding in 3+ sextants)	6
		Mild periodontitis (no 4s but at least on 3)	3
		Severe periodontitis (at least one 4 scored)	0
Soft tissues	9	Healthy	6
		Observation/medication required	2
		Treatment or referral required	0
Orthodontic	10	No concerns	10
		Observation required	5
		Referral or treatment required	0
TOTAL		Maximum possible	100

A second page of the report offers preventive advice tailored to two age bands: 3-6 and 7+ and includes a box for the dentist / patient to complete a personal target to focus on between visits.

The principle aim of this study was to evaluate the validity and acceptability of YDEPPA in a general dental practice setting.

Materials and Methods

Denplan Ltd contracts a team of about 30 Practice Advisers, who are general dental practitioners. The principle function of this team is to conduct practice visits to confirm compliance with Denplan Excel Certification standards. This team are deliberately recruited with geographic spread to cover the whole of the United Kingdom. All members of this group are DEPPA users. The eight most prolific users from this list were contacted by e-mail and asked to test the functionality of the YDEPPA system. Seven of this group volunteered. These Advisers had conducted an average of more than 200 DEPPAs each by this time. Additionally a further 700 dentists are registered to use DEPPA. The seven most prolific users of DEPPA, who were not Practice Advisers, were also contacted by e-mail and asked to test the YDEPPA functionality. This group had conducted an average of more than 1000 DEPPAs each by this time. All seven volunteered providing a convenience sample of thirteen practitioners recruited to the pilot study. Seven of this group were female and 6 male. They were located in England (8), Scotland (4) and Wales (1) at a total of 11 different practices

YDEPPA functionality was added to the on-line accounts of these 13 practitioners and they were asked to assess a minimum of 10 young patients

each during a one-month window. Each dentist was sent a draft protocol of YDEPPA that included written guidance to support input selections for each aspect of the assessment.

At the end of the month a link was sent by e-mail to the online survey instrument to elicit feedback from the 12 dentists who completed 8 or more patient assessments. The questions asked in this survey are documented in figure 2. Each practitioner was offered scoring options from 0-10 for each statement. The more they agreed with each statement the higher they were instructed to score. After each statement there was an option for qualitative comments. A reminder e-mail was sent 4 days later to members of the study group who had failed to complete the questionnaire at that time.

The clinical data submitted was held in a central database in an encrypted format so that only the user practice could identify individual patients.

Results

One member of the 13 within the study group was able to submit only a single assessment due to a lack of child appointments in the pilot period. The remaining 12 volunteers submitted between 8-30 assessments, providing a total of 175 submissions, an average of 14 assessments per dentist. Ten of the dentists completed the online survey, equating to an 'intention to treat' response rate of 83% and a 'per-protocol' response rate of 77%. Their feedback is summarised in Figure 2

Figure 2 Summary of feedback from pilot dentists




Table 2 Summary comments by question

Theme	Summary comments
Straightforward?	<ul style="list-style-type: none"> • Yes: simple, straightforward, quick; took a couple of previsers to get used to (5) • It was trying to get the info out of patients regarding diet. Often the parent and the child would have conflicting accounts! (1) • More precision required for diet (acid and sugar) questions (1)
Comprehensive?	<ul style="list-style-type: none"> • Yes; it helps act as a check list; enough relevant depth without being over complex (3) • More precision required for diet (acid and sugar) questions (4)
Valid?	<ul style="list-style-type: none"> • Yes / as expected (4) • I was surprised at the high scores (1) • More precision required for diet (acid and sugar) questions (1)

Communication?	<ul style="list-style-type: none"> • This is where it absolutely comes into its own "forcing" discussion around points which sometimes can be taken for granted (1) • This was the best bit about it, both children and the parents liked, were engaged and interested in the reports. (4) • useful in that it shows that you have comprehensively examined the child's mouth (1) • Totally - it backed up my advice to parents independently (1) • It could be improved with more tailored diet advice specific to that patient (1) • It frightened a few! It is very effective (1)
Care planning?	<ul style="list-style-type: none"> • More of a communication tool than for care planning (3) • Yes – it explained what we were doing and should help with compliance (3) • Very valuable with new patients / helping with diet issues (2)
Patients impressed?	<ul style="list-style-type: none"> • Totally; they loved it! (4) • Absolutely: seemed to understand and engage with it (2)
Essential for quality care?	<ul style="list-style-type: none"> • Yes / I agree. patients feel you care for their wellbeing / it gives a full record / like it or not, yes! (6)
Intend to use?	<ul style="list-style-type: none"> • Absolutely / useful and easy / with a scientific basis (5) • I find the adult invaluable so children should become part of my assessment (1) • Children are all NHS will be more selective than if all on Denplan (1) • I do not have children on Denplan but if I could use it for NHS I would (1)

Discussion

The feedback scores shown in figure 2 demonstrate that this study group were very favourably disposed to the new functionality offered by YDEPPA. Table 2 illustrates that the majority of comments (81%) were positive.

However, it should be noted that that this group of ten practitioners providing feedback were drawn from the most prolific users of adult DEPPA and therefore represent a biased sample, as they are likely to be a particularly enthusiastic group in respect of the perceived value of digital risk assessment tools in general dental practice. Conversely, it could also be argued that their feedback was more likely to offer greater insight than that from less experienced users, due to their significant experience using such tools?

The main criticisms of the pilot version of YDEPPA related to the caries risk aspect. Figure 1 illustrates that practitioners were asked to make their own judgements on dietary risk by questioning their patients. This group was accustomed to using the adult evidence-based algorithms developed by PreVisertm for disease risk scoring. This aspect of YDEPPA may require further development prior to a full launch.

The average score of 8.8 for question 3 in the survey gives some support to the content validity of YDEPPA. This score compares favourably with a similar validity score obtained with the OHS aspect of adult DEPPA (8.6) when it was

piloted in 2013⁶. Subsequently, the adult OHS was subjected to further criterion and construct validation with favourable results⁷⁻⁹.

The adult DEPPA database, which like that for YDEPPA is encrypted (to preserve patient confidentiality), now holds over 95,000 assessments and has provided a valuable national benchmark to support clinical audit in individual practices and also to enable the generation of population oral health studies⁶⁻⁹. The authors believe that this will also be the case with YDEPPA, once a database of significant size has been established and it is anticipated that in time, the data may be best analysed in age groups (e.g. under 8, 8-12, and 12-16) to provide meaningful benchmarks and comparisons with clinical data from other studies. It is intended that this will be the subject of further study by the authors.

Adult DEPPA also calculates fee code guidance for private capitation contracts based upon disease status and future risk (currently a range of five fee codes A-E). DEPPA database analysis enables the average oral condition of the patients in each fee group to be studied and hence an estimation of the practice care time likely to be required for each of the five groups to be determined. The authors believe that, in time, it will be possible to adopt a similar protocol for young patients using YDEPPA data. It is estimated that three fee codes (Low need, moderate need and high need) may suffice. This is also intended to be the subject of further study.

Conclusions

Once the dietary caries risk issues raised by pilot dentists have been addressed, YDEPPA appears suitable as a pragmatic analytical and biofeedback tool for use in general dental practice. YDEPPA will allow dental teams to measure the oral health of young patients as an additional functionality to adult DEPPA, and to report findings using RAG codes to facilitate education and engagement of young patients and parents/carers.

There are strong indications from this pilot study that YDEPPA is likely to be a valuable communication tool in the care of young patients with the potential to engage young patients and their parents and support the adoption of positive health behaviours. With its numerical scoring it should become a valuable tool with which to audit individual patient progress, similar to its adult counterpart.

The centralised and anonymous method of data collection is likely to support practice clinical audit, young population oral health studies and fee code calculation in the future.

References

- 1) **Lang N, Suvan J, Tonetti M (2014)**
Risk factor assessment tools for the prevention of periodontitis progression a systematic review
Journal of Clinical Periodontology 42 (Suppl. 16): S59–S70
- 2) **Page RC, Martin J, Krall EA, Mancl L, Garcia R (2003)**
Longitudinal validation of a risk calculator for periodontal disease
Journal of Clinical Periodontology 30, 819-827
- 3) **Martin J, Page RC, Loeb C, Levi PA Jr (2010)**
Tooth loss in 776 treated periodontal patients
Journal of Periodontology 81, 244-250
- 4) **Lang NP, Tonetti MS (2003)**
Periodontal risk assessment (PRA) for patients in supportive periodontal therapy (SPT).
Oral Health and Preventive Dentistry 1, 7–16.
- 5) **Trombelli L, Minenna L, Toselli L, Zaetta A, Checchi L, Checchi V, Nieri M, Farina R (2017)**
Prognostic value of a simplified method for periodontal risk assessment during supportive periodontal therapy.
Journal of Clinical Periodontology 44, 51-57
- 6) **Busby M, Matthews R, Chapple E, Chapple I (2013)**
Novel online integrated oral health and risk assessment tool: development and practitioners' evaluation
British Dental Journal 215(3) 115-120
- 7) **Busby M, Chapple E, Matthews R, Burke F.J.T, Chapple I (2014)**
Continuous development of an oral health score for oral health surveys and clinical audit
British Dental Journal 216 (9) 526-527
- 8) **Busby M, Martin J, Matthews R, Burke F.J.T, Chapple (2014)**
The relationship between oral health risk and disease status and age, and the significance for general dental practice funding by capitation
British Dental Journal 217 (10) 576-577
- 9) **Sharma P, Busby M, Chapple L, Matthews R, Chapple I**
The relationship between general health and lifestyle factors and oral health outcomes.
British Dental Journal 221 (2) 65-69
- 10) **Asimakopoulou K, Newton T, Daly B, Kutzer Y, Ide M (2015)**
The effects of providing periodontal disease risk information on psychological and clinical outcomes: a randomized controlled trial
Journal of Clinical Periodontology 42 (4) 350-355.
- 11) **Asimakopoulou K, Nolan M, McCarthy C, Newton T (2017)**
Risk communication improves periodontal outcomes; a randomised controlled trial

Journal of Clinical Periodontology 44 (in press)

- 12) www.denplan.co.uk Denplan Excel
- 13) **Faculty of dental Surgery, Royal College of Surgeons of England**
The state of children's oral health in England
Jan 2015 - <https://www.rcseng.ac.uk/.../childrens-oral-health-report-final.pdf>
- 14) **Marcenses W, Muirhead VE, Murray S, Redshaw P, Bennett U, Wright D (2013)**
Ethnic disparities in the oral health of 3-4 year-old children in East London.
British dental Journal 215, e4
- 15) **Clerehugh V, Lennon MA, Worthington HV (1990)**
5-year results of a longitudinal study of early periodontitis in 14- to 19-year-old adolescents.
Journal of Clinical Periodontology 17, 702-708
- 16) **British Society of Periodontology and British Society of Paediatric Dentistry (2012)**
Guidelines for periodontal screening and management of children and adolescents under 18-years of age.
http://www.bsperio.org.uk/publications/downloads/54_090016_bsp_bspd-perio-guidelines-for-the-under-18s-2012.pdf
- 17) **Twetman S**
Caries risk assessment in children: how accurate are we?
European Archives of Paediatric Dentistry 17 (1) 27-32
- 18) **Clerehugh V, Kindelan S (2012)**
Executive Summary – Guidelines for Periodontal Screening and Management of Children under 18 years of age
British Society of Periodontology and The British Society for Paediatric Dentistry

1. Thank you for this suggestion, we have lengthened the introduction by re-organising the materials and methods as requested by reviewer 2. This has automatically now added more background as requested by this reviewer.

This is a good point and we have clarified the aims now.

2. This is a very important suggestion and we have moved these sections as suggested. Thank you for this.
3. As requested, more demographics have been added and the nature of the 13 pilotes stated more clearly.

The advice was sought from an ethics chairperson and the view expressed was that this was a system of practitioner and patient support that was being evaluated, therefore it was deemed to be more of a service evaluation and ethical approval was not required.

4. This is a good suggestion and we have created table 2 as an action to address this.
5. This is also a fair view and we have therefore removed all clinical data and statements about criterion and construct validity. We have retained some claims of content validity, as there was robust evidence for this from question 3.

We have added the intentions for future research after each aspirational statement as requested.