

University of Nebraska - Lincoln

DigitalCommons@University of Nebraska - Lincoln

Publications from USDA-ARS / UNL Faculty

U.S. Department of Agriculture: Agricultural Research Service, Lincoln, Nebraska

1987

A Bibliography of the Rusty Grain Beetle, *Cryptolestes ferrugineus* (Stephens) (Coleoptera: Cucujidae)

James E. Throne
USDA-ARS, Manhattan, KS, james.throne@ars.usda.gov

Follow this and additional works at: <https://digitalcommons.unl.edu/usdaarsfacpub>

Throne, James E., "A Bibliography of the Rusty Grain Beetle, *Cryptolestes ferrugineus* (Stephens) (Coleoptera: Cucujidae)" (1987). *Publications from USDA-ARS / UNL Faculty*. 1986.
<https://digitalcommons.unl.edu/usdaarsfacpub/1986>

This Article is brought to you for free and open access by the U.S. Department of Agriculture: Agricultural Research Service, Lincoln, Nebraska at DigitalCommons@University of Nebraska - Lincoln. It has been accepted for inclusion in Publications from USDA-ARS / UNL Faculty by an authorized administrator of DigitalCommons@University of Nebraska - Lincoln.

a521
R44A7
c2

United States
Department of
Agriculture

Agricultural
Research
Service

ARS-67

August 1987

A Bibliography of the Rusty Grain Beetle, *Cryptolestes ferrugineus* (Stephens) (Coleoptera: Cucujidae)

USDA LIBRARY
NATIONAL RESEARCH
COUNCIL

SEP 16 '87

CURRENT SERIAL RECORDS

ABSTRACT

Throne, James E. 1987. A Bibliography of the Rusty Grain Beetle, Cryptolestes ferrugineus (Stephens) (Coleoptera: Cucujidae). U.S. Department of Agriculture, Agricultural Research Service, ARS-67, 19 p.

Rusty grain beetles are major pests of stored products throughout most of the world. This bibliography lists 239 papers published about these beetles. Citations are grouped by subject and are indexed by geography, host, and author.

KEYWORDS: Bibliography, Cryptolestes ferrugineus, rusty grain beetles, stored-product insects.

CONTENTS

Bibliography	2
Biology and ecology	2
Control	7
Chemical	7
Fumigation	9
Miscellaneous	10
Natural enemies	10
Resistance to pesticides	11
General papers	11
Morphology and physiology	12
Surveys	12
Taxonomy	14
Geographical index	15
Host index	16
Author index	17

Copies of this publication may be purchased from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161.

ARS has no additional copies for free distribution.

BIBLIOGRAPHY

BIOLOGY AND ECOLOGY

- ALLEN, A.A. 1950. Laemophloeus monilis F. (Col., Cucujidae) recaptured in Sussex. *Entomologists' Monthly Magazine* 86: 70. [1]
- ARMITAGE, D.M., and L.M. STABLES. 1984. Effects of aeration on established insect infestations in bins of wheat. *Protection Ecology* 6: 63-73. [2]
- ASHBY, K.R. 1961. The population dynamics of Cryptolestes ferrugineus (Stephens) (Col., Cucujidae) in flour and on Manitoba wheat. *Bulletin of Entomological Research* 52: 363-379. [3]
- BARRER, P.M. 1983. A field demonstration of odour-based, host-food finding behaviour in several species of stored grain insects. *Journal of Stored Products Research* 19: 105-110. [4]
- BHATIA, S.K. 1978. Wheat grain variability to infestation by storage pests. *Journal of Entomological Research* 2: 106-111. [5]
- BISHOP, G.W. 1959. The comparative bionomics of American Cryptolestes (Coleoptera - Cucujidae) that infest stored grain. *Annals of the Entomological Society of America* 52: 657-665. [6]
- BORDEN, J.H., M.G. DOLINSKI, L. CHONG, V. VERIGIN, H.D. PIERCE, JR., and A.C. OEHLSCHLAGER. 1979. Aggregation pheromone in the rusty grain beetle, Cryptolestes ferrugineus (Coleoptera: Cucujidae). *Canadian Entomologist* 111: 681-688. [7]
- BRONSWIJK, J.E.M.H. VAN, and R.N. SINHA. 1971. Interrelations among physical, biological, and chemical variates in stored-grain ecosystems; a descriptive and multivariate study. *Annals of the Entomological Society of America* 64: 789-803. [8]
- BRYAN, J.M., and J. ELVIDGE. 1977. Mortality of adult grain beetles in sample delivery systems used in terminal grain elevators. *Canadian Entomologist* 109: 209-213. [9]
- CAMPBELL, A., and R.N. SINHA. 1976. Damage of wheat by feeding of some stored product beetles. *Journal of Economic Entomology* 69: 11-13. [10]
- CAMPBELL, A., and R.N. SINHA. 1978. Bioenergetics of granivorous beetles, Cryptolestes ferrugineus and Rhyzopertha dominica (Coleoptera: Cucujidae and Bostrichidae). *Canadian Journal of Zoology* 56: 624-633. [11]
- CHODJAI, M. 1963. Ecological study of Scolytus mediterraneus in Persia [in French, English summary]. *Revue de Pathologie Vegetale* 42: 139-160. (RAE 53: 197) [12]
- COX, P.D., and J.A. SIMMS. 1978. The susceptibility of soya bean meal to infestation by some storage insects. *Journal of Stored Products Research* 14: 103-109. [13]
- CURRIE, J.E. 1967. Some effects of temperature and humidity on the rates of development, mortality and oviposition of Cryptolestes pusillus (Schönherr) (Coleoptera, Cucujidae). *Journal of Stored Products Research* 3: 97-108. [14]
- DOLINSKI, M.G., W. HANEC, and S.R. LOSCHIAVO. 1971. Triticale as a new host for stored grain insects. *Manitoba Entomologist* 5: 54. [15]
- DOLINSKI, M.G., and S.R. LOSCHIAVO. 1973. The effect of fungi and moisture on the locomotory behavior of the rusty grain beetle, Cryptolestes ferrugineus (Coleoptera: Cucujidae). *Canadian Entomologist* 105: 485-490. [16]
- EVANS, D.E. 1981. Thermal acclimation in several species of stored-grain beetles. *Australian Journal of Zoology* 29: 483-492. [17]
- EVANS, D.E. 1983. The influence of relative humidity and thermal acclimation on the survival of adult grain beetles in cooled grain. *Journal of Stored Products Research* 19: 173-180. [18]

- FREEMAN, J.A. 1952. Laemophloeus spp. as major pests of stored grain. Plant Pathology 1: 69-76. [19]
- FREEMAN, J.A. 1962. The influence of climate on insect populations of flour mills. Pages 301-308 in Proceedings of the XI International Congress of Entomology, Vienna, 1960. Volume 2. [20]
- GILES, P.H. 1969. Observations in Kenya on the flight activity of stored products insects, particularly Sitophilus zeamais Motsch. Journal of Stored Products Research 4: 317-329. [21]
- GONEN, M., and Y. KASHANCHI. 1978. Changes in temperature, composition and dispersion of an insect population in a naturally occurring hot spot deep in a wheat bulk [in Hebrew, English summary]. Israel Ministry of Agriculture Special Publication 105: 87-93. (RAE 67: 1612) [22]
- GRAY, H.E. 1944. Stored product insect pests in Canada in 1943. Canadian Insect Pest Review 22(1): 112-114. [23]
- HAGSTRUM, D.W., G.A. MILLIKEN, and M.S. WADDELL. 1985. Insect distribution in bulk-stored wheat in relation to detection or estimation of abundance. Environmental Entomology 14: 655-661. [24]
- HANEC, W., M.G. DOLINSKI, and S.R. LOSCHIAVO. 1975. Relationship between locomotor activity and respiration rate of the rusty grain beetle, Cryptolestes ferrugineus (Stephens) at temperatures from 1 to 30°C. Manitoba Entomologist 9: 29-34. [25]
- HOBBS, G.A. 1968. Controlling insect enemies of the alfalfa leaf-cutter bee, Megachile rotundata. Canadian Entomologist 100: 781-784. [26]
- HODGES, R.J. 1983. Stored products pests and remote moisture sensors. Journal of Stored Products Research 19: 203-208. [27]
- HOWE, R.W. 1943. An investigation of the changes in a bin of stored wheat infested by insects. Bulletin of Entomological Research 34: 145-158. [28]
- HOWE, R.W. 1965. A summary of estimates of optimal and minimal condi-
- tions for population increase of some stored products insects. Journal of Stored Products Research 1: 177-184. [29]
- LEFKOVITCH, L.P. 1965. The Cryptolestes (Gangl.) (Col.: Cucujidae) occurring in stored food [Abstract]. Page 622 in Proceedings of the XII International Congress of Entomology, London, 8-16 July 1964. [30]
- LEFKOVITCH, L.P. 1968. Interaction between four species of beetles in wheat and wheatfeed. Journal of Stored Products Research 4: 1-8. [31]
- LEFKOVITCH, L.P., and R.H. MILNES. 1963. Interaction of two species of Cryptolestes (Coleoptera, Cucujidae). Bulletin of Entomological Research 54: 107-112. [32]
- LEVINSON, H.Z., and A.R. LEVINSON. 1978. Dried seeds, plant and animal tissues as food favoured by storage insect species. Pages 505-517 in R.F. Chapman and E.A. Bernays, editors, Proceedings of the 4th International Symposium - Insect and Host Plant - held at Fulmer Grange, Slough, England, 4-9 June 1978. Entomologia Experimentalis et Applicata 24: 201-766. [33]
- LINDGREN, B.S., J.H. BORDEN, A.M. PIERCE, H.D. PIERCE, JR., A.C. OEHLSCHLAGER, and J.W. WONG. 1985. A potential method for simultaneous, semiochemical-based monitoring of Cryptolestes ferrugineus and Tribolium castaneum (Coleoptera: Cucujidae and Tenebrionidae). Journal of Stored Products Research 21: 83-87. [34]
- LINSLEY, E.G. 1944. Natural sources, habitats, and reservoirs of insects associated with stored food products. Hilgardia 16: 187-222. [35]
- LOSCHIAVO, S.R. 1965. Problems with pesticides: the possible utilization of feeding behavior in an integrated approach to insect control. Proceedings of the Entomological Society of Manitoba 21: 10-17. [36]
- LOSCHIAVO, S.R. 1974. Laboratory studies of a device to detect insects in grain, and of the distribution of adults of the rusty grain beetle, Cryptolestes ferrugineus (Coleoptera: Cucujidae) in wheat-filled containers. Canadian Entomologist 106: 1309-1318. [37]

- LOSCHIAVO, S.R. 1974. The detection of insects by traps in grain-filled box-cars during transit. Pages 639-650 in Proceedings of the First International Working Conference on Stored-Product Entomology, Savannah, Georgia, USA, October 7-11, 1974. [38]
- LOSCHIAVO, S.R. 1975. Field tests of devices to detect insects in different kinds of grain storages. Canadian Entomologist 107: 385-389. [39]
- LOSCHIAVO, S.R. 1983. Distribution of the rusty grain beetle (Coleoptera: Cucujidae) in columns of wheat stored dry or with localized high moisture content. Journal of Economic Entomology 76: 881-884. [40]
- LOSCHIAVO, S.R. 1985. Post-harvest grain temperature, moisture, and insect infestation in steel granaries in Manitoba. Canadian Entomologist 117: 7-14. [41]
- LOSCHIAVO, S.R., and J.M. ATKINSON. 1967. A trap for the detection and recovery of insects in stored grain. Canadian Entomologist 99: 1160-1163. [42]
- LOSCHIAVO, S.R., and J.M. ATKINSON. 1973. An improved trap to detect beetles (Coleoptera) in stored grain. Canadian Entomologist 105: 437-440. [43]
- LOSCHIAVO, S.R., and R.N. SINHA. 1966. Feeding, oviposition, and aggregation by the rusty grain beetle, Cryptolestes ferrugineus (Coleoptera: Cucujidae) on seed-borne fungi. Annals of the Entomological Society of America 59: 578-585. [44]
- LOSCHIAVO, S.R., and L.B. SMITH. 1986. Population fluctuations of the rusty grain beetle, Cryptolestes ferrugineus (Coleoptera: Cucujidae), monitored with insect traps in wheat stored in a steel granary. Canadian Entomologist 118: 641-647. [45]
- LOSCHIAVO, S.R., J. WONG, N.D.G. WHITE, H.D. PIERCE, JR., J.H. BORDEN, and A.C. OEHLSCHLAGER. 1986. Field evaluation of a pheromone to detect adult rusty grain beetles, Cryptolestes ferrugineus (Coleoptera: Cucujidae), in stored grain. Canadian Entomologist 118: 1-8. [46]
- MATHLEIN, R. 1967. Laboratory trials with chemical repellents against stored-product pests. Meddelanden Statens Växtskyddsanstalt 13: 445-468. [47]
- MATHLEIN, R. 1971. Rearing experiments with Oryzaephilus surinamensis L. and Cryptolestes ferrugineus Steph. on grain. Meddelanden Statens Växtskyddsanstalt 15: 187-203. [48]
- MEAGHER, R.L., JR., R.B. MILLS, and R.M. RUBISON. 1986. Comparison of pneumatic and manual probe sampling of Kansas farm-stored grain sorghum. Journal of Economic Entomology 79: 284-288. [49]
- PIERCE, A.M., H.D. PIERCE, JR., J.H. BORDEN, and A.C. OEHLSCHLAGER. 1986. Enhanced production of aggregation pheromones in four stored-product coleopterans feeding on methoprene-treated oats. Experientia 42: 164-165. [50]
- PULPAN, J., and P.H. VERNER. 1965. Control of tyroglyphoid mites in stored grain by the predatory mite Cheyletus eruditis (Schrank). Canadian Journal of Zoology 43: 417-432. [51]
- RILETT, R.O. 1949. The biology of Laemophloeus ferrugineus (Steph.). Canadian Journal of Research Section D 27: 112-148. [52]
- SHEPPARD, E.H. 1936. Notes on Cryptolestes ferrugineus Steph., a cucujid occurring in the Trichogramma minutum parasite laboratory of Colorado State College. Colorado Experiment Station Technical Bulletin 17, 20 pages. [53]
- SINCLAIR, E.R., and J. ALDER. 1984. Migration of stored-grain insect pests from a small wheat bulk. Australian Journal of Experimental Agriculture and Animal Husbandry 24: 260-266. [54]
- SINHA, R.N. 1961. Insects and mites associated with hot spots in farm stored grain. Canadian Entomologist 93: 609-621. [55]
- SINHA, R.N. 1965. Development of Cryptolestes ferrugineus (Stephens) and Oryzaephilus mercator (Fauvel.) on seed-borne fungi. Entomologia Experimentalis et Applicata 8: 309-313. [56]
- SINHA, R.N. 1969. Reproduction of stored-grain insects on varieties of wheat, oats, and barley. Annals of the

- Entomological Society of America 62: 1011-1015. [57]
- SINHA, R.N. 1972. Infestability of oilseeds, clover, and millet by stored-product insects. Canadian Journal of Plant Science 52: 431-440. [58]
- SINHA, R.N. 1974. Climate and the infestation of stored cereals by insects. Pages 117-141 in Proceedings of the First International Working Conference on Stored-Product Entomology, Savannah, Georgia, USA, October 7-11, 1974. [59]
- SINHA, R.N. 1974. Seasonal abundance of insects and mites in small farm granaries. Environmental Entomology 3: 854-862. [60]
- SINHA, R.N. 1975. Effect of dockage in the infestation of wheat by some stored-product insects. Journal of Economic Entomology 68: 699-703. [61]
- SINHA, R.N. 1976. Susceptibility of small bulks of rapeseed and sunflower seed to some stored-product insects. Journal of Economic Entomology 69: 21-24. [62]
- SINHA, R.N. 1983. Effects of stored-product beetle infestation on fat acidity, seed germination, and microflora of wheat. Journal of Economic Entomology 76: 813-817. [63]
- SINHA, R.N., and L. HARASYMEK. 1974. Survival and reproduction of stored-product mites and beetles on fungal and bacterial diets. Environmental Entomology 3: 243-246. [64]
- SINHA, R.N., and S. UTIDA. 1967. Climatic areas potentially vulnerable to stored product insects in Japan. Applied Entomology and Zoology 2: 124-132. [65]
- SINHA, R.N., and H.A.H. WALLACE. 1966. Ecology of insect-induced hot spots in stored grain in western Canada. Researches on Population Ecology 8: 107-132. [66]
- SINHA, R.N., and H.A.H. WALLACE. 1977. Storage stability of farm-stored rapeseed and barley. Canadian Journal of Plant Science 57: 351-365. [67]
- SINHA, R.N., H.A.H. WALLACE, B. REISER, and L.P. LEFKOVITCH. 1979. Interrelations of arthropods and microorganisms in damp bulk stored wheat - a multivariate study. Researches on Population Ecology 21: 40-67. [68]
- SLESSOR, K.N., G.G.S. KING, D.R. MILLER, M.L. WINSTON, and T.L. CUTFORTH. 1985. Determination of chirality of alcohol or latent alcohol semiochemicals in individual insects. Journal of Chemical Ecology 11: 1659-1667. [69]
- SMITH, K.G. 1963. The study of an insect population living on bagged groundnuts stored in southern Nigeria with particular reference to the behaviour of Trogoderma granarium Everts (Col., Dermestidae). Journal of the West African Science Association 8: 44-57. [70]
- SMITH, L.B. 1962. A note on Cryptolestes turcicus (Grouvelle) (Coleoptera: Cucujidae) in a Manitoba grain elevator. Proceedings of the Entomological Society of Manitoba 18: 49-50. [71]
- SMITH, L.B. 1962. Observations on the oviposition rate of the rusty grain beetle, Cryptolestes ferrugineus (Steph.) (Coleoptera: Cucujidae). Annals of the Entomological Society of America 55: 77-82. [72]
- SMITH, L.B. 1963. The effect of temperature and humidity on the oviposition of the rusty grain beetle, Cryptolestes ferrugineus (Steph.). Proceedings of the North Central Branch of the Entomological Society of America 18: 74-76. [73]
- SMITH, L.B. 1965. The effect of temperature and humidity on the rate of increase, R_m , of the rusty grain beetle, Cryptolestes ferrugineus (Stephens) (Coleoptera: Cucujidae) [Abstract]. Page 623 in Proceedings of the XIIth International Congress of Entomology, London, 8-16 July 1964. [74]
- SMITH, L.B. 1965. The intrinsic rate of natural increase of Cryptolestes ferrugineus (Stephens) (Coleoptera, Cucujidae). Journal of Stored Products Research 1: 35-49. [75]
- SMITH, L.B. 1966. Effect of crowding on oviposition, development and mortality of Cryptolestes ferrugineus (Stephens) (Coleoptera, Cucujidae). Journal of Stored Products Research 2: 91-104. [76]
- SMITH, L.B. 1970. Effects of cold-

- acclimation on supercooling and survival of the rusty grain beetle, Cryptolestes ferrugineus (Stephens) (Coleoptera: Cucujidae), at subzero temperatures. Canadian Journal of Zoology 48: 853-858. [77]
- SMITH, L.B. 1972. Wandering of larvae of Cryptolestes ferrugineus (Coleoptera: Cucujidae) among wheat kernels. Canadian Entomologist 104: 1655-1659. [78]
- SMITH, L.B. 1977. Efficiency of Berlese-Tullgren funnels for removal of the rusty grain beetle, Cryptolestes ferrugineus. Canadian Entomologist 109: 503-509. [79]
- SMITH, L.B. 1978. Ecology of stored grain in the Canadian prairies. I. The distribution and size of a low density population of Cryptolestes ferrugineus (Coleoptera: Cucujidae). Canadian Entomologist 110: 1281-1292. [80]
- SMITH, L.B. 1983. The relationship between wet grain, Cryptolestes ferrugineus (Coleoptera: Cucujidae) populations, and heating in wheat stored in granaries. Canadian Entomologist 115: 1383-1394. [81]
- SMITH, L.B. 1984. Control of stored grain insects with low temperatures. Pages 44-49 in Proceedings of the Thirty-First Annual Meeting, Canadian Pest Management Society, Winnipeg, Manitoba, 20-22 August 1984. (RAE 73: 6511) [82]
- SMITH, L.B., and S.R. LOSCHIAVO. 1978. History of an insect infestation in durum wheat during transport and storage in an inland terminal elevator in Canada. Journal of Stored Products Research 14: 169-180. [83]
- SOLOMON, M.E., and B.E. ADAMSON. 1955. The powers of survival of storage and domestic pests under winter conditions in Britain. Bulletin of Entomological Research 46: 311-355. [84]
- SRDIC, Z. 1974. Colonization of the nests of the pupae of the mealy moth Anagasta kuhniella Zell. (Lep. Pyralidae) [in Serbo-Croatian]. Zastita Bilja 25: 65-69. [85]
- SURTEES, G. 1963. Laboratory studies on dispersion behaviour of adult bee- tles in grain. III. - Tribolium castaneum (Hbst.) (Coleoptera, Tenebrionidae) and Cryptolestes ferrugineus (Steph.) (Coleoptera, Cucujidae). Bulletin of Entomological Research 54: 297-306. [86]
- SURTEES, G. 1964. Laboratory studies on dispersion behaviour of adult beetles in grain. IV. - Three-dimensional analysis of dispersion of five species in a uniform bulk. Bulletin of Entomological Research 55: 161-171. [87]
- SURTEES, G. 1964. Laboratory studies on dispersion behaviour of adult beetles in grain. XI. - Some effects of temperature. Animal Behaviour 12: 378-381. [88]
- SURTEES, G. 1964. Site of damage to whole wheat grains by five species of stored-products beetle. Entomologist's Monthly Magazine 99: 178-181. [89]
- SURTEES, G. 1965. Ecological significance and practical implications of behaviour patterns determining the spatial structure of insect populations in stored grain. Bulletin of Entomological Research 56: 201-213. [90]
- SURTEES, G. 1965. Laboratory studies on dispersion behaviour of adult beetles in grain. XII. - The effect of isolated pockets of damp and mouldy wheat on Cryptolestes ferrugineus (Steph.) (Coleoptera, Cucujidae). Bulletin of Entomological Research 55: 673-680. [91]
- TUFF, D.W., and H.S. TELFORD. 1964. Wheat fracturing as affecting infestation by Cryptolestes ferrugineus. Journal of Economic Entomology 57: 513-516. [92]
- VARGAS PIQUERAS, P. 1979. Interactions between five species of storage insects in sunflower seeds and their influence on losses of weight and quality in the product [in Spanish, English summary]. Anales del Instituto Nacional de Investigaciones Agrarias, Proteccion Vegetal 10: 69-79. (RAE 68: 3681) [93]
- WALKER, D.W. 1960. Population fluctuations and control of stored grain insects. Washington State University Agricultural Experiment Station Technical Bulletin 31, 66 pages. [94]
- WATTERS, F.L. 1969. The locomotor activity of Cryptolestes ferrugineus (Stephens) (Coleoptera: Cucujidae) in

- wheat. Canadian Journal of Zoology 47: 1177-1182. [95]
- WHEELER, W.M. 1921. Notes on the habits of European and North American Cucujidae (sens. auct.). Zoologica: New York Zoological Society 3: 173-183. [96]
- WHITE, N.D.G., and S.R. LOSCHIAVO. 1986. Effects of insect density, trap depth, and attractants on the capture of Tribolium castaneum (Coleoptera: Tenebrionidae) and Cryptolestes ferrugineus (Coleoptera: Cucujidae) in stored wheat. Journal of Economic Entomology 79: 1111-1117. [97]
- WHITE, N.D.G., and R.N. SINHA. 1980. Canonical correlation analysis of interactions in insect-infested stored wheat. Environmental Entomology 9: 106-112. [98]
- WHITE, N.D.G., and R.N. SINHA. 1980. Changes in stored-wheat ecosystems infested with two combinations of insect species. Canadian Journal of Zoology 58: 1524-1534. [99]
- WHITE, N.D.G., and R.N. SINHA. 1980. Principal component analysis of interrelations in stored-wheat ecosystems infested with multiple species of insects. Researches on Population Ecology 22: 33-50. [100]
- WONG, J.W., V. VERIGIN, A.C. OEHLSCHLAGER, J.H. BORDEM, H.D. PIERCE, JR., A.M. PIERCE, and L. CHONG. 1983. Isolation and identification of two macrolide pheromones from the frass of Cryptolestes ferrugineus (Coleoptera: Cucujidae). Journal of Chemical Ecology 9: 451-474. [101]
- WOODROFFE, G.E. 1973. Observations on the susceptibility of compressed dried grass and legume to infestation by some storage insects. Journal of Stored Products Research 9: 235-239. [102]
- CONTROL**
- Chemical**
- AREEKUL, S., and R.F. HARWOOD. 1962. Experimental basis for estimating insecticides and acaricides by comparative bioassay. Journal of Economic Entomology 55: 894-899. [103]
- BARKER, P.S. 1974. The effect of four residual insecticides on populations of the rusty grain beetle, Cryptolestes ferrugineus (Stephens), in wheat. Manitoba Entomologist 8: 94-100. [104]
- DEIGHTON, J.M. 1975. Pirimiphos-methyl: a new insecticide for insect control in stored grain. Pages 174-176 in VIII International Plant Protection Congress, Moscow, 1975. Reports and informations. Section III, Chemical control. Part I. (RAE 65: 1019) [105]
- IORDANOU, N.T., and F.L. WATTERS. 1969. Temperature effects on the toxicity of five insecticides against five species of stored-product insects. Journal of Economic Entomology 62: 130-135. [106]
- JOIA, B.S., S.R. LOSCHIAVO, and G.R.B. WEBSTER. 1985. Cypermethrin and fenvalerate as grain protectants against Tribolium castaneum (Coleoptera: Tenebrionidae) and Cryptolestes ferrugineus (Coleoptera: Cucujidae) at different moisture levels and temperatures. Journal of Economic Entomology 78: 637-641. [107]
- LIN, T. 1965. Chemical control of granary insects and the oral test of white mice with insecticides [in Chinese, English summary]. Journal of Taiwan Agricultural Research 14: 54-66. (RAE 56: 323) [108]
- LOSCHIAVO, S.R. 1978. Effect of BAY SRA-7660 on the survival and reproduction of three species of stored-product insects in laboratory and small-bin experiments. Journal of Economic Entomology 71: 206-210. [109]
- MENSAH, G.W.K., and F.L. WATTERS. 1979. Uptake of bromophos into bulk stored wheat from treated granary surfaces. Journal of Economic Entomology 72: 275-276. [110]
- MENSAH, G.W.K., F.L. WATTERS, and G.R.B. WEBSTER. 1979. Translocation of malathion, bromophos, and iodofenphos into stored grain from treated structural surfaces. Journal of Economic Entomology 72: 385-391. [111]
- PARTINGTON, G.L., M.R. REDBOND, and C. BOASE. 1979. Etrimfos - a new insecticide for stored grain pest control. Pages 525-532 in Proceedings of the 1979 British Crop Protection Conference

- Pests and Diseases. (RAE 69: 1888) [112]
- PENG, W.K. 1983. Relative toxicity of ten insecticides against six coleopterous stored-rice insect pests [in Chinese, English summary]. National Science Council Monthly 11: 638-644. (RAE 72: 4111) [113]
- PRICE, G.N., and D.M. WEIGHTON. 1972. Fenitrothion - its place in UK agriculture. Pages 408-418 in Proceedings of the Sixth British Insecticide and Fungicide Conference, 15th to 18th November 1971, Brighton, England. (RAE 61: 3636) [114]
- QUINLAN, J.K. 1977. Surface and wall sprays of malathion for controlling insect populations in stored shelled corn. Journal of Economic Entomology 70: 335-336. [115]
- QUINLAN, J.K. 1979. Malathion aerosols applied in conjunction with vertically placed aeration for the control of insects in stored corn. Journal of the Kansas Entomological Society 52: 648-652. [116]
- QUINLAN, J.K., G.D. WHITE, J.L. WILSON, L.I. DAVIDSON, and L.H. HENDRICKS. 1979. Effectiveness of chlorpyrifos-methyl and malathion as protectants for high moisture stored wheat. Journal of Economic Entomology 72: 90-93. [117]
- ROSEN, H. von. 1976. Long-term laboratory tests on the control of grain beetles [in Swedish, English summary]. Växtskyddsnotiser 40: 116-120. (RAE 65: 2827) [118]
- TAUTHONG, S., and F.L. WATTERS. 1978. Persistence of three organophosphorous insecticides on plywood surfaces against five species of stored-product insects. Journal of Economic Entomology 71: 115-121. [119]
- TSVETKOV, D., Kh. ATANASOV, and D. OBRETCHEV. 1983. Study on the effectiveness of mechanised aerosols for disinestation of empty storage premises by stored-product pests [in Bulgarian, English summary]. Rasteniev'dni Nauki 20: 60-67. (RAE 72: 1204) [120]
- TYLER, P.S., and A.A. GREEN. 1968. The effectiveness of fenitrothion and malathion as grain protectants under severe practical conditions. Journal of Stored Products Research 4: 119-126. [121]
- WATTERS, F.L. 1959. Effects of grain moisture content on residual toxicity and repellency of malathion. Journal of Economic Entomology 52: 131-134. [122]
- WATTERS, F.L. 1968. Pyrethrins-piperonyl butoxide applied as a fog in an empty grain bin. Journal of Economic Entomology 61: 1313-1316. [123]
- WATTERS, F.L. 1976. Persistence and uptake in wheat of malathion and bromophos applied on granary surfaces to control the red flour beetle. Journal of Economic Entomology 69: 353-356. [124]
- WATTERS, F.L. 1977. Comparison of acephate and malathion applied to stored grain for control of rusty grain beetles and red flour beetles. Journal of Economic Entomology 70: 377-380. [125]
- WATTERS, F.L., and O.W. CRUSSENDORF. 1969. Toxicity and persistence of lindane and methoxychlor on building surfaces for stored-grain-insect control. Journal of Economic Entomology 62: 1101-1106. [126]
- WATTERS, F.L., and G.W.K. MENSAH. 1979. Stability of malathion applied on stored wheat for control of rusty grain beetles. Journal of Economic Entomology 72: 794-797. [127]
- WHITE, N.D.G. 1984. Residual activity of organophosphorus and pyrethroid insecticides applied to wheat stored under simulated western Canadian conditions. Canadian Entomologist 116: 1403-1410. [128]
- WHITE, N.D.G. 1985. Uptake of malathion and pirimiphos-methyl by rye, wheat, or triticale stored on treated surfaces. Journal of Economic Entomology 78: 1315-1319. [129]
- WHITE, N.D.G., and D. ABRAMSON. 1984. Uptake of malathion from galvanized-steel surfaces by stored barley. Journal of Economic Entomology 77: 289-293. [130]
- WHITE, N.D.G., T.W. NOWICKI, and F.L. WATTERS. 1983. Comparison of fenitrothion and malathion for treatment of

- plywood and galvanized steel surfaces for control of the red flour beetle (Coleoptera: Tenebrionidae) and the rusty grain beetle (Coleoptera: Cucujidae). Journal of Economic Entomology 76: 856-863. [131]
- WOHLGEMUTH, R. 1984. Comparative laboratory trial with insecticides under tropical conditions. Pages 286-289 in Proceedings of the Third International Working Conference on Stored-Product Entomology, Kansas State University, Manhattan, Kansas, USA, October 23-28, 1983. [132]
- Fumigation**
- BANKS, H.J., and R. STICKA. 1981. Phosphine fumigation of PVC-covered, earth-walled bulk grain storages: full scale trials using a surface application technique. Division of Entomology, Commonwealth Scientific and Industrial Research Organization, Australia, Technical Paper 18, 45 pages. (RAE 70: 4890) [133]
- BARKER, P.S. 1967. Susceptibility of eggs and young adults of Cryptolestes ferrugineus and C. turcicus to methyl bromide. Journal of Economic Entomology 60: 1434-1436. [134]
- BARKER, P.S. 1969. Susceptibility of eggs and young adults of Cryptolestes ferrugineus and C. turcicus to hydrogen phosphide. Journal of Economic Entomology 62: 363-365. [135]
- BARKER, P.S. 1970. Susceptibility of eggs and young adults of Cryptolestes ferrugineus and C. turcicus to chloropicrin. Journal of Economic Entomology 63: 940-943. [136]
- BARKER, P.S. 1974. The penetration of methyl bromide into wheat at freezing temperatures. Manitoba Entomologist 8: 90-93. [137]
- BARKER, P.S. 1975. Comparison of two formulations of hydrogen phosphide for the control of adults of Tribolium castaneum (Herbst) and adults and eggs of Cryptolestes ferrugineus (Stephens). Manitoba Entomologist 9: 13-16. [138]
- BARKER, P.S. 1975. Control of Tribolium castaneum (Herbst) adults and Cryptolestes ferrugineus (Stephens) adults and eggs with hydrogen phosphide in grain at temperatures between 1 and 11°C. Manitoba Entomologist 9: 23-28. [139]
- BARKER, P.S. 1975. Survival of eggs of the rusty grain beetle, Cryptolestes ferrugineus (Stephens), in dry and damp wheat treated with hydrogen phosphide. Manitoba Entomologist 9: 5-8. [140]
- BARKER, P.S. 1976. Sex-related tolerance to 1,2-dibromoethane in Cryptolestes ferrugineus (Stephens). Journal of Stored Products Research 12: 59-61. [141]
- BARKER, P.S. 1978. Control of adults of the rusty grain beetle, Cryptolestes ferrugineus (Stephens), with carbon disulphide at temperatures between 6.6 and 10°C, and estimation of the dosage applied. Manitoba Entomologist 12: 35-41. [142]
- BARKER, P.S. 1983. Comparison of two pelletized formulations of aluminum phosphide for the control of adults and eggs of the rusty grain beetle (Coleoptera: Cucujidae). Journal of Economic Entomology 76: 599-600. [143]
- BELL, C.H., and D.G. ROWLANDS. 1983. The future for liquid fumigants. In P.L.G. Bateman, editor, Proceedings of the Sixth British Pest Control Conference, Robinson College, Cambridge, September 7-10, 1983, 10 pages. (RAE 73: 2779) [144]
- HOLE, B.D., C.H. BELL, and C.R. BOWLEY. 1985. The toxicity of methyl chloroform to stored product insects. Journal of Stored Products Research 21: 95-100. [145]
- HOLE, B.D., C.H. BELL, K.A. MILLS, and G. GOODSHIP. 1976. The toxicity of phosphine to all developmental stages of thirteen species of stored product beetles. Journal of Stored Products Research 12: 235-244. [146]
- LEFKOVITCH, L.P. 1965. Differences between six species of Cryptolestes (Coleoptera, Cucujidae) in susceptibility to methyl bromide vapour. Bulletin of Entomological Research 56: 197-200. [147]
- LIN, T. 1981. Studies on the improved control measures of stored grain insects [in Chinese, English summary]. Journal of Agricultural Research of

- China 30: 57-62. [148]
- SINHA, R.N., B. BERCK, and H.A.H. WALLACE. 1967. Effect of phosphine on mites, insects, and microorganisms. Journal of Economic Entomology 60: 125-132. [149]
- THIEM, H., and D. BOGS. 1975. The disinfestation of grain in aluminum silo compartments with Delicia-Gastoxin [in German, English summary]. Nachrichtenblatt für den Pflanzenschutz in der DDR 29: 222-225. (RAE 64: 4443) [150]
- Miscellaneous**
- BAHR, I. 1973. Investigations on the reduction of pest populations in grain by pneumatic conveyance [in German, English summary]. Nachrichtenblatt für den Pflanzenschutzdienst in der DDR 27: 232-237. (RAE 64: 2172) [151]
- BAILEY, S.W. 1965. Air-tight storage of grain; its effect on insect pests-IV Rhyzopertha dominica (F.) and some other Coleoptera that infest stored grain. Journal of Stored Products Research 1: 25-33. [152]
- BANKS, H.J., and A.K. SHARP. 1979. Insect control with CO₂ in a small stack of bagged grain in a plastic film enclosure. Australian Journal of Experimental Agriculture and Animal Husbandry 19: 102-107. [153]
- CORNWELL, P.B., L.J. CROOK, and J.O. BULL. 1957. Lethal and sterilizing effects of gamma radiation on insects infesting cereal commodities. Nature 179: 670-672. [154]
- HAMID, M.A.K., C.S. KASHYAP, and R. VAN CAUWENBERGHE. 1968. Control of grain insects by microwave power. Journal of Microwave Power 3: 126-135. [155]
- LOSCHIAVO, S.R. 1978. Effect of disturbance of wheat on four species of stored-product insects. Journal of Economic Entomology 71: 888-893. [156]
- MATHLEIN, R. 1971. Mechanical cleaning of infested grain as a control method against some insect pests. Meddelanden Statens Växtskyddsanstalt 15: 205-227. [157]
- MUIR, W.E., G. YACIUK, and R.N. SINHA. 1977. Effects on temperature and insect and mite populations of turning and transferring farm-stored wheat. Canadian Agricultural Engineering 19: 25-28. [158]
- PEREIRA, J., and R. WOHLGEMUTH. 1982. Neem (Azadirachta indica A. Juss) of West African origin as a protectant of stored maize. Zeitschrift für Angewandte Entomologie 94: 208-214. (RAE 70: 7277) [159]
- SMITH, L.B. 1974. The role of low temperature to control stored food pests. Pages 418-430 in Proceedings of the First International Working Conference on Stored-Product Entomology, Savannah, Georgia, USA, October 7-11, 1974. [160]
- WATTERS, F.L., and M. BICKIS. 1978. Comparison of mechanical handling and mechanical handling supplemented with malathion admixture to control rusty grain beetle infestations in stored wheat. Journal of Economic Entomology 71: 667-669. [161]
- WATTERS, F.L., and K.F. MACQUEEN. 1967. Effectiveness of gamma irradiation for control of five species of stored-product insects. Journal of Stored Products Research 3: 223-234. [162]
- WILLIAMS, P. 1973. Grain insect control by aeration of farm silos in Australia. Annales de Technologie Agricole 22: 557-561. (RAE 64: 1557) [163]
- Natural Enemies**
- BARKER, P.S. 1967. Bionomics of Blattisocius keegani (Fox) (Acarina: Ascidae), a predator on eggs of pests of stored grains. Canadian Journal of Zoology 45: 1093-1099. [164]
- COTTON, R.T., and N.E. GOOD. 1937. Annotated list of the insects and mites associated with stored grain and cereal products, and of their arthropod parasites and predators. U.S. Department of Agriculture Miscellaneous Publication 258, 81 pages. [165]
- FINLAYSON, L.H. 1950. Host preference of Cephalonomia waterstoni Gahan, a bethylid parasitoid of Laemophloeus species. Behaviour 2: 275-315. [166]
- FINLAYSON, L.H. 1950. Mortality of Laemophloeus (Coleoptera, Cucujidae) infected with Mattesia dispora Naville

- (Protozoa, Schizogregarinaria). Parasitology 40: 261-264. [167]
- FINLAYSON, L.H. 1950. The biology of Cephalonomia waterstoni Gahan (Hym., Bethylidae), a parasite of Laemophloeus (Col., Cucujidae). Bulletin of Entomological Research 41: 79-97. [168]
- FINLAYSON, L.H. 1952. Host selection by Cephalonomia waterstoni Gahan (Hym. Bethylidae). Pages 370-374 in Proceedings of the Ninth International Congress of Entomology. [169]
- MANNING, F.J. 1954. Schizogregarines (Protozoa: Sporozoa) infesting Laemophloeus ferrugineus Steph. (Coleoptera: Cucujidae). Microscope 10: 73-75. [170]
- MANNING, F.J. 1955. Life history of a schizogregarine infesting the larva of Laemophloeus ferrugineus Steph. Microscope 10: 129-135. [171]
- PURRINI, K. 1976. Adelina tribolii Bhatia and A. mesnili Perez (Sporozoa, Coccidia) as pathogens in insect pests of stored products in the Kosova district, Yugoslavia [in German, English summary]. Anzeiger für Schädlingskunde Pflanzenschutz Umweltschutz 49: 51-53. (RAE 65: 886) [172]
- RILETT, R.O. 1949. The biology of Cephalonomia waterstoni Gahan. Canadian Journal of Research Section D 27: 93-111. [173]
- ### Resistance to Pesticides
- DYTE, C.E., and D. HALLIDAY. 1985. Problems of development of resistance to phosphine by insect pests of stored grains. Bulletin Organisation Europeenne et Mediterraneene pour la Protection des Plantes 15: 51-57. [174]
- HALISCAK, J.P., and R.W. BEEMAN. 1983. Status of malathion resistance in five genera of beetles infesting farm-stored corn, wheat, and oats in the United States. Journal of Economic Entomology 76: 717-722. [175]
- MILLS, K.A. 1983. Resistance to the fumigant hydrogen phosphide in some stored-product species associated with repeated inadequate treatments. Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie 4: 98-101. [176]
- PRICE, N.R., and S.J. DANCE. 1983. Some biochemical aspects of phosphine action and resistance in three species of stored product beetles. Comparative Biochemistry and Physiology 76C: 277-281. (RAE 73: 4617) [177]
- TYLER, P.S., R.W. TAYLOR, and D.P. REES. 1983. Insect resistance to phosphine fumigation in food warehouses in Bangladesh. International Pest Control 25: 10-13, 21. [178]
- WHITE, N.D.G., and S.R. LOSCHIAVO. 1985. Testing for malathion resistance in field-collected populations of Cryptolestes ferrugineus (Stephens) and factors affecting reliability of the tests. Journal of Economic Entomology 78: 511-515. [179]
- WHITE, N.D.G., and F.L. WATTERS. 1984. Incidence of malathion resistance in Tribolium castaneum and Cryptolestes ferrugineus populations collected in Canada. Pages 290-302 in Proceedings of the Third International Working Conference on Stored-Product Entomology, Kansas State University, Manhattan, Kansas, USA, October 23-28, 1983. [180]
- ### GENERAL PAPERS
- ANONYMOUS. 1975. Insects and mites in farm-stored grain. Ministry of Agriculture, Fisheries and Food, United Kingdom, Advisory Leaflet 368, 8 pages. (RAE 65: 418) [181]
- ANONYMOUS. 1981. Rusty grain beetle. Cryptolestes ferrugineus (Steph.). Agriculture Canada, Insect Identification Sheet 78, 2 pages. (RAE 69: 6805) [182]
- ANONYMOUS. 1982. Insects in farm-stored grain. Ministry of Agriculture, Fisheries and Food, United Kingdom, Leaflet 368, 8 pages. (RAE 71: 3785) [183]
- BERGER, H.K., and M. HETFLEIS. 1985. Stored-product protection - pests and their control [in German]. Pflanzenschutz 2: 9-10. (RAE 73: 5215) [184]
- GHOSH, B.N., and P. SILVA. 1972. Some observations on the storage of cacao in Brazil [in Portuguese]. Cacau Atualidades 9: 11-21. (RAE 61: 5033) [185]
- MONRO, H.A.U. 1969. Insect pests in

- cargo ships. Canada Department of Agriculture Plant Protection Division Publication 855, 39 pages. [186]
- WATTERS, F.L. 1955. Entomological aspects of bulk grain storage in the Prairie Provinces. Proceedings of the Entomological Society of Manitoba 11: 28-37. [187]
- WILKIN, D.R. 1984. Ridding stored grain of pests. Cereal Foods World 29: 415-416. [188]
- ### MORPHOLOGY AND PHYSIOLOGY
- GUPTA, P.D., and R.N. SINHA. 1960. Excretion and its products in some stored-grain-infesting beetles. Annals of the Entomological Society of America 53: 632-638. [189]
- HALSTEAD, D.G.H. 1963. External sex differences in stored-products Coleoptera. Bulletin of Entomological Research 54: 119-134. [190]
- ROBERTS, R.H., and R.O. RILETT. 1953. Silk glands of the rusty grain beetle Laemophloeus ferrugineus (Steph.). Transactions of the American Microscopical Society 72: 264-270. [191]
- SINHA, R.N. 1959. The hydrogen-ion concentration in the alimentary canal of beetles infesting stored grain and grain products. Annals of the Entomological Society of America 52: 763-765. [192]
- ### SURVEYS
- BAHR, I. 1980. The occurrence of pests in mixed-feed plants [in German, English summary]. Nachrichtenblatt für den Pflanzenschutz in der DDR 34: 178-183. (RAE 70: 1747) [193]
- BAHR, I., and W. PRINZ. 1977. Insects in stored grain in the German Democratic Republic and the prevention of damage [in German, English summary]. Nachrichtenblatt für den Pflanzenschutz in der DDR 31: 200-204. (RAE 66: 3259) [194]
- BUCKLAND, P.C. 1981. The early dispersal of insect pests of stored products as indicated by archaeological records. Journal of Stored Products Research 17: 1-12. [195]
- CHAMP, B.R. 1965. An investigation of peanut storage pests in Queensland. 1. Introduction, species and pest status. Queensland Journal of Agricultural and Animal Sciences 22: 227-240. [196]
- CONWAY, J.A. 1986. Insects and other arthropods recorded on stored food commodities in Nepal and Bhutan. Tropical Science 26: 145-162. [197]
- COOMBS, C.W., and J.A. FREEMAN. 1955. The insect fauna of an empty granary. Bulletin of Entomological Research 46: 399-417. [198]
- COTTERELL, G.S. 1952. The insects associated with export produce in southern Nigeria. Bulletin of Entomological Research 43: 145-152. [199]
- DAVIS, R.A. 1947. Notes on stored product pests in Burma and Singapore. Entomologist 80: 36-40. [200]
- DONAHAYE, E., and M. CALDERON. 1964. Survey of insects infesting dates in storage in Israel. Israel Journal of Agricultural Research 14: 97-100. [201]
- FARRAR, M.D., and W.P. FLINT. 1942. Control of insects in fourteen thousand corn bins. Journal of Economic Entomology 35: 615-619. [202]
- GANESALINGAM, V.K. 1976. A study of insects in four rice stores in the Kandy district in Sri Lanka. Ceylon Journal of Science (Biological Sciences) 12: 30-46. [203]
- GORELOV, M.S. 1967. On some bioecological characteristics of the rust-red grain beetle (Cryptolestes ferrugineus Steph.) [in Russian]. Uchenye Zapiski Kuibyshevskii Gosudarstvennyi Pedagogicheskii Institut 50: 13-17. (RAE 58: 2361) [204]
- HOWE, R.W. 1951. A note on grain pests of the genus Laemophloeus (Col., Cucujidae). Entomologists' Monthly Magazine 87: 161. [205]
- HOWE, R.W., and L.P. LEFKOVITCH. 1957. The distribution of the storage species of Cryptolestes (Col., Cucujidae). Bulletin of Entomological Research 48: 795-809. [206]
- HUNTER, F.A., J.B.M. TULLOCH, and M.G. LAMBOURNE. 1973. Insects and mites of maltings in the East Midlands of England. Journal of Stored Products Research 9: 119-141. [207]
- HURLOCK, E.T. 1963. The infestation of Canadian produce inspected in United Kingdom ports between 1953 and 1959.

- Canadian Entomologist 95: 1263-1284.
[208]
- HURLOCK, E.T. 1964. Infestation of foodstuffs from the United States of America inspected in the United Kingdom between 1953 and 1961. Bulletin of Entomological Research 55: 173-192.
[209]
- LINSLEY, E.G., and A.E. MICHELBACHER. 1943. A report on insect infestation of stored grain in California. Journal of Economic Entomology 36: 829-831.
[210]
- LISCOMBE, E.A.R. 1964. Stored-products insect surveys in Canada. Proceedings of the Entomological Society of Manitoba 20: 12-18.
[211]
- LISCOMBE, E.A.R., and F.L. WATTERS. 1962. Insect and mite infestations in empty granaries in the Prairie Provinces. Canadian Entomologist 94: 433-441.
[212]
- MACNAY, C.G. 1954. Summary of important insect infestations, occurrences, and damage in Canada in 1954. Annual Report of the Entomological Society of Ontario 85: 61-91.
[213]
- MORRISON, E.O. 1964. A survey on the distribution of the rice weevil complex, Sitophilus spp., infesting stored grain in Texas and a check-list of other stored grain insect pests encountered. Texas Journal of Science 16: 90-95.
[214]
- O'FARRELL, A.F., and P.M. BUTLER. 1948. Insects and mites associated with the storage and manufacture of foodstuffs in northern Ireland. Economic Proceedings, Royal Dublin Society 3: 343-407.
[215]
- OLSEN, A.R. 1981. List of stored-product insects found in imported foods entering United States at southern California ports. Bulletin of the Entomological Society of America 27: 18-29.
[216]
- OSBORNE, P.J. 1977. Stored product beetles from a Roman site at Droitwich, England. Journal of Stored Products Research 13: 203-204.
[217]
- PELLITTERI, P., and G.M. BOUSH. 1983. Stored-product insect pests in feed mills in southern Wisconsin. Transactions of the Wisconsin Academy of Sciences, Arts and Letters 71: 103-112.
[218]
- RICHARDS, O.W., and G.V.B. HERFORD. 1930. Insects found associated with cacao, spices and dried fruits in London warehouses. Annals of Applied Biology 17: 367-395.
[219]
- RILETT, R.O., and R.D. WEIGEL. 1956. A winter survey of Coleoptera in feed and flour mills. Journal of Economic Entomology 49: 154-156.
[220]
- SEIDEL, M. 1976. The occurrence of stored products pests in grain stores of socialist agricultural concerns in the Rostock region and their control [in German, English summary]. Nachrichtenblatt für den Pflanzenschutz in der DDR 30: 209-212. (RAE 65: 4609)
[221]
- SINCLAIR, E.R., and M. BENGSTON. 1980. The frequency of Cryptolestes spp. in grain in south-east Queensland. Australian Journal of Experimental Agriculture and Animal Husbandry 20: 234-239.
[222]
- SINHA, R.N. 1965. Insects associated with stored products in Canada. Canadian Insect Pest Review Supplement 2.
[223]
- SLIWINSKI, Z. 1960. The beetle pests of food products transported in the last ten years to Poland [in Polish, English summary]. Polskie Pismo Entomologiczne Series B, Zeszyt 1-2(17-18) 15: 111-116.
[224]
- SMITH, L.B. 1984. Insect infestation in western Canadian grain loaded in railway cars at primary elevators. Pages 651-654 in Proceedings of the Third International Working Conference on Stored-Product Entomology, Kansas State University, Manhattan, Kansas, USA, October 23-28, 1983.
[225]
- SMITH, L.B. 1985. Insect infestation in grain loaded in railroad cars at primary elevators in southern Manitoba, Canada. Journal of Economic Entomology 78: 531-534.
[226]
- SONDA, M. 1970. Distribution of Cryptolestes of stored products in Kyushu (Col., Cucujidae) [in Japanese, English summary]. Proceedings of the Association for Plant Protection of Kyushu 16: 85-86. (RAE 61: 4045)
[227]
- STRONG, R.G. 1970. Distribution and

- relative abundance of stored-product insects in California: a method of obtaining sample populations. *Journal of Economic Entomology* 63: 591-596.
[228]
- VUKASOVIC, P., T. STOJANOVIC, and V. KOSOVAC. 1966. Insects attacking seeds of sunflower (*Helianthus annuus* L.) in Yugoslavia [in French, English summary]. *Journal of Stored Products Research* 2: 69-73.
[229]
- TAXONOMY
- BANKS, H.J. 1979. Identification of stored product Cryptolestes spp. (Coleoptera: Cucujidae): a rapid technique for preparation of suitable mounts. *Journal of the Australian Entomological Society* 18: 217-222.
[230]
- BIEGE, C.R., and G.J. PARTIDA. 1976. Taxonomic characters to identify three species of Cryptolestes (Coleoptera: Cucujidae). *Journal of the Kansas Entomological Society* 49: 161-164.
[231]
- BISHOP, G.W. 1960. Taxonomic observations on the larvae of the three American Cryptolestes (Coleoptera: Cucujidae) that infest stored grain. *Annals of the Entomological Society of America* 53: 8-11.
[232]
- BRÄUER, G. 1970. The importance of flat grain beetles (Cryptolestes Gangl.; Coleopt.; Cucujidae) in the storage of grain and grain products [in German, English summary]. *Nachrichtenblatt für den Deutschen Pflanzenschutzdienst* 24: 216-222.
(RAE 61: 3472)
[233]
- CARPENTIER, L. 1877. Notes entomologiques. Laemophloeus ferrugineus, Steph. *Bulletin de la Societe Linneenne du Nord de la France*, April, pages 239-241.
[234]
- CASEY, T.L. 1884. Revision of the Cucujidae of America North of Mexico. *Transactions of the American Entomological Society* 11: 69-112.
[235]
- GREEN, M. 1979. Cryptolestes klapperichi in stored products and its identification (Coleoptera: Cucujidae). *Journal of Stored Products Research* 15: 71-72.
[236]
- LEFKOVITCH, L.P. 1959. A revision of the European Laemophloeinae (Coleoptera: Cucujidae). *Transactions of the Royal Entomological Society of London* 11: 95-118.
[237]
- REID, J.A. 1942. The species of Laemophloeus (Coleoptera: Cucujidae) occurring in stored foods in the British Isles. *Proceedings of the Royal Entomological Society of London Series A General Entomology* 17: 27-33.
[238]
- STEPHENS, J.F. 1831. Illustrations of British entomology; or, a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. *Mandibulata*. Volume IV, pages 222-224.
[239]

GEOGRAPHICAL INDEX

- Algeria 206
Argentina 206
Australia 4, 17-18, 54, 133, 152-153,
163, 196, 206, 222, 230
Austria 184

Bangladesh 174, 176, 178
Belize 206
Brazil 185, 206
Bulgaria 120
Burma 206

Canada 7-11, 15-16, 23, 25-26, 34,
36-44, 46, 50, 52, 55-64, 66-69, 71-
83, 95, 97-101, 104, 106-107, 109-111,
119, 122-131, 134-143, 149, 155-156,
158, 160-162, 164, 179-180, 182,
186-187, 189, 192, 208, 211-213, 223,
225-226
Czechoslovakia 51

Federal Republic of Germany 96, 132

Gambia 206
German Democratic Republic 150-151,
193-194, 221, 233
Ghana 219
Greece 219
Guyana 206

India 206
Iran 12
Iraq 20
Israel 22, 201

Jamaica 206
Japan 65, 227

Kenya 21, 206, 219

Malawi 206
Malaysia 206
Morocco 206
Mozambique 206

Nepal 197
Nigeria 70, 199, 205-206

Pakistan 20
People's Republic of China 206
Poland 224

Republic of China 108, 113, 148
Republic of South Africa 206

Singapore 200, 206
Soviet Union 204, 206
Spain 93
Sri Lanka 203, 206
Sudan 206
Sweden 47-48, 118, 157

Tanzania 206
Thailand 206
Tunisia 206
Turkey 206

United Kingdom 1-3, 13-14, 19, 27-28,
30-32, 84, 86-91, 96, 102, 105, 112,
114, 121, 144-147, 154, 166-171, 177,
181, 183, 188, 190, 198, 205-207, 209,
215, 217, 219, 236-239
United States 6, 24, 49, 53, 92, 94,
103, 115-117, 173, 175, 191, 202, 206,
209-210, 214, 216, 218, 220, 228,
231-232, 235
Uruguay 206

Yugoslavia 85, 172, 229

Zimbabwe 206

HOST INDEX

Barley 9, 41, 46, 52, 57, 67, 111,
121, 130, 157, 206-207, 226
Cacao 185, 199, 206, 216, 219
Capsicum 216
Cassava 206
Chilies 219
Clover 58
Copra 206
Corn 21, 52, 108, 111, 115-116, 159,
175, 199, 202, 206, 209, 215
Currants 219

Dates 201

Flax 9, 52, 58, 226

Illipe nuts 206

Lucerne 102

Millet 58
Mustard 58

Oats 18, 34, 50, 52, 55, 57, 66, 175,
206, 226

Palm kernels 206
Peanuts 70, 196, 199, 206

Rape 58, 62, 67
Rice 27, 52, 96, 108, 113, 148, 203,
206
Rye 48, 52, 102, 129, 206

Sorghum 49, 132, 206
Soybean 13, 52
Sunflower 52, 58, 62, 93, 206, 229

Triticale 15, 129

Wheat 2-11, 16-20, 22, 24, 27-28, 31-
32, 37-41, 45-46, 48, 51-52, 54-57,
60-61, 63, 68, 72-73, 75-81, 83, 86-
92, 95, 97-101, 104, 107, 109-111,

AUTHOR INDEX

- Abramson, D. 130
Adamson, B.E. 84
Alder, J. 54
Allen, A.A. 1
Anonymous 181-183
Areekul, S. 103
Armitage, D.M. 2
Ashby, K.R. 3
Atanasov, Kh. 120
Atkinson, J.M. 42-43
- Bahr, I. 151, 193-194
Bailey, S.W. 152
Banks, H.J. 133, 153, 230
Barker, P.S. 104, 134-143, 164
Barrer, P.M. 4
Beeman, R.W. 175
Bell, C.H. 144-146
Bengston, M. 222
Berck, B. 149
Berger, H.K. 184
Bhatia, S.K. 5
Bickis, M. 161
Biege, C.R. 231
Bishop, G.W. 6, 232
Boase, C. 112
Bogs, D. 150
Borden, J.H. 7, 34, 46, 50, 101
Boush, G.M. 218
Bowley, C.R. 145
Bräuer, G. 233
Bronswijk, J.E.M.H. van 8
Bryan, J.M. 9
Buckland, P.C. 195
Bull, J.O. 154
Butler, P.M. 215
- Calderon, M. 201
Campbell, A. 10-11
Carpentier, L. 234
Casey, T.L. 235
Cauwenberghes, R. van 155
Champ, B.R. 196
Chodjai, M. 12
Chong, L. 7, 101
Conway, J.A. 197
Coombs, C.W. 198
Cornwell, P.B. 154
- Cotterell, G.S. 199
Cotton, R.T. 165
Cox, P.D. 13
Crook, L.J. 154
Currie, J.E. 14
Cutforth, T.L. 69
- Dance, S.J. 177
Davidson, L.I. 117
Davis, R.A. 200
Deighton, J.M. 105
Dolinski, M.G. 7, 15-16, 25
Donahaye, E. 201
Dyte, C.E. 174
- Elvidge, J. 9
Evans, D.E. 17-18
- Farrar, M.D. 202
Finlayson, L.H. 166-169
Flint, W.P. 202
Freeman, J.A. 19-20, 198
- Ganesalingam, V.K. 203
Ghosh, B.N. 185
Giles, P.H. 21
Gonen, M. 22
Good, N.E. 165
Goodship, G. 146
Gorelov, M.S. 204
Gray, H.E. 23
Green, A.A. 121
Green, M. 236
Grussendorf, O.W. 126
Gupta, P.D. 189
- Hagstrum, D.W. 24
Haliscak, J.P. 175
Halliday, D. 174
Halstead, D.G.H. 190
Hamid, M.A.K. 155
Hanec, W. 15, 25
Harasymek, L. 64
Harwood, R.F. 103
Hendricks, L.H. 117
Herford, G.V.B. 219
Hetfleis, M. 184
Hobbs, G.A. 26
Hodges, R.J. 27

- Hole, B.D. 145-146
 Howe, R.W. 28-29, 205-206
 Hunter, F.A. 207
 Hurlock, E.T. 208-209
 Iordanou, N.T. 106
 Joia, B.S. 107
 Kashanchi, Y. 22
 Kashyap, C.S. 155
 King, G.G.S. 69
 Kosovac, V. 229
 Lambourne, M.G. 207
 Lefkovitch, L.P. 30-32, 68, 147,
 206, 237
 Levinson, A.R. 33
 Levinson, H.Z. 33
 Lin, T. 108, 148
 Lindgren, B.S. 34
 Linsley, E.G. 35, 210
 Liscombe, E.A.R. 211-212
 Loschiavo, S.R. 15-16, 25, 36-46,
 83, 97, 107, 109, 156, 179
 MacNay, C.G. 213
 MacQueen, K.F. 162
 Manning, F.J. 170-171
 Mathlein, R. 47-48, 157
 Meagher, R.L., Jr. 49
 Mensah, G.W.K. 110-111, 127
 Michelbacher, A.E. 210
 Miller, D.R. 69
 Milliken, G.A. 24
 Mills, K.A. 146, 176
 Mills, R.B. 49
 Milnes, R.H. 32
 Monro, H.A.U. 186
 Morrison, E.O. 214
 Muir, W.E. 158
 Nowicki, T.W. 131
 Obretenchев, Д. 120
 Oehlschlager, A.C. 7, 34, 46, 50, 101
 O'Farrell, A.F. 215
 Olsen, A.R. 216
 Osborne, P.J. 217
 Partida, G.J. 231
 Partington, G.L. 112
 Pellitteri, P. 218
 Peng, W.K. 113
 Pereira, J. 159
 Pierce, A.M. 34, 50, 101
 Pierce, H.D., Jr. 7, 34, 46, 50, 101
 Price, G.N. 114
 Price, N.R. 177
 Prinz, W. 194
 Pulpan, J. 51
 Purrini, K. 172
 Quinlan, J.K. 115-117
 Redbond, M.R. 112
 Rees, D.P. 178
 Reid, J.A. 238
 Reiser, B. 68
 Richards, O.W. 219
 Rilett, R.O. 52, 173, 191, 220
 Roberts, R.H. 191
 Rosen, H. von 117
 Rowlands, D.G. 144
 Rubison, R.M. 49
 Seidel, M. 221
 Sharp, A.K. 153
 Sheppard, E.H. 53
 Silva, P. 185
 Simms, J.A. 13
 Sinclair, E.R. 54, 222
 Sinha, R.N. 8, 10-11, 44, 55-68,
 98-100, 149, 158, 189, 192, 223
 Slessor, K.N. 69
 Sliwinski, Z. 224
 Smith, K.G. 70
 Smith, L.B. 45, 71-83, 160, 225-226
 Solomon, M.E. 84
 Sonda, M. 227
 Srdic, Z. 85
 Stables, L.M. 2
 Stephens, J.F. 239
 Sticka, R. 133
 Stojanovic, T. 229
 Strong, R.G. 228
 Surtees, G. 86-91
 Tauthong, S. 119
 Taylor, R.W. 178
 Telford, H.S. 92
 Thiem, H. 150
 Tsvetkov, D. 120
 Tuff, D.W. 92
 Tulloch, J.B.M. 207
 Tyler, P.S. 121, 178
 Utida, S. 65

- Vargas Piqueras, P. 93
Verigin, V. 7, 101
Verner, P.H. 51
Vukasovic, P. 229
- Waddell, M.S. 24
Walker, D.W. 94
Wallace, H.A.H. 66-68, 149
Watters, F.L. 95, 106, 110-111, 119,
122-127, 131, 161-162, 180, 187, 212
Webster, G.R.B. 107, 111
Weigel, R.D. 220
Weighton, D.M. 114
Wheeler, W.M. 96
White, G.D. 117
White, N.D.G. 46, 97-100, 128-131,
179-180
Wilkin, D.R. 188
Williams, P. 163
Wilson, J.L. 117
Winston, M.L. 69
Wohlgemuth, R. 132, 159
Wong, J.W. 34, 46, 101
Woodroffe, G.E. 102

Yaciuk, G. 158