


RESEARCH

Open Access



An optimal portfolio, consumption-leisure and retirement choice problem with CES utility: a dynamic programming approach

Ho-Seok Lee¹ and Yong Hyun Shin^{2*} 

*Correspondence:

yhshin@sookmyung.ac.kr

²Department of Mathematics,
Sookmyung Women's University,
Seoul, 04310, Republic of Korea
Full list of author information is
available at the end of the article

Abstract

In this paper, we study an optimal portfolio, consumption-leisure and retirement choice problem for an infinitely lived economic agent with a CES utility function. Using the dynamic programming method, we obtain the value function and optimal investment, consumption, leisure, and retirement strategies in analytic form. Numerically we observe that the threshold retirement wealth level is an increasing function with respect to the elasticity of substitution.

MSC: Primary 91G10; secondary 91G80

Keywords: consumption and leisure; portfolio selection; voluntary retirement; CES utility; dynamic programming method; free boundary value problem

1 Introduction

We consider an optimal portfolio and consumption-leisure choice problem of an infinitely lived economic agent with a voluntary retirement option and a CES utility function of consumption and leisure. The agent can choose her labor supply flexibly above a certain minimum level in accordance with the trade-off between utility from leisure and labor income. The economic agent receives labor income proportional to the amount of labor supplied before retirement and enjoys full leisure after retirement at the cost of labor income.

Bodie *et al.* [1] investigated the influence of the labor supply flexibility on portfolio and consumption choice under the lifetime portfolio and consumption choice model of Merton [2, 3]. Farhi and Panageas [4] studied the optimal portfolio, consumption and retirement choice problem of an economic agent with a Cobb-Douglas utility function and a binomial leisure rate process (l_1 before retirement and \bar{l} after retirement) using the martingale method. Shin [5] solved the problem using the dynamic programming method, and Koo *et al.* [6] extended the model by allowing the leisure rate process to be chosen flexibly, also using the dynamic programming method. Borrowing constraints have significant effects on an economic agent's optimal portfolio, consumption and retirement choice, and this is well documented in the literature, for example, Dybvig and Liu [7]. Barucci and Marazzina [8] also considered borrowing constraints with stochastic labor income in solving optimal consumption, investment, labor supply and retirement choice problem through a duality approach. Choi *et al.* [9] extended Farhi and Panageas [4] by

employing a general CES utility function, which has the Cobb-Douglas utility function as a special case, and by allowing a continuum between labor and leisure. In Choi *et al.* [9], the martingale method is used to provide an analytic form for the value function and optimal strategies.

We revisit the optimization problem of Choi *et al.* [9] to give some methodological contributions and supply some numerical results which were not considered therein. We use the dynamic programming approach based on Karatzas *et al.* [10] to derive the closed-form solutions including the value function and optimal strategies. Since our optimization problem utilizes CES utility, it is important to investigate the effect of the elasticity of substitution between consumption and leisure on the optimal policies. Numerically we observe that the threshold retirement wealth level is an increasing function with respect to the elasticity of substitution. This is due to the fact that an economic agent with a large elasticity of substitution between consumption and leisure may consume more and enjoy higher utility than an economic agent with a small elasticity of substitution when the optimal leisure rate reaches the maximum leisure rate allowed while working. We also show that our results converge to those with Cobb-Douglas utility in Koo *et al.* [6] as the elasticity of substitution goes to 1.

The rest of the paper is organized as follows. Section 2 sets up the economic model. In Section 3, we solve the optimization problem using the dynamic programming method. Section 4 provides numerical examples with a limiting case, and Section 5 concludes.

2 The economy

In the financial market, we assume that the agent has investment opportunities given by a riskless asset with a constant interest rate $r > 0$, and one risky asset S_t whose price evolves according to the following stochastic differential equation: $dS_t/S_t = \mu dt + \sigma dB_t$, where μ is a constant mean rate of return, σ is a constant volatility, and B_t is a standard Brownian motion on a probability space $(\Omega, \mathcal{F}, \mathbb{P})$. $\{\mathcal{F}_t\}_{t \geq 0}$ is the \mathbb{P} -augmentation of the filtration generated by the standard Brownian motion $\{B_t\}_{t \geq 0}$.

Let π_t be the amount of money invested in the risky asset at time t , $c_t \geq 0$ be the agent's consumption rate process at time t , and $l_t \geq 0$ be the agent's leisure rate process at time t . π_t , c_t , and l_t are all \mathcal{F}_t -progressively measurable and satisfy the following technical conditions:

$$\int_0^t \pi_s^2 ds < \infty, \quad \int_0^t c_s ds < \infty \quad \text{and} \quad \int_0^t l_s ds < \infty \quad \text{for all } t \geq 0 \text{ a.s.}$$

Let τ be the (voluntary) retirement time from labor which will be considered as an optimal stopping time. The assumptions for the leisure rate process l_t are given by

$$0 \leq l_t \leq L < \bar{L} \quad \text{for } 0 \leq t < \tau \quad \text{and} \quad l_t = \bar{L} \quad \text{for } t \geq \tau,$$

where L, \bar{L} are constants (see Choi *et al.* [9] and Koo *et al.* [6]). Let w be the constant wage rate. Then $w(\bar{L} - l_t) > 0$ is the labor income rate at time $t (< \tau)$ resulting from the labor-leisure choice before retirement. However, since we choose $l_t = \bar{L}$ at time $t (\geq \tau)$, there is no labor income after retirement, that is, $w(\bar{L} - l_t) \equiv 0$. Therefore the agent's wealth process x_t at time t , with a given initial endowment $x_0 = x$, evolves according to the following

stochastic differential equation:

$$dx_t = [rx_t + \pi_t(\mu - r) - c_t + w(\bar{L} - l_t)] dt + \sigma \pi_t dB_t.$$

A quadruple $(\mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau)$ is called *admissible* at initial capital $x_0 = x > -w\bar{L}/r$ if $x_t > -w\bar{L}/r$ and $0 \leq l_t \leq L$ for $0 \leq t < \tau$, and $x_t \geq 0$ for $t \geq \tau$, where $\mathbf{c} \triangleq \{c_t\}_{t \geq 0}$, $\boldsymbol{\pi} \triangleq \{\pi_t\}_{t \geq 0}$, and $\mathbf{l} \triangleq \{l_t\}_{t \geq 0}$. Here $w\bar{L}/r$ can be considered as the present value of the (maximum) future labor income of the agent.

3 The optimization problem

In this paper, we assume that the utility function $u(\cdot, \cdot)$ is of the CES type as follows:

$$u(c, l) \triangleq \frac{1}{\alpha} \cdot \frac{\{\alpha c^\rho + (1 - \alpha)l^\rho\}^{\frac{1-\gamma}{\rho}}}{1 - \gamma}, \quad \rho < 1, \rho \neq 0, 0 < \alpha < 1, \gamma > 0 \text{ and } \gamma \neq 1, \tag{3.1}$$

where γ is the agent’s coefficient of relative risk aversion for consumption and leisure, α is a measurement of consumption’s contribution to the agent’s utility, and $1/(1 - \rho)$ is the elasticity of substitution between consumption and leisure.

The agent’s optimization problem is to maximize the following expected discounted utility:

$$J(x; \mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau) \triangleq \mathbb{E} \left[\int_0^\tau e^{-\beta t} u(c_t, l_t) dt + e^{-\beta \tau} U(x_\tau) \right],$$

where $\beta > 0$ is the subjective discount rate and

$$U(x) = \max_{(\mathbf{c}, \boldsymbol{\pi})} \mathbb{E} \left[\int_0^\infty e^{-\beta t} u(c_t, \bar{L}) dt \right]. \tag{3.2}$$

Thus the agent’s optimization problem is given by

$$V(x) \triangleq \max_{(\mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau) \in \mathcal{A}(x)} J(x; \mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau), \tag{3.3}$$

where $\mathcal{A}(x)$ is the set of all admissible quadruples at $x > 0$.

Remark 3.1 For later use, we define a quadratic algebraic equation as follows:

$$g(n) \triangleq \frac{1}{2} \theta^2 n^2 + \left(\beta - r + \frac{1}{2} \theta^2 \right) n - r = 0,$$

where $\theta \triangleq (\mu - r)/\sigma$ is the market price of the risk. Because $g(0) < 0$ and $g(-1) < 0$, it follows that the quadratic equation $g(n) = 0$ has two real roots n_1 and n_2 satisfying $n_1 > 0$ and $n_2 < -1$. Also, we define $p_1 \triangleq n_1 + 1$ and $p_2 \triangleq n_2 + 1$.

Now we provide the following assumption that holds throughout the paper and guarantees the optimization problem (3.3) will be well defined.

Assumption 3.1 For $u_L(c) \triangleq u(c, L)$ and $u_{\bar{L}}(c) \triangleq u(c, \bar{L})$, we assume that

$$\int_c^\infty \frac{dy}{(u'_L(y))^{n_2}} < \infty \quad \text{and} \quad \int_c^\infty \frac{dy}{(u'_{\bar{L}}(y))^{n_2}} < \infty \quad \text{for any } c > 0.$$

Before retirement ($t < \tau$), we derive the following Hamilton-Jacobi-Bellman (HJB) equation for the value function $V(x)$ by using the dynamic programming principle:

$$\beta V(x) = \max_{c, \pi, l \leq L} \left[\{rx + \pi(\mu - r) - c + w(\bar{L} - l)\} V'(x) + \frac{1}{2} \sigma^2 \pi^2 V''(x) + u(c, l) \right]. \quad (3.4)$$

We postulate that there exists a threshold wealth level \bar{x} (see, for similar conjecture and validation, Choi and Shim [11] or Dybvig and Liu [12]) corresponding to the optimal retirement time τ^* such that the value function $V(x)$ satisfies HJB equation (3.4) for $x < \bar{x}$ and $V(x) = U(x)$ in (3.2) for $x \geq \bar{x}$.

Theorem 3.1 Assume that a strictly increasing function $v(x) \in C^1(-w\bar{L}/r, \infty)$ solves HJB equation (3.4) for $x < \bar{x}$ and $v(x) = U(x)$ in (3.2) for $x \geq \bar{x}$, where \bar{x} is determined by the smooth-pasting (or continuous differentiability) condition at $x = \bar{x}$. Also assume that $v(x) \in C^2(-w\bar{L}/r, \infty) \setminus \{\bar{x}\}$. Then $v(x) \geq J(x; \mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau)$ for any admissible control $(\mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau) \in \mathcal{A}(x)$.

Let us define

$$\begin{aligned} \tau^* &\triangleq \inf\{t \geq 0 : x_t \geq \bar{x}\}, \\ c_t^* &\triangleq c_t^{1,*}, \quad \pi_t^* \triangleq \pi_t^{1,*}, \quad l_t^* \triangleq l_t^{1,*} \quad \text{for } 0 \leq t < \tau^*, \\ c_t^* &\triangleq c_t^{2,*}, \quad \pi_t^* \triangleq \pi_t^{2,*}, \quad l_t^* \triangleq l_t^{2,*} \quad \text{for } t \geq \tau^*, \end{aligned}$$

where $(c_t^{1,*}, \pi_t^{1,*}, l_t^{1,*})$ is the maximizer of HJB equation (3.4) and $(c_t^{2,*}, \pi_t^{2,*}, l_t^{2,*})$ is the optimal consumption, portfolio, and leisure process corresponding to the post retirement value function $U(x)$. Then

$$v(x) = V(x) = \max_{(\mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau) \in \mathcal{A}(x)} J(x; \mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau) = J(x; \mathbf{c}^*, \boldsymbol{\pi}^*, \mathbf{l}^*, \tau^*).$$

Proof Let us define a function $W(\cdot, \cdot)$ as follows:

$$W(t, x_t) = e^{-\beta t} v(x_t).$$

Applying Itô's rule to $W(t, x_t)$ gives us

$$\begin{aligned} dW(t, x_t) &= e^{-\beta t} \left[\{rx_t + \pi_t(\mu - r) - c_t + w(\bar{L} - l_t)\} v'(x_t) + \frac{1}{2} \sigma^2 \pi_t^2 v''(x_t) - \beta v(x_t) \right] dt \\ &\quad + \sigma \pi_t e^{-\beta t} v'(x_t) dB_t \\ &\leq -e^{-\beta t} u(c_t, l_t) dt + \sigma \pi_t e^{-\beta t} v'(x_t) dB_t, \end{aligned}$$

for $0 \leq t < \tau^*$, where the inequality comes from HJB equation (3.4) and

$$v(x_0) \geq \int_0^{s \wedge \tau^*} e^{-\beta t} u(c_t, l_t) dt + W(s \wedge \tau^*, x_{s \wedge \tau^*}) - \int_0^{s \wedge \tau^*} \sigma \pi_t e^{-\beta t} v'(x_t) dB_t \quad (3.5)$$

for any $s \geq 0$. Since the second integral of the right-hand side of (3.5) is a bounded local martingale and hence a martingale, we obtain

$$v(x) \geq \mathbb{E} \left[\int_0^{s \wedge \tau^*} e^{-\beta t} u(c_t, l_t) dt + e^{-\beta(s \wedge \tau^*)} v(x_{s \wedge \tau^*}) \right]$$

for any admissible control $(\mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau^*) \in \mathcal{A}(x)$. Letting $s \uparrow \infty$ and using the Lebesgue dominated convergence theorem, we have

$$v(x) \geq \mathbb{E} \left[\int_0^{\tau^*} e^{-\beta t} u(c_t, l_t) dt + e^{-\beta \tau^*} U(x_{\tau^*}) \right] = J(x; \mathbf{c}, \boldsymbol{\pi}, \mathbf{l}, \tau^*). \tag{3.6}$$

If $(c_t^{1,*}, \pi_t^{1,*}, l_t^{1,*})$ is a maximizer of HJB equation (3.4), the inequality in (3.6) becomes equality and, consequently, $v(x) = V(x)$. □

Theorem 3.2 *The value function $V(x)$ of the optimization problem (3.3) is given by*

$$V(x) = \begin{cases} (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} \left\{ \frac{n_2}{p_2} A_2(C(x))^{-\gamma n_2 - \gamma} - \frac{\tilde{h}}{\gamma K} (C(x))^{1-\gamma} \right\} & \text{for } -\frac{w\bar{L}}{r} < x < \tilde{x}, \\ \frac{n_1}{p_1} B_1(u'_L(C_L(x)))^{p_1} + \frac{n_2}{p_2} B_2(u'_L(C_L(x)))^{p_2} + J_L(C_L(x)) & \text{for } \tilde{x} \leq x < \bar{x}, \\ \bar{J}(\bar{C}(x)) & \text{for } x \geq \bar{x}, \end{cases}$$

where \tilde{x} is the threshold wealth level corresponding to the leisure rate of $l = L$, and \bar{x} is the threshold wealth level corresponding to the optimal retirement time τ , with $\tilde{x} < \bar{x}$. Let \tilde{c} and \bar{c} be the optimal consumption rates corresponding to \tilde{x} and \bar{x} , respectively. \tilde{c} , B_1 , \bar{c} , \bar{x} , B_2 , A_2 , and \bar{x} are given as follows:

$$\begin{aligned} \tilde{c} &= \left(\frac{w\alpha}{1-\alpha} \right)^{\frac{1}{1-\rho}} L, \\ B_1 &= \frac{\tilde{h}}{\left(\frac{n_2}{p_2} - \frac{n_1}{p_1} \right) \gamma K} \left\{ 1 - \frac{n_2}{p_2} (1-\gamma) \right\} \tilde{c} (u'_L(\tilde{c}))^{-n_1} \\ &\quad - \frac{n_2}{\left(\frac{n_2}{p_2} - \frac{n_1}{p_1} \right) p_2} \left\{ \frac{w\bar{L}}{r} + X_{L,p}(\tilde{c}) \right\} (u'_L(\tilde{c}))^{-n_1} + \frac{J_L(\tilde{c})}{\frac{n_2}{p_2} - \frac{n_1}{p_1}} (u'_L(\tilde{c}))^{-p_1}, \end{aligned}$$

\bar{c} can be determined from the following algebraic equation:

$$\begin{aligned} \left(\frac{n_2}{p_2} - \frac{n_1}{p_1} \right) B_1 \left(\frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})} \right)^{p_1} + \frac{n_2}{p_2} \frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})} \left\{ X_{L,p} \left(I_L \left(\frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})} \right) \right) - \bar{X}(\bar{c}) \right\} \\ - J_L \left(I_L \left(\frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})} \right) \right) + \bar{J}(\bar{c}) = 0, \end{aligned}$$

where

$$\begin{aligned} X_{L,p}(c) &= -\frac{2}{\theta^2(n_1 - n_2)} \left\{ \frac{(u'_L(c))^{n_1}}{n_1} \int_0^c \frac{dy}{(u'_L(y))^{n_1}} + \frac{(u'_L(c))^{n_2}}{n_2} \int_c^\infty \frac{dy}{(u'_L(y))^{n_2}} \right\} \\ &\quad + \frac{c}{r} - \frac{w(\bar{L} - L)}{r}, \end{aligned}$$

$$\begin{aligned}
 J_L(c) &= \frac{u_L(c)}{\beta} - \frac{2}{\theta^2(p_1 - p_2)} \left\{ \frac{(u'_L(c))^{p_1}}{p_1} \int_0^c \frac{dy}{(u'_L(y))^{n_1}} + \frac{(u'_L(c))^{p_2}}{p_2} \int_c^\infty \frac{dy}{(u'_L(y))^{n_2}} \right\}, \quad (3.7) \\
 \bar{X}(c) &= \frac{c}{r} - \frac{2}{\theta^2(n_1 - n_2)} \left\{ \frac{(u'_L(c))^{n_1}}{n_1} \int_0^c \frac{dy}{(u'_L(y))^{n_1}} + \frac{(u'_L(c))^{n_2}}{n_2} \int_c^\infty \frac{dy}{(u'_L(y))^{n_2}} \right\}, \\
 \bar{J}(c) &= \frac{u_{\bar{L}}(c)}{\beta} - \frac{2}{\theta^2(p_1 - p_2)} \left\{ \frac{(u'_L(c))^{p_1}}{p_1} \int_0^c \frac{dy}{(u'_L(y))^{n_1}} + \frac{(u'_L(c))^{p_2}}{p_2} \int_c^\infty \frac{dy}{(u'_L(y))^{n_2}} \right\},
 \end{aligned}$$

and $I_L(\cdot)$ is the inverse function of $u'_L(\cdot)$. \bar{x} is given by

$$\bar{x} = \bar{X}(\bar{c}) = \bar{X}(\bar{C}(\bar{x})),$$

where $\bar{C}(\cdot)$ is the inverse function of $\bar{X}(\cdot)$. We then obtain B_2 as follows:

$$B_2 = -B_1(u'_L(\bar{c}_L))^{m_1 - n_2} + \{\bar{x} - X_{L,p}(\bar{c}_L)\}(u'_L(\bar{c}_L))^{-n_2},$$

where

$$\bar{c}_L = I_L\left(\frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})}\right)$$

and A_2 can be determined by

$$A_2 = \bar{c}^{\gamma n_2} X_L(\bar{c}) + \frac{(1 - \gamma)\tilde{h}}{\gamma K} \bar{c}^{\gamma n_2 + 1} + \frac{w\bar{L}}{r} \bar{c}^{\gamma n_2},$$

where

$$X_L(c) = B_1(u'_L(c))^{m_1} + B_2(u'_L(c))^{n_2} + X_{L,p}(c).$$

The threshold wealth level \tilde{x} is given by

$$\tilde{x} = X_L(\tilde{c}),$$

where

$$K \triangleq r + \frac{\beta - r}{\gamma} + \frac{\gamma - 1}{2\gamma^2} \theta^2, \quad \tilde{h} \triangleq -\frac{(\alpha + h)\gamma}{\alpha(1 - \gamma)}, \quad h \triangleq (1 - \alpha) \left(\frac{1 - \alpha}{w\alpha}\right)^{\frac{\rho}{1 - \rho}}, \quad (3.8)$$

$$X(c) = A_2 c^{-\gamma n_2} - \frac{(1 - \gamma)\tilde{h}}{\gamma K} c - \frac{w\bar{L}}{r},$$

$C(\cdot)$ is the inverse function of $X(\cdot)$, and $C_L(\cdot)$ is the inverse function of $X_L(\cdot)$.

Proof Due to the constraint $l_t \leq L$ for $t < \tau$, we introduce another wealth threshold level \tilde{x} such that HJB equation (3.4) can be split into

$$\beta V(x) = \left[\{rx + \pi^*(\mu - r) - c^* + w(\bar{L} - l^*)\} V'(x) + \frac{1}{2} \sigma^2 (\pi^*)^2 V''(x) + u(c^*, l^*) \right] \quad (3.9)$$

for $-w\bar{L}/r < x < \tilde{x}$, where

$$\pi^* = -\frac{\theta}{\sigma} \frac{V'(x)}{V''(x)}, \quad V'(x) = (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} (c^*)^{-\gamma}, \quad l^* = \left(\frac{1-\alpha}{w\alpha}\right)^{\frac{1}{1-\rho}} c^* \tag{3.10}$$

are obtained from the first order conditions (FOCs), and

$$\beta V(x) = \left[\{rx + \pi^*(\mu - r) - c^* + w(\bar{L} - L)\} V'(x) + \frac{1}{2} \sigma^2 (\pi^*)^2 V''(x) + u_L(c^*) \right] \tag{3.11}$$

for $\tilde{x} \leq x < \bar{x}$, where

$$\pi^* = -\frac{\theta}{\sigma} \frac{V'(x)}{V''(x)}, \quad u'_L(c^*) = V'(x) \tag{3.12}$$

are also obtained from the first order conditions (FOCs). Here h is a constant defined in (3.8).

In order to solve HJB equation (3.9), we consider the optimal consumption c as a function of the agent's wealth x by writing $c = C(x)$, and suppose that $C(\cdot)$ has an inverse function $X(\cdot)$. Then we have

$$V'(x) = (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} C(x)^{-\gamma} \quad \text{and} \quad V''(x) = -\gamma(\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} \frac{C(x)^{-\gamma-1}}{X'(c)},$$

and we can rewrite HJB equation (3.9) as follows:

$$\beta V(X(c)) = (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} \left[\frac{1}{2\gamma} \theta^2 c^{1-\gamma} X'(c) + rc^{-\gamma} X(c) + w\bar{L}c^{-\gamma} - \tilde{h}c^{1-\gamma} \right], \tag{3.13}$$

where \tilde{h} is a constant defined in (3.8). We differentiate (3.13) with respect to c to obtain the following second-order ordinary differential equation (ODE):

$$\frac{1}{2\gamma} \theta^2 c^2 X''(c) + \left(r - \beta + \frac{1-\gamma}{2\gamma} \theta^2 \right) cX'(c) - r\gamma X(c) - (1-\gamma)\tilde{h}c - w\gamma\bar{L} = 0. \tag{3.14}$$

The general solution to ODE (3.14) is given by

$$X(c) = A_2 c^{-\gamma m_2} - \frac{(1-\gamma)\tilde{h}}{\gamma K} c - \frac{w\bar{L}}{r}, \tag{3.15}$$

where A_2 is some constant and K is a constant defined in (3.8) (A_2 will be determined later). Substituting (3.15) into (3.13), we have

$$\begin{aligned} V(x) &= (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} \left\{ \frac{r - \frac{1}{2}\theta^2 n_2}{\beta} A_2 c^{-\gamma m_2 - \gamma} - \frac{\tilde{h}}{\gamma K} c^{1-\gamma} \right\} \\ &= (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} \left\{ \frac{n_2}{p_2} A_2 c^{-\gamma m_2 - \gamma} - \frac{\tilde{h}}{\gamma K} c^{1-\gamma} \right\}. \end{aligned}$$

Similarly, we introduce a function $X_L(\cdot)$ such that the agent's wealth $x = X_L(c)$ and its inverse function $C_L(\cdot)$ such that the optimal consumption $c = C_L(x)$ to solve HJB equation

(3.11). Then we obtain

$$V'(x) = u'_L(C_L(x)), \quad V''(x) = \frac{u''_L(C_L(x))}{X'_L(c)}$$

and HJB equation (3.11) becomes

$$\beta V(X_L(c)) = -\frac{1}{2}\theta^2 \frac{(u'_L(c))^2}{u''_L(c)} X'_L(c) + \{rX_L(c) - c + w(\bar{L} - L)\} u'_L(c) + u_L(c). \tag{3.16}$$

If we differentiate (3.16) with respect to c , then we obtain

$$\begin{aligned} \frac{1}{2}\theta^2 X''_L(c) = & \left\{ (r - \beta - \theta^2) \frac{u'_L(c)}{u'_L(c)} + \frac{1}{2}\theta^2 \frac{u''_L(c)}{u'_L(c)} \right\} X'_L(c) + r \left\{ \frac{u'_L(c)}{u'_L(c)} \right\}^2 X_L(c) \\ & + \{-c + w(\bar{L} - L)\} \left\{ \frac{u''_L(c)}{u'_L(c)} \right\}^2. \end{aligned} \tag{3.17}$$

The variation of parameters method for ODE (3.17) provides us with a particular solution $X_{L,p}(c)$ to ODE (3.17):

$$\begin{aligned} X_{L,p}(c) = & -\frac{2}{\theta^2(n_1 - n_2)} \left\{ \frac{(u'_L(c))^{n_1}}{n_1} \int_0^c \frac{dy}{(u'_L(y))^{n_1}} + \frac{(u'_L(c))^{n_2}}{n_2} \int_c^\infty \frac{dy}{(u'_L(y))^{n_2}} \right\} \\ & + \frac{c}{r} - \frac{w(\bar{L} - L)}{r}. \end{aligned}$$

The general solution to ODE (3.17) is then given by

$$X_L(c) = B_1(u'_L(c))^{n_1} + B_2(u'_L(c))^{n_2} + X_{L,p}(c), \tag{3.18}$$

where B_1 and B_2 are some constants to be determined later. Plugging (3.18) into (3.16) gives rise to

$$V(x) = \frac{n_1}{p_1} B_1 (u'_L(c))^{p_1} + \frac{n_2}{p_2} B_2 (u'_L(c))^{p_2} + J_L(c), \tag{3.19}$$

where

$$J_L(c) = \frac{u_L(c)}{\beta} - \frac{2}{\theta^2(p_1 - p_2)} \left\{ \frac{(u'_L(c))^{p_1}}{p_1} \int_0^c \frac{dy}{(u'_L(y))^{p_1}} + \frac{(u'_L(c))^{p_2}}{p_2} \int_c^\infty \frac{dy}{(u'_L(y))^{p_2}} \right\}.$$

After retirement, we derive the value function $V(x) = U(x) = \bar{J}(\bar{C}(x))$ from Karatzas *et al.* [10], where a function $\bar{X}(\cdot)$ and its inverse function $\bar{C}(\cdot)$ are given such that the agent's wealth $x = \bar{X}(c)$ and the optimal consumption $c = \bar{C}(x)$, and $\bar{X}(c)$ and $\bar{J}(c)$ are defined in (3.7).

Now we are going to determine the coefficients A_1, B_1, B_2 and the wealth boundaries \tilde{x} and \bar{x} . First, we use the continuity of $V'(x)$ at $x = \tilde{x}$. We then have

$$V'(\tilde{x}) = (\alpha + h) \frac{1-\gamma-\rho}{\rho} \tilde{c}^{-\gamma} = \tilde{c}^{\rho-1} \left\{ \alpha \tilde{c}^\rho + (1 - \alpha)L^\rho \right\}^{\frac{1-\gamma-\rho}{\rho}},$$

from which we obtain the relation

$$\tilde{c} = \left(\frac{w\alpha}{1-\alpha} \right)^{\frac{1}{1-\rho}} L,$$

where \tilde{c} is the optimal consumption rate corresponding to \tilde{x} , that is, $\tilde{x} = X(\tilde{c})$. Also the continuity of $V(x)$ at $x = \tilde{x}$ implies

$$\begin{aligned} V(\tilde{x}) &= (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} \left\{ \frac{n_2}{p_2} \tilde{c}^{-\gamma n_2 - \gamma} A_2 - \frac{\tilde{h}}{\gamma K} \tilde{c}^{1-\gamma} \right\} \\ &= \frac{n_1}{p_1} (u'_L(\tilde{c}))^{p_1} B_1 + \frac{n_2}{p_2} (u'_L(\tilde{c}))^{p_2} B_2 + J_L(\tilde{c}). \end{aligned} \tag{3.20}$$

By (3.15) and (3.18), we obtain

$$\begin{aligned} \tilde{x} &= \tilde{c}^{-\gamma n_2} A_2 - \frac{(1-\gamma)\tilde{h}}{\gamma K} \tilde{c} - \frac{w\bar{L}}{r} \\ &= (u'_L(\tilde{c}))^{n_1} B_1 + (u'_L(\tilde{c}))^{n_2} B_2 + X_{L,p}(\tilde{c}). \end{aligned} \tag{3.21}$$

Combining (3.20), (3.21), and the fact $u'_L(\tilde{c}) = (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} \tilde{c}^{-\gamma}$, we obtain

$$\begin{aligned} B_1 &= \frac{\tilde{h}}{\left(\frac{n_2}{p_2} - \frac{n_1}{p_1}\right)\gamma K} \left\{ 1 - \frac{n_2}{p_2} (1-\gamma) \right\} \tilde{c} (u'_L(\tilde{c}))^{-n_1} \\ &\quad - \frac{n_2}{\left(\frac{n_2}{p_2} - \frac{n_1}{p_1}\right)p_2} \left\{ \frac{w\bar{L}}{r} + X_{L,p}(\tilde{c}) \right\} (u'_L(\tilde{c}))^{-n_1} + \frac{J_L(\tilde{c})}{\frac{n_2}{p_2} - \frac{n_1}{p_1}} (u'_L(\tilde{c}))^{-p_1}. \end{aligned}$$

Second, we use the smooth-pasting condition of $V(x)$ at $x = \bar{x}$ to determine \bar{x} and \bar{c} , where \bar{c} is the optimal consumption rate corresponding to \bar{x} . Since the leisure rate is discontinuous at $x = \bar{x}$, we conjecture that there are \bar{c}_L and \bar{c} ($\bar{c}_L \neq \bar{c}$) such that

$$\bar{x} = X_L(\bar{c}_L) = \bar{X}(\bar{c}). \tag{3.22}$$

Thus we have

$$\bar{x} = B_1 (u'_L(\bar{c}_L))^{n_1} + B_2 (u'_L(\bar{c}_L))^{n_2} + X_{L,p}(\bar{c}_L) = \bar{X}(\bar{c}) \tag{3.23}$$

and

$$V(\bar{x}) = \frac{n_1}{p_1} B_1 (u'_L(\bar{c}_L))^{p_1} + \frac{n_2}{p_2} B_2 (u'_L(\bar{c}_L))^{p_2} + J_L(\bar{c}_L) = \bar{J}(\bar{c}) \tag{3.24}$$

from (3.18) and (3.19), respectively. From (3.23) and (3.24), we have

$$\left(\frac{n_2}{p_2} - \frac{n_1}{p_1} \right) B_1 (u'_L(\bar{c}_L))^{p_1} + \frac{n_2}{p_2} u'_L(\bar{c}_L) \{ X_{L,p}(\bar{c}_L) - \bar{X}(\bar{c}) \} = \{ J_L(\bar{c}_L) - \bar{J}(\bar{c}) \}. \tag{3.25}$$

The C^1 -condition of $V(x)$ at $x = \bar{x}$ and FOCs (3.12) give us

$$V'(\bar{x}) = u'_L(\bar{c}_L) = \frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})}$$

and, consequently,

$$\bar{c}_L = I_L \left(\frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})} \right), \tag{3.26}$$

where $I_L(\cdot)$ is the inverse function of $u'_L(\cdot)$. Substituting (3.26) into (3.25) implies

$$\begin{aligned} & \left(\frac{n_2}{p_2} - \frac{n_1}{p_1} \right) B_1 \left(\frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})} \right)^{p_1} + \frac{n_2}{p_2} \frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})} \left\{ X_{L,p} \left(I_L \left(\frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})} \right) \right) - \bar{X}(\bar{c}) \right\} \\ & - J_L \left(I_L \left(\frac{\bar{J}'(\bar{c})}{\bar{X}'(\bar{c})} \right) \right) + \bar{J}(\bar{c}) = 0. \end{aligned} \tag{3.27}$$

If \bar{c} is obtained from (3.27), then \bar{c}_L is also obtained from (3.26). Thus we can get \bar{x} from (3.22). From (3.23) and (3.21), we also derive

$$B_2 = -B_1 (u'_L(\bar{c}_L))^{n_1 - n_2} + \{ \bar{x} - X_{L,p}(\bar{c}_L) \} (u'_L(\bar{c}_L))^{-n_2}$$

and

$$A_2 = \tilde{c}^{\gamma n_2} X_L(\tilde{c}) + \frac{(1-\gamma)\tilde{h}}{\gamma K} \tilde{c}^{\gamma n_2 + 1} + \frac{w\bar{L}}{r} \tilde{c}^{\gamma n_2}. \tag{3.28}$$

FOCs (3.10) and (3.12) give us the following optimal strategies.

Theorem 3.3 *The optimal strategies $(\mathbf{c}^*, \mathbf{I}^*, \boldsymbol{\pi}^*, \tau^*)$ are given by*

$$\begin{aligned} \mathbf{c}_t^* &= \begin{cases} C(x_t) & \text{for } -\frac{w\bar{L}}{r} < x_t < \tilde{x}, \\ C_L(x_t) & \text{for } \tilde{x} \leq x_t < \bar{x}, \\ \bar{C}(x_t) & \text{for } x_t \geq \bar{x}, \end{cases} & \mathbf{I}_t^* &= \begin{cases} \left(\frac{1-\alpha}{w\alpha} \right)^{\frac{1}{1-\rho}} C(x_t) & \text{for } -\frac{w\bar{L}}{r} < x_t < \tilde{x}, \\ L & \text{for } \tilde{x} \leq x_t < \bar{x}, \\ \bar{L} & \text{for } x_t \geq \bar{x}, \end{cases} \\ \boldsymbol{\pi}_t^* &= \begin{cases} \frac{\theta}{\sigma\gamma} \left\{ -\gamma n_2 A_2 (C(x_t))^{-\gamma n_2} - \frac{(1-\gamma)\tilde{h}}{\gamma K} C(x_t) \right\} & \text{for } -\frac{w\bar{L}}{r} < x_t < \tilde{x}, \\ \frac{\theta}{\sigma} \frac{\alpha (C_L(x_t))^\rho + (1-\alpha)L^\rho}{\alpha\gamma (C_L(x_t))^\rho + (1-\alpha)(1-\rho)L^\rho} C_L(x_t) X'_L(C_L(x_t)) & \text{for } \tilde{x} \leq x_t < \bar{x}, \\ \frac{\theta}{\sigma} \frac{\alpha (\bar{C}(x_t))^\rho + (1-\alpha)\bar{L}^\rho}{\alpha\gamma (\bar{C}(x_t))^\rho + (1-\alpha)(1-\rho)\bar{L}^\rho} \bar{C}(x_t) \bar{X}'(\bar{C}(x_t)) & \text{for } x_t \geq \bar{x}, \end{cases} \end{aligned}$$

and



$$\tau^* = \inf\{t \geq 0 : x_t \geq \bar{x}\}.$$

Remark 3.2 The optimal strategies $(\mathbf{c}^*, \mathbf{I}^*, \boldsymbol{\pi}^*, \tau^*)$ in Theorem 3.3 are the same as those in Theorem 5.3 from Choi *et al.* [9]. Although it is difficult to obtain an explicit transformation between them, simple but tedious calculations show that they are equivalent.

4 Numerical examples and Cobb-Douglas utility

In this section, we present numerical examples and a limiting case $\rho \rightarrow 0$, that is, the elasticity of substitution goes to 1. In this case, our CES utility function becomes a Cobb-Douglas utility function.

In Figure 1, we see that there exists a discontinuity of the optimal consumption at the threshold wealth level $x = \bar{x}$. This result is similar to Figure 5.1 in Choi *et al.* [9] which was obtained in the limiting case $\rho \rightarrow 0$.



In Figure 2, we observe that the critical wealth level \bar{x} is an increasing function with respect to the elasticity of substitution between consumption and leisure, $1/(1 - \rho)$. In this model, retirement incentive is derived from a large leisure rate while not working. Before retirement, an economic agent’s leisure rate is upper limited by L , and when the leisure rate at which the economic agent optimally enjoys reaches L , she is forced to reduce leisure and to increase consumption to \bar{L} to retain the utility. In this situation, an economic agent with a large elasticity of substitution between consumption and leisure may consume more and enjoy higher utility than an economic agent with a small elasticity of substitution. So the former has a larger incentive to stay working and a higher threshold retirement wealth level than the latter and tends to delay retirement.

Let us investigate a limiting case. A Cobb-Douglas utility function is defined by

$$u_{CD}(c, l) \triangleq \frac{1}{\alpha} \cdot \frac{(c^\alpha l^{1-\alpha})^{1-\gamma}}{1-\gamma}, \quad 0 < \alpha < 1, \gamma > 0 \text{ and } \gamma \neq 1,$$

which is a special case of a CES utility function given in (3.1) due to the fact that

$$\lim_{\rho \rightarrow 0} \frac{1}{\alpha} \cdot \frac{\{\alpha c^\rho + (1-\alpha)l^\rho\}^{\frac{1-\gamma}{\rho}}}{1-\gamma} = \frac{1}{\alpha} \cdot \frac{(c^\alpha l^{1-\alpha})^{1-\gamma}}{1-\gamma}$$

from L’Hôpital’s rule. Also note that

$$\lim_{\rho \rightarrow 0} h = 1 - \alpha, \quad \lim_{\rho \rightarrow 0} \tilde{h} = -\frac{\gamma}{\alpha(1-\gamma)}, \quad \lim_{\rho \rightarrow 0} (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} = \left(\frac{w\alpha}{1-\alpha}\right)^{-(\gamma_1-\gamma)},$$

and

$$\lim_{\rho \rightarrow 0} (\alpha + h)^{\frac{1-\gamma-\rho}{\rho}} \tilde{c}^{-\gamma} = \tilde{c}_s^{-\gamma_1} L^{\gamma_1-\gamma},$$

where

$$\gamma_1 \triangleq 1 - \alpha(1 - \gamma), \quad \tilde{c}_s = \left(\frac{w\alpha}{1 - \alpha} \right) L.$$

Using the relation

$$\frac{r - \frac{1}{2}\theta^2 n_{1,2}}{\beta} = \frac{n_{1,2}}{p_{1,2}},$$

we also derive

$$\lim_{\rho \rightarrow 0} A_2 = A_{2,s}, \quad \lim_{\rho \rightarrow 0} B_1 = L^{(\gamma - \gamma_1)n_1} B_{1,s}, \quad \lim_{\rho \rightarrow 0} B_2 = L^{(\gamma - \gamma_1)n_2} B_{2,s},$$

where $A_{2,s}, B_{1,s}, B_{2,s}$ are the coefficients A_2, B_1, B_2 of Theorem 3.1 in Koo *et al.* [6], respectively. Therefore, we see that the value function and optimal strategies of the agent in this paper coincide with those of Koo *et al.* [6].

5 Conclusion

With the dynamic programming method, we have provided some methodological contributions to the previous research, Choi *et al.* [9] which solved an optimal portfolio, consumption-leisure and retirement choice problem for an infinitely lived economic agent with a CES utility function. Through some illustrative numerical examples, we see that the threshold retirement wealth level increases with the elasticity of substitution. The solutions to a limiting case when the elasticity of substitution goes to 1 become those of the optimization problem with a Cobb-Douglas utility function.

Competing interests

The authors declare that they have no competing interests.

Authors' contributions

All authors contributed equally to the writing of this paper.

Author details

¹Research Institute of Finance & Risk Management, POSTECH, Pohang, 37673, Republic of Korea. ²Department of Mathematics, Sookmyung Women's University, Seoul, 04310, Republic of Korea.

Acknowledgements

The corresponding author (YH Shin) gratefully acknowledges the support of Sookmyung Women's University Research Grants 2013 (1-1303-0272).

Received: 12 August 2015 Accepted: 24 September 2015 Published online: 06 October 2015

References

1. Bodie, Z, Merton, RC, Samuelson, WF: Labor supply flexibility and portfolio choice in a life cycle model. *J. Econ. Dyn. Control* **16**, 427-449 (1992)
2. Merton, RC: Lifetime portfolio selection under uncertainty: the continuous-time case. *Rev. Econ. Stat.* **51**, 247-257 (1969)
3. Merton, RC: Optimum consumption and portfolio rules in a continuous-time model. *J. Econ. Theory* **3**, 373-413 (1971)
4. Farhi, E, Panageas, S: Saving and investing for early retirement: a theoretical analysis. *J. Financ. Econ.* **83**, 87-121 (2007)
5. Shin, YH: Voluntary retirement and portfolio selection: dynamic programming approaches. *Appl. Math. Lett.* **25**, 1087-1093 (2012)
6. Koo, JL, Koo, BL, Shin, YH: An optimal investment, consumption, leisure, and voluntary retirement problem with Cobb-Douglas utility: dynamic programming approaches. *Appl. Math. Lett.* **26**, 481-486 (2013)
7. Dybvig, PH, Liu, H: Lifetime consumption and investment: retirement and constrained borrowing. *J. Econ. Theory* **145**, 885-907 (2010)

8. Barucci, E, Marazzina, D: Optimal investment, stochastic labor income and retirement. *Appl. Math. Comput.* **213**, 5588-5604 (2012)
9. Choi, KJ, Shim, G, Shin, YH: Optimal portfolio, consumption-leisure and retirement choice problem with CES utility. *Math. Finance* **18**, 445-472 (2008)
10. Karatzas, I, Lehoczky, JP, Sethi, SP, Shreve, SE: Explicit solution of a general consumption/investment problem. *Math. Oper. Res.* **11**, 261-294 (1986)
11. Choi, KJ, Shim, G: Disutility, optimal retirement, and portfolio selection. *Math. Finance* **16**, 443-467 (2006)
12. Dybvig, PH, Liu, H: Verification theorems for models of optimal consumption and investment with retirement and constrained borrowing. *Math. Oper. Res.* **36**, 620-635 (2011)

Submit your manuscript to a SpringerOpen[®] journal and benefit from:

- Convenient online submission
- Rigorous peer review
- Immediate publication on acceptance
- Open access: articles freely available online
- High visibility within the field
- Retaining the copyright to your article

Submit your next manuscript at ► springeropen.com
