

Russian Journal of Organic Chemistry 2015 vol.51 N7, pages 943-946

Synthesis, polarity, and structure of 2-chloro-N-[2-(methylsulfanyl)phenyl]- and 2-(diphenylthiophosphoryl)-N--2-(methylsulfanyl)phenyl]acetamides

Ishmaeva E., Alimova A., Vereshchagina Y., Chachkov D., Artyushin O., Sharova E.
Kazan Federal University, 420008, Kremlevskaya 18, Kazan, Russia

Abstract

© 2015 Pleiades Publishing, Ltd. Conformations of 2-chloro-N-[2-(methylsulfanyl)phenyl]- and 2-(diphenylthiophosphoryl)-N-[2-(methylsulfanyl)phenyl]acetamides have been studied by the dipole moment method and quantum chemical calculations. 2-(Diphenylthiophosphoryl)-N-[2-(methylsulfanyl)phenyl]acetamide has been found to exist as an equilibrium mixture of two conformers with synclinal and anticlinal orientations of the $\{C-\{s\{p^3\}\}\}$ - $\{C-\{s\{p^2\}\}\}$ and P=S bonds. 2-Chloro-N-[2-(methylsulfanyl)phenyl]acetamide is represented by one preferred conformer.

<http://dx.doi.org/10.1134/S107042801507009X>
