



Sliding Crosslinked Thermoresponsive Materials: Polypseudorotaxanes Made of Poly(N-Isopropylacrylamide) and Acrylamide- γ -Cyclodextrin

Giulio Malucelli¹, Jvan Dore², Davide Sanna², Daniele Nuvoli², Mariella Rassu², Alberto Mariani^{2*} and Valeria Alzari^{2*}

¹ Department of Applied Science and Technology, Institute of Materials Science and Engineering for Innovative Technologies, Politecnico di Torino, Alessandria, Italy, ² Department of Chemistry and Pharmacy, University of Sassari, Sassari, Italy

OPEN ACCESS

Edited by:

Clemens Kilian Weiss,
Fachhochschule Bingen, Germany

Reviewed by:

Domenico Larobina,
Institute of Polymers, Composites and
Biomaterials, Italy
Jonas G. Croissant,
University of New Mexico,
United States

*Correspondence:

Alberto Mariani
mariani@uniss.it
Valeria Alzari
valzari@uniss.it

Specialty section:

This article was submitted to
Polymer Chemistry,
a section of the journal
Frontiers in Chemistry

Received: 18 September 2018

Accepted: 08 November 2018

Published: 23 November 2018

Citation:

Malucelli G, Dore J, Sanna D,
Nuvoli D, Rassu M, Mariani A and
Alzari V (2018) Sliding Crosslinked
Thermoresponsive Materials:
Polypseudorotaxanes Made of
Poly(N-Isopropylacrylamide) and
Acrylamide- γ -Cyclodextrin.
Front. Chem. 6:585.
doi: 10.3389/fchem.2018.00585

Novel polypseudorotaxanes (PPR) based on poly(N-isopropylacrylamide) (PNIPAAm) and acrylamide- γ -cyclodextrin (A γ CD) are successfully synthesized. A γ CD gives rise to sliding crosslinking systems and influences the thermoresponsive and swelling behavior of PNIPAAm hydrogels. Namely, their lower critical solution temperature (LCST) can be tuned up to 38°C, thus making the resulting materials of great interest in biomedical applications. Also, A γ CD influences the thermal and mechanical properties of hydrogels, by affecting the T_g and E modulus values.

Keywords: thermoresponsive materials, polypseudorotaxane, PNIPAAm, cyclodextrin, hydrogel, LCST

INTRODUCTION

Polypseudorotaxanes (PRs) are among the most thoroughly investigated types of supramolecular polymers, consisting of one or more cyclic molecules threaded onto a linear polymer axis and end-capped with bulky moieties on both terminals of the macromolecular chain (Harada et al., 1999, 2009; Huang and Gibson, 2005; Wenz et al., 2006; Araki and Ito, 2007; Li and Loh, 2008).

Cyclodextrins (CDs) are ring-shaped molecules obtained by degradation of starch, composed of five or more 1-4-linked α -D-glucopyranoside units, as in amylose. Thanks to their non-toxicity, not absorbability in the upper gastrointestinal tract and their capacity to be metabolized by the colon microflora, their main use is in food industry (Del Valle, 2004; Marques, 2010). The CD structure is made of hydrophilic and hydrophobic domains: the former are located in the exterior part and bear polar groups that allow solvating CD molecules in aqueous media; the latter are located in the interior, non-polar part, and enable encapsulation of molecules or moieties having analogous polarity: this feature has been thoroughly explored in supramolecular, pharmaceutical, and analytical chemistry (Hedges, 1998; Nepogodiev and Stoddart, 1998; Ammar et al., 2012; Machín et al., 2012; Bazhban et al., 2013; Kaceriakova and Spanik, 2014; Khodaverdi et al., 2014; Silva et al., 2014; Hartlieb et al., 2017). In their ring, the most commonly used CDs contain a number of glucose units ranging from 6 to 8, forming a cone shape. Namely, α -CDs, β -CDs, and γ -CDs are 6-, 7-, and 8-membered sugar ring molecules, respectively.

Since the first discovery of PRs, synthesized from α -CDs with poly(ethylene glycol) (PEG) by Harada and Kamachi (1990), several studies have been carried out to design and prepare various

advanced architectural CD-based PRs (Taylor et al., 2000; Sarvothaman and Ritter, 2004; Tong et al., 2009): in fact, CDs can be selectively self-assembled with a number of polymers and readily functionalized by a variety of synthetic strategies (Miljanić et al., 2007; Fernando et al., 2016).

In the latest years, the research community has paid great attention to the encapsulation of monomers and polymers in CDs, in particular in the field of smart or stimuli responsive hydrogels. These latter are polymeric materials able to swell or deswell as a function of external stimuli (Liu and Fan, 2002; Kopeček, 2007; Neal and Goldup, 2014). One of the most studied stimuli-responsive polymer is poly(*N*-isopropylacrylamide) (PNIPAAm), which is a non-toxic, biocompatible, and relatively cheap polymer characterized by a lower critical solution temperature (LCST) at about 30–32°C. These properties make PNIPAAm suitable for biomedical and pharmaceutical applications. However, its poor thermal and mechanical properties greatly limit its application. Moreover, the possibility of increasing its LCST up to the physiological range could provide great practical advantages. PRs comprising γ -CDs as host molecules and PNIPAAm, as a guest polymer, were prepared via self-assembly in aqueous solution (Zhang et al., 2008; Wang et al., 2011). Li and Loh (2008); Zhang et al. (2008) designed and synthesized β -CD-(PNIPAAm)₄ in the presence of adamantyl-containing PEGs. The thermosensitive behavior of the β -CD-core star PNIPAM in the block copolymers was affected significantly, depending on the ratio of the adamantyl moiety to the β -CD core and/or the length of the PEG blocks, providing an efficient way to control the LCST. Therefore, this supramolecular approach might be promising for the production of intelligent systems for biomedical and pharmaceutical applications.

Recently, our research group investigated the effects of CDs on the properties of poly(2-hydroxyethylacrylate) hydrogel obtained by frontal polymerization (FP) (Nuvoli et al., 2016) and synthesized β -CD-based supramolecular hydrogels by FP, using acryloyl- β -cyclodextrin (A β CD) as the NIPAAm comonomer (Sanna et al., 2017). It should be highlighted that, due to the bulky pendant isopropylamide group, PNIPAAm cannot freely enter and slide through α -CD or β -CD cavities (Zhang et al., 2010; Li et al., 2016). However, we reasoned that this might happen if γ -CD is used, thus giving rise to a polypseudorotaxane (PPR) (Wang et al., 2012).

In this context, in the present work, a novel PPR system based on PNIPAAm and acrylamide- γ -cyclodextrin (A γ CD) has been synthesized: CD acts as a pendant group and, at the same time, it may allow PNIPAAm macromolecular chains to flow through the empty cavity of CDs. As a consequence, a sliding crosslinking system is created, which should be characterized by peculiar swelling behavior and mechanical features different from those characterizing the conventional, covalently crosslinked analogous materials.

The thermal properties of resulting PPR hydrogels have been assessed through differential scanning calorimetry (DSC). The LCST of the hydrogels has been evaluated as well, exploiting swelling measurements at different temperatures. Finally, the mechanical behavior of the PPR systems has been assessed through compression and cyclic compression tests: these latter

were also exploited for supporting the hypothesis that CD acts as a sliding, non-covalent crosslinking agent.

MATERIALS AND METHODS

Materials

Ammonium persulfate (APS, MW = 228.20), *N*-isopropylacrylamide (NIPAAm, MW = 113.16), *N,N'*-methylene-bis-acrylamide (MBA, MW = 154.17), tetramethylethylenediamine (TEMED, MW = 116.20, *d* = 0.775 g/ml); triethylamine (MW = 101.19, *d* = 0.796 g/mL) acryloyl chloride (MW = 90.51, *d* = 1.114 g/mL) were purchased from Sigma Aldrich. *N*-methyl pyrrolidone (NMP) was purchased from Sigma-Aldrich and distilled on molecular sieves before use. γ -cyclodextrin (γ -CD, MW: 972.89) was kindly supplied by IMCD Italia S.p.A. Mono-6-amino-deoxy-6- γ -cyclodextrin was obtained according to the literature (MW: 971.89, Tang and Ng, 2008).

Synthesis of Acrylamide- γ -Cyclodextrin

Fifteen grams of mono-6-amino-deoxy-6- γ -cyclodextrin (0.015 mol), previously dried in oven at 60°C for 1 h, were put in a 250 ml round bottom flask with 200 ml of dry *N*-methylpyrrolidone and dissolved through vigorous stirring at room temperature. Then, 1.9 ml of triethylamine (0.015 mol) were added. The mixture was cooled down to 0°C, and 1.22 ml (0.015 mol) of acryloyl chloride were added dropwise under stirring in argon atmosphere. The system was left overnight at room temperature. After, 400 ml of cold methanol were added to precipitate triethylammonium chloride, which was eventually eliminated by centrifugation. The resulting liquid phase was poured in a large amount of acetone, in order to precipitate the desired product. The obtained white solid, A γ CD (MW = 1,024.89), was recovered by centrifugation and washed three times with acetone to eliminate residual NMP. Yield: 36% (white-pale yellow powder).

– ¹H NMR (D₂O 400 MHz), δ : 6.46 – 5.92 (C α H = C β H₂),
 δ : 5.04 (C₁H)

– ¹H NMR (DMSO 400 MHz), δ : 6.37 – 5.21 (C α H = C β H₂),
 δ : 5.79 (C₁H)

Synthesis of PNIPAAm Hydrogels Containing A γ CD

Various NIPAAm aqueous solutions (10% w/v) were put in a glass test tube, together with a known amount of A γ CD (ranging from 0.5 to 2.0 mol% of A γ CD with respect to the molar amount of NIPAAm). Subsequently, APS and TEMED were added (1.00:1.22 mol/mol, respectively), varying the APS concentration from 0.25 to 1.0 mol% (with respect to the total molar amount of NIPAAm and A γ CD). The polymerization reaction was carried out at 4°C for 3 h. Yields were quantitative.

Synthesis of PNIPAAm Hydrogels Containing γ -CD or MBA

NIPAAm aqueous solution (10% w/v) was mixed with 1 mol% (with respect to the molar amount of NIPAAm) of γ CD in

a glass test tube. Subsequently, APS and TEMED were added (1.00:1.22 mol/mol; 1 mol% of APS with respect to the total molar amount of NIPAAm and γ CD). The polymerization reaction was performed at 4°C for 3 h (hereinafter coded as sample D γ CD). The same materials and method were exploited for synthesizing PNIPAAm hydrogels containing MBA as a crosslinker, which replaces γ CD (hereinafter coded as sample D_{MBA}). The obtained hydrogels were washed several times in distilled water. The compositions of all the synthesized samples are listed in **Table 1**. Yields were quantitative.

Differential Scanning Calorimetry

DSC analyses were performed by using a DSC Q100 Waters TA Instruments calorimeter, equipped with TA Universal Analysis 2000 software. Two types of analyses were performed. The first one was carried out on hydrogels immediately after synthesis. To this aim, the obtained products were subjected to a heat scan, from 0 to 250°C, with a heating rate of 20°C/min in inert atmosphere (nitrogen flow: 50 ml/min), in order to evaluate the conversion (Scognamiglio et al., 2010). The second analysis was carried out on samples after being washed in water and dried in a vacuum oven at 50°C for 3 days: the resulting hydrogels were subjected to a heat/cool/heat cycle scan, from -80 to 250°C, with a heating rate of 20°C/min and a cooling rate of 10°C/min in inert atmosphere (nitrogen flow: 50 ml/min), in order to evaluate the glass transition temperature (T_g).

Swelling Measurements

After synthesis, all samples were washed and swollen in distilled water for 2 weeks, in order to remove solvents and unreacted reagents and to reach swelling equilibrium. Then, they were cut into small pieces having similar shape and size, and immersed in distilled water in a thermostatic bath, in order to assess their behavior; the temperature of water, in which they were immersed, was varied from 20 to 40°C at a rate of 1°C/day. Their swelling behavior as a function of temperature was measured. The swelling ratio (SR%) of hydrogels was calculated according

to the following equation (1):

$$SR\% = \frac{M_s - M_d}{M_d} * 100 \quad (1)$$

where M_s and M_d are the sample masses in the swollen and in the dry state, respectively. The LCST of the hydrogels was determined by the flex of the swelling curve in a plot of SR% as a function of temperature. The M_d -value for each sample was determined, at the end of the experiment, on the samples dried in a vacuum oven at 50°C for 3 days.

Compression Tests

Compression tests were performed on cylindrical specimens (diameter: 15 mm, height: 10 mm), according to ISO 527-1 standard, using a Zwick-Roll Z010 apparatus, equipped with a 5 kN load cell, at 23°C and 50% relative humidity, applying 0.05 N pre-load; the speed test was 2 mm/min. At least five tests were carried out for each material in order to have reproducible and significant data. Furthermore, cyclic compression tests were carried out, using the same apparatus: for these tests, the load was increased from 0 to 3 N at 0.2 N/min and then decreased using the same force decrement.

RESULTS AND DISCUSSION

In order to prepare PNIPAM-based PPRs, γ -CD was used. It should be noticed that its α and β counterparts were not considered suitable for this purpose. This is due to the relatively large size of γ -CD cavity, which allows NIPAAm to enter, hence giving rise to the corresponding inclusion complex. In addition, after the polymerization reaction, γ -CD allows PNIPAAm macromolecular chains to easily slide through. Indeed, it is known that smaller cavity size CDs are not able to do that (Wang et al., 2012). This is very intriguing, since it may significantly affect the mechanical behavior of the resulting system. Besides, the γ -CD used in this work was monoacrylated, in order to act as a NIPAAm comonomer, being it eventually covalently linked to PNIPAAm chains. The resulting PPR system is constituted of macromolecular chains bearing CDs as pendant groups; at the same time, these chains are non-covalently crosslinked and characterized by non-covalent sliding crosslinking (**Figure 1**).

As a first evidence, we noticed that the resulting hydrogels swell without dissolving in water. Since A γ CD is monoacrylated, it cannot act as a covalent crosslinker. However, the observed behavior of the hydrogels containing A γ CD suggested us that a sort of crosslinking should actually be present, which may be attributed to the polypseudorotaxane formation (**Figure 2**).

On the basis of what reported in literature about elastomers, which typically contain ca. 1 mol% of crosslinker (Mooney, 1940; Flory and Rehner, 1943; Alemán et al., 2007) we chose similar amounts for A γ CD in order to ensure a close degree of crosslinking, but resulting from non-covalent, sliding characteristics instead of covalent bonds. Thus, the concentration of A γ CD was kept between 0.5 and 2 mol%, while that of initiator [I], was always between 0.25 and 1.0 mol%.

TABLE 1 | Composition, T_g , LCST, and modulus values of the samples synthesized in the present work.

Sample	A γ CD (mol%)	APS (mol%)	T_g (°C)	LCST (°C)	E (MPa)
A _{0.5}	0.5	0.25	138	34	16.8
A ₁	1.0	0.25	152	35	21.8
A ₂	2.0	0.25	149	37	25.5
B _{0.5}	0.5	0.50	148	35	11.9
B ₁	1.0	0.50	148	35	18.5
B ₂	2.0	0.50	153	37	21.3
C _{0.5}	0.5	1.00	145	35	17.0
C ₁	1.0	1.00	152	35	16.0
C ₂	2.0	1.00	152	38	17.0
	γ -CD (mol%)				
D γ CD	1.0	1.00	-	-	-
	MBA (mol%)				
D _{MBA}	1.0	1.00	124	32	-




FIGURE 1 | Structure of γ CD linked to a PNIPAAm macromolecular chain.




FIGURE 2 | Schematic illustration of sliding crosslinking exerted by γ CD.

From a qualitative point of view, two opposite cases were considered:

1. when [I] and [γ CD] are, respectively, 0.25 and 2.0 mol%, the highest number of γ CD units linked to the macromolecular chains is present;
2. conversely, when [I] and [γ CD] are 1.00 and 0.5% mol, respectively, the lowest number of γ CD units is linked to the polymeric chains.

The reaction temperature was also a parameter that was taken into proper account. In particular, the polymerizations were carried out in water at 4°C in order to avoid solvent evaporation and bubble formation and to obtain hydrogels that are already in their swollen state (the LCST of PNIPAAm is at about 32°C) (Fujishige et al., 1989).

The composition and the T_g , LCST, and modulus values (E) of the samples are listed in **Table 1**.

After synthesis, samples belonging to the A, B, and C series looked as colorless semi-solids, like the covalently cross-linked sample (D_{MBA}). Once put in water, they just swell but without dissolving. On the contrary, the sample $D_{\gamma CD}$, containing the unmodified γ -cyclodextrin only, looked physically different from the others: it was a colorless viscous liquid, completely miscible in water. This finding confirms that γ CD actually acts as a crosslinker.

Thermal Properties

DSC analyses performed on just-synthesized samples did not show any residual polymerization heat (exothermal), thus confirming that all monomer quantitatively converted into polymer.

In order to better characterize the thermal properties of hydrogels, DSC analyses were performed also on washed and subsequently dried samples. A heat/cool/heat cycle was performed on each sample (**Table 1**). A wide endothermic transition at about 160°C appeared during the first heating for all samples, which was attributed to the evaporation of water molecules from the cavity of γ CD. This transition was not recorded in the second heating ramp.

Furthermore, from the second heating, it was possible to evaluate the T_g -values of polymers (**Table 1**). It was found that, as the γ CD amount increased, T_g -values remarkably increased. Indeed, by comparing samples having the same amount of initiator, but a different amount of γ CD (ranging between 0.5 and 2 mol%), the T_g -values raised from 138 to 153°C, respectively. In addition, by comparing the D_{MBA} sample with those containing γ CD, it was found that the first one exhibits significantly lower T_g (124°C). This finding can be easily explained by considering the decrease of free volume and the consequent reduction of macromolecular chain mobility exerted by CDs, which are rigid compounds able to exert strong polar interactions, through the formation of supramolecular aggregates (Valero et al., 2007; Jansook et al., 2010).

The amount of initiator did not influence the T_g ; in fact, by keeping constant the γ CD concentration and ranging the amount of APS from 0.25 to 1 mol%, the T_g -values were almost unchanged.

Sample $A_{0.5}$ showed a different behavior: in fact, its glass transition occurred at a temperature (i.e., 138°C) that is lower than that of all samples containing γ CD. This finding can be easily explained considering the qualitative approach mentioned above: sample $A_{0.5}$ contains the lowest amounts of both γ CD and APS; thus, it is characterized by the longest macromolecular chains length and the lowest number of linked γ CD. As a consequence, its chain mobility is larger than that of the other samples. Anyhow, this value is higher than those of the “conventionally” crosslinked sample (D_{MBA} , 124°C); this fact is probably due to the strong interactions between CD and hydrogel matrix.

Swelling Properties

The influence of CDs on the swelling properties of PNIPAAm hydrogels was also evaluated: all the synthesized hydrogels were found to significantly swell in water; furthermore, the presence of γ CD influenced their SR% as a function of temperature (**Figure 3**).

In particular, as can be seen in **Figure 3**, the SR% increases by decreasing CD concentration, according to the following ranking: $(A, B, C)_{0.5} > (A, B, C)_1 > (A, B, C)_2$.

In detail, at 22°C, SR% goes from 7,800% for sample $C_{0.5}$, to 3,100% for B_2 , hence demonstrating the large influence of γ CD on the swelling properties of PNIPAAm hydrogels. In addition, SR% value of D_{MBA} at 22°C is ca. 2,200%, a significantly lower value than that of CDs-containing samples. This is in agreement with the covalent nature of the crosslinker, which does not allow the chains to freely slide and swell (Karino et al., 2004; Zhao et al., 2005; Kopeček and Yang, 2007).

Furthermore, this is also a confirmation that the other samples are characterized by sliding crosslinking. By contrast, the effect of the amount of initiator was almost negligible.




FIGURE 3 | SR% as a function of temperature for synthesized samples, where squares, triangles and circles refer to A, B and C series, respectively. Amount of γ CD: 0.5 mol% (solid); 1.0 mol% (empty marker); 2.0 mol% (starred).




FIGURE 4 | Cyclic compression curves for B_1 .

$\text{A}\gamma\text{CD}$ influences also the thermo-responsive behavior of hydrogels. In fact, the “conventionally” crosslinked PNIPAAm (D_{MBA}) shows the usual LCST at about 32°C (Fujishige et al., 1989), while hydrogels containing $\text{A}\gamma\text{CD}$ exhibit a higher value of LCST (Table 1). LCST-values increase from 35°C , for all the samples containing 0.5 mol% of CD (regardless of the amount of APS), to 38°C for those samples containing 2 mol% of $\text{A}\gamma\text{CD}$. We consider this result of large interest for the possible practical applications of PNIPAAm also in the biomedical field, as the range of LCST variation can be tuned by including also the physiological body temperature. Moreover, this goal was reached by using non-toxic, largely available and cheap additives as CDs are.

Mechanical Properties

The mechanical properties of the slide-ring gel are quite different from those of conventional physical and chemical gels. Indeed, as reported in literature (Ito, 2007), the physical ones show a J-shaped stress-strain curve with large hysteresis, while the chemical gels show an S-shaped stress-strain curve (Ito, 2007). The large hysteresis in the physical gel is caused by recombination among non-covalent crosslinks in a polymer network on deformation.

Actually, the polymeric hydrogels studied in this work exhibited a force/deformation curve characterized by a “J” shape without hysteresis (or very limited hysteresis phenomena; Figure 4), for B_1 , as an example.

The plotted curves refer to three sequential compression cycles carried out on each sample investigated. The slight shift shown after subsequent cycles can be due to the small water loss occurring during each compression. However, as far as the hysteresis is considered, the obtained values are very limited, also considering the water loss. This finding supports the hypothesis that CD acts as a sliding, non-covalent crosslinking agent (Ito, 2007). It was not possible to perform this characterization on sample D_{MBA} because of its high brittleness. Then, PNIPAAm/ $\text{A}\gamma\text{CD}$ hydrogels were subjected to compression tests: as presented in Table 1, the compression modulus E increases with increasing the CD content. Even if these tests were performed on swollen (wet) samples, the results confirm what stated about the observed T_g -increase in the dried

sample. Indeed, both results can be attributable to the increase in crosslinking density. Furthermore, the presence of higher APS amounts in the hydrogel formulation turns out to lower the stiffness of the samples. This result confirms that, as the amount of initiator increases, the macromolecular chains are shorter: as a consequence, the probability that $\text{A}\gamma\text{CD}$ units are linked to the polymeric chains decreases. For the same reason reported above, the E modulus value of sample D_{MBA} could not be recorded.

CONCLUSION

In this work, novel PPRs based on PNIPAAm and $\text{A}\gamma\text{CD}$ were successfully synthesized. $\text{A}\gamma\text{CD}$ acted as a pendant group and, at the same time, allowed macromolecular PNIPAAm chains to flow through its empty cavity, giving rise to a sliding crosslinking system with peculiar features. The amount of $\text{A}\gamma\text{CD}$ in the hydrogels was varied from 0.5 to 2 mol% in order to study the influence of CDs on hydrogel properties, such as swelling behavior, LCST values and mechanical properties. In addition, the amount of initiator was varied from 0.25 to 1 mol%, in order to investigate its effect on the macromolecular chains length and on the probably that $\text{A}\gamma\text{CD}$ units can link to the polymeric chains. All the results were compared with covalent crosslinked samples (D_{MBA}). All hydrogels were found to swell without dissolving in water; furthermore, since $\text{A}\gamma\text{CD}$ is monoacrylated and cannot act as a covalent crosslinker, this behavior suggests that a PPR structure is formed.

$\text{A}\gamma\text{CD}$ influenced the thermo-responsive behavior of PNIPAAm hydrogels, by modifying their LCST value that increased with increasing $\text{A}\gamma\text{CD}$ amount, from 32°C (D_{MBA} sample) to 38°C (C_2 sample). This result, which approaches the LCST value of classical PNIPAAm to actual human body temperature, widens the practical applications of PNIPAAm in the biomedical field. It is also noteworthy that this goal was reached by using CDs, which are largely available, non-toxic, and cheap materials.

Furthermore, $\text{A}\gamma\text{CD}$ influenced also the swelling behavior of the resulting hydrogels; in fact, in particular, at temperatures below the LCST, the swelling of polymers increased with decreasing $\text{A}\gamma\text{CD}$ content. Besides, the presence of $\text{A}\gamma\text{CD}$

influenced the thermal and mechanical properties of hydrogels. In detail, the T_g -values of samples increased with increasing γ CD content, owing to the decrease of free volume and the consequent reduction of macromolecular chain mobility exerted by the CDs. This result was in agreement with the observed increase of the compression modulus E of the hydrogels.

Finally, the synthesized hydrogels showed a force/deformation curve characterized by a “J” shape without or with a very limited hysteresis. This finding strongly supports the

hypothesis that CD acts as a sliding, non-covalent crosslinking agent.

AUTHOR CONTRIBUTIONS

GM: mechanical properties. JD: synthesis of modified cyclodextrin. DS: synthesis of mono-6-amino-deoxy-6- γ -cyclodextrin. DN: swelling properties. MR: thermal properties. AM: coordinator of the work. VA: coordinator of the work and synthesis of hydrogel samples.

REFERENCES

- Alemán, J. V., Chadwick, A. V., He, J., Hess, M., Horie, K., Jones, R. G., et al. (2007). Definitions of terms relating to the structure and processing of sols, gels, networks, and inorganic-organic hybrid materials (IUPAC Recommendations 2007). *Pure Appl. Chem.* 79, 1801–1829. doi: 10.1351/pac200779101801
- Ammar, H. O., El-Nahhas, S. A., Ghorab, M. M., and Salama, A. H. (2012). Chitosan/cyclodextrin nanoparticles as drug delivery system. *J. Incl. Phenom. Macrocycl. Chem.* 72, 127–136. doi: 10.1007/s10847-011-9950-5
- Araki, J., and Ito, K. (2007). Recent advances in the preparation of cyclodextrin-based polyrotaxanes and their applications to soft materials. *Soft Matter* 3, 1456–1473. doi: 10.1039/B705688E
- Bazhban, M., Nouri, M., and Mokhtari, J. (2013). Electrospinning of cyclodextrin functionalized chitosan/PVA nanofibers as a drug delivery system. *Chin. J. Polym. Sci.* 31, 1343–1351. doi: 10.1007/s10118-013-1309-5
- Del Valle, E. M. (2004). Cyclodextrins and their uses: a review. *Process Biochem.* 39, 1033–1046. doi: 10.1016/S0032-9592(03)00258-9
- Fernando, I. R., Frascioni, M., Wu, Y., Liu, W. G., Wasielewski, M. R., Goddard, W. A., et al. (2016). Sliding-Ring Catenanes. *J. Am. Chem. Soc.* 138, 10214–10225. doi: 10.1021/jacs.6b04982
- Flory, P. J., and Rehner, J. R. (1943). Statistical mechanics of cross-linked polymer networks I. Rubberlike elasticity. *J. Chem. Phys.* 11, 512–520. doi: 10.1063/1.1723791
- Fujishige, S., Kubota, K., and Ando, I. (1989). Phase transition of aqueous solutions of poly (N-isopropylacrylamide) and poly (N-isopropylmethacrylamide). *Phys. Chem.* 93, 3311–3313.
- Harada, A., and Kamachi, M. (1990). Complex formation between poly (ethylene glycol) and α -cyclodextrin. *Macromolecules* 23, 2821–2822.
- Harada, A., Okada, M., Kawaguchi, Y., and Kamachi, M. (1999). Macromolecular recognition: new cyclodextrin polyrotaxanes and molecular tubes. *Polym. Adv. Technol.* 10, 3–12. doi: 10.1002/(SICI)10991581(199901/02)10:1/2<3::AID-PAT759>3.0.CO;2-S
- Harada, A., Takashima, Y., and Yamaguchi, H. (2009). Cyclodextrin-based supramolecular polymers. *Chem. Soc. Rev.* 38, 875–882. doi: 10.1039/B705458K
- Hartlieb, K. J., Peters, A. W., Wang, T. C., Deria, P., Farha, O. K., Hupp, J. T., et al. (2017). Functionalised cyclodextrin-based metal-organic frameworks. *Chem. Commun.* 53, 7561–7564. doi: 10.1039/c7cc03345a
- Hedges, A. R. (1998). Industrial applications of cyclodextrins. *Chem. Rev.* 98, 2035–2044.
- Huang, F., and Gibson, H. W. (2005). Polypseudorotaxanes and polyrotaxanes. *Prog. Polym. Sci.* 30, 982–1018. doi: 10.1016/j.progpolymsci.2005.07.003
- Ito, K. (2007). Novel cross-linking concept of polymer network: synthesis, structure, and properties of slide-ring gels with freely movable junctions. *Polym. J.* 39, 489–499. doi: 10.1295/polymj.PJ2006239
- Jansook, P., Moya-Ortega, M. D., and Loftsson, T. (2010). Effect of self-aggregation of γ -cyclodextrin on drug solubilization. *J. Incl. Phenom. Macrocycl. Chem.* 68, 229–236. doi: 10.1007/s10847-010-9779-3
- Kaceriakova, D., and Spanik, I. (2014). Utilization of cyclodextrins in gas chromatography: preparation of capillary columns with cyclodextrin stationary phases. *Chem. Listy* 108, 462–469.
- Karino, T., Okumura, Y., Ito, K., and Shibayama, M. (2004). SANS studies on spatial inhomogeneities of slide-ring gels. *Macromolecules* 37, 6177–6182. doi: 10.1021/ma049598b
- Khodaverdi, E., Tekie, F. S. M., Hadizadeh, F., Esmaeel, H., Mohajeri, S. A., Sajadi Tabassi, S. A., et al. (2014). Hydrogels composed of cyclodextrin inclusion complexes with PLGA-PEG-PLGA triblock copolymers as drug delivery systems. *Aaps Pharm. Sci. Tech.* 15, 177–188. doi: 10.1208/s12249-013-0051-1
- Kopeček, J. (2007). Hydrogel biomaterials: a smart future? *Biomaterials* 28, 5185–5192. doi: 10.1016/j.biomaterials.2007.07.044
- Kopeček, J., and Yang, J. (2007). Hydrogels as smart biomaterials. *Polym Int.* 56, 1078–1098. doi: 10.1002/pi.2253
- Li, G., Yu, N., Gao, Y., Tao, Q., and Liu, X. (2016). Polymeric hollow spheres assembled from ALG-g-PNIPAM and β -cyclodextrin for controlled drug release. *Int. J. Biol. Macromol.* 82, 381–386. doi: 10.1016/j.ijbiomac.2015.11.010
- Li, J., and Loh, X. J. (2008). Cyclodextrin-based supramolecular architectures: syntheses, structures, and applications for drug and gene delivery. *Adv. Drug Deliv. Rev.* 60, 1000–1017. doi: 10.1016/j.addr.2008.02.011
- Liu, Y. Y., and Fan, X. D. (2002). Synthesis and characterization of pH- and temperature-sensitive hydrogel of N-isopropylacrylamide/cyclodextrin based copolymer. *Polymer* 43, 4997–5003. doi: 10.1016/S0032-3861(02)00350-6
- Machín, R., Isasi, J. R., and Vélaz, I. (2012). β -Cyclodextrin hydrogels as potential drug delivery systems. *Carbohydr. Polym.* 87, 2024–2030. doi: 10.1016/j.carbpol.2011.10.024
- Marques, H. M. C. (2010). A review on cyclodextrin encapsulation of essential oils and volatiles. *Flav. Fragr. J.* 25, 313–326. doi: 10.1002/ffj.2019
- Miljanić, O. Š., Dichtel, W. R., Aprahamian, I., Rohde, R. D., Agnew, H. D., Heath, J. R., et al. (2007). Rotaxanes and catenanes by click chemistry. *QSAR Combinatorial Sci.* 26, 1165–1174. doi: 10.1002/qsar.200740070
- Mooney, M. (1940). A theory of large elastic deformation. *J. Appl. Phys.* 11, 582–592. doi: 10.1063/1.1712836
- Neal, E. A., and Goldup, S. M. (2014). Chemical consequences of mechanical bonding in catenanes and rotaxanes: isomerism, modification, catalysis and molecular machines for synthesis. *Chem. Commun.* 50, 5128–5142. doi: 10.1039/C3CC47842D
- Nepogodiev, S. A., and Stoddart, J. F. (1998). Cyclodextrin-based catenanes and rotaxanes. *Chem. Rev.* 98, 1959–1976. doi: 10.1021/cr970049w
- Nuvoli, D., Alzari, V., Nuvoli, L., Rassa, M., Sanna, D., and Mariani, A. (2016). Synthesis and characterization of poly (2-hydroxyethylacrylate)/ β -cyclodextrin hydrogels obtained by frontal polymerization. *Carbohydr. Polym.* 150, 166–171. doi: 10.1016/j.carbpol.2016.05.017
- Sanna, D., Alzari, V., Nuvoli, D., Rassa, M., Sanna, V., et al. (2017). β -Cyclodextrin-based supramolecular poly (N-isopropylacrylamide) hydrogels prepared by frontal polymerization. *Carbohydr. Polym.* 166, 249–255. doi: 10.1016/j.carbpol.2017.02.099
- Sarvothaman, M. K., and Ritter, H. (2004). Discriminating influence of α - and methylated β -cyclodextrins on complexation and polymerization of diacrylate and dimethacrylate monomers. *Macromol. Rapid Commun.* 25, 1948–1952. doi: 10.1002/marc.200400348
- Scognamiglio, S., Alzari, V., Nuvoli, D., and Mariani, A. (2010). Hybrid organic/inorganic epoxy resins prepared by frontal polymerization. *J. Polym. Sci. A* 48, 4721–4725. doi: 10.1002/pola.24263
- Silva, O. F., Correa, N. M., Silber, J. J., De Rossi, R. H., and Fernandez, M. A. (2014). Supramolecular assemblies obtained by mixing different cyclodextrins and aot or bhdc reverse micelles. *Langmuir* 30, 3354–3362. doi: 10.1021/la404584q

- Tang, W., and Ng, S. C. (2008). Facile synthesis of mono-6-amino-6-deoxy- α -, β -, γ -cyclodextrin hydrochlorides for molecular recognition, chiral separation and drug delivery. *Nat. Protoc.* 3, 691–697. doi: 10.1038/nprot.2008.37
- Taylor, P. N., O'Connell, M. J., McNeill, L. A., Hall, M. J., Aplin, R. T., and Anderson, H. L. (2000). Insulated molecular wires: synthesis of conjugated polyrotaxanes by Suzuki coupling in water. *Angew. Chem. Int. Ed. Engl.* 39, 3456–3460. doi: 10.1002/1521-3773(20001002)39:19<3456::AID-ANIE3456>3.0.CO;2-0
- Tong, X., Zhang, X., Ye, L., Zhang, A. Y., and Feng, Z. G. (2009). Synthesis and characterization of block copolymers comprising a polyrotaxane middle block flanked by two brush-like PCL blocks. *Soft Matter* 5, 1848–1855. doi: 10.1039/B818819J
- Valero, M., Tejedor, J., and Rodríguez, L. J. (2007). Encapsulation of nabumetone by means of drug:(β -cyclodextrin) 2: polyvinylpyrrolidone ternary complex formation. *J. Lumin.* 126, 297–302. doi: 10.1016/j.jlumin.2006.07.028
- Wang, J., Gao, P., Wang, P. J., Ye, L., Zhang, A. Y., and Feng, Z. G. (2011). Novel polyrotaxanes comprising γ -cyclodextrins and Pluronic F127 end-capped with poly (N-isopropylacrylamide) showing solvent-responsive crystal structures. *Polymer* 52, 347–355. doi: 10.1016/j.polymer.2010.12.014
- Wang, J., Li, S., Ye, L., Zhang, A. Y., and Feng, Z. G. (2012). Formation of a polypseudorotaxane via self-assembly of γ -cyclodextrin with poly (N-isopropylacrylamide). *Macromol. Rapid Commun.* 33, 1143–1148. doi: 10.1002/marc.201200017
- Wenz, G., Han, B. H., and Muller, A. (2006). Cyclodextrin rotaxanes and polyrotaxanes. *Chem. Rev.* 106, 782–817. doi: 10.1021/cr970027+
- Zhang, J., Feng, K., Cuddihy, M., Kotov, N. A., and Ma, P. X. (2010). Spontaneous formation of temperature-responsive assemblies by molecular recognition of a β -cyclodextrin-containing block copolymer and poly (N-isopropylacrylamide). *Soft Matter* 6, 610–617. doi: 10.1039/B913608H
- Zhang, Z. X., Liu, X., Xu, F. J., Loh, X. J., Kang, E. T., Neon, K. G., et al. (2008). Pseudo-block copolymer based on star-shaped poly (N-isopropylacrylamide) with a β -cyclodextrin core and guest-bearing PEG: controlling thermoresponsivity through supramolecular self-assembly. *Macromolecules* 41, 5967–5970. doi: 10.1021/ma8009646
- Zhao, C., Domon, Y., Okumura, Y., Okabe, S., Shibayama, M., and Ito, K. (2005). Sliding mode of cyclodextrin in polyrotaxane and slide-ring gel. *J. Phys. Condens. Matter.* 17, 2841–2846. doi: 10.1088/0953-8984/17/31/009

Conflict of Interest Statement: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2018 Malucelli, Dore, Sanna, Nuvoli, Rassu, Mariani and Alzari. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.