

Canadian Medical Education Journal 2018, 9(2)

Canadian Medical Education Journal

Major Contributions and Research Articles

Personality distribution of Canadian medical students: A first look

June Harris,¹ Donald McKay¹

¹Faculty of Medicine, Memorial University of Newfoundland, Newfoundland, Canada

Published: May 31, 2018

CMEJ 2018, 9(2):e11-e19 Available at <http://www.cmej.ca>

© 2018 Harris, McKay; licensee Synergies Partners

This is an Open Journal Systems article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.0>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract

Background: Personality is one of the key elements in professional identity formation and is self-identified as one of the top two influences for Canadian medical graduates when making a specialty choice yet little is known about the personalities of Canadian medical students. This study is the first to report personality data regarding Canadian medical students.

Methods: Personality is one of the key elements in professional identity formation and is self-identified as one of the top two influences for Canadian medical graduates when making a specialty choice yet little is known about the personalities of Canadian medical students. This study is the first to report personality data regarding Canadian medical students.

Results: The data were analyzed using Chi square. The distribution of personalities [Guardian, Idealist, Artisan, Rational] for medical students differs from the distribution reported for the general Canadian population. The distribution of personalities is similar for each Canadian medical school.

Conclusion: Results from this first national accounting of the personalities of Canadian medical students suggest either that the personalities of medical school applicants differ from the general population or that personality affects medical school admissions success. Knowing the personalities of medical students could be important for medical schools in such areas as admissions, career counselling and professional identity formation.

Introduction

In the absence of any published national data on the personality distribution of Canadian medical students, we set out to collect preliminary information from medical students in schools across Canada and compare this with data for the general Canadian population.

The complete absence of published information on the personalities of Canadian medical school students is remarkable when one considers the many published studies that show how personality influences the interaction of medical students with the medical education system throughout its continuum.

Personality type may influence admissions decisions. Admissions committee members set criteria that influence the selection of a certain personality type or tend to select students who are like themselves.^{1,2} Some speculate that a personality measure may be useful as part of the admissions process in an effort to detect possible unprofessional behaviour.³ A model has been proposed for “ethically defensible selection decisions” that includes personality along with its other components of self-selection, academic achievement, cognitive ability, and interview/task behavioural scores.⁴ Additionally, the potential link between specific personality traits and clinical performance may warrant inclusion of this predictor in the selection process.⁵

Personality and socialization are two major components of professional identity formation.⁶ Several studies have reported how socialization shapes the professional identity of medical students,⁷⁻⁹ yet we could find no similar studies related to personality. Students, however, bring different attitudes and behaviours to the profession, and students themselves suggest that these factors need to be understood and considered when integrating professional identity activities into a medical education program¹⁰ – activities such as role-modelling¹¹ or career counselling.¹²⁻¹⁴ A commentary in *Student BMJ* described how the Keirsey Temperament Sorter (KTS) can give insight into the importance of knowing your own, as well as colleagues’ personalities, when choosing a medical specialty and outlines that knowing about personality can improve interpersonal relations.¹⁵

Various personality assessment inventories have gained popularity within the past several years (e.g., Big Five, NEO-4). Over the past 20 years, however, a few personality studies of medical and other health professions have been based on the KTS.¹⁶⁻¹⁸ We used the KTS-II for our study as it was the only online personality assessment tool available at the outset of this study. Even though the name of the instrument contains the term temperament, we use the synonymous term, personality, in order to provide uniformity throughout this paper.

The manner by which people communicate, gather information, make decisions and organize themselves has been characterized by the KTS-II in four pairs of preferences that describe different personality traits or characters:

- communication style – Extrovert/Introvert [E/I]
- information-gathering style – Sensing/iNtuitive [S/N]
- decision-making style – Thinking/Feeling [T/F]
- management style – Judging/Perceiving [J/P]

The answers to the KTS-II 70-item questionnaire enable sorting of these dichotomous pairs so that a person’s personality can be determined by totalling the answers for each choice; the higher number is the preference. The KTS-II combines these preferences to express personality partially in terms of one’s nature and a person is categorized into only one personality:^{19,20}

- Guardian [SJ] – security seeking
- Artisan [SP] – stimulation seeking
- Idealist [NF] – human potential or identity seeking
- Rational [NT] – knowledge seeking

We surveyed the Canadian medical student population over a 10-year period to determine the answer to the following central research question: Does the personality distribution of the Canadian medical school student population differ from the general Canadian population? As a sub-question, we also wanted to answer: Is the distribution of personalities the same for each school in Canada?

Methods

Setting and study design

Administrators at each of Canada's existing 17 medical schools were sent an invitation requesting the participation of their students in this study. If there was no response, they were contacted in subsequent years until the study was closed. Two schools (i.e., Memorial University of Newfoundland (MUN) and McGill University (McGill)) joined the study in its first year. With the exception of MUN, when schools joined the study, all current students were eligible to participate. At the inception of the study, one graduating class of students at MUN had completed the KTS-II as part of an annual workshop and were not included in the study. Ultimately, nine classes (i.e., group of students in a particular graduation year) from McGill and The University of Western Ontario (Western), eight classes from MUN, Dalhousie University (Dalhousie), and University of Toronto (Toronto), six classes from Université Laval (Laval), five classes from Université de Sherbrooke (Sherbrooke) and University of Alberta (Alberta), four classes from University of British Columbia (UBC), and three classes from University of Manitoba (Manitoba) were eligible to participate. We used a descriptive study design. This study was approved by the Human Investigations Committee at Memorial University of Newfoundland. Where required, participating schools completed internal review board applications.

Study protocol

The KTS-II was available online so it was accessible to all medical students.²⁰ With one exception,* administrators at participating medical schools sent the names of all enrolled medical students to the principal investigator. A unique access code for each student was developed by the principal investigator and these codes were sent to Keirse.com for entry into a database. The participating school supplied the year of program entry and gender for each student in all four years. The principal investigator annually notified all students (via email to each school's administrative staff person) that the survey

was available and volunteers were needed. Each volunteer received a unique access code to a webpage and completed the online KTS-II. Each student and the principal investigator received an individualized report of the personality assessment. Students were eligible to complete the survey only once and could complete it at any time during their undergraduate medical training.

Sample size and sampling methods

A convenience sampling method was used within the ten participating medical schools. Students self-selected to volunteer for the study. All medical students enrolled at a participating school were invited via email. Data from Sherbrooke (n = 48) were excluded[†] from all analyses as the method of student recruitment differed at that school. Using the sample size calculator from Creative Research Systems online²¹ the sample size needed is 3422 for a confidence level of 95%.

Outcome measures

The percentages of personalities were compared among nine participating Canadian medical schools and between Canadian medical students and the general Canadian population using data provided by the Keirse Team.²²

Data analysis

All the data are of the categorical type and were analyzed using SPSS, v.22.²³ The variables are nominal so not expected to follow a normal distribution; therefore, analyses of frequencies were done using non-parametric Chi-square tests. Tests of significance for schools were determined iteratively meaning that one or more schools were removed and a recalculation done to test the significance of those remaining.

Results

A total of ten out of the 17 Canadian medical school administrators accepted the invitation to participate accessing the majority of provinces with medical schools and, as described in Methods, data from one school were excluded. Over the course of the study, 8806 students from the remaining nine medical schools were eligible to participate. A response rate of 39% (n = 3435) was achieved.

* Throughout the years of participation by Sherbrooke the administrator gave students the opportunity to participate in the study by approaching the first year class as a whole. Members of the class were never offered another opportunity to participate outside of this one-time whole-group process.

Women comprised 56% of the overall eligible student population and accounted for 63% of the volunteer participants in this study. The response rate for men was 32% and for women was 45%.

Participants could complete the survey only once and were permitted to complete it in any one of the 4 years of medical school. The largest number of students completed it in first year [Year 1: n=1643, Year 2: n=783; Year 3: n=484; Year 4: n=525] (see Table 1). The distribution of personalities showed that the majority of medical students in every year were Guardians and Idealists [Year 1 – 83%, Year 2 – 83%, Year 3 – 83%, Year 4 – 84%] (see Table 2).

The distribution of the four Keirseley personalities for the Canadian medical students in this study was 57% Guardians [SJ], 26% Idealists [NF], 11% Artisans [SP], and 6% Rationals [NT]. When each school was examined on an individual basis, the distributions of personalities were similar to those of the weighted

average such that the majority of medical students at every participating Canadian medical school were Guardians (see Table 3). All schools were included in the first analysis giving $\chi^2=48.57$, $df=24$, $p<0.01$; Cramer's $V=0.069$, $p<0.002$. With both Laval and UBC removed for the second analysis, $\chi^2=16.53$, $df=18$, $p>0.05$; Cramer's $V=0.044$, $p<0.556$. Although the percent distributions of the four personalities at Laval and UBC significantly differed from the rest of the seven schools, all schools were found to have a similar frequency distribution for the four personalities (Guardian>Idealist>Artisan>Rational). Schools with high response rates showed the same frequency distribution as those with low response rates. The distribution of personalities observed in Canadian medical students differed significantly from that of the general Canadian population [$\chi^2=276.36$, $df=3$, $p<0.000$; Cramer's $V=0.008$, $p<0.000$] (see Figure 1).

Table 1. Demographics of each participating Canadian medical school

	Data for Grad Classes of:	Year 1 Participants N (%)	Year 2 Participants N (%)	Year 3 Participants N (%)	≥ Year 4 Participants #N (%)	Total Participants N (%)	Total Eligible N	Response Rate %
Alberta	2008-2012	120 (47)	62 (24)	26 (10)	46 (18)	254 (7)	695	37
Dalhousie	2005-2012	199 (58)	92 (27)	26 (8)	24 (7)	341 (10)	744	46
Laval	2007-2012	121 (35)	57 (16)	46 (13)	125 (36)	349 (10)	1217	29
Manitoba	2010-2012	0 (0)	25 (31)	22 (28)	33 (41)	80 (2)	319	25
McGill	2004-2012	349 (48)	198 (27)	133 (18)	49 (7)	729 (21)	1488	49
MUN	2005-2012	298 (86)	38 (11)	3 (1)	8 (2)	347 (10)	501	69
Toronto	2005-2012	218 (36)	137 (23)	119 (20)	132 (22)	606 (18)	1674	36
UBC	2009-2012	55 (21)	89 (34)	59 (22)	62 (23)	265 (8)	974	27
Western	2004-2012	283 (61)	85 (18)	50 (11)	46 (10)	464 (14)	1194	39
Total		1643 (48)	783 (23)	484 (14)	525 (15)	3435 (100)	8806	

Table 2. Distribution of personalities in each year of medical school

	Year 1 N (%)	Year 2 N (%)	Year 3 N (%)	≥Year 4 N (%)
Guardian (SJ)	905 (55)	448 (57)	279 (58)	320 (61)
Idealist (NF)	453 (28)	202 (26)	121 (25)	122 (23)
Artisan (SP)	165 (10)	94 (12)	63 (13)	62 (12)
Rational (NT)	120 (7)	39 (5)	21 (4)	21 (4)


Table 3: Percent distribution of personalities in each participating Canadian medical school

	Guardian [SJ] N (%)	Idealist [NF] N (%)	Artisan [SP] N (%)	Rational [NT] N (%)
Alberta	144 (57)	64 (25)	28 (11)	18 (7)
Dalhousie	187 (55)	96 (28)	41 (12)	17 (5)
Laval [†]	212 (61)	66 (19)	56 (16)	15 (4)
Manitoba	40 (50)	25 (31)	10 (13)	5 (6)
McGill	395 (54)	202 (28)	78 (11)	54 (7)
MUN	208 (60)	91 (26)	36 (10)	12 (4)
Toronto	353 (58)	162 (27)	55 (9)	36 (6)
UBC [†]	167 (63)	52 (20)	36 (14)	10 (4)
Western	246 (53)	140 (30)	44 (9)	34 (7)
Average[‡]	1952 (57)	898 (26)	384 (11)	201 (6)

[†] Using Chi square, significantly different from other schools overall

[‡] 'Weighted average' percentages rounded to nearest whole number

Figure 1. Distribution[†] of personalities in the Canadian general population[‡] compared to Canadian medical students



[†] Distribution of estimated Canadian general population (N ≈ 4,000,000) versus Canadian medical students measured in study (N = 3,435) differs significantly [$\chi^2=276.36$, $df=3$, $p<0.000$; Cramer's V=0.008, $p<0.000$].

[‡] Keirse estimates the Canadian population as follows: Artisans 20-25%; Guardians 50-55%; Idealists 18-22%; Rationals 4-6%. These estimates are based on their "...observations of a sample size of more than 4 million individuals from a wide range of industry backgrounds throughout Canada."²² The mid-points of the values provided through the Keirse Assessments were used for the statistical analysis of the differences in the distributions.

Discussion

Whether the personality traits of entering medical students have anything to do with the kinds of doctors being educated may be an interesting academic question, but for those medical students accepted into our programs, a better understanding of personalities within our medical schools and by students themselves may impact upon the creation of a professional identity that will assist them select a successful career path. The data in this study provide a foundation in understanding how the distribution of personalities in Canadian medical students might be used to facilitate the formation of professional identities and strategically guide students in career planning activities. These data may also be important in admissions and help guide human resource planning issues among specialty choices that are poorly subscribed by Canadian medical graduates.

The results of this study were gathered over a 10-year sampling window with data from 3,435 medical students from nine of Canada's 17 medical schools. They showed that the distribution of personalities was similar among the medical schools analyzed and that the distribution is different from that of the general Canadian public. We acknowledge that even though the Chi-square is significant for the latter, the Cramer V of .008 indicates that there is a low strength of association so there may be other variables contributing to the relationship.

Despite the study strengths, some limitations temper the application of its conclusions. In specific, medical students rather than medical school applicants were assessed. The convenience sampling method used resulted in a 39% overall participation rate and a greater percentage of women participants. A response bias related to the outcome of personality is another possible limitation of this study. This may have been a factor in those schools with a low response rate; perhaps a higher response rate would give a different distribution. Furthermore, we used a personality assessment tool that was easily accessible to students at the study outset and, in the interim, other personality indices became available.

Keirse proposes that different personalities are drawn to different careers: Guardians want to "contribute to society, and have a sense of security

and confidence in their abilities,” Artisans want “a life of action and freedom,” Idealists want “a life of meaning and to help themselves and others grow to be the best that they can be,” and Rationals want to “increase their knowledge base and be highly competent.”²⁰ Small-scale studies have been conducted in the health care professions, specifically nursing in Canada, dentistry in the UK, and pediatrics in the US, using the KTS. In nursing, Guardians (52%) and Idealists (19%) formed the majority; in addition, Guardians predominated in all areas of responsibility but Rationals were more prevalent in research/administration and Idealists more prevalent in direct care/teaching.¹⁶ In dentistry, Guardians (56%) and Idealists (27%) accounted for the majority of dental school applicants.¹⁷ In a small group of US pediatric residents, a similar distribution to ours was also reported with Guardians (60.7%) and Idealists (26.8%) in the majority and the distribution was significantly different from the general US population.¹⁸

Among medical schools in Australia, the distribution of personality traits differs from school to school.²⁴ In contrast, our data suggest that distributions of medical student personalities across all Canadian medical schools are similar. These differences could be explained by different societal and role-related pressures that are known to mould the identities of students that may vary between Canada and Australia.⁶ Alternatively, differences in the findings may be the result of the personality index used (NEO vs KTS-II) or it may be that the admissions criteria and desired educational outcomes among Australian medical schools may sufficiently differ, so that the personalities of those accepted are likely to reflect this diversity.²⁴ Whether the differences for Laval and UBC can be explained by cultural or admissions requirements is a matter for further study.

With respect to personalities, the majority of medical students at every participating Canadian school are Guardians [SJ]. Although Guardian is the most common personality in the Canadian general population, the apparent higher percentage found in medical school may suggest that Guardians are more attracted to the medical profession. Idealists [NF] rank second in the medical student population but rank third in the general Canadian population. Idealists may also be more attracted to the medical profession. The unexpected outcome is the apparent

low percentage of Artisans [SP] compared to the general Canadian population. This finding may suggest that either Artisans are not as attracted to the medical profession as other types or, if they are, they are not successful in being admitted into medical school in Canada. In this study, the personality distribution of the applicant pool is unknown, and therefore, the attractiveness of medical school related to personality is unknown. Factors such as admissions criteria or personality traits of interviewers may affect the personality distribution observed among medical students.^{1,2}

The recognition of the distribution of personalities among Canadian medical students may be required to develop appropriate approaches to professional identity formation and future studies may build on the results of this study. To illustrate, our data show that the majority (83%) of Canadian medical students are of two common types (by our testing, Guardians and Idealists). People prefer to associate with those who can support and foster them,²⁵ and role-modelling plays a part in professional identity formation.¹¹ As Rational and Artisan personalities are in the minority of medical students and, by extrapolation, in the minority among physicians, they may have fewer opportunities to observe physician role models who share their same values so they may be at a disadvantage in the development of their professional identities.

Although some question the use of personality assessments in career choice, others give evidence to support their usefulness.^{26,27} Studies continue to show that personality is related to a medical specialty choice²⁸ and some are now probing whether the development of professional identity influences specialty choice.¹²⁻¹⁴

The Canadian Graduation Questionnaire (CGQ) results from 2005 to 2014 indicate that students believe “best suited to my personality” ranks among the top two on the list of influencing factors, the other being “personal interest.”²⁹ These findings suggest that personality is an important consideration in specialty choice, and this study provides the first national data on the personalities of Canadian medical students. Given the aforementioned and that Canadian medical schools must provide guidance to students on their selection of electives and choice of residency,³⁰ personality

testing could become an important tool in the medical career decision-making process.

The principal investigator is currently examining how personality of medical students relates to specialty choice in Canada. It may be that students who demonstrate different characteristics on the KTS-II are attracted to certain specialties. In future, these types of studies might be expanded to determine the relationship of personality to the practice activities of doctors with respect to their roles in patient care, academia, scholarship and advocacy.

Conclusion

This study indicates that the distribution of personalities in the Canadian medical student population is different from that of the general Canadian population. In addition, the distribution of personalities observed in each participating school shows the same directional trend as the weighted national average for medical schools.

Acknowledgements: The authors wish to thank Keirse.com who agreed to provide an in-kind start-up grant to administer the KTS-II survey to Canadian medical students. With the addition of a CMA in-kind grant and MUN MedCAREERS in-kind grants, the study was completed.

We are especially grateful to Dr. Céline LeClerc (Université Laval) who collaborated with Keirse.com to edit the French version of the questionnaire and reports.

A special thank-you is extended to Ms. Kari Reitz (Woodside Priory School, San Francisco), who volunteered to assist with the initial analysis, and Dr. Veeresh Gadag (MUN Faculty of Medicine), who completed the statistical analyses.

We are very grateful to Dr. Carol Hodgson (University of Alberta) for her careful attention to and invaluable suggestions for revisions of the manuscript.

We would also like to thank the career counselling faculty and administrative staff at each participating school who notified students of the study and assisted with the Internal Review Board applications. The following is a list of individuals at each school whose assistance made this study possible:

Alberta	Dr. Verna Yiu, Tracey Sikorski, Priscilla Woodard, Marj Thompson
Dalhousie	Sharon Forward, Tracy Teed
Laval	Dr. Céline Leclerc, Marielle Lapointe, Nathalie Grondin, Johanne Lemieux
Manitoba	Dr. Cornelia van Ineveld, Dr. Leigh Fraser-Roberts, Sheila Smith
McGill	Dr. Stephen Liben, Dr. Pierre-Paul Tellier, Nicole D'Silva, Tamara Lutz, Janna Rosenstein, Andrea McDaniel, Elizabeth Lefebvre
Sherbrooke	Dr. Daniel Coté, Lise Casavant-Labbé, Nathalie Noël, Jocelyne Faucher, Isabelle Bérubé
Toronto	Dr. Rick Frecker, Dr. Jay Rosenfield, Judy Irvine
UBC	Dr. Trevor Corneil, Dr. Bruce Fleming, Victoria Lambert, Katya Leonardía, Shirley Yee, Jessica Otte
Western	Dr. Jim Silcox, Dr. Francis Chan, Dr. Michael J Rieder, Darla McNeil, Pamela Bere

Conflicts of interest: The authors report no conflicts of interest.

Funding: Funding was initially provided by a start-up grant from Keirse.com. The study continued with a grant from the Canadian Medical Association and annual contributions from the MUN MedCAREERS account.

References

1. Bezner JR, Boucher BK. The influence of personality type on decision making in the physical therapy admission process. *J of Allied Health*. 2001;30:83-91.
2. Wallick M, Cambre K, McClugage S. Does the admissions committee select medical students in its

- own image? *J Louisiana State Med Society*. 2000;152:393-7.
3. Hodgson CS, Teherani A, Gough, HG, et al. The relationship between measures of unprofessional behavior during medical school and indices on the California Psychological Inventory. *Academic Medicine*. 2007;82(10):S4-7.
 4. Bore M, Munro D, Powis D. A comprehensive model for the selection of medical students. *Medical Teacher*. 2009;31(12): 1066-72.
 5. McLarnon MJW, Rothstein MG, Goffin RD, et al. How important is personality in the selection of medical school students? *Personality and Individual Differences*. 2017;104:442-7.
 6. Goldie J. The formation of professional identity in medical students: Considerations for educators. *Medical Teacher*. 2012;34(9):e641-8.
 7. Cruess RL, Cruess SR, Boudreau JD, et al. Reframing medical education to support professional identity formation. *Academic Medicine*. 2014;89(11):1446-51.
 8. Cruess RL, Cruess SR, Boudreau JD, et al. A schematic representation of the professional identity formation and socialization of medical students and residents: a guide for medical educators. *Academic Medicine*. 2015;90(6):718-25.
 9. Wald HS, Anthony D, Hutchinson TA, Liben S, et al. Professional identity formation in medical education for humanistic, resilient physicians: pedagogic strategies for bridging theory to practice. *Academic Medicine*. 2015;90(6):753-60.
 10. Sharpless J, Baldwin N, Cook R, et al. The becoming: students' reflections on the process of professional identity formation in medical education. *Academic Medicine*. 2015; 90(6):713-17.
 11. Kenny N P, Mann KV, MacLeod H. Role modeling in physicians' professional formation: reconsidering an essential but untapped educational strategy. *Academic Medicine*. 2003;78(12):1203-10.
 12. Hojat M, Zuckerman M. Personality and specialty interest in medical students. *Medical Teacher*. 2008;30(4):400-6.
 13. Taber BJ, Hartung PJ, Borges NJ. Personality and values as predictors of medical specialty choice. *J Vocational Behavior*. 2011;78(2):202-9.
 14. White MT, Borges NJ, Geiger S. Perceptions of factors contributing to professional identity development and specialty choice: A survey of third- and fourth-year medical students. *Annals of Behavioral Science and Medical Education*. 2011;17(1):18-23.
 15. Walter, Bayat, Neurolinguistic programming: temperament and character types, *Student BMJ*, 2003;May 1;11.
 16. Morris DO. Personality types of dental school applicants. *European Journal of Dental Education*. 2000;4(3):100-7.
 17. McPhail, KJ. The nursing profession, personality types and leadership. *Leadership in Health Services*. 2002;15(1):7-10.
 18. Tuli SY, Thompson LA, Saliba H, et al. Pediatric residents' learning styles and temperaments and their relationships to standardized test scores. *J Grad Med Educ*. 2011;3(4):566-70.
 19. Keirsey D. 1998. Please Understand Me II, Temperament Character Intelligence. Prometheus Nemesis Book Company: Del Mar, CA, USA, pp. 17-204.
 20. Keirsey.com [Internet]. Available at: <https://www.keirsey.com> [Accessed November 25, 2017].
 21. Creative Research Systems [Internet]. Available at: <http://www.surveysystem.com/sscalc.htm#two> [Accessed November 25, 2017].
 22. Keirsey, personal email communication, August 25, 2017.
 23. IBM Corp. Released 2013. IBM SPSS Statistics for Windows, Version 22.0. Armonk, NY: IBM Corp.
 24. Wilson I, Griffin B, Lampe L, et al. Variation in personality traits of medical students between schools of medicine. *Medical Teacher*. 2013;35(11): 944-8.
 25. Swann WB. Identity negotiation: Where two roads meet. *J Personality Social Psychol*. 1987;53:1038-51.
 26. Morgeson FP, Campion MA, Dipboye RL, et al. Reconsidering the use of personality tests in personnel selection contexts. *Personnel Psychology*. 2007;60:683-729.
 27. Ones DS, Dilchert S, Viswesvaran C, et al. In support of personality assessment in organizational settings. *Personnel Psychology*. 2007;60:995-1027.
 28. Sievert M, Zwir I, Cloninger KM, et al. The influence of temperament and character profiles on specialty choice and well-being in residents. *PeerJ*. 2016;6:4.
 29. AAMC Medical School Canadian Graduation Questionnaire All Schools Report, 2008-2014 [Internet]. Available at: <https://www.aamc.org/data/cgq/allschoolsreports/> [Accessed November 25, 2017].

30. The Association of Faculties of Medicine of Canada. Committee on Accreditation of Canadian Medical Schools (CACMS) [Internet]. Available at:

<https://cacms-cafmc.ca/> [Accessed November 25, 2017].