

New records of biting midges of the genus *Culicoides* Latreille (Diptera: Ceratopogonidae) in Argentina

AYALA, Mahia M.^{1,2*} & MARINO, Pablo I.³

¹ Instituto de Biología Subtropical. Nodo Posadas (CONICET, UNaM). Facultad de Ciencias Exactas, Químicas y Naturales. UNaM. Félix de Azara 1552, Posadas, Misiones, Argentina.

*E-mail: ayalamahia@gmail.com

² Centro de Investigaciones Entomológicas CIE- PTMi. Ruta 12 Km 7 (3304) Miguel Lanús, Posadas, Misiones, Argentina.

³ División Entomología, Museo de La Plata. Paseo del Bosque s/n, 1900 La Plata, Argentina.

Received 01 - XI - 2017 | Accepted 18 - IV - 2018 | Published 28 - VI - 2018

<https://doi.org/10.25085/rsea.770205>

Nuevos registros de polvorines del género *Culicoides* Latreille (Diptera: Ceratopogonidae) en Argentina

RESUMEN. Se brinda un nuevo registro en Argentina de una especie del género *Culicoides* Latreille, *C. pifanoi* Ortiz, y también se incluyen los siguientes nuevos registros en la provincia de Misiones de *C. chacoensis* Spinelli & Wirth, *C. plaumanni* Spinelli y *C. willinki* Spinelli & Veggiani Aybar. El número de especies registradas formalmente y reconocidas para Argentina asciende actualmente a 44.

PALABRAS CLAVE. Argentina. Ceratopogonidae. Misiones. Nuevas citas. Polvorines.

ABSTRACT. A new record of a species of the genus *Culicoides* in Argentina, *C. pifanoi* Ortiz is presented, in addition to the following new records in Misiones province of *C. chacoensis* Spinelli & Wirth, *C. plaumanni* Spinelli and *C. willinki* Spinelli & Veggiani Aybar. The number of species formally recorded and properly recognized in Argentina to date reaches 44.

KEYWORDS. Argentina. Biting midges. Ceratopogonidae. Misiones. New records.

Borkent and Spinelli (2007) in their catalogue of the Neotropical species of biting midges (Ceratopogonidae) recorded 41 species of the genus *Culicoides* Latreille from Argentina. Since this publication, three species were incorporated to the Argentinean fauna due to a couple of papers dealing with taxonomic revisions and new citations (Felippe-Bauer et al., 2009; Spinelli et al., 2013). On the other hand, *Culicoides bachmanni* Spinelli was recognized as a junior synonym of *Culicoides horticola* Lutz (Felippe-Bauer & Spinelli, 2009).

The purpose of this note is to give the corologic information arisen during a recent survey of biting midges in the province of Misiones, in the framework of the work of the senior author. During the fieldwork, different species were collected, one of them not

previously detected in the country, as well as three others that represent new records of Misiones.

For each registered species, the abbreviated synonymy is presented: the original description and citations that include records in Argentina followed by its updated distribution. The studied specimens are slide-mounted in Canada balsam, and deposited in the collection of the División Entomología, Museo de La Plata (MLPA) and in the collection of the Centro de Investigaciones Entomológicas, Posadas (CIEP), as noted.

Culicoides chacoensis Spinelli & Wirth

Culicoides chacoensis Spinelli & Wirth, 1984: 174 (male, female; Argentina); Spinelli & Ronderos, 1991: 89 (record for Corrientes); Ronderos & Spinelli, 2002: 93

(records for Córdoba, Río Negro and Chubut); Muzón et al., 2005: 62 (records for Río Negro); Spinelli et al., 2005: 140, 144 (in key, wing photo); Spinelli et al., 2010: 130 (record for Chile).

Types. Holotype female, Argentina, Salta, Pocitos (MLPA, examined).

Distribution. Bolivia, Paraguay, Central Chile, Argentina (Salta: type locality; río Juramento y ruta nacional 9. Córdoba: La Serranita; Corrientes: Destacamento de Prefectura Paniagua, 10 km S Monte Caseros. Río Negro: Meseta del Somuncura, Estancia El Rincón, vertiente arroyo Valcheta, 620 m, 40° 59' 24,1" S; 66° 40' 35,7" W; Chipauquil, vertiente arroyo Valcheta, 40° 58' 25" S; 66° 39' 14,7" W, 630 m. Chubut: Sierra Cuadrada, Estancia Don Eduardo), Uruguay.

New record. Argentina, Misiones, Departamento Cainguás, Municipio Campo Grande, 27° 12' 28" S; 54° 58' 48" W, I-2015, M. Ayala, 1 female (MLPA).

***Culicoides plaumanni* Spinelli**

Culicoides plaumanni Spinelli in Spinelli et al., 1993: 69 (female; Argentina); Spinelli et al., 2005: 139, 143 (in key, wing photo).

Types. Holotype female, Argentina, Chaco, Parque Nacional El Chaco (MLPA, examined).

Distribution. Colombia, Peru, Bolivia, Brazil (Amazonas), Argentina (Chaco: type locality).

New records. Argentina, Misiones, Posadas, 27° 26' 11" S; 55° 53' 47,4" W, III-2013, M. Ayala, 3 females (CIEP); same data except VII-2013, 1 female, 1 male (CIEP); X-2013, 2 females (CIEP); XII-2013, 3 females (CIEP); Misiones, Departamento Cainguás, Municipio Campo Grande, 27° 12' 28" S; 54° 58' 48" W, V-2015, M. Ayala, 2 females (MLPA).

***Culicoides willinki* Spinelli & Veggiani Aybar**

Culicoides willinki Spinelli & Veggiani Aybar, in Spinelli et al., 2013: 587 (male, female; Argentina).

Types. Holotype female, Argentina, Tucumán, Monteros, Reserva provincial La Florida. HT M (IFML, examined).

Distribution. Argentina (Tucumán: type locality).

New records. Misiones, Departamento Cainguás, Municipio Campo Grande, 27° 12' 28" S; 54° 58' 48" W, III-2015, M. Ayala, 2 females (CIEP); same data except IV-2015, 8 females (6 in CIEP, 2 in MLPA).

***Culicoides pifanoi* Ortiz**

Culicoides pifanoi Ortiz, 1951: 588 (male, female; Venezuela); Spinelli et al., 2005: 139, 143, 149 (in key, wing photo; Paraguay).

Culicoides tricoloratus Wirth and Blanton, 1953: 233 (male, female; Panamá).

Types. Holotype female, Venezuela, Maracay, San Felipe (Instituto Nacional de Higiene, Caracas, Venezuela).

Distribution. Belize to Colombia, Ecuador, Venezuela, Trinidad, Brazil (Para, Bahia, and Rio de Janeiro),

Paraguay.

New record. Argentina, Misiones, Departamento Cainguás, Municipio Campo Grande, 27° 12' 28" S; 54° 58' 48" W, V-2015, M. Ayala, 1 female (MLPA).

Remarks. This is the first record of the species in Argentina.

ACKNOWLEDGEMENTS

This work was supported by Consejo Nacional de Investigaciones Científicas y Técnicas, CONICET. We gratefully acknowledge Dr. Gustavo R. Spinelli, for his critical review of the manuscript.

LITERATURE CITED

- Borkent, A., & Spinelli, G.R. (2007) Neotropical Ceratopogonidae (Diptera: Insecta). *Aquatic Biodiversity in Latin America*, Vol. 4 (eds. Adis, J., Arias, J.R., Rueda-Delgado, G., & Wantzen, K.M.), Pensoft, Sofia, Moscow.
- Felippe-Bauer, M.L., & Spinelli, G.R. (2009) New records, synonymy and description of the male of *Culicoides horticola* Lutz, 1913 (Diptera: Ceratopogonidae). *Biota Neotropica*, 9, 27-30.
- Felippe-Bauer, M.L., Pinto Damasceno, C., Py-Daniel, V., & Spinelli, G.R. (2009) *Culicoides baniwa* sp. nov. from the Brazilian Amazonia region with the synopsis of the *hylas* species group (Diptera: Ceratopogonidae). *Memorias del Instituto Oswaldo Cruz*, 104, 851-857.
- Muzón, J., Spinelli, G.R., Pessacq, P., Von Ellenrieder, N., Estevez, A.L., Marino, P.I., Pérez Goodwyn, P.J., Angrisano, E.B., Díaz, F., et al. (2005) Insectos acuáticos de la Meseta del Somuncura, Patagonia, Argentina. Inventario preliminar. *Revista de la Sociedad Entomológica Argentina*, 64, 47-67.
- Ortiz, I. (1951) Estudios en *Culicoides* (Diptera: Ceratopogonidae). 9. Sobre los caracteres diferenciales entre *Culicoides paraensis* (Goeldi, 1905), *C. stellifer* (Coquillett, 1901) y *C. lanei* (Ortiz, 1950). Descripción de cuatro nuevas especies con la redescrición de algunas otras poco conocidas. *Revista de Sanidad y Asistencia Social*, 16, 573-591.
- Ronderos, M.M., & Spinelli, G.R. (2002) Los *Culicoides* de la Argentina: clave de especies y nuevos registros (Diptera: Ceratopogonidae). *Actualizaciones en Arthropodología Sanitaria Argentina, Serie Enfermedades Transmisibles, Pub. Monogr. N° 2.* (ed. Salomón, O.D.), Fundación Mundo Sano, Buenos Aires. pp 89-95.
- Spinelli, G.R., & Ronderos, M.M. (1991) Los polvorines del género *Culicoides* en áreas de influencia de la Represa de Salto Grande (Diptera: Ceratopogonidae). *Neotropica*, 37, 1-12.
- Spinelli, G.R., & Wirth, W.W. (1984) Ocho especies nuevas del género *Culicoides* Latreille de la región Neotropical. Primera descripción del macho de *C. flinti* Wirth, y de la hembra de *C. lenti* Tavares y Luna Dias (Diptera: Ceratopogonidae). *Revista de la Sociedad Entomológica Argentina*, 43, 171-185.
- Spinelli, G.R., Greiner, E.C., & Wirth, W.W. (1993) The Neotropical bloodsucking midges of the *Culicoides guttatus* group of the subgenus *Hoffmania* (Diptera: Ceratopogonidae). *Contributions of the American Entomological Institute*, 27, 1-91.

- Spinelli, G.R., Ronderos, M.M., Díaz, F., & Marino, P.I. (2005) The bloodsucking biting midges of Argentina (Diptera: Ceratopogonidae). *Memorias del Instituto Oswaldo Cruz*, **100**, 137-150.
- Spinelli, G.R., Marino, P.I., & Gaddi, A.L. (2010) New records of biting midges from Argentina and Chile (Diptera: Ceratopogonidae). *Revista de la Sociedad Entomológica Argentina*, **69**, 127-132.
- Spinelli, G.R., Veggiani Aybar, C., Dantur Juri, M.J., Lizarralde De Grosso, M., & Marino, P.I. (2013) Two new species and new records of biting midges of the genus *Culicoides* from northwestern Argentina. *Memorias del Instituto Oswaldo Cruz*, **108**, 586-589.
- Wirth, W.W., & Blanton, F.S. (1953) Studies in Panama *Culicoides* (Diptera, Heleidae). II.- Descriptions of six additional new species. *Journal of Parasitology*, **39**, 229-236.