

1984

Field Symptom-Response of Sorghum Hybrids Infected by Maize Dwarf Mosaic Virus

Dallas Lynn Seifers

Kenneth D. Kofoid

Follow this and additional works at: <https://newprairiepress.org/kaesrr>

Recommended Citation

Seifers, Dallas Lynn and Kofoid, Kenneth D. (1984) "Field Symptom-Response of Sorghum Hybrids Infected by Maize Dwarf Mosaic Virus," *Kansas Agricultural Experiment Station Research Reports*: Vol. 0: Iss. 12. <https://doi.org/10.4148/2378-5977.7285>

This report is brought to you for free and open access by New Prairie Press. It has been accepted for inclusion in Kansas Agricultural Experiment Station Research Reports by an authorized administrator of New Prairie Press. Copyright 1984 Kansas State University Agricultural Experiment Station and Cooperative Extension Service. Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. Brand names appearing in this publication are for product identification purposes only. No endorsement is intended, nor is criticism implied of similar products not mentioned. K-State Research and Extension is an equal opportunity provider and employer.



Field Symptom-Response of Sorghum Hybrids Infected by Maize Dwarf Mosaic Virus


Keywords

Keeping up with research; 79 (June 1984); Kansas Agricultural Experiment Station contribution; no. 84-425-S; Sorghum hybrids; Field symptom-response; Maize dwarf mosaic virus; Sugarcane mosaic virus strain MDMV-B; Johnsongrass mosaic virus

Creative Commons License



This work is licensed under a [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/).



Keeping
Up With
Research

110

May 1995

**FIELD SYMPTOM-RESPONSE
OF SORGHUM HYBRIDS
INFECTED BY MAIZE DWARF
MOSAIC VIRUS**

D.L. Seifers and K.D. Kofoid*

Sorghum (*Sorghum bicolor* (L.) Moench) that is infected by maize dwarf mosaic virus (MDMV) expresses different symptoms depending on plant genotype and temperature. Infection causes a yellow to dark green pattern (mosaic), and a necrotic reaction (red-leaf) develops on certain genotypes when the temperature drops below approximately 21 °C (69°F). Hybrids expressing the red-leaf symptom show a greater reduction in yield. Immunity to MDMV is not present in commercially available hybrid sorghums.

Procedures

Studies were conducted at the Kansas State University Agricultural Research Center-Hays to determine symptom response of sorghum hybrids infected by MDMV under field conditions (2 years of testing). Sorghum seed was planted in 6.1 m rows. When at the two- to three-leaf stage, plants in half of each row were inoculated, and plants in the remaining half of the row served as healthy controls. Plants were inoculated with a Devilbiss EGA-502 spray gun attached to a 3.5 L (1 gal) inoculum reservoir. Compressor line pressure was maintained at 7.0 kg/cm² (100 lbs/h²). Symptom notes were recorded at biweekly intervals during the growing

AGRICULTURAL EXPERIMENT STATION

Kansas State University, Manhattan
Marc A. Johnson, Director

season beginning 2 weeks after inoculation. Planting was delayed until late June to assure cool temperatures for induction of red-leaf necrosis.

Results

Field symptoms of hybrids are shown in Table 1. Symptoms of the sorghums to infection are given as M=mosaic reaction with no necrosis, NSp=necrotic spots (least severe RL reaction), NS=necrotic streaks often coalescing to form large irregularly shaped necrotic areas on the leaf, and RL=entire leaf necrotic (most severe necrotic reaction). Data so far indicate that sorghum hybrids having the M reaction suffer less yield loss than plants developing necrosis (RL types).

Acknowledgements

This research was funded partially by a grant from the Kansas Sorghum Commission. We thank Jeff Ackerman, Wayne Aschwege, and Clayton Seaman for their assistance in conducting this research.

Note: Trade names are used to identify products. No endorsement is intended, nor is any criticism implied of similar products not mentioned.

* Plant pathologist and sorghum breeder, respectively, KSU Agricultural Research Center-Hays, 1232 240th Ave., Hays, KS 67601-9228.

Table 1. Field Symptom-Response of Sorghum Hybrids to Infection by Maize Dwarf Mosaic Virus

Brand	Hybrid	Symptom Response
Agrigene	AG2470W	NS
Agrigene	AG2505	M
Agrigene	AG2725	M
Agripro	AP 9250	RS
Agripro	AP 9830	RS
Agripro	AP 9850	M
Agripro	ST 686	M
Agripro	ST D701G	M
Asgrow	A504	M
Asgrow	Madera	M
Asgrow	Osage	M
Asgrow	Seneca	M
Asgrow	Topaz	M
Cargill	1099	M
Cargill	575	NS
Cargill	607E	M
Cargill	618Y	M
Cargill	630	NS
Cargill	837	M
Cargill	847	M
Casterline	SR 305	M
Casterline	SR 314EC	M
Casterline	SR 315E	M
Casterline	SR 319E	M
Casterline	SR 324E	M
Dekalb	DK-39Y	M
Dekalb	DK-40Y	M
Dekalb	DK-41Y	M
Dekalb	DK-48	M
Dekalb	DK-56	M
Dekalb	DK-66	M
Dekalb	M-572	M
Delange	DSA 117	M
Delange	DSA 121	M
Delange	DSA 131	M
Delange	DSA 141C	NS
Delange	DSA 922	M
Deltapine	1506	M
Deltapine	G-1492	M
Deltapine	G-1616	NS
Deltapine	G-1655	M
Deltapine	G-550E	M
DyNA	DN 31	M
Fontanelle	5550	M
Fontanelle	5590	M
Fontanelle	W 5000	NS
Garrison	SG-651	M
Garrison	SG-821	NS
Garrison	SG-942	M
Garst	5319	M
Garst	5392	M
Garst	5503	M
Garst	5511	M

Brand	Hybrid	Symptom Response
Garst	5522Y	NS
Garst	5681	NS
Golden Acres	T-E 76	M
Golden Acres	T-E 77-E	M
Golden Acres	T-E Dinero	M
Golden Acres	T-E Eden	M
Golden Acres	T-E Rio	M
Golden Acres	T-E Wahoo	M
Golden Acres	T-E Y-60	NS
Golden Acres	T-E Y-75	M
Golden Acres	T-E Y-101G	M
Golden Harvest	H-388W	NS
Golden Harvest	H-444W	M
Golden Harvest	H-514B	M
Golden Harvest	H-515E	M
GRI	890111	RL
Groagri	GSC 1214	NS
Groagri	GSC 1313	M
Groagri	GSC 3146	M
Groagri	GSC 3148	M
Groagri	GSC 3150	M
Groagri	GSC 3159	M
Groagri	GSC 3605	M
Hoegemeyer	6636	M
Hoegemeyer	671	RL
Hoegemeyer	6744	RL
Hoegemeyer	6878	M
Hoegemeyer	688	M
Horizon	200Y	NS
Horizon	213Y	NS
Horizon	216G	M
Horizon	76G	M
Hyperformer	1255 DR	M
Hyperformer	Honcho	M
Hyperformer	HSC 1289C	M
Hyperformer	HSC Cherokee	M
Jacques	211	M
Jacques	377-W	NS
Jacques	411	M
Jacques	606E	M
NC+	270	M
NC+	371	NS
NC+	472	NS
NC+	7B81	NS
NC+	7C49	NS
NC+	Y363	M
Northrup-King	2656	M
Northrup-King	KS-383Y	M
Northrup-King	KS-555Y	NS
Northrup-King	KS-710	M
Northrup-King	KS-714Y	NS
Northrup-King	KS-737	M
Northrup-King	S-9740Y	NS
Northrup-King	S 9750	M
Ohlde	120C	NS
Ohlde	134	M

Brand	Hybrid	Symptom Response
Ohlde	139A	M
Ohlde	140W	NS
Ohlde	246y	M
Oro	Alpha	M
Oro	Amigo	M
Oro	Baron	M
Oro	Edge	M
Oro	G XTRA	M
Oro	Hombre	M
Oro	Ivory	NS
Oro	Ultra	M
Pioneer	8231Y	M
Pioneer	8260	NS
Pioneer	8358	NSp
Pioneer	8379	NS
Pioneer	8500	M
Pioneer	8536Y	M
Pioneer	8557Y	M
Pioneer	8601	M
Pioneer	8696Y	M
Pioneer	8699	RL
Pioneer	8771	M
SSI	SBPO01	M
SSI	SBPO05	M
SSI	SBPO11	M
Stine	SM 68 BR	M
Stine	SM 69	M
Stine	SM 74	M
Stine	SM 75R	M
Terra	TR 4580	M
Terra	TR 4620	M
Terra	TR 4637Y	RL
Triumph	TR 46	M
Triumph	TR 50yG	M
Triumph	TR 58Y	M
Triumph	TR 60-G	M
Triumph	TR 65-G+	NSp
Triumph	TR 74CR	NS
Triumph	TWO 64yG	M
Triumph	TWO 80-D	M
Warner	W-624-Y	M
Warner	W-625-Y	M
Warner	W-902-W	M
Warner	W-917-E	M
Wilson	515W	NS
Wilson	522W	NS
Wilson	535Y	M
Wilson	622E	M

Contribution no. **95-473-S** from the KAES.



Agricultural Experiment Station
Kansas State University
Manhattan 66506-4008

SRL 110

May 1995

Kansas State University is committed to a policy of nondiscrimination on the basis of race, sex, national origin, disability, religion, age, sexual orientation, or other nonmerit reasons, in admissions, educational programs or activities, and employment (including employment of disabled veterans and veterans of the Vietnam Era), all as required by applicable laws and regulations. Responsibility for coordination of compliance efforts and receipt of inquiries, including those concerning Title IX of the Education Amendments of 1972, Section 504 of the Rehabilitation Act of 1973, and the Americans with Disabilities Act, has been delegated to Jane D. Rowlett, Ph.D., Director of Unclassified Affairs and University Compliance, Kansas State University, 111 Anderson Hall, Manhattan, KS 66506-0124 (913-532-4392).