


**RETRIEVING EXAMINATION RESULTS THROUGH
WIRELESS APPLICATION PROTOCOL**

View metadata, citation and similar papers at core.ac.uk

brought to you by  **CORE**

provided by Universiti Utara Malaysia: UUM eTheses

MOHD NIZAM HUSEN

UNIVERSITI UTARA MALAYSIA (2006)

RETRIEVING EXAMINATION RESULTS THROUGH WIRELESS APPLICATION PROTOCOL

A thesis submitted to the Faculty of Information Technology in partial
fulfillment of the requirements for the degree Master of Science (Information
Technology), Universiti Utara Malaysia.

By

Mohd Nizam Husen

© Mohd Nizam Husen, 2006. All rights reserved.



PUSAT PENGAJIAN SISWAZAH
(Centre For Graduate Studies)
Universiti Utara Malaysia

PERAKUAN KERJA KERTAS PROJEK
(Certificate of Project Paper)

Saya, yang bertandatangan, memperakukan bahawa
(I, the undersigned, certify that)

MOHD NIZAM BIN HUSEN

calon untuk Ijazah
(candidate for the degree of) **MSc. (Information Technology)**

telah mengemukakan kertas projek yang bertajuk
(has presented his/her project paper of the following title)


**RETRIEVING EXAMINATION RESULTS THROUGH WIRELESS APPLICATION
PROTOCOL**

seperti yang tercatat di muka surat tajuk dan kulit kertas projek
(as it appears on the title page and front cover of project paper)

bahawa kertas projek tersebut boleh diterima dari segi bentuk serta kandungan
dan meliputi bidang ilmu dengan memuaskan.
*(that the project paper acceptable in form and content, and that a satisfactory
knowledge of the field is covered by the project paper).*

Nama Penyelia Utama
(Name of Main Supervisor): **Associate Professor Dr. Wan Rozaini Sheik Osman**

Tandatangan
(Signature)

: 

Tarikh
(Date)

: 4/12/06

PERMISSION TO USE

In presenting this thesis in partial fulfillment of the requirements for the postgraduate degree from Universiti Utara Malaysia, I agree that University Library may make it freely available for inspection. I further agree that permission for copying of this thesis in any manner, in whole or in part, for scholarly purpose may be granted by my supervisor or, in their absence by the Dean of the Graduate School. It is understood that any copying or publication or use of this thesis or parts thereof for financial gain shall not be allowed without my written permission. It is also understood that due recognition shall be given to me and to Universiti Utara Malaysia for any scholarly use which may be made of any material from my thesis.

Request for permission to copy or to make other use of materials in this thesis, in whole or in part, should be addressed to:

**Dean of Faculty of Information Technology
Universiti Utara Malaysia
06010 UUM Sintok
Kedah Darul Aman**

ABSTRAK

Setiap pelajar yang mengambil peperiksaan pasti ingin mengetahui keputusan peperiksaan mereka secepat ia boleh diperolehi. Penggunaan telefon bimbit yang meluas dikalangan mahasiswa di institusi pengajian tinggi membolehkan telefon bimbit dieksploitasikan sebagai medium untuk mendapatkan keputusan peperiksaan. Kajian ini menerangkan keseluruhan proses bagi membolehkan mahasiswa-mahasiswa mendapatkan keputusan peperiksaan mereka dengan menggunakan telefon bimbit melalui *Wireless Application Protocol (WAP)*. Proses-proses tersebut adalah membangunkan *requirement model*, pembangunan prototaip dan *usability testing*. Objektif kajian ini adalah untuk membangunkan model keperluan bagi aplikasi web *mobile* dalam mendapatkan keputusan peperiksaan menggunakan teknologi WAP; dan untuk menilai prototaip yang telah dibangunkan menggunakan teknik *usability testing*. Aplikasi yang dibangunkan adalah dicadang untuk kegunaan mahasiswa-mahasiswa Malaysian Institute of Information Technology, Universiti Kuala Lumpur (MIIT UniKL). Metodologi yang digunakan dalam kajian ini ialah Rational Unified Process (RUP) dan teknik yang digunakan semasa *usability testing* ialah *think aloud protocol* dan temuduga. Berdasarkan *usability testing* yang telah dijalankan di dalam kajian ini, aplikasi WAP bagi mendapatkan keputusan peperiksaan ini adalah efektif dan mudah digunakan dan patut di implementasikan di MIIT UniKL.

ABSTRACT

Students who are taking examinations in any learning institution would like to know their results as soon as it is available. The widely used of mobile phone among students in higher learning institution could be exploited as a medium for retrieving the examination results. They may retrieve the results anytime and anywhere through their mobile device by activating General Packet Radio Service (GPRS) or using Wireless Fidelity (WiFi) technology. This paper presents the whole process for the development of a Mobile Web Application to retrieve examination results using mobile devices through Wireless Application Protocol (WAP). The process includes developing requirement model, prototype construction and usability testing. The objectives of the study are to develop the requirement models of a mobile web application in retrieval of examination results using WAP technology; and to evaluate the prototype using usability testing. The application is proposed for the usage of the students in Malaysian Institute of Information Technology, Universiti Kuala Lumpur (MIIT UniKL). The methodology that has been used is Rational Unified Process (RUP) and the techniques used for usability testing are think aloud protocol and semi-structured interviews. The usability testing that has been conducted in this research revealed that the WAP application in retrieval of examination results is effective, easy to use, well-accepted by students and should be implemented for MIIT UniKL.

ACKNOWLEDGEMENT

Praise and thankful be to Allah the Almighty for giving me courage, ideas, patience, ability, and strength to complete this project.

My utmost appreciation to my supervisor, Associate Professor Dr. Wan Rozaini Sheik Osman for guiding the research presented in this thesis. Her guidance and inventive ideas have been enormous help throughout the completion of this project. She has been a constant source of motivation and encouragement. I appreciate and thank her for her continuous support, for being always accessible and for providing invaluable feedback on my work. Her encouragement helped shape the direction of my work. I do believe that without her kind guidance, the project might not complete as it is intended to be.

I would also like to own the favor to thank my beloved parents and family. My parents, Husen bin Hj Mohamed Nor and Rabiah bt Hj Jaafar; and my wife Zahrah bt Yahya who never stop giving me supports, love, prayers, and always been there for me.

My warm thanks also goes to friends, colleagues, superiors, students and everyone who involved directly or indirectly in this project. Your support, encouragement, collaboration and fruitful interactions help me a lot to complete the study.

TABLE OF CONTENTS

| | |
|--|----------|
| PERMISSION TO USE | i |
| ABSTRAK | ii |
| ABSTRACT | iii |
| ACKNOWLEDGEMENT | iv |
| TABLE OF CONTENTS | v |
| LIST OF FIGURES | viii |
| LIST OF TABLES | xi |
| LIST OF ABBREVIATIONS | xii |
| | |
| CHAPTER 1: INTRODUCTION | 1 |
| 1.1 Overview | 2 |
| 1.2 Problem Statement | 3 |
| 1.3 Objectives of Study | 3 |
| 1.4 Scope of Study | 4 |
| 1.5 Significance of Study | 4 |
| 1.6 Organization of the Report | 5 |
| | |
| CHAPTER 2: LITERATURE REVIEW | 7 |
| 2.1 What is WAP? | 8 |
| 2.2 History of WAP | 9 |
| 2.3 WAP Network Architecture | 10 |
| 2.4 Why WAP? | 11 |
| 2.5 Mobile Phone Subscribers in Malaysia | 12 |
| 2.6 WAP Adoption | 14 |
| 2.7 Usability Testing | 17 |

| | |
|---|-----------|
| CHAPTER 3: RESEARCH METHODOLOGY | 19 |
| 3.1 Introduction | 20 |
| 3.2 Rational Unified Process | 22 |
| 3.3 Usability Testing | 26 |
| | |
| CHAPTER 4: FINDINGS | 28 |
| 4.1 Requirement Model | 30 |
| 4.1.1. Rational Rose Enterprise Edition | 30 |
| 4.1.2. Unified Modeling Language (UML) | 31 |
| 4.1.3. The General Architecture Design | 31 |
| 4.1.4. The UML Diagram | 33 |
| A. Business Use Case Model | 34 |
| B. Use Case Diagram | 34 |
| C. Activity Diagram | 42 |
| D. Sequence Diagram | 46 |
| E. Communication Diagram | 52 |
| F. Class Diagram | 55 |
| 4.2 Prototype Development | 57 |
| 4.2.1. Wireless Markup Language | 57 |
| 4.2.2. Wireless Markup Language Script | 59 |
| 4.2.3. Development Tools | 61 |
| 4.2.3.1. WAPDrive WAPtor | 61 |
| 4.2.3.2. Microsoft Mobile Explorer Emulator | 62 |
| 4.2.3.3. Nokia Mobile Browser Simulator | 63 |
| 4.2.3.4. Openwave | 64 |

| | | |
|--|---|-----------|
| 4.2.4. | Preview of the Prototype | 65 |
| 4.2.4.1. | Retrieve Examination Results by Matric Number | 65 |
| 4.2.4.2. | Retrieve Examination Results by IC Number | 69 |
| 4.2.4.3. | Preview Help | 72 |
| 4.3 | Usability Testing | 73 |
| 4.3.1. | Who are the Respondents? | 73 |
| 4.3.2. | Why the Respondents are Chosen? | 74 |
| 4.3.3. | How the Respondents are Chosen? | 75 |
| 4.3.4. | Usability Testing Setup | 76 |
| 4.3.5. | Usability Testing Implementation | 77 |
| 4.3.6. | Usability Testing Results | 80 |
| 4.4 | Analysis of Results | 82 |
| CHAPTER 5: CONCLUSION AND RECOMMENDATIONS | | 85 |
| 5.1 | Conclusion | 86 |
| 5.2 | Limitations | 87 |
| 5.3 | Recommendations | 88 |
| REFERENCES | | 89 |
| APPENDICES | | |
| APPENDIX A: | WML File (mResults.wml) | 95 |
| APPENDIX B: | WMLS Script File (mResultsScript.wmls) | 102 |
| APPENDIX C: | Benchmark Tasks for Usability Testing | 105 |
| APPENDIX D: | Detail Usability Testing Results | 106 |
| APPENDIX E: | Questions for Interview Session | 113 |
| APPENDIX F: | Usability Testing Images | 114 |

LIST OF FIGURES

| | | |
|--------------------|---|----|
| Figure 2-1 | Wireless Application Protocol Layers | 8 |
| Figure 2-2 | WAP Network Architecture | 11 |
| Figure 2-3 | Cellular Phones in Malaysia | 12 |
| Figure 2-4 | Cellular Phone Penetration Rate in Malaysia | 13 |
| Figure 2-5 | Mobile Phone Subscribers in Malaysia by Age Category | 14 |
| Figure 3-1 | RUP Phases with Core Disciplines | 22 |
| Figure 3-2 | RUP with Process Components and Artifacts | 23 |
| Figure 4-1 | The General Architecture Design of m-Results | 32 |
| Figure 4-2 | Business Use Case Model | 34 |
| Figure 4-3 | Use Case Diagram | 35 |
| Figure 4-4 | Use Case Description for Retrieve Results by Matric Number | 36 |
| Figure 4-5 | Use Case Description for Retrieve Results by IC Number | 38 |
| Figure 4-6 | Use Case Description for Preview Help | 40 |
| Figure 4-7 | Activity Diagram for Retrieve Results by Matric Number | 43 |
| Figure 4-8 | Activity Diagram for Retrieve Results by IC Number | 44 |
| Figure 4-9 | Activity Diagram for Preview Help | 45 |
| Figure 4-10 | Sequence Diagram for Retrieve Results by Matric Number (Best Case Scenario) | 47 |
| Figure 4-11 | Sequence Diagram for Retrieve Results by Matric Number (Failure Case Scenario) | 48 |
| Figure 4-12 | Sequence Diagram for Retrieve Results by IC Number (Best Case Scenario) | 49 |
| Figure 4-13 | Sequence Diagram for Retrieve Results by IC Number (Failure Case Scenario) | 50 |

| | | |
|--------------------|---|----|
| Figure 4-14 | Sequence Diagram for Preview Help (Best Case Scenario) | 51 |
| Figure 4-15 | Communication Diagram for Retrieve Results by Matric Number (Best Case Scenario) | 52 |
| Figure 4-16 | Communication Diagram for Retrieve Results by Matric Number (Failure Case Scenario) | 53 |
| Figure 4-17 | Communication Diagram for Retrieve Results by IC Number (Best Case Scenario) | 53 |
| Figure 4-18 | Communication Diagram for Retrieve Results by IC Number (Failure Case Scenario) | 54 |
| Figure 4-19 | Communication Diagram for Preview Help | 54 |
| Figure 4-20 | Class Diagram | 56 |
| Figure 4-21 | WAPDrive WAPtor Interface | 61 |
| Figure 4-22 | Microsoft Mobile Emulator Interface | 62 |
| Figure 4-23 | Nokia Mobile Browser Interface | 63 |
| Figure 4-24 | Openwave Interface | 64 |
| Figure 4-25 | Welcome Screen | 65 |
| Figure 4-26 | Select Input Screen | 65 |
| Figure 4-27 | Input by Matric Number Screen (blank) | 66 |
| Figure 4-28 | Key-in Matric Number Screen | 66 |
| Figure 4-29 | Input by Matric Number Screen (after Matric No. entered) | 66 |
| Figure 4-30 | Key-in Password Screen | 66 |
| Figure 4-31 | Input by Matric Number Screen (after Password. entered) | 67 |
| Figure 4-32 | Results Screen | 67 |
| Figure 4-33 | Detail Results Screen | 67 |
| Figure 4-34 | Not Found Screen | 67 |
| Figure 4-35 | Credit Screen | 68 |
| Figure 4-36 | Thank You Screen | 68 |

| | | |
|--------------------|---|----|
| Figure 4-37 | Welcome Screen | 69 |
| Figure 4-38 | Select Input Screen | 69 |
| Figure 4-39 | Input by IC Number Screen (blank) | 69 |
| Figure 4-40 | Key-in IC Number Screen | 69 |
| Figure 4-41 | Input by IC Number Screen (after IC No. entered) | 70 |
| Figure 4-42 | Key-in Password Screen | 70 |
| Figure 4-43 | Input by IC Number Screen (after Password. entered) | 70 |
| Figure 4-44 | Results Screen | 70 |
| Figure 4-45 | Detail Results Screen | 71 |
| Figure 4-46 | Not Found Screen | 71 |
| Figure 4-47 | Credit Screen | 71 |
| Figure 4-48 | Thank You Screen | 71 |
| Figure 4-49 | Help Screen 1 | 72 |
| Figure 4-50 | Help Screen 2 | 72 |
| Figure 4-51 | Help Screen 3 | 72 |
| Figure 4-52 | Help Screen 4 | 72 |
| Figure 4-53 | Usability Testing Setup | 76 |

LIST OF TABLES

| | | |
|------------------|---|----|
| Table 3-1 | List of Software Utilization during Construction | 25 |
| Table 4-1 | Use Case Description | 35 |
| Table 4-2 | Benchmark Tasks | 78 |
| Table 4-3 | Benchmark Tasks Completion Time | 80 |
| Table 4-4 | Completion Time with Mean and Standard Deviation | 82 |
| Table 4-5 | Performance Score Summaries | 83 |
| Table 4-6 | User Preferred Choice of Retrieving Examination Results | 84 |
| Table 4-7 | User Overall Perception towards the Application | 84 |

LIST OF ABBREVIATIONS

| | |
|--------------|--|
| BIT | Bachelor of Information Technology |
| CGPA | Cumulative Grade Point Average |
| GPA | Grade Point Average |
| GPRS | General Packet Radio Service |
| IC | Identity Card |
| ICT | Information Communication Technology |
| MARA | Majlis Amanah Rakyat |
| MCMC | Malaysian Communications and Multimedia Commission |
| MIIT | Malaysian Institute of Information Technology |
| PDA | Personal Digital Assistant |
| RUP | Rational Unified Process |
| UML | Unified Modeling Language |
| UniKL | Universiti Kuala Lumpur |
| URL | Uniform Resource Locator |
| WAP | Wireless Application Protocol |
| WiFi | Wireless Fidelity |
| WML | Wireless Markup Language |
| WMLS | Wireless Markup Language Script |

CHAPTER ONE

INTRODUCTION

This chapter presents the main idea of the study which is the process of retrieving examination results using mobile devices through Wireless Application Protocol. It provides an overview of how important examination results to the students, how mobile device can be used to retrieve examination results and the technology involved, and where this research study has been conducted. In addition, this chapter also discusses problem statement, objectives, scope, and the significance of the study.

The contents of
the thesis is for
internal user
only

REFERENCES

- Agrawal, D. P., & Zeng, Q. A. (2003). *Introduction to Wireless and Mobile Systems*. Brooks/Cole Publishing, Pacific Grove, California.
- Astro All Asia Networks (2005). Astro WAP Services. Retrieved October 7, 2006 from http://www.astro.com.my/v5/mobile_downloads/wap.asp
- Bennet, S., McRobb, S., & Farmer, R. (2002). *Object Oriented System Analysis And Design Using UML* (2nd ed.) McGraw-Hill Education: Backshire.
- Booch, G., Rumbaugh, J., & Jacobson, I. (2005). *The Unified Modeling Language, Second Edition*. Addison-Wesley.
- Buchanan, G., Marsden, G., & Pazzani, M. (2001). Improving Mobile Internet Usability. *Proceedings of the 10th International Conference on World Wide Web*.
- Ceska, T., Kuhlins, S., & Nosekabel, H. (2006). Evaluation of Wireless Usability with a Java Software Agent. *Proceedings of the 8th International Conference of Advanced Communication Technology*, Vol. 1.
- Colafigi, C., Inverard, P. & Martricciani, R. (2001). InfoParc: An Experience in Designing an Information System Accessible through the Web and WAP Interfaces. *Proceedings of the 34th Hawaii International Conference on System Science*, Los Alamitos, CA. IEEE Computer Society Press.
- Dublin City University (2005). DCU News – Exam Results at Your Fingertips. Retrieved May 22, 2006 from <http://www.dcu.ie/alumni/magazine/news.html>

- ISO 9241 International Standard (1998). *Ergonomic Requirements for Office Work with Visual Display Terminals*. International Organization for Standardization, Geneva, Switzerland.
- Jacobson, I., Booch, G., & Rumbaugh, J. (1999). *The Unified Software Development Process*, Reading, MA: Addison-Wesley, ACM Press.
- Jokela, T. (2000). Modeling Usability Capability – Introducing the Dimensions, *Proceeding of 2nd International Conference of Product Focused Software Process Improvement, Lecture Notes in Computing Science 1840*, Springer, Pp. 73-87
- Kaikkonen, A., & Roto, V. (2003). Navigating in a Mobile XHTML Application. *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*.
- Kuhn, T. (1996). *The Structure of Scientific Revolutions*. Chicago, University of Chicago Press.
- Kruchten, P. (2003). *The Rational Unified Process, An Introduction, Third Edition*. Addison-Wesley.
- Leavitt, N. (2000). Will WAP Deliver the Wireless Internet, *IEEE Transactions on Computer*. Vol. 33 Issue.5, pp. 2137-2141
- Malaysian Communications and Multimedia Commission (2005). Hand Phone Users Survey 2005. Retrieved May 19, 2006 from http://www.mcmc.gov.my/facts_figures/stats/pdf/HpUsersSurvey2005.pdf
- Malaysian Communications and Multimedia Commission (2006). Facts & Figures, Statistics & Records. Retrieved May 19, 2006 from http://www.mcmc.gov.my/facts_figures/stats/index.asp
- March, S. & Smith, G. (1995). *Design and Natural Science Research on Information*

Technology. *Decision Support Systems* 15.

Mobile Data Association (2004), Market Analysis. Retrieved May 19, 2006 from http://www.mda-mobiledata.org/mda/members_area/

Mohamad Al-Bashir, S. O., & Ahmad Hisham, Z. A. (2006). The Enhancement of Putra LRT Information Services: The Usability Testing of Mobile Putra LRT. *Masters Thesis of MSc. IT Universiti Utara Malaysia*.

Nanyang Technological University (2005). Examination Matter – Post-Examination, Examination/Notification of Results. Retrieved May 19, 2006 from www2.ntu.edu.sg/itzonestaging/may2005/smsresult.asp

Nielsen, J. (2000). New Devices Augur Decent Mobile User Experience. Retrieved May 25, 2006 from <http://www.useit.com/alertbox/20000917.html>

Nielsen, J., & Landauer, T. (1993). A Mathematical Model of the Finding of Usability Problems. *ACM INTERCHI '93*, Amsterdam, The Netherlands, pp 206-213.

Nokia Research Center (2001). NRC Projects. Retrieved December 17, 2005 from <http://research.nokia.com/research/projects/index.html>

Pathan, A. K., Mottalib, M. A., & Zibran, M. F. (2006). An Internet Framework to Bring Coherence between WAP and HTTP Ensuring Better Mobile Internet Security. *Proceedings of the 8th International Conference of Advanced Communication Technology*, Vol. 1.

Peng, L., Cailin, T., Jie, M., Yongyu, C. & Dacheng, Y. (2005). Experimental Study on Traffic Model of Wireless Internet Services in CDMA Network. *Proceedings of the IEEE 61st Vehicular Technology Conference*. Vol. 4 pp. 2137-2141.

- Purao, S. (2002). Design Research in the Technology of Information Systems: Truth or Dare. GSU Department of CIS Working Paper. Atlanta.
- Ramsay, M., & Nielsen, J. (2000). WAP Usability DejaVu: 1994 All Over Again. Retrieved January 19, 2006 from <http://www.useit.com/>
- Rhodes University (2005). Rhodes University WAP Portal. Retrieved April 11, 2006 from <http://wap.ru.ac.za/>
- Rossi, M., & Sein, M. (2003). Design Research Workshop: A Proactive Research Approach. *IRIS 26, August 9 – 12, 2003*. Retrieved August 15, 2005, from http://tiesrv.hkkk.fi/iris26/presentation/workshop_designRes.pdf .
- Rubin, J. (1994). *Handbook of Usability Testing: How to Plan, Design and Conduct Effective Tests*. John Wiley & Sons.
- Ruhr-Universitat Bochum (2005). Ruhr-Universitat Bochum WAP Page. Retrieved April 11, 2006 from <http://www.inf.bi.rub.de/wap>
- Simon, H. (1996). *The Sciences of the Artificial, Third Edition*. Cambridge, MA, MIT Press.
- Spool, J. & Schroeder, W. (2001). Testing Web Sites: Five Users is Nowhere Near Enough. *ACM CHI Conference on Human Factors in Computing Systems*, Seattle, WA, April.
- The Rose JADE Link. (2003). Jade Software Software Corporation. Retrieved August 26, 2005, from <http://www.jadeworld.com/downloads/jade6/RoseJADELINK.pdf>.
- Uimonen, T. (2000). Case: rational rose. 81940 A Seminar on Reverse Engineering. Retrieved August 26, 2005, from <http://www.cs.tut.fi/~tsysta/sem/Reports/Rose.pdf>.

University of Port Elizabeth (2005). Student Information, Exam Results via Wireless Application Protocol (WAP). Retrieved April 11, 2006 from <http://www.upe.ac.za/wap/wapexams.asp>

Virzi, R. A. (1992). Refining the Test Phase of Usability Evaluation: How Many Subjects is Enough?. *Human Factors*, 34, 4, pp 457-468.

WAP Forum (2002). What is WAP. Retrieved December 22, 2005 from <http://www.wapforum.org/faqs/index.htm>