



## Documentation of GTAP-EUCalc interface and design of GTAP scenarios

Baudry, Gino; Clora, Francesco; Mwabonje, Onesmus; Thurm, Boris; Woods, Jem; Yu, Wusheng

*Publication date:*  
2018

*Document version*  
Publisher's PDF, also known as Version of record

*Citation for published version (APA):*  
Baudry, G., Clora, F., Mwabonje, O., Thurm, B., Woods, J., & Yu, W. (2018). *Documentation of GTAP-EUCalc interface and design of GTAP scenarios*. European Commission.



*Explore sustainable European futures*

# Documentation of GTAP-EUCalc interface and design of GTAP scenarios

---

**D7.2**

October/2018



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 730459.

<b>Project Acronym and Name</b>	EU Calculator: trade-offs and pathways towards sustainable and low-carbon European Societies - EUCalc
<b>Grant Agreement Number</b>	730459
<b>Document Type</b>	Report
<b>Work Package</b>	WP7
<b>Document Title</b>	Documentation of GTAP-EUCalc interface and design of GTAP scenarios
<b>Main authors</b>	Gino Baudry, Francesco Clora, Onesmus Mwabonje, Boris Thurm, Jeremy Woods, Wusheng Yu
<b>Partner in charge</b>	Imperial College London
<b>Contributing partners</b>	University of Copenhagen, École Polytechnique Fédérale de Lausanne
<b>Release date</b>	July 2018
<b>Distribution</b>	<i>Public/Confidential</i> <i>All involved authors and co-authors agreed on the publication.</i>

### Short Description

*This deliverable lays out the key challenges in linking the EUCalc CORE modules and GTAP to translate the lever settings into compatible data to generate a set of perturbations/shocks mimicking the EUCalc pathways at the aggregated GTAP sectoral classifications, in the objective of facilitating the computation of the trans-boundary impacts.*

### Quality check

<b>Name of reviewer</b>	<b>Date</b>
<b>Marc Vielle (EPFL)</b>	<b>22.08.2018</b>
<b>Luis Costa (PIK)</b>	<b>3.09.2018</b>

### Statement of originality:

This deliverable contains original unpublished work except where clearly indicated otherwise. Acknowledgement of previously published material and of the work of others has been made through appropriate citation, quotation or both.

## Table of Contents

<b>1</b>	<b>Executive Summary</b> .....	<b>7</b>
<b>2</b>	<b>Introduction</b> .....	<b>7</b>
<b>3</b>	<b>The GTAP model and database</b> .....	<b>10</b>
<b>4</b>	<b>Conceptual design for the EUCalc-GTAP interface</b> .....	<b>11</b>
	4.1 Lifestyles (WP1) .....	12
	4.2 Buildings & Transport (WP2) .....	13
	4.3 Industry (WP3) .....	16
	4.4 Agriculture, land-use, water and biodiversity (WP4).....	17
	4.5 Energy supply and balancing (WP5 & 8) .....	20
	4.6 Common variables (from WP2-5).....	21
<b>5</b>	<b>Potential scenarios to be simulated</b> .....	<b>21</b>
	5.1 Scenarios consisting of common lever settings across sectors and across EU member states.....	22
	5.2 Scenarios consisting of different lever settings across sectors but common across EU member states .....	22
	5.3 Scenarios consisting of deviations by specific EU member states from common EU-wide pathways .....	23
<b>6</b>	<b>Conclusions</b> .....	<b>23</b>
<b>7</b>	<b>References</b> .....	<b>24</b>

## List of Tables

<i>Figure 1</i>	<i>-Possible EUCalc-GTAP interface for the WPs</i> .....	11
<i>Figure 2</i>	<i>-Possible EUCalc-GTAP interface for Lifestyles (WP1)</i> .....	12
<i>Figure 3</i>	<i>-Possible EUCalc-GTAP interface for Buildings (WP2)</i> .....	14
<i>Figure 4</i>	<i>-Possible EUCalc-GTAP interface for Transport (WP2)</i> .....	15
<i>Figure 5</i>	<i>-Possible EUCalc-GTAP interface for Industry (WP3)</i> .....	16
<i>Figure 6</i>	<i>-Possible EUCalc-GTAP interface for Agriculture (WP4)</i> .....	18
<i>Figure 7</i>	<i>-Possible EUCalc-GTAP interface for Energy (WP5)</i> .....	20



## List of abbreviations

atp: Air transport  
b\_t: Beverages and Tobacco products  
c\_b: Cane & Beet  
CGE: Computable General Equilibrium  
cmn: Communications  
cmt: Cattle Meat  
cns: Construction  
crp: Chemical Rubber Products  
ctl: Cattle  
dwe: Dwellings  
ele: Electronic Equipment  
ely: Electricity  
EUCalc: European Calculator  
frs: Forestry  
fsh: Fishing  
GTAP: Global Trade Analysis Project  
gro: Other Grains  
i\_s: Iron & Steel  
mil: Milk dairy products  
mvh: Motor vehicles and parts cars  
nmm: Non-Metallic Minerals  
oap: Other Animal Products  
ocr: Other Crops  
ofd: Other Food  
ome: Other Machinery & Equipment  
omt: Other Meat, meals and pellets of meat or inedible meat offal; greaves  
osd: Oil Seeds  
otn: Other Transport Equipment  
otp: Other transport  
pcr: Processed Rice  
pfb: Plant Fibbers  
pop: population  
ppp: paper and paper products  
qf: Intermediate demand of commodity

qg: Government demand

qp: Private demand

rmk: Raw milk

sgr: Sugar

vol: Vegetable Oils

wht: Wheat

wol: Wool

WP: Work Package

wtp: Water transport

# 1 Executive Summary

This deliverable first lays out the key challenges in linking the EUCalc CORE modules designed by WP1-5, for interfacing sectoral lever settings into inputs for WP7. This will then be used to formulate model scenarios in a computable general equilibrium (CGE) modelling framework based on the GTAP (Global Trade Analysis Project) model for simulating the transboundary effects of alternative EU decarbonization pathways. This deliverable aims to provide a conceptual design of the interface between EUCalc modules (WP1-5) and GTAP (WP7) by identifying the correspondence between lever settings and relevant CGE modelling variables for further implementations. Given the evolving nature of module designing in WP1-5, particularly regarding levers and their associated ambition levels, as well as the clarities to be attained regarding further development of the CGE model, further adjustments and substantiations of the design of the interface will have to be made at a later stage.

## 2 Introduction

The EUCalc project aims at assessing the impacts of decarbonisation pathways in Europe. The goal is to design a transparent, user-friendly and tractable model, called a calculator. Each user of the calculator will be able to create his own pathways and visualize the associated impacts by controlling a set of nearly 40 levers, to express different ambition levels regarding behaviour, technology, practices (and so on) patterns in the different sectors/countries. In line with the Calculator Philosophy, each lever enables users selecting 4 ambition levels, ranging from the least to the most ambition effort to address climate change issues. For instance, one may explore the current trends regarding meat consumption or, at the opposite, explore the impact of a possible rupture in behaviour, such as lowering meat consumption to fit the World Health Organisation recommendations. The European Calculator is a trans-regional Calculator, which means that the lever setting will not only affect national patterns, but also other countries. Keeping the previous illustration, lowering meat consumption may affect the import/export balance of meat products. WP7 computes the transboundary effects of these alternative pathways towards 2050. The main modelling tool used for calculating the transboundary effect is a CGE model based on the GTAP modelling framework<sup>1</sup>. Building on GTAP and the Calculator complementary approaches, WP7 aims at enabling EUCalc framework to consider transboundary effects by formulating pathways as model scenarios. To this end, WP7 aims at translating the EUCalc levers and ambition levels settings across WP1-5 into model variables in line with the needs of the CGE model that is derived from the GTAP modelling framework but which is also tailored to the specific needs of the EUCalc (WP7). Therefore, this deliverable aims to investigate the correspondence between the key variables in the various sectors covered by the EUCalc across WP1-5 (lifestyles, transport, building, industry, agriculture, energy supply) and the variables in the GTAP-based CGE model. This constitutes the starting point for interpreting and quantifying the EUCalc lever settings as numerical perturbations of relevant model variables in

---

<sup>1</sup> see Hertel (1997) for the structure of the GTAP model and [www.gtap.org](http://www.gtap.org) for an overview of the GTAP modelling framework.



the CGE model, relative to the levels of these variables projected and implemented in the baseline scenario.

To analyse the trade and transboundary effects (i.e. import and export in monetary terms<sup>2</sup>) of EUCalc decarbonization pathways, WP7 will adopt a modified version of the GTAP-E model, a CGE model of the global economy developed specifically to address global trade and environmental issues, to analyse trade and transboundary flows within the EUCalc framework. Computable general equilibrium (CGE) models are a typical instrument for empirical analysis of distributional and welfare impact of different policies (Wing, 2004; Burfisher, 2011). A CGE model measures the result of a shock to an economy (i.e. computable), encompassing simultaneously all economic activities (consumption, production, employment, taxes, savings, trade etc.) and the linkages among them (i.e. general), in an economy where at a given set of prices all agents are satisfied (i.e. equilibrium) (Burfisher, 2011).

One of the main challenges of developing this interface lies in the combination of the EUCalc and the GTAP modelling approaches. EUCalc adopts a modularized approach in which the lever setting reflects a range of ambition levels expressed by the end-users for exploring alternative decarbonisation pathways, without imposing economic constraints and with no explicit economic optimization behaviour of agents. The question of how and whether a particular ambition level can be realized in a social-economic setting is not emphasized in EUCalc, as its main objective is to explore the technical and engineering possibilities. Complementary, the GTAP model, as an economic model, is built on the assumptions of optimizing consumers and producers under income and resources constraints, enforces equilibrium conditions in both products and factor markets, and imposes consistencies in bilateral trade linkages amongst countries. As such, seen from the perspective of the GTAP model, the feasible space of decarbonization choices may be considerably smaller than the engineering and technological possibilities envisioned by users of EUCalc, implying that not all user-defined pathways are compatible with the economic model. Moreover, while the ambition of a certain carbon emission outcome may be feasible in an engineering/technical sense, the CGE model must explicitly deal with the question regarding how such ambitions can be realized. To this end, it is necessary to distinguish exogenous and endogenous variables in CGE models. Exogenous variables generally are policy variables that can be changed or shocked in a model simulation whereas endogenous variables are to be determined by the model itself. Thus, the relevant variables corresponding to the sectoral variables in WP1-5 are a mixture of exogenous and endogenous variables in the chosen CGE model<sup>3</sup>. While exogenous variables can be directly

---

<sup>2</sup> Other simple indicators, such as energy and food security, can be derived from the import and export results.

<sup>3</sup> To solve a CGE model such as GTAP, i.e. to find a new equilibrium in the economic system, the number of endogenous variables must be equal to the number of equations describing the world economy. However, in GTAP, more variables than equations are included. Therefore, a number of variables needs to be set as exogenous, meaning that each of these variables is either held constant throughout a simulation or assumed to change by a certain degree (i.e. predetermined outside of the model). This leads to a shock to the economy, and the new equilibrium situation is reached thanks to adjustment to the endogenous variables, as regulated by the equations present in the model. The

perturbed in model simulations, endogenous variables cannot be changed to predetermined levels without resorting to additional instrument variables and possible new modelling structure. For instance, aggregated food demand in economic models are typically specified as functions of prices, income levels, and demographic variables. To realize a particular ambition level of food demand as specified in a user-defined pathway, it would be necessary to assume exogenous changes in the underlying determinants of food demand, or to apply certain tax instruments or shifts in consumer tastes/preferences.

Another challenge lies in combining the “bottom-up” engineering approach used by the EUCalc for calculating energy demand/supply and emissions across WP1-5 and the “top-down” approach adopted in the CGE model where many of the sectoral details are suppressed (such as different energy sources and electricity production methods). Therefore, the variable granularity will be conceptually aggregated to enable the implementation of the EUCalc variables in the GTAP.

A third challenge can also arise from the equilibrium requirements in the CGE model where quantities of demand must be matched exactly with quantities of total supply at equilibrium price levels. For example, for each country, domestic supply plus net imports (i.e. the difference between imports and exports) of the final outputs of each sector must be equal to the domestic demand for this product. In the CGE framework, in addition to the market clearing which generates equilibrium quantities and prices for final outputs of each sector, such clearing conditions must also be satisfied in the factor markets. Here, factor demand from different sectors that compete for the use of various economic resources such as labour, capital, and land must not exceed the available economic resources. Further complicating the equilibrium requirements is the need to account for the demand and supply of intermediate inputs. To enforce these equilibrium conditions in the CGE model, a set of market prices and factor prices are simultaneously solved for to satisfy these market-clearing conditions. The ambition levels specified in a given user-defined EUCalc pathways will change the levels and structures of the demand and/or supply of the economy, leading to the need to rebalance demand and supply through changed price signals. In the case where a user-selected pathway is inherently inconsistent with current or projected economic structure, feasible solutions in the CGE model may not exist or corner solutions representing non-optimum model outcomes may arise. It is also possible that the absence of optimization behaviours under income and resources constraints by consumers and producers in EUCalc may lead to internally inconsistent pathways; however, a “flag” mechanism in the core model has been under development to minimize such occurrence.

Finally, specific mathematical functional forms employed to characterize the demand, supply and trade behaviours in the CGE model (as in most other economic models) also limit the extent to which large changes can be imposed on the realized outcomes from a given scenarios/pathways envisioned by users of EUCalc. For instance, a particular ambition level set at level 3 or 4 (i.e. very high ambition) may very well represent a drastic departure from the outcomes of current economic system. The demand and supply behaviours of the CGE model

---

designation of the variables in the model as either endogenous or exogenous is often called the model closure.

represented by demand and supply elasticities<sup>4</sup> (or the parameters that generate such elasticities) may be over-stretched to reproduce these ambitions. This is because typically such elasticities are estimated/calibrated to represent responsiveness of key endogenous variables to exogenous shocks as local departures from known optimal choices. As such, large transformational shocks may not be reconcilable with the assumed behaviours in the model.

It is understandable that not all pathways chosen by users can be successfully computed in the CGE model. The above challenges will be taken into considerations for designing the conceptual interface between WP1-5 and WP7. This does not mean that some pathways will not be simulated a priori. However, if corner solutions (or other operational impossibilities to produce a solution) arise, some lever settings may not be included in WP7's final computations.

Currently, the model is being tested with data retrieved from the Global Calculator lever settings<sup>5</sup>. After mapping the Global Calculator sectors onto GTAP sectors, a correspondence between levers and GTAP variables is identified. The data from each lever, then, are compared to the 2050 baseline that was formulated by Yu and Clora (2018) in Deliverable 7.1, and one of the four lever settings is chosen to be the counterfactual scenario in GTAP. Following this conceptual work, for each lever, the remaining three settings are defined as alternative scenarios. This prototypic work is useful to further develop the GTAP-E model and to improve its adherence to the EUCalc needs. In fact, the replication of the Global Calculator's simulations allows us to assess GTAP-E's resilience to major shocks, to understand the model's bottlenecks and to design ad hoc solutions to overcome these barriers.

First, the deliverable briefly introduces the GTAP model and database, which will be used to compute the transboundary effects in the EUCalc (section 3). Second, a conceptual design of the interface will be presented that highlights the correspondence between EUCalc and GTAP variables for each of the main sectors contained in WP1-5 (section 4). Section 5 concludes.

### 3 The GTAP model and database

The GTAP core consists of a database and a standard model (Hertel et al. 1997) on which multiple models have been developed. The dataset contains input-output tables on bilateral trade flows, transport, and protection linkages across regions. The GTAP 9 database (Aguiar, Narayanan, and McDougall 2016) characterizes the world economy, with the available benchmark years being 2011, 2007 and 2004. The dataset is projected to 2050 for the scope of the EUCalc, drawing from the work of Yu and Clora (2018) for Deliverable 7.1. It includes data on consumption, production, trade, energy data and CO<sub>2</sub> emissions. The GTAP 9 database is composed of 140 regions, 57 tradable commodities, and 5 non-tradable primary factors. In other words, GTAP 9 enables WP7 to cover the spatial granularity of the EUCalc, which includes the European Union Member states, Switzerland and several aggregated world regions. Carbon dioxide emissions are displayed by region, commodity, and use.

---

<sup>4</sup> In economics, elasticity means the responsiveness of a variable to changes in another variable that has a causal influence on it (e.g. the percentage change in quantity of a good demanded, given an increase by 1% in the price of the given good)

<sup>5</sup> Global Calculator: <http://www.globalcalculator.org/>

A satellite GTAP dataset is the non-CO<sub>2</sub> emissions database, developed by Irfanoglu and van der Mensbrugghe (2015), departing from the work of Rose and Lee (2009). It includes non-CO<sub>2</sub> emissions by regions and sectors, for the three main non-CO<sub>2</sub> gases (i.e. CH<sub>4</sub>, N<sub>2</sub>O and a cluster encompassing fluorinated gases (F-gases)). The GTAP9 database can be aggregated according to the study's scope.

The standard GTAP model (Hertel et al. 1997) is a starting point for many CGE models utilizing the GTAP database. It is a static multi-region, multi-sector, CGE model, with constant returns to scale and perfect competition. It contains treatment of private household behaviour, global investments/savings relationship, and international trade and transport activity. It includes two types of equations. It has both accounting (identity) relationships, guaranteeing that revenues and expenses of every agent in the economy are balanced, and behavioural equations, specifying the behaviour of optimizing agents in the economy (Brockmeier 2001).

For the scope of EUCalc, WP7 will mainly use a modified version of the GTAP-E model (Burniaux and Truong 2002; McDougall and Golub, 2009). It is the energy-environmental version of the standard GTAP model. It mainly differs from the standard GTAP because it adds an explicit capital-energy composite input into the production structure, allowing for a degree of capital-energy substitution (Nijkamp, Wang, and Kremers 2005). In addition, it comprises a different treatment of energy demand, inter-fuel substitution, CO<sub>2</sub> accounting, taxation and emission trading (Antimiani et al. 2013).

## 4 Conceptual design for the EUCalc-GTAP interface

Figure 1 presents how the lever settings can be translated into data to generate a set of perturbations/shocks mimicking the EUCalc pathways at the aggregated GTAP sectoral classifications, in the objective of facilitating the computation of their transboundary impacts.




Figure 1 –Possible EUCalc-GTAP interface for the WPs

The EUCalc modules outputs can be interpreted as:

- 1) Outputs by sectors, each of which corresponds to one or multiple GTAP sectors<sup>6</sup>;

<sup>6</sup> The list of the sectors is provided in the Boxes and Figures for each WP, and GTAP coding abbreviations are provided in the abbreviation section

- 2) Intermediate consumption of a given commodity by a given sector<sup>7</sup>;
- 3) Private household and government sector demand for outputs by sectors, each of which corresponds to one or multiple GTAP commodities.

Some outputs and flows may require aggregation depending on GTAP and EUCalc modules granularity. The following sections will provide a first GTAP-EUCalc interface based on the current development stage of each module outputs and levers.

## 4.1 Lifestyles (WP1)

Lifestyle module (WP1) drives the (1) potential evolution of population numbers; (2) the fraction of total population within one member states living in urban areas; (3) travel demand for work, recreation and services, and the average speed of travelling; (4) the average calorie requirement of the population; (5) the split of daily calories across nearly 30 food groups; (6) the consumer waste of food measured; (7) the space use by person in residential buildings; (8) the number of electric appliances per person; (9) the energy needs for ICT services per person . Depending on the lever setting, WP1 will mainly provide population, travel demand, calories requirements, building use intensity, electric appliances, and data intensity to the relevant WPs (including Agriculture, Building, Transport, and Energy modules).




Figure 2 –Possible EUCalc-GTAP interface for Lifestyles (WP1)

<sup>7</sup> A “commodity” is the output of a sector whereas by using the term “sector” we implicitly refer to the technologies and input-output matrix for producing that commodity

Figure 2 presents a possible interface to link Lifestyles features from EUCalc to GTAP. For a higher granularity, Box 1 presents the details of the different sectors/commodities included in GTAP database. As an illustration for Figure 2, calories demand can be interpreted as private and government demand, which correspond to multiple commodities, such as cattle meat, vegetable oils, and so on.

As observable, WP1 deals with the question on how various demand side forces (such as population, urbanization, consumer preferences and income growth) influence travel/transportation demand, food demand, building and dwelling demand, and direct energy consumption. As these demands will drive the “supply” side in WP2-5 (i.e. these demands will be matched on the supply side), WP7 would opt to build a storyline on the demand drivers (population, urbanization, consumer preferences and income growth) that are consistent with what is embodied in WP2-5, rather than targeting the detailed lifestyle choices. As will be detailed later in this document, supply side variables corresponding to the lever settings in WP2-5 will be targeted in the GTAP model runs. In the presence of equilibrium conditions in the model that equate demand and supply, it would be redundant to also directly target the demand side variables. The joint impacts on emission and energy demand from the detailed lifestyle choices would be captured by the outcomes from WP2-5 regarding emission and energy use.

#### Box 1 – Possible GTAP component list for Lifestyles

**Travel demand - Commodities:** Other transport (otp): road, rail, pipelines, auxiliary transport activities, travel agencies; Water transport (wtp); Air transport (atp);

**Calorie requirements - Commodities:** Cattle Meat (cmt): fresh or chilled meat and edible offal of cattle, sheep, goats, horses, asses, mules, and hinnies. raw fats or grease from any animal or bird; Other Meat (omt): pig meat and offal. preserves and preparations of meat, meat offal or blood, flours, meals and pellets of meat or inedible meat offal; greaves; Vegetable Oils: crude and refined oils; Milk (mil): dairy product; Processed Rice (pcr): rice, semi- or wholly milled; Sugar (sgr); Other Food (ofd): prepared and preserved fish or vegetables, fruit juices and vegetable juices, prepared and preserved fruit and nuts, all cereal flours, groats, meal and pellets of wheat, cereal groats, meal and pellets n.e.c., other cereal grain products (including corn flakes), other vegetable flours and meals, mixes and doughs for the preparation of bakers' wares, starches and starch products; sugars and sugar syrups n.e.c., preparations used in animal feeding, bakery products, cocoa, chocolate and sugar confectionery, macaroni, noodles, couscous and similar farinaceous products, food products n.e.c.; Beverages and Tobacco products (b\_t)

**Building use intensity - Commodities:** Construction (cns): building houses factories offices and roads; Dwellings (dwe): ownership of dwellings, imputed rents of houses occupied by owners

**Electric appliances - Commodities:** Electronic Equipment (ele): office, accounting and computing machinery, radio, television and communication equipment and apparatus; Other Machinery & Equipment (ome): electrical machinery and apparatus n.e.c., medical, precision and optical instruments, watches and clocks; Communications (cmn): post and telecommunications

**Data intensity - Commodities:** Communications (cmn): post and telecommunications

## 4.2 Buildings & Transport (WP2)

As abovementioned, Lifestyles will partly drive the demand for Transport & Building sectors (WP2). Beyond the lifestyle patterns, the transport and building sectors sector will be affected by their respective levers.

In the building module (WP2.1), levers will drive the (1) the average floor area per person; (2) the average level of heat loss; (3) the average room temperature during warm and cold times of the year, and also control hot water demand per person per year for urban and rural populations; (4) the amount of material required to construct a building and manufacture the Heating,



Ventilation and Air-Conditioning (HVAC) systems; (5) the average rate of energy use in heating, cooling and ventilation systems; (6) the share of the different renewable energy carriers used for heating in buildings; (7) the level of heating energy demand covered by district heating; (8) the fuels used to heat, cool and ventilate homes. It included conventional energy carriers such as gas and oil, and it also considers the share of renewables such as biomass (wood chips, pellets). The lever setting will drive the building area construction demand, the insulation renovation demand, the appliances and infrastructures demand.




Figure 3 –Possible EUCalc-GTAP interface for Buildings (WP2)

In GTAP, the lever setting on buildings and energy use in existing buildings and from new buildings will be characterized in the CGE model by changes in the outputs of the construction sector as well as changes in the outputs of the dwelling sector (i.e. housing activities). The use of energy from new buildings and renovations will be captured by changes in the intermediate use of energy in the construction sector, whereas the direct consumption of energy from dwelling will be captured by the intermediate use of energy in that sector. The implied changes in emissions from the use of energy will be captured by changes in energy use and changes in emission intensities. As most of these variables are endogenous in the GTAP model, appropriate instrumentations will be carried out to make the changes to these variables envisioned in a scenario possible. For changes in individual outputs or intermediate demand, detailed tax instruments either directly targeting the levels of these activities or indirectly targeting the emission outcomes of these individual activities can be deployed. This would be the best strategy to ensure the detailed lever settings can be exactly reproduced in the GTAP model runs. Alternatively, in cases where knowledge of technical/productivity changes are available, these latter instruments may also be used in conjunctions with the tax instruments. However, in cases/sectors where there are too many such changes to implement, involving large set of member states and countries, it might be necessary to adopt a simplifying treatment. In such cases, we may consider the use of sector-specific carbon tax that would restrict the overall emission outcomes of the sector (rather than the use of multiple tax instruments targeting the activity levels of final outputs and intermediate uses separately), as it is commonly done in most economic analyses of carbon emissions. The final choices of detailed instrumentations will be decided at a later stage when data from WP1-5 are made available for designing the actual scenarios. These modelling options will also apply to the implementation of inputs from other WPs to be detailed below.

**Box 2 – Possible GTAP component list for Buildings**

**Building construction - Sectors:** Construction (cns): building houses factories offices and roads;

**Building insulation - Sectors:** Dwellings (dwe): ownership of dwellings, imputed rents of houses occupied by owners;

**Renewable share - Sectors:** Construction (cns): building houses factories offices and roads; Dwellings (dwe): ownership of dwellings, imputed rents of houses occupied by owners;

**Renewable share - Commodities:** Oil, gas, oil products, electricity, coal;

**Fuel mix - Commodities:** Oil, gas, oil products, electricity, coal. **Sectors:** Construction (cns): building houses factories offices and roads; Dwellings (dwe): ownership of dwellings, imputed rents of houses occupied by owners.

In the transport module, the demand will be driven by the following levers: (1) the occupancy which is expressed as number of passenger per vehicle, and only has an impact on road vehicles; (2) the utilization rate, which is the number of kilometres travelled by a vehicle yearly; (3) the lifetime of vehicles, expressed in total kilometres that can be travelled by a vehicle before being discarded; (4) the modal share, which describes how passenger are travelling: by car, bus, train, etc; or how goods are being transported; (5) the vehicle efficiency, expressed in MJ/km for road vehicles and in MJ/pkm for rail, aviation and shipping; (6) the level of adoption of low emission technologies; (7) the fuel mix. The lever setting will drive the demand for new vehicles and infrastructures, the energy demand and the level of transport activity.




Figure 4 –Possible EUCalc-GTAP interface for Transport (WP2)



Consistently with the Building module, lever settings in the transportation sector and its energy use will be captured in the CGE model by targeting the resulted changes in the transportation service sectors in the CGE model regarding their average use of energy and the associated average emission intensities from the use of energy. Due to the differences in granularity of the transport module in EUCalc and the transport sectors in GTAP, the exogenous shocks in GTAP will be characterized as percentage changes to the aggregated sector based on weighted averages of its sub-sectors (e.g. changes in both road and railway transport will be mapped onto the "otp" transport sector in GTAP, based on their projected quantity share in this sector).

**Box 3 – Possible GTAP component list for Transport**

- New vehicles (sectors):** Motor vehicles and parts (mvh): cars, lorries, trailers and semi-trailers; Other Transport Equipment (otn): manufacture of other transport equipment;
- Transport activity (sectors):** Other transport (otp): road, rail, pipelines, auxiliary transport activities, travel agencies; Water transport (wtp); Air transport (atp);
- Fuel mix (sectors):** Other transport (otp): road, rail, pipelines, auxiliary transport activities, travel agencies; Water transport (wtp); Air transport (atp);
- Fuel mix (commodities):** Oil, gas, oil products, electricity;
- Modal shares (sectors):** Motor vehicles and parts (mvh): cars, lorries, trailers and semi-trailers; Other Transport Equipment (otn): manufacture of other transport equipment;
- Modal shares (commodities):** Other transport (otp): road, rail, pipelines, auxiliary transport activities, travel agencies; Water transport (wtp); Air transport (atp);

### 4.3 Industry (WP3)

The demand for industrial products will be driven by the lifestyles, transport, building and agriculture modules. The WP3 levers will then drive (1) the switching to substitute materials (e.g. using more aluminium and less steel in cars); (2) the material intensity thanks to smarter design and more efficient materials (e.g. replacing common steel with high strength steel); (3) technology changes in the material production; (4) Switching to less carbon intensive energy vectors in the material production; (5) the progress in terms of energy efficiency of each technology; (6) CO<sub>2</sub> capture through CCS. The main outputs of the Industry module will be an energy demand by career and raw material demand.




Figure 5 –Possible EUCalc-GTAP interface for Industry (WP3)

The main categories of materials used for buildings, home appliances, transportation equipment, roads and rails will be mapped into the relevant GTAP manufacturing sectors. Changes in material switch, intensity and technology will be modelled as changes in the input (i.e. the materials) -output (i.e. the material using sectors) matrix. As showed by Figure 5, material switches and modifications in material intensity in a given sector can be intended, in economic terms, as shifts in the consumption patterns by that sector. This variation can be modelled as a change in intermediate inputs used by each sector. To allow these transitions foreseen by WP3 modelling work, a tax instrument (exogenous in the standard GTAP closure) has to be exogenized, and the intermediate consumption of the given commodity (endogenous in the standard GTAP closure) endogenized. Such changes will result in the changes in the total supply of these materials. Fuel switch will be modelled by improvements in the emission intensities in producing the materials.

#### **Box 4 – Possible GTAP component list for Industry**

**Materials - Sectors:** Motor vehicles and parts (mvh): cars, lorries, trailers and semi-trailers; Other Transport Equipment (otn): manufacture of other transport equipment, Chemical Rubber Products: basic chemicals, other chemical products, rubber and plastics products (crp), Electronic Equipment (ele): office, accounting and computing machinery, radio, television and communication equipment and apparatus; Construction (cns): building houses factories offices and roads;

**Materials - Commodities:** Iron & Steel: basic production and casting (i\_s), Non-Metallic Minerals: cement, plaster, lime, gravel, concrete (nmm), Chemical Rubber Products: basic chemicals, other chemical products, rubber and plastics products (crp), paper and paper products (ppp), Non-Ferrous Metals: production and casting of copper, aluminum, zinc, lead, gold, and silver (nfm), Fabricated Metal Products: Sheet metal products, but not machinery and equipment (fmp);

**Fuel switch - Sectors:** Other transport (otp): road, rail, pipelines, auxiliary transport activities, travel agencies; Water transport (wtp); Air transport (atp);

**Fuel switch - Commodities:** Oil, gas, oil products, electricity;

## **4.4 Agriculture, land-use, water and biodiversity (WP4)**

In the Agriculture module, the Lifestyle module drives the demand by food group; industry drives the demand for biomaterials; industry, building and transport drive the demand for bioenergy. In turn, to produce its output, it demands energy from the power sector, and lime and ammonia-based fertilizers from industry (organic and biogas-based fertilizers will be produced internally). WP4 levers consists of (1,2,3) the agricultural, fishery and forestry practices respectively, which will affect water-use, biodiversity impacts, land-use and so on; (4) livestock diet, which will affect the demand for crops and feed compounds and their associated energy, water and land-use demand; (5) waste & residues from food production; (6) biomass availability, which will set the scope of the biomass availability (e.g. using or not using food crops) as well as the use competition; (7) land-management practices; The module also include as non-CORE modules the water, biodiversity and minerals modules which will be implemented later. The lever setting will mainly drive the energy, water and fertilizer demand as well as the land-use.




Figure 6 –Possible EUCalc-GTAP interface for Agriculture (WP4)

The emissions produced by this module are mainly due to land-use and use of intermediate inputs (e.g. fertilizers), but not from machinery. Relevant sub-

sectors in the agriculture module (e.g. food, meat, fish, biomaterial) will be mapped into the relevant GTAP sectors. The use of energy and of fertilizers will be captured by changes in intermediate use of these products. Land-use change will be modelled as shares of land used by each sub-sector. Intermediate use of machineries, as in the partial module, will not be taken into account. The implied changes in emissions due to different practices will be captured by changes in the use of energy products and intermediate goods (e.g. energy) and changes in emission intensities.

As envisioned in this module, agriculture also produce biomass, which will be used for generating bioenergy to meet bioenergy demand from other sectors. The availability of biomass for generating bioenergy is set by the waste and biomass availability levers. This would require a matching sector in the CGE model to “produce” the wastes and biomass and another sector for generating bioenergy, whose end-products will enter into the energy mix used by other sectors.

### Box 5 – Possible GTAP component list for Agriculture

**Fertilizer & lime demand - Commodity:** Chemical Rubber Products: basic chemicals, other chemical products, rubber and plastics products (crp); Non-Minerals Material; **Sector:** wheat, paddy rice, other grains, oil seeds, cane & beet, plant fibbers, other crops;

**Feed demand - Commodities:** Paddy Rice: rice, husked and unhusked; Wheat: wheat and meslin; Other Grains (gro): maize (corn), barley, rye, oats, other cereals; Oil Seeds (osd): oil seeds and oleaginous fruit; soy beans, copra; Cane & Beet (c\_b): sugar cane and sugar beet; Plant Fibers (pfb): cotton, flax, hemp, sisal and other raw vegetable materials used in textiles; Other Crops (ocr): live plants; cut flowers and flower buds; flower seeds and fruit seeds; vegetable seeds, beverage and spice crops, unmanufactured tobacco, cereal straw and husks, unprepared, whether or not chopped, ground, pressed or in the form of pellets; swedes, mangolds, fodder roots, hay, lucerne (alfalfa), clover, sainfoin, forage kale, lupines, vetches and similar forage products, whether or not in the form of pellets, plants and parts of plants used primarily in perfumery, in pharmacy, or for insecticidal, fungicidal or similar purposes, sugar beet seed and seeds of forage plants, other raw vegetable materials; Cattle (ctl): cattle, sheep, goats, horses, asses, mules, and hinnies; and semen thereof; Other Animal Products (oap): swine, poultry and other live animals; eggs, in shell (fresh or cooked), natural honey, snails (fresh or preserved) except sea snails; frogs' legs, edible products of animal origin n.e.c., hides, skins and fur skins, raw, insect waxes and spermaceti, whether refined or colored; Raw milk (rmk) ; Wool (wol): wool, silk, and other raw animal materials used in textile; Forestry (frs): forestry, logging and related service activities; Fishing (fsh): hunting, trapping and game propagation including related service activities, fishing, fish farms; service activities incidental to fishing; Cattle Meat (cmt): fresh or chilled meat and edible offal of cattle, sheep, goats, horses, asses, mules, and hinnies. raw fats or grease from any animal or bird.; Other Meat (omt): pig meat and offal. preserves and preparations of meat, meat offal or blood, flours, meals and pellets of meat or inedible meat offal; greaves; Vegetable Oils (vol): crude and refined oils of soya-bean, maize (corn), olive, sesame, ground-nut, olive, sunflower-seed, safflower, cotton-seed, rape, colza and canola, mustard, coconut palm, palm kernel, castor, tung jojoba, babassu and linseed, perhaps partly or wholly hydrogenated, inter-esterified, re-esterified or elaidinised. Also margarine and similar preparations, animal or vegetable waxes, fats and oils and their fractions, cotton linters, oil-cake and other solid residues resulting from the extraction of vegetable fats or oils; flours and meals of oil seeds or oleaginous fruits, except those of mustard; degreas and other residues resulting from the treatment of fatty substances or animal or vegetable waxes.; Milk (mil): dairy products ; Processed Rice (pcr): rice, semi- or wholly milled; Sugar (sgr); Other Food (ofd): prepared and preserved fish or vegetables, fruit juices and vegetable juices, prepared and preserved fruit and nuts, all cereal flours, groats, meal and pellets of wheat, cereal groats, meal and pellets n.e.c., other cereal grain products (including corn flakes), other vegetable flours and meals, mixes and doughs for the preparation of bakers' wares, starches and starch products; sugars and sugar syrups n.e.c., preparations used in animal feeding, bakery products, cocoa, chocolate and sugar confectionery, macaroni, noodles, couscous and similar farinaceous products, food products n.e.c. **Sectors:** Cattle: cattle, sheep, goats, horses, asses, mules, and hinnies; and semen thereof; Other Animal Products (oap): swine, poultry and other live animals; eggs, in shell (fresh or cooked), natural honey, snails (fresh or preserved) except sea snails; frogs' legs, edible products of animal origin n.e.c., hides, skins and fur skins, raw, insect waxes and spermaceti, whether or not refined or colored

**Food demand – Commodities:** wheat, paddy rice, other grains, oil seeds, cane & beet, plant fibbers, other crops, fisheries, cattle, other animal products; **Sectors:** Cattle meat, other meat, vegetable oils, milk, sugar, other food, processed rice;

**Energy demand - Commodities:** Oil, gas, coal, oil products, electricity; **Sectors:** Paddy Rice: rice,

husked and unhusked; Wheat: wheat and meslin; Other Grains (gro): maize (corn), barley, rye, oats, other cereals; Oil Seeds (osd): oil seeds and oleaginous fruit; soy beans, copra; Cane & Beet (c\_b): sugar cane and sugar beet; Plant Fibers (pfb): cotton, flax, hemp, sisal and other raw vegetable materials used in textiles; Other Crops (ocr): live plants; cut flowers and flower buds; flower seeds and fruit seeds; vegetable seeds, beverage and spice crops, unmanufactured tobacco, cereal straw and husks, unprepared, whether or not chopped, ground, pressed or in the form of pellets; swedes, mangolds, fodder roots, hay, lucerne (alfalfa), clover, sainfoin, forage kale, lupines, vetches and similar forage products, whether or not in the form of pellets, plants and parts of plants used primarily in perfumery, in pharmacy, or for insecticidal, fungicidal or similar purposes, sugar beet seed and seeds of forage plants, other raw vegetable materials; Cattle (ctl): cattle, sheep, goats, horses, asses, mules, and hinnies; and semen thereof; Other Animal Products (oap): swine, poultry and other live animals; eggs, in shell (fresh or cooked), natural honey, snails (fresh or preserved) except sea snails; frogs' legs, edible products of animal origin n.e.c., hides, skins and fur skins, raw, insect waxes and spermaceti, whether refined or colored; Raw milk (rmk) ; Wool (wol): wool, silk, and other raw animal materials used in textile; Forestry (frs): forestry, logging and related service activities; Fishing (fsh): hunting, trapping and game propagation including related service activities, fishing, fish farms; service activities incidental to fishing

### 4.5 Energy supply and balancing (WP5 & 8)

The Energy supply will address the demand from the above-mentioned WP (1-4). The energy supply module will also consider the end-users' inputs through the 8 following levers which will set: (1) the phase-out trajectories of fossil-fuel based capacities; (2) the ratio of fossil fuel-based power plant stock equipped with CCS; (3) the trajectories for nuclear power plant capacities; (4,5,6,7) the ratio of the gap filled by new capacity additions of the given technology, solar, wind, biomass and other renewables respectively; (8) the technologies to be responsible for balancing (from natural gas to battery storage and demand shift). The difference between energy demand (from WPs1-4) and energy supply modelled in WP5 are resolved in WP8 through a re-balancing mechanism.




Figure 7 –Possible EUCalc-GTAP interface for Energy (WP5)

In the GTAP-E model, the energy system is modelled with the electricity and fossil fuels sectors presented but bioenergy not being modelled. Changes in total energy supply will be targeted in the GTAP model by suitable instruments such as targeting emissions from combustion of fossil fuels, whereas changes in the energy mix can either be formally modelled or through some simplifying treatment whereby the average emission intensities from changing energy mix are targeted. Formally modelling the changes in energy mix especially within the electricity sectors would require splitting the electricity power generating sectors

in the GTAP-E model and database. The GTAP-E model does not currently have details on the different electricity sectors but recent advancement in model development provide some directions and data on how to split the electricity sectors. For example, Peters (2016a) extends the GTAP 9 Database generating the GTAP-Power Data Base, disaggregating the electricity sector (present in GTAP and GTAP-E databases) into the following subsectors: transmission and distribution, nuclear, coal, gas, hydroelectric, wind, oil, solar, and other. Gas, oil, and hydroelectric are further differentiated as base and peak load. The current GTAP-E model, however, does not allow for the utilization of this database, and further model development is needed to fully exploit this database. The current GTAP-E-Power (Peters, 2016b), after a series of preliminary tests, does not seem to be as “stable” as GTAP-E and has a generally lower solution accuracy (mostly due to the additional sectoral disaggregation). Therefore, ad hoc solutions are necessary to implement EUCalc shocks in the GTAP-E. For example, the quantity of capital used in the electricity sector (that could be intended as investments in ‘clean’ technologies) may be increased to simulate a growth in renewable resources in the electricity generation, or a reduction of fossil fuel inputs to the electricity sector can be imposed to simulate a phase out. These possibilities will be investigated further vis-à-vis model demand and available resources.

#### **Box 6 – Possible GTAP component list for Energy supply**

**Nuclear, solar, wind, biomass - Sectors:** Electricity: production, collection and distribution

**Fuel switch - Sectors:** Oil, gas, coal, oil products; Electricity: production, collection and distribution

## **4.6 Common variables (from WP2-5)**

Each module tracks its own GHG direct emission which are not associated with energy consumption (e.g. manure emissions in Agriculture). Energy demand is going through the Energy Supply module (WP5) which will keep track of energy related emissions for each module. In the GTAP-E model and the associated CO<sub>2</sub> and non-CO<sub>2</sub> emissions database, a scheme for allocating all GHG emissions have also been developed which largely resembles the allocation of GHG emissions within EUCalc (Table 1).

<b>EUCalc variables</b>	<b>GTAP variables</b>	<b>GTAP sector</b>
Emission intensity	GHG/sectoral output	All
Efficiency (e.g. materials, energy, and so on)	Technical change variables	All

*Table 1 – GTAP-EUCALC correspondence across WP2-5*

## **5 Potential scenarios to be simulated**

As this document also lays out potential scenarios to be simulated in GTAP, we present in this section three sets of scenarios under consideration of formulation and computation for our trade analysis. The selection of these scenarios is based on their representativeness in likely policy debates. Additionally, together they



provide an envelope within which other scenarios can be derived by altering part of the formulations in an existing scenario. For instance, other relevant scenarios may surface from the expert consultation workshop to be conducted later in the project period.

## **5.1 Scenarios consisting of common lever settings across sectors and across EU member states**

The first set of scenarios to be simulated corresponds to the pathways that specify uniform lever settings across all EU member states for all relevant sectors as discussed in section 4, with identical ambition levels. More specifically, against the baseline scenario, each of these scenarios/pathways will correspond to a particular identical level setting for all levers in each and every sectors across all EU member states. There are four such scenarios/pathways, corresponding to the four ambition levels. These scenarios/pathways are designed to reflect a set of common decarbonization strategies across the member states and sectors. By varying the ambition levels across the different scenarios but keeping them uniform across member states and sectors, we illustrate how economic interdependencies between the EU and the ROW as well as within the EU would respond to these common ambition levels.

## **5.2 Scenarios consisting of different lever settings across sectors but common across EU member states**

The second set of scenarios is designed to explore potential sectoral sensitivities in evaluation decarbonization pathways in the EU context, as different sectors may have different emission-reduction potentials and/or may face different constraints in reaching a particular ambition level, or users may have different focus in exploring particular combinations of ambition levels across sectors. Therefore, even though an EU-wide decarbonization pathway is envisioned, such pathway may feature different lever settings for different sectors.

In this set of scenarios, each scenario will contain a set of sectoral ambition levels imposed uniformly across the EU member states (i.e. the ambition levels for any given sector is common across member states); however, differences in ambition levels across sectors are allowed. For instance, within the same scenario, the building and transport sector may have all levers set at level 1, whereas other sectors set their respective levers at levels 2 or 3 or 4. Taking the simplifying approach of setting all levers within any given sector at the same level for a given scenario, there are potentially 256 possible combinations of sectoral lever settings for the four sectors defined in WP2-5, assuming that each lever contains level setting 1, 2, 3, and 4. In reality, the meaningful set of scenarios may be smaller, due to the presence of incompatible cross-sector lever combinations (to be captured by the initial flag system under development for the core modules), as well as possible computational infeasibilities arising from the CGE simulations of certain scenarios.

Of particular analytical interests within these scenarios are the ones focusing on varying the ambition levels of a particular sector while allowing all the other sectors to remain at a common ambition level. Such a design allows users to appreciate the sensitivities of emission-reduction outcomes arising from changing

ambition level in a particular sector, conditional upon a common setting for other sectors. The identification of such interesting cases would be based on relevant literature and policy documents, as well as by consultations through the expert workshop and discussions with partners of the EUCalc project.

### **5.3 Scenarios consisting of deviations by specific EU member states from common EU-wide pathways**

In certain cases, a user may be particularly interested in knowing the consequences of a particular member state adopting a decarbonization strategy that is different from the common strategy/pathway pursued by all other EU member states. In responding to this possibility, a third set of scenarios involving deviations by individual countries from EU-wide ambition levels will be formulated and computed, to address these idiosyncratic concerns.

This set of scenarios are essentially a further refinement of the first set of scenarios envisioned in section 5.1. That is, for each of the four core scenarios envisioned in the first set, one EU member state is assumed to deviate its level settings (uniform across sectors) from the common level setting assumed for all other member states in the core scenario. For each of the four core scenarios, there are three alternative positions that can be applied by each member state; hence, there are  $3*N$  additional scenarios (with  $N$  denoting the number of EU member states) corresponding to the core scenario. As there are four such core scenarios, theoretically speaking, this refinement would result in  $4*3*N$  additional scenarios (or  $12*N$  scenarios) to be formulated and simulated. As cautioned earlier, it is possible that not all these scenarios consisting of mutually compatible lever settings and/or that some of these scenarios may not solvable. So in reality the number of scenarios to be actually simulated may be fewer than  $12*N$ .

## **6 Conclusions**

This deliverable proposes a conceptual design of the EUCalc-GTAP interface with respect to each of the CORE modules (i.e. WPs1-5 and WP8). A preliminary correspondence between sectoral lever settings and relevant CGE modelling variables are also proposed for further implementations.

However, the selection of such variables and sectors is not final, as it is depending on modelling possibilities and on further development of the EUCalc levers. Furthermore, many of the corresponding variables in the CGE model are endogenous variables that are determined by model structures; therefore, any changes to these variables from the baseline level are likely to be implemented by targeting some instrument variables such as carbon emission tax, technical efficiencies or emission intensities. Finally, not all listed correspondences will be captured in the scenarios to be simulated in the CGE model. This is because in the CORE modules of EUCalc, demand side forces directly drive changes in the supply side without markets and price mechanism, whereas in the CGE model, demand (inclusive of demand for domestic product and imported product) and supply (inclusive of domestic supply and export supply) are matched in market



“equilibrium” under through the price mechanism. Therefore, it is redundant to simultaneously target both demand and supply directly.

## 7 References

- Aguiar, Angel; Narayanan, Badri; Mcdougall, Robert. An Overview of the GTAP 9 Data Base. *Journal of Global Economic Analysis*, [S.l.], v. 1, n. 1, p. 181-208, june 2016. ISSN 2377-2999. doi:<http://dx.doi.org/10.21642/JGEA.010103AF>.
- Antimiani, A., Costantini, V., Martini, C., Palma, A., Tommasino, M.C., 2012. The GTAP-E: Model Description and Improvements, in: *The Dynamics of Environmental and Economic Systems*. Springer, Dordrecht, pp. 3–24. [https://doi.org/10.1007/978-94-007-5089-0\\_1](https://doi.org/10.1007/978-94-007-5089-0_1)
- Burniaux, J., & Truong, T. (2002). GTAP-E: An Energy-Environmental Version of the GTAP Model (GTAP Technical Paper No. 16). Purdue University, West Lafayette, IN: Global Trade Analysis Project (GTAP). Retrieved from [https://www.gtap.agecon.purdue.edu/resources/res\\_display.asp?RecordID=923](https://www.gtap.agecon.purdue.edu/resources/res_display.asp?RecordID=923)
- Brockmeier, M. (2001). A Graphical Exposition of the GTAP Model (GTAP Technical Paper No. 08). Purdue University, West Lafayette, IN: Global Trade Analysis Project (GTAP). Retrieved from [https://www.gtap.agecon.purdue.edu/resources/res\\_display.asp?RecordID=311](https://www.gtap.agecon.purdue.edu/resources/res_display.asp?RecordID=311)
- Burfisher, M. (2011). *Introduction to Computable General Equilibrium Models*. Cambridge: Cambridge University Press. doi:10.1017/CBO9780511975004
- Irfanoglu, Zeynep Burcu and van der Mensbrugge, Dominique (2015). Development of the version 9 non-CO2 GHG emissions database
- McDougall, R., & Golub, A. (2009). GTAP-E: A Revised Energy-Environmental Version of the GTAP Model (GTAP Research Memorandum No. 15). Purdue University, West Lafayette, IN: Global Trade Analysis Project (GTAP). Retrieved from [https://www.gtap.agecon.purdue.edu/resources/res\\_display.asp?RecordID=2959](https://www.gtap.agecon.purdue.edu/resources/res_display.asp?RecordID=2959)
- Nijkamp, P., Wang, S., Kremers, H., 2005. Modeling the impacts of international climate change policies in a CGE context: The use of the GTAP-E model. *Econ. Model.* 22, 955–974. <https://doi.org/10.1016/j.econmod.2005.06.001>
- Peters, Jeffrey C.. The GTAP-Power Data Base: Disaggregating the Electricity Sector in the GTAP Data Base. *Journal of Global Economic Analysis*, [S.l.], v. 1, n. 1, p. 209-250, june 2016a. ISSN 2377-2999. Available at: <<https://www.gtap.agecon.purdue.edu/resources/jgea/ojs/index.php/jgea/article/view/15>>. Date accessed: 07 july 2018. doi:<http://dx.doi.org/10.21642/JGEA.010104AF>.
- Peters, J. (2016b). GTAP-E-Power: An electricity-detailed extension of the GTAP-E model (Presented at the 19th Annual Conference on Global Economic Analysis, Washington DC, USA). Purdue University, West Lafayette, IN: Global Trade Analysis Project (GTAP). Retrieved from

[https://www.gtap.agecon.purdue.edu/resources/res\\_display.asp?RecordID=4891](https://www.gtap.agecon.purdue.edu/resources/res_display.asp?RecordID=4891)

- Rose, S., & Lee, H. (2008). Non-CO2 Greenhouse Gas Emissions Data for Climate Change Economic Analysis (GTAP Working Paper No. 43). Purdue University, West Lafayette, IN: Global Trade Analysis Project (GTAP). Retrieved from [https://www.gtap.agecon.purdue.edu/resources/res\\_display.asp?RecordID=2604](https://www.gtap.agecon.purdue.edu/resources/res_display.asp?RecordID=2604)
- Hertel, T., Powell, A., Frisvold, G., Gehlhar, M., Gray, D., Hanslow, K., Huff, K., Ianichovichina, E., Kuhn, B., Lanclos, D., MacLaren, D., Martin, W., McDonald, B., McDougall, R., Pearson, K., Perroni, C., Swaminathan, P., Tsigas, M., Tyers, R., Wigle, R., Yang, Y., Yanagishima, K., & Young, L. (1997). Global Trade Analysis: Modeling and Applications (University of Cambridge). Purdue University, West Lafayette, IN: Global Trade Analysis Project (GTAP). Retrieved from [https://www.gtap.agecon.purdue.edu/resources/res\\_display.asp?RecordID=4840](https://www.gtap.agecon.purdue.edu/resources/res_display.asp?RecordID=4840)
- Wing, Ian Sue (2004). Computable general equilibrium models and their use in economy-wide policy analysis." Technical Note, Joint Program on the Science and Policy of Global Change, MIT.
- Yu, W. and Clora, F. 2018. Deliverable 7.1: Formulation of baseline projections and documentation on modeling approach review – Public deliverable of the EU-calculator project.