

Citation:

Mccormack, S and Jones, B and Till, K (2020) Training Practices of Academy Rugby League and their alignment to Physical Qualities deemed important for Current and Future Performance. International Journal of Sports Science and Coaching. ISSN 1747-9541 DOI: https://doi.org/10.1177/1747954120924905

Link to Leeds Beckett Repository record: http://eprints.leedsbeckett.ac.uk/6695/

Document Version: Article

The aim of the Leeds Beckett Repository is to provide open access to our research, as required by funder policies and permitted by publishers and copyright law.

The Leeds Beckett repository holds a wide range of publications, each of which has been checked for copyright and the relevant embargo period has been applied by the Research Services team.

We operate on a standard take-down policy. If you are the author or publisher of an output and you would like it removed from the repository, please contact us and we will investigate on a case-by-case basis.

Each thesis in the repository has been cleared where necessary by the author for third party copyright. If you would like a thesis to be removed from the repository or believe there is an issue with copyright, please contact us on openaccess@leedsbeckett.ac.uk and we will investigate on a case-by-case basis.

# Training Practices of Academy Rugby League and their alignment to Physical Qualities deemed important for Current and Future Performance

Sam McCormack<sup>1,2</sup>, Ben Jones<sup>1,2,3,4,5</sup>, Kevin Till<sup>1,3</sup>

<sup>1</sup>Carnegie Applied Rugby Research (CARR) Centre, Carnegie School of Sport, Leeds Beckett University, Leeds, United Kingdom
<sup>2</sup>England Performance Unit, Rugby Football League, Leeds, United Kingdom
<sup>3</sup>Leeds Rhinos Rugby League Club, Leeds, United Kingdom
<sup>4</sup>School of Science and Technology, University of New England, Armidale, NSW, Australia
<sup>5</sup>Division of Exercise Science and Sports Medicine, Department of Human Biology, Faculty of Health Sciences, the University of Cape Town and the Sports Science Institute of South Africa, Cape Town, South Africa

**Corresponding author and address:** Sam McCormack, Cavendish G12, Carnegie School of Sport, Leeds Beckett University, Headingley Campus, Leeds, LS6 3QU.

# Abstract

This study aimed to investigate rugby league coaches' perceptions of physical qualities for current and future performance, while also establishing the training practices of Under-16 and Under-19 players. Twenty-four practitioners (rugby coach, strength and conditioning coach) working within nine Super League clubs completed a questionnaire. The questionnaire required practitioners to rank eleven physical qualities (i.e., strength, power, acceleration, maximum speed, aerobic endurance, change of direction, agility, height, body mass, lean mass and fat mass) by importance for current performance, future performance and career longevity according to playing position (forwards, backs, hookers & halves). Practitioners were asked to provide detail on the frequency and duration of each type of training session completed during a typical week throughout each phase of the season; pre-season, in-season (early), in-season (mid), and in-season (late). Typically, practitioners ranked strength, power and acceleration qualities highest, and endurance and anthropometric qualities lowest. The importance of physical qualities varied according to each playing level and position. Training practices of U16 and U19 players differed during each phase of the season, with U19 players undertaking greater training volumes than U16s players. Overall, the physical qualities coaches perceived as most important were not reflected within their training practices. Rugby league practitioners can use this information as a reference source to design long term athletic development plans, prescribe training and during player development procedures. Moreover, these data can inform and improve training practices while influencing the design of pre-season preparatory phases and in-season periods.

# Key words

Rugby league; physical qualities; training; athletic development; questionnaire

## Introduction

Rugby league is an invasion team sport played internationally at both amateur and professional levels <sup>1,2</sup>. The game is characterised by intermittent actions including recurring accelerations and decelerations, in addition to various collision activities (e.g., tackling, ball carrying) <sup>3</sup>. During peak periods of a game, players cover 160-170 m·min<sup>-1</sup>, whilst completing 0.4-1.2 collisions·min<sup>-1</sup> <sup>2, 4</sup>. Given the physical nature of rugby league, players are required to possess a range of physical qualities including aerobic endurance, power, strength, and speed, alongside technical and tactical proficiencies in order to compete at the highest level <sup>1, 5</sup>. To date, extensive research has investigated the characteristics of rugby league match play <sup>4, 6, 7</sup>, and the physical qualities of players across different age categories and playing standards <sup>8-10</sup>.

In order to develop rugby league players for elite competition, understanding the performance and development of physical qualities is essential. There are several studies available that describe the physical qualities of rugby league players <sup>1, 9, 11-13</sup>, and their associations with match performance <sup>14</sup>. Height and body mass have been found to successfully categorise between playing position and level <sup>1</sup> and positively influence selection between elite and sub-elite categories in Under 16 players <sup>15</sup>. Moreover, Under 18 players who were taller and heavier were more likely to achieve professional status than their smaller and lighter counterparts <sup>16</sup>. Lower body power has been found to increase with playing standard <sup>17</sup>, across a season <sup>18</sup>, longitudinally <sup>19</sup>, and is associated with superior sport specific skills such as tackling <sup>15</sup> and ball carrying ability <sup>20</sup>. Muscular strength has previously been found to increase with age in academy rugby league players <sup>19</sup> and successfully discriminates between playing levels <sup>21</sup>. In addition, muscular strength is associated with superior tackling ability and linear speed <sup>22, 23</sup> and also a decreased risk of injury <sup>24</sup>. Furthermore, greater muscle

strength results in enhanced recovery following match play <sup>25</sup>. Finally, aerobic endurance is considered important due to the requirement to repeatedly perform high intensity actions during a match <sup>3</sup>, and also augments recovery following a match <sup>25</sup>. Greater aerobic endurance also contributes to a higher playing level <sup>17, 25</sup>. Collectively, these findings highlight the importance of physical qualities for rugby league player development and performance.

Although, a large amount of research exists on the physical qualities of youth rugby league players, this research typically reports the qualities (e.g., strength, speed) and statistically compares them between standards or playing positions. Currently, there is a lack of research quantifying the importance of physical qualities for performance and career progression within rugby league, from a practitioner (e.g., rugby league coach, strength and conditioning coach) perspective. Such research is important to inform training practices, influence long-term athletic development, and enhance player profiling and monitoring. Involving stakeholders in research is essential to increase adoption of findings into the field <sup>26</sup>. Additionally, information on an individual's perception of a specific topic is an essential source for identifying and understanding areas that can be improved <sup>27</sup>.

Without understanding key perceptions of those involved in the physical development of youth rugby league players and their training schedules, it is difficult to determine how long-term athletic development plans can be optimised. Notwithstanding the scientific literature pertaining to rugby league, there is little published information available describing the training practices of academy rugby league players. Strength and conditioning practices have been examined in elite rugby union <sup>28-30</sup>, however there are no data available specifying the frequency and duration of training sessions during different phases of the season in rugby league. Information

relating to common trends in training practices could act as useful reference sources for those involved in the physical preparation of academy rugby league players. Therefore, the primary aims of this study were to examine the importance of physical qualities for current and future performance, and career longevity, and to determine the training practices in Under 16 (U16) and U19 rugby league academies.

#### Methods

#### Participants and Procedure

Twenty-four male rugby league practitioners (mean  $\pm$  SD, age: 35.0  $\pm$  7.4 years; coaching experience: 10.0  $\pm$  4.5 years) from nine different clubs working within a Super League academy in the United Kingdom participated in this study. All participants were either the Head of Youth (e.g., academy manager; n = 3), rugby league coach (n = 11) or strength and conditioning coach (n = 10). The U16 and U19 playing levels were chosen for this study as they are deemed development programmes in England where players are developed prior to progressing to professional status. English Super League academies recruit players at 14 years old (U16 years, scholarship) before progressing into an U19 (now U18 for the 2020 season) academy. Players may then progress into playing adult (semi-) professional rugby league. Prior to all experimental procedures, ethics approval was granted from Leeds Beckett University research ethics committee (application reference 58776). Questionnaires were completed between April and August 2019 during the competitive season.

#### **Coach Details**

Of the coaches who participated, all held at least a United Kingdom Coaching Certificate (UKCC) level 3 which is a requirement to coach at the current level. Thirteen coaches held UKCC level 3, while two coaches held level 4. Three coaches held post graduate diplomas in elite sport coaching. All of the S&C coaches held an undergraduate or postgraduate degree in sport and exercise science or similar. Five held a master's degree in strength and conditioning, one participant held a MPhil, whilst two more were completing PhD's in strength and conditioning. Not all S&C coaches were accredited with a professional body, however, two were certified with the United Kingdom Strength and Conditioning Association (UKSCA), and one was accredited with the National Strength and Conditioning Association (NSCA). Two coaches were British Amateur Weightlifting Association certified. Other relevant qualifications included fitness instructor and 1<sup>st</sup>4sport qualifications.

#### Questionnaire

In order to understand coach's perceptions of physical qualities for current and future performance, and career longevity, a questionnaire was implemented via the lead researcher. Questionnaires were completed in an interview style, one on one with the practitioner in a private area and lasted  $22 \pm 6$  minutes. The discussion started with a short briefing from the researcher which included a background to the study, details of the questions, the potential outcomes of the results, whilst also ensuring complete confidentiality and anonymity. The participant read the information sheet and provided their written consent prior to commencement of the discussion. The discussion was recorded once the participant provided written consent. The interview was designed to examine practitioners' perceptions of the importance of physical qualities for both current and future performance, and career progression according to

playing position. The groups (forwards, backs and hookers & halves) were chosen as the main positional groupings in order to identify all playing positions <sup>1</sup> and limit time constraints on participants. Additionally, the questionnaire was completed as an interview to allow further discussion where necessary. Practitioners were asked to rank the following physical qualities by their importance (1 lowest, 11 highest); strength, power, acceleration, maximum speed, aerobic endurance, change of direction, agility, height, body mass, lean mass and fat mass.

Each participant was asked to answer each question with regard to their current role (i.e., U16 [n=8] or U19 [n=16] practitioner). The questions were as follows; **Question 1**: What do you think are the most important physical qualities for U16 or U19 (dependent on practitioner level) rugby league players to possess to perform at the top level (e.g., be the best) in their respective competitions? **Question 2**: What are the most important physical qualities players need to develop to progress to the next playing level (e.g., U16 to U19 / U19 to senior)? **Question 3**: What do you think are the most important physical qualities for career longevity (e.g., playing for 10 years in the Super League) in rugby league players? This was adapted from similar work by Cupples and O'Connor <sup>5</sup> on the ranking of important performance qualities. Each physical quality was defined precisely to the participants and related back to rugby league performance.

The second part of the discussion asked coaches to quantify their training practices (*physical;* gym, conditioning, speed, agility, *rugby;* skills, tackle, small sided games, and tactical). E.g., *gym* was identified as "any training time spent in the gym developing physical qualities". In addition, training sessions such as speed and agility were referred to as time focussed solely on isolated speed or agility repetitions and did not involve technical / tactical or skill-based activity. Practitioners were asked to

provide an estimation of detail on the frequency (number of sessions per week) and duration (minutes) of each type of session completed during a typical week throughout each phase of the season; pre-season, in-season (early), in-season (mid), and in-season (late). Additionally, practitioners reported the duration / frequency of sessions on an individual basis rather than the team in order to avoid multiple responses. To ensure content and face validity questions were reviewed and pilot tested with 4 expert coaches. This process resulted in several alterations prior to the final approval.

#### Data analysis

All statistics were calculated using IBM SPSS 24.0 (SPSS Version 24, SPSS Inc. Chicago, USA). The questionnaire responses are reported using means and standard deviations (mean ± SD). Training volume was calculated by multiplying training session time (minutes) by frequency. Assumptions of normality were examined using the Shapiro-Wilk test and indicated that questionnaire responses were not normally distributed. Differences in the perceptions of the importance of physical qualities for position (forwards, backs, hookers & halves) between performance level (current performance, future performance, and career longevity) were examined using Friedman analysis of variance (ANOVA). When required, the Wilcoxon signed-rank test with Bonferroni post-hoc correction was used to identify differences between performance levels.

Between age-group differences (U16 vs. U19) in training practices were assessed using an independent t-test and 95% confidence intervals calculated for real change. Mean standardised differences are reported as Cohen's *d* and interpreted as trivial < 0.2, small = 0.20, moderate = 0.60, large = 1.2, and very large =  $2.0^{31}$ . The overall level of significance was set at p < 0.05.

## Results

#### Importance of Physical Qualities

Table 1 presents the ranked responses of each of the 3 questions according to position and playing level. Findings demonstrated that practitioners ranked strength and power qualities highest for forwards at all levels. Body mass observed a gradual increase as playing level progressed. Change of direction for U16 players current performance was significantly (p < 0.05) higher than for career longevity. For backs, acceleration, power and max speed were ranked most important. Height, body mass, lean mass and fat mass were lowest ranked. Hookers and halves' most important physical quality was acceleration, according to practitioners. Endurance for U19 players future performance was ranked significantly (p < 0.05) higher than U16 players current and future performance.

\*\*\*\*insert table 1 near here\*\*\*\*

## **Training Practices**

## U16

Table 2 presents the training practices of U16 players. Tactical training volume for U16 players was significantly (p = 0.038, ES; 1.41) higher during in-season (late) when compared to pre-season.

## U19

Table 3 presents the training practices of U19 players. Gym (p = 0.003, ES; 1.57), conditioning (p = 0.002, ES; 1.21), speed (p = 0.029, ES; 0.89), and total physical training (p = 0.001, ES; 1.61) volumes were significantly lower during in-

season (early) compared to pre-season training. Tactical training (p = 0.045, ES; - 1.32) was significantly higher during in-season (early) compared to pre-season training.

Gym (p = 0.006, ES; 1.45), conditioning (p = 0.001, ES; 1.65), speed (p = 0.024, ES; 0.77), and total physical training (p = 0.001, ES; 1.83) volumes were significantly lower during in-season (mid) compared to pre-season training. Tactical (p = 0.042, ES; 1.33) training was significantly higher during in-season (mid) compared to pre-season training.

Gym (p = 0.003, ES; 1.66), conditioning (p = 0.001, ES; 1.64), speed (p = 0.014, ES; 1.13), and total physical training (p = 0.001, ES; 1.89) volumes were significantly lower during in-season (late) compared to pre-season training. Tactical (p = 0.013, ES; 1.26) training was significantly higher during in-season (late) compared to pre-season training.

#### U16 vs U19 Practices

The volume of all types of training during the pre-season period were significantly lower (gym; p = 0.001 ES; -1.59, conditioning; p = 0.016, ES; -1.12, speed; p = 0.003, ES; -1.48, agility; p = 0.012, ES; -1.29, physical; p = 0.001, ES; -1.78, skills; p = 0.002, ES; -1.52, tackle; p = 0.038, ES; -0.95, SSG; p = 0.006, ES; -1.35, tactical; p = 0.011, ES; -1.23, rugby; p = 0.001, ES; -1.87) for U16 players when compared to their U19 counterparts.

Agility (p = 0.016, ES; -1.15), total physical (p = 0.043, ES; -0.91), skills (p = 0.013, ES; -1.16), tactical (p = 0.005, ES; -1.35) and total rugby (p = 0.005, ES; -1.35) training volumes during the in-season (early) period were significantly lower for U16 players when compared to U19 players. U16 player's gym (p = 0.027, ES; -1.00)

, agility (p = 0.034, ES; -0.97) , total physical (p = 0.020, ES; -1.07), skills (p = 0.009, ES; -1.28), tactical (p = 0.033, ES; -0.81) and total rugby (p = 0.013, ES; -1.21) training volumes during the in-season (mid) period were significantly lower than U19 players. Gym (p = 0.025, ES; -1.03), total physical (p = 0.027, ES; -1.00), skills (p = 0.006, ES; -1.29) and total rugby (p = 0.006, ES; -1.35) training volumes during the in-season (late) period were significantly lower for U16 players when compared to U19 players (table 4).

\*\*\*\*insert table 2 near here\*\*\*\* \*\*\*\*insert table 3 near here\*\*\*\* \*\*\*\*insert table 4 near here\*\*\*\* \*\*\*\*insert figure 1 near here\*\*\*\* \*\*\*\*insert figure 2 near here\*\*\*\*

## Discussion

The present study is the first to examine rugby league coaches' perceptions of physical qualities for current and future performance, and career longevity. In addition, we sought to establish the training practices of U16 and U19 academy players during different phases of the season. Findings demonstrate that practitioners typically ranked strength, power and acceleration qualities the highest. Anthropometric and endurance attributes were amongst the lowest ranked for all positions. For both age groups, total rugby training volume was greater than total physical training volume, while pre-season periods had the highest total training volume in comparison to the other season phases. Together, U16 and U19 player's training practices appeared to focus on physical development during the pre-season, then tactical training volume during in-season. This study demonstrates the importance of physical qualities for rugby league performance and provides information on training practices to develop these qualities in academy rugby league players.

For forwards, power and strength were ranked as the two highest physical qualities at U16 and U19 age categories. Power was the highest ranked for U16 current and future performance and U19 current performance until a change to strength for U19 future performance and career longevity. These data are not surprising as strength and power are key attributes for performance in rugby league due to the contact element of the sport<sup>3</sup> and have been shown to differentiate between players across levels<sup>8, 11, 32</sup>. Our results are in accordance with the positional demands of forwards during game play, where forwards tend to undertake more collision based actions, requiring enhanced relative strength <sup>1</sup>. Greater strength levels may also result in superior speed and power performance <sup>33</sup>, which is associated with enhanced tackling and ball-carrying ability <sup>15, 20</sup>. Collectively, the current findings and previous research suggest that strength is an essential physical quality for enhanced playing standard and future career attainment within rugby league forwards<sup>1</sup>. These rankings are further supported by details of the training practices. Academy players spend significantly more time in the gym during pre-season than any other phase of the season. Moreover, U16 player's highest weekly training volume is accumulated in the gym, developing such qualities.

Acceleration (3<sup>rd</sup> & 4<sup>th</sup>) and aerobic endurance (3<sup>rd</sup> & 4<sup>th</sup>) were the next highest ranked physical qualities for forwards. At higher playing levels there was an increase in the importance of endurance, suggesting that endurance is an important quality for forwards for competing at higher playing standards and long-term career success. This is further highlighted as aerobic endurance for U19 player's future performance was ranked significantly higher than U16 player's future performance. This can be explained by older players requiring greater endurance to meet positional game demands and peak periods <sup>34</sup>. These results are in accordance with the training data, U19 players have significantly higher conditioning training volumes during the pre-season in comparison to all other phases of the season, and higher than U16 players conditioning training volume. Interestingly, maximum speed was amongst the lowest ranked physical quality for forwards. These results may be related to the positional demands, as forwards have typically slower speed than backs <sup>21, 35</sup> and mainly undertake short distance sprints (e.g., 5-10m) during match-play <sup>36</sup> <sup>37</sup>. However, although forwards have lower speed in comparison to other positional groups, this may be due to their greater mass <sup>21</sup>. Body mass was ranked the 5<sup>th</sup> most important quality for forwards for U19 current and future performance, U16 future performance, career longevity, and eighth for U16 current performance. Such findings illustrate the increased importance of size for forwards as they progress through a playing pathway. However, these results may also be due to processes linked to growth and maturation <sup>38</sup>, and increased training volumes. Research conducted on a similar cohort suggested that these increases in body mass are related to improvements in lean body mass and fat mass content <sup>18, 39</sup>.

Anthropometric qualities including fat mass and height were ranked lowest overall for forwards. Lean mass observed a gradual increase in importance as playing level increased. These results may be linked to increased training or playing status at higher levels <sup>1</sup>. Previous research has shown low body fat percentage to be beneficial for both selection to higher playing standard and performance in rugby league <sup>11, 40</sup>. Height was deemed as the 7<sup>th</sup> most important quality for U16 players current performance and was second lowest ranked for the remaining playing levels. This is

likely due to height being important at younger ages as taller players may have an advantage over their shorter counterparts in both selection and performance <sup>1, 15</sup>. Increased height post 16 years of age may not be seen as advantageous as players may have already been selected to positional roles based on their size.

For backs, acceleration was ranked as the most important physical quality for all playing levels which is likely due to the importance of player's ability to move quickly in both attack and defence <sup>41</sup>. In addition, maximum speed was the 2<sup>nd</sup> (career longevity) and 3<sup>rd</sup> highest rank for the remaining playing levels which may be attributed to backs typically covering greater distances at higher speeds <sup>1</sup> and acceleration and maximum speed contributing to ball carries, line breaks and try scoring within rugby league <sup>20, 40</sup>. Interestingly, the ranked importance of speed related qualities for both forwards and backs contradict training practices. Speed training only accounted for <5% of both U16 and U19 player's weekly training distribution throughout all phases of the season. During pre-season, U16 players accrued 40.4 ± 21.3 minutes. Given the importance coaches place on speed qualities, training volumes could be increased in order to develop such qualities. Furthermore, gym training methods (strength, power, plyometrics) can contribute to speed development <sup>42</sup>.

Power was ranked as 2<sup>nd</sup> most important physical quality for all playing levels for backs, excluding career longevity. These results are to be expected owing to the relationship between vertical jump performance and tackling capability <sup>15</sup> and ball carries <sup>20</sup> in U17 players. Strength rankings varied throughout playing levels, its importance was ranked lowest (6<sup>th</sup>) for U19 current performance and highest (3<sup>rd</sup>) for career longevity, which provides some useful information for practitioners and that

strength should be a key aspect of development programmes for youth rugby league players.

Surprisingly, endurance was ranked 7<sup>th</sup> for all playing levels for backs. Our results could be explained by practitioners placing a greater emphasis on other physical qualities, which, in turn, would result in aerobic endurance development due to training volume and growth and maturation development. Moreover, as rugby league is an intermittent team sport, players can develop an 'adequate' aerobic fitness level but may require superior strength, power etc., in comparison to other sports. This notion is further supported by data from training practices as  $\leq 10\%$  of U16 and U19 player's weekly training is allocated to endurance development, however, players may still receive a stimulus from other types of training such as small-sided games. Anthropometric qualities including height, body mass, lean mass and fat mass were the lowest ranked by practitioners for backs. These results are comparable to previous research where height and body mass did not influence career attainment levels of 13 – 15-year-old UK rugby league players <sup>9, 43</sup>. A possible explanation for these findings is that backs require greater speed and strength qualities in comparison to anthropometric qualities.

For hookers and halves, acceleration was ranked highest for all playing levels, which is in accordance with the playing demands, hookers and halves are typically quicker over 10 metres, with outside backs being quicker over greater distances <sup>1</sup>. Power was ranked 2<sup>nd</sup> highest for U16 current and future performance, and career longevity, and 3<sup>rd</sup> highest for U19 current and future performance. Agility, endurance and maximum speed all observed varying importance according to rugby league practitioners. The variation of ranking is interesting, given the importance of endurance for hookers, who generally complete numerous offensive and defensive

actions <sup>44</sup>. However, endurance for U19 players future performance was ranked significantly higher than U16 players current and future performance. This highlights the importance of endurance when progressing through age grades and its contribution to a higher playing level <sup>1</sup>.

Like backs, anthropometric qualities of height, body mass, lean mass and fat mass were ranked lowest for all playing levels. This may be attributed to these positions being involved in less collision activities than forwards <sup>45</sup>. In addition, hookers and halves are typically regarded as the main distributors and their roles involve catching, passing and creating opportunities for other players <sup>45</sup>. Our results display a variation in the ranked importance of physical qualities for hookers and halves, and do not follow a similar pattern like forwards and backs. This information is useful for coaches and practitioners involved in the physical development of U16 and U19 players. The findings provide a novel approach in identifying important physical qualities for rugby league players during different playing levels. Combining this information from the field alongside the vast amount of research in rugby league will support developmental programmes and talent identification processes. However, further research is needed to investigate how coaches examine physical qualities, using objective fitness testing data alongside subjective performance evaluations to inform player performance. By gaining an improved understanding of this process, coaches may develop more objective measures of physical qualities and fitness testing data within their club.

## Training Practices

This study quantified the training activities of U16 and U19 rugby league players and compared the activities between each age group and stages of the season. Our results show that U16 players complete an average of  $413 \pm 199$  mins a week during pre-season,  $366 \pm 182$  mins a week during in-season (early),  $346 \pm 136$  mins a week during in-season (mid) and  $345 \pm 136$  mins a week during in-season (late). While these results are not abnormal, the variability from the mean is interesting and may be explained by the different clubs' practices and philosophies. In the current study, during each phase of the season, total training volume was lower than in U15 and U16 English academy ( $365 \pm 182$  vs. 600 mins) <sup>46</sup> and Australian youth ( $345 \pm 136$  vs. 515 mins) <sup>47</sup> rugby union players. Although, it is difficult to make comparisons to these studies as both used player-reported training diaries and included all sport and physical activities rather than the current study which was only professional academy training. Total weekly training volumes are similar to English adolescent rugby union players ( $301 \pm 92$ ;  $349 \pm 128$  mins) <sup>48</sup>, <sup>49</sup>. However, typically, U16 players in England also train and compete for their amateur club team <sup>34</sup>, so they are likely to have even greater training loads than reported by the coaches.

While not significant, pre-season training volume was greater than all other phases of the season, which mirrors senior rugby league training practices where an increase in training volume is typically observed <sup>50</sup>. Total physical (gym, conditioning, speed, agility) training volume was greater than total rugby (skills, tackle, small-sided games, tactical) during pre-season, which are not surprising given the numerous health and performance benefits associated with supervised training <sup>51</sup>. The primary objective of pre-season is to develop the physical characteristics of players <sup>52</sup> in preparation for the upcoming season <sup>10</sup>. In addition, pre-season training phase has been found to positively influence changes in body composition <sup>10</sup> and physical qualities <sup>13</sup> in U19 rugby league players. Tactical training volume during in-season (late) was significantly greater than during the pre-season period. This result is to be

expected, as once the season begins, there is a shift in focus to tactical routines and technical performance <sup>50, 53</sup>. Interestingly, gym training volume for U16 players during each phase of the season was higher than any other type of training. These data further highlight the importance of physical qualities for youth rugby league players.

Our results show that U19 players complete an average of  $809 \pm 224$  mins a week during pre-season,  $620 \pm 214$  mins a week during in-season (early),  $598 \pm 239$ mins a week during in-season (mid) and  $603 \pm 231$  mins a week during in-season (late). Total physical training volume for U19 players was significantly higher throughout pre-season when compared to in-season (early, mid, late). During preseason, players are physically overloaded in order to facilitate a super-compensatory response, and in turn, improve physical capabilities <sup>54</sup>. The total number of pre-season training sessions documented in the current study are greater than previously reported in academy rugby league, Dobbin and colleagues (2018) reported 37 total pre-season training sessions, which is lower than our results (106) <sup>10</sup>. However, the aforementioned study only included resistance, conditioning and rugby sessions.

The decrease in training volumes observed during the in-season periods in the current study is likely attributed to practitioners concentrating on matches, attempting to maintain the fitness levels of players, focussing on technical and tactical variables, and avoiding unnecessary fatigue <sup>55</sup>. In general, there was no change in training volume during the in-season training periods, which is in accordance with research carried out in senior rugby league <sup>50</sup>. Total in-season training volume observed a progressive reduction from pre-season, with a slight increase during the late in-season period. This may be attributed to an attempt at 'peaking' when competing in the latter stages of competition <sup>56</sup>. Traditional periodisation concepts suggest variations in training load and intensities <sup>57</sup>, and practitioners may have reduced training volume whilst increasing intensity. However, these alterations may have been lost due to the fact that coaches were asked to describe a 'typical' training week. In addition, we had no measure of intensity, as it was beyond the scope of this study, though this concept warrants further research.

Total weekly training volume for U19 players was greater than previously reported in adolescent rugby union <sup>46, 48, 49</sup>. Moreover, all U19 training practices during pre-season were greater than U16's. Weekly skills training volume was significantly greater during all training phases for U19 players when compared to U16 players. Additionally, during the various in-season phases, U19 players had higher gym (inseason mid and late), agility (in-season early and mid) and tactical (in-season early and mid) training volumes than U16 players. These data are not surprising as U19 players are employed as professional athletes <sup>16</sup> and follow intense training regimes to ensure they are adequately prepared for senior professional rugby league, and conditioned to meet the demands of the Super League <sup>1</sup>. Given the importance of training to develop physical qualities and individual and team skills, whilst attenuating injury risk <sup>58</sup>, practitioners should adopt methods of monitoring and planning training activities during the long season. However, how coaches monitor physical qualities and training loads in rugby league are unknown and warrant further investigation.

Overall, training practices of academy rugby league players did not match all the required physical qualities for performance and development. For forwards, their most important physical qualities (strength, power) received adequate training as gym volume is similar to the suggested 2-3 sessions per week that are deemed sufficient for the development of strength in adolescents <sup>59</sup>. However, there is relatively little training time dedicated to acceleration – which was ranked 3<sup>rd</sup> and 4<sup>th</sup> most important. The importance of endurance for forwards as they progress through levels increases, however, it seems that these qualities are not trained sufficiently, or that training does not match its respective importance. However, 'rugby' activities may provide a sufficient stimulus to develop endurance qualities. Moreover, owing to the increased importance of body mass throughout age grades, practitioners should focus on hypertrophy type training whilst educating players on correct nutrition principles. As a result, it would be important for these coaches to monitor changes in body mass to assist in programming, while influencing long-term development <sup>60</sup>.

In contrast to forwards, backs' and hookers and halves' most important quality (acceleration) is not regularly trained, and subsequently not physically exposed. Nevertheless, acceleration qualities may be developed during 'rugby' activities such as SSG. On average, U16 and U19 players have weekly speed training volumes of 15 and 27 minutes respectively. The importance of speed qualities for these positional groups are not reflected in the training practices. However, practitioners may employ plyometric style training in the gym in order to elicit speed development <sup>29</sup>. Backs' and hookers and halves' strength and power qualities seem to receive sufficient load. However, given the multidirectional running and positional demands of these positions, greater change of direction / agility and endurance type training could be employed to stress and develop such qualities. Although practitioners ranked anthropometric qualities as lowest, these should be closely monitored as appropriate body fat percentage is imperative for rugby league performance <sup>1</sup>.

Although this study is the first of its kind and adds to the current understanding of physical development in rugby league, it is not without its limitations. Due to the cohort involved, club and individual philosophies may have influenced responses, given the subjective nature of the study, we acknowledge this as a limitation. Furthermore, the findings provide perceptions from rugby league practitioners working within the Super League, their opinions may be biased by the context. Additionally, Till and colleagues (2014) showed that youth rugby league players have varying development rates, as a result, caution should be taken when extrapolating these findings to academy rugby league players and other adolescent team sport athletes. Moreover, training experience and age influences physical development in rugby league players <sup>61</sup>, which may influence physical qualities. Caution should be taken when examining U16 players training volumes. In the current study, U16's training volume is possibly higher than reported due to their participation with their amateur club but also in other sports, as shown in rugby union <sup>46</sup>. In addition, participants were asked to estimate weekly training practices at four timepoints across the season. Given the recall design of the study, the authors feel the data is representative of current practices, however, may be a limitation. Furthermore, responses are combined for all practitioners (rugby coach and S&C coach) and could be considered as a limitation. However, these differences warrant further investigation.

## Conclusion

In conclusion, rugby league practitioners were found to have varying perceptions of physical qualities for current and future performance and career longevity. The findings suggest that strength, power and acceleration related qualities seem the most important for academy rugby league current and future performance and career development. Coaches rank these qualities as more important than endurance and size qualities. Training practices of U16 and U19 players differed during each phase of the season, with U19 players undertaking greater training volumes than U16s players. With rugby league practitioners constantly striving to improve their practice and identify physical qualities that may predispose athletes for a successful career, the current results demonstrate what is important for those involved in the physical preparation or coaching processes in academy rugby league. Practitioners should look to align their training practices with the qualities that are deemed most important. The findings demonstrate some inconsistencies in coaches' perceptions and practice and provides some useful information for consideration. Given the multifaceted nature of academies, these data can be used as a reference source for coaches when monitoring physical qualities, prescribing position specific training programmes, designing annual macrocycles and long-term athletic development plans.

# References

1. Till K, Scantlebury S and Jones B. Anthropometric and physical qualities of elite male youth rugby league players. *Sports Medicine*. 2017; 47: 2171-86.

2. Weaving D, Sawczuk T, Williams S, et al. The peak duration-specific locomotor demands and concurrent collision frequencies of European Super League rugby. *Journal of sports sciences*. 2019; 37: 322-30.

3. Johnston RD, Gabbett TJ and Jenkins DG. Applied sport science of rugby league. *Sports medicine*. 2014; 44: 1087-100.

4. Johnston RD, Weaving D, Hulin BT, Till K, Jones B and Duthie G. Peak movement and collision demands of professional rugby league competition. *Journal of sports sciences*. 2019: 1-8.

5. Cupples B and O'Connor D. The development of position-specific performance indicators in elite youth rugby league: A coach's perspective. *International Journal of Sports Science & Coaching*. 2011; 6: 125-41.

6. Hulin BT, Gabbett TJ, Kearney S and Corvo A. Physical Demands of Match Play in Successful and Less-Successful Elite Rugby League Teams. *International Journal of Sports Physiology & Performance*. 2015; 10.

7. Whitehead S, Till K, Weaving D, Hunwicks R, Pacey R and Jones B. Whole, half and peak running demands during club and international youth rugby league match-play. *Science and Medicine in Football*. 2019; 3: 63-9.

8. Ireton M, Till K, Weaving D and Jones B. Differences in the movement skills and physical qualities of elite senior & academy rugby league players. *J Strength Cond Res.* 2017.

9. Till K, Cobley S, Morley D, O'hara J, Chapman C and Cooke C. The influence of age, playing position, anthropometry and fitness on career attainment outcomes in rugby league. *Journal of sports sciences*. 2016; 34: 1240-5.

10. Dobbin N, Gardner A, Daniels M and Twist C. The influence of preseason training phase and training load on body composition and its relationship with physical qualities in professional junior rugby league players. *Journal of sports sciences*. 2018: 1-9.

11. Till K, Jones B, O'Hara J, et al. Three-compartment body composition in academy and senior rugby league players. *International journal of sports physiology and performance*. 2016; 11: 191-6.

12. Dobbin N, Hunwicks R, Highton J and Twist C. A reliable testing battery for assessing physical qualities of elite academy rugby league players. *The Journal of Strength & Conditioning Research*. 2018; 32: 3232-8.

13. Dobbin N, Highton J, Moss SL and Twist C. Factors Affecting the Anthropometric and Physical Characteristics of Elite Academy Rugby League Players: A Multiclub Study. *International journal of sports physiology and performance*. 2019; 14: 958-65.

14. Gabbett TJ and Seibold AJ. Relationship between tests of physical qualities, team selection, and physical match performance in semiprofessional rugby league players. *The Journal of Strength & Conditioning Research*. 2013; 27: 3259-65.

15. Gabbett TJ, Jenkins DG and Abernethy B. Physiological and anthropometric correlates of tackling ability in junior elite and subelite rugby league players. *The Journal of Strength & Conditioning Research*. 2010; 24: 2989-95.

16. Till K, Jones B and Geeson-Brown T. Do physical qualities influence the attainment of professional status within elite 16–19 year old rugby league players? *Journal of science and medicine in sport*. 2016; 19: 585-9.

17. Till K, Cobley S, O'Hara J, Brightmore A, Cooke C and Chapman C. Using anthropometric and performance characteristics to predict selection in junior UK Rugby League players. *Journal of Science and Medicine in Sport*. 2011; 14: 264-9.

18. Till K, Jones B, Emmonds S, Tester E, Fahey J and Cooke C. Seasonal changes in anthropometric and physical characteristics within English academy rugby league players. *The Journal of Strength & Conditioning Research*. 2014; 28: 2689-96.

19. Till K, Jones B, Darrall-Jones J, Emmonds S and Cooke C. Longitudinal development of anthropometric and physical characteristics within academy rugby league players. *The Journal of Strength & Conditioning Research*. 2015; 29: 1713-22.

20. Waldron M, Worsfold PR, Twist C and Lamb K. The relationship between physical abilities, ball-carrying and tackling among elite youth rugby league players. *Journal of sports sciences*. 2014; 32: 542-9.

21. Till K, Tester E, Jones B, Emmonds S, Fahey J and Cooke C. Anthropometric and physical characteristics of English academy rugby league players. *The Journal of Strength & Conditioning Research*. 2014; 28: 319-27.

22. Comfort P, Haigh A and Matthews MJ. Are changes in maximal squat strength during preseason training reflected in changes in sprint performance in rugby league players? *The Journal of Strength & Conditioning Research*. 2012; 26: 772-6.

23. Speranza MJ, Gabbett TJ, Johnston RD and Sheppard JM. Muscular strength and power correlates of tackling ability in semiprofessional rugby league players. *The Journal of Strength & Conditioning Research*. 2015; 29: 2071-8.

24. Gabbett TJ, Ullah S and Finch CF. Identifying risk factors for contact injury in professional rugby league players—application of a frailty model for recurrent injury. *Journal of Science and Medicine in Sport*. 2012; 15: 496-504.

Johnston RD, Gabbett TJ, Jenkins DG and Hulin BT. Influence of physical qualities on postmatch fatigue in rugby league players. *Journal of Science and Medicine in Sport*. 2015; 18: 209-13.
Jones B, Till K, Emmonds S, et al. Accessing off-field brains in sport; an applied research

model to develop practice. BMJ Publishing Group Ltd and British Association of Sport and Exercise Medicine, 2017.

27. Gucciardi DF and Gordon S. Revisiting the performance profile technique: Theoretical underpinnings and application. *The Sport Psychologist*. 2009; 23: 93-117.

28. Jones TW, Smith A, Macnaughton LS and French DN. Strength and conditioning and concurrent training practices in elite rugby union. *The Journal of Strength & Conditioning Research*. 2016; 30: 3354-66.

29. Jones TW, Smith A, Macnaughton LS and French DN. Variances in strength and conditioning practice in elite Rugby Union between the northern and southern hemispheres. *The Journal of Strength & Conditioning Research*. 2017; 31: 3358-71.

30. Robinson B, Pote L and Christie C. Strength and conditioning practices of high school rugby coaches: A South African context. *South African Journal of Science*. 2019; 115.

31. Cohen J. Quantitative methods in psychology: A power primer. *Psychol Bull*. 1992; 112: 1155-9.

32. Baker DG and Newton RU. Comparison of lower body strength, power, acceleration, speed, agility, and sprint momentum to describe and compare playing rank among professional rugby league players. *The Journal of Strength & Conditioning Research*. 2008; 22: 153-8.

33. Baker D and Nance S. The relation between strength and power in professional rugby league players. *The Journal of Strength & Conditioning Research*. 1999; 13: 224-9.

34. Whitehead S, Till K, Weaving D, Dalton-Barron N, Ireton M and Jones B. The duration-specific peak average running speeds of European Super League Academy rugby league match-play. *J Strength Cond Res.* 2018.

35. Kirkpatrick J and Comfort P. Strength, power, and speed qualities in English junior elite rugby league players. *The Journal of Strength & Conditioning Research*. 2013; 27: 2414-9.

36. Austin DJ and Kelly SJ. Positional differences in professional rugby league match play through the use of global positioning systems. *The Journal of Strength & Conditioning Research*. 2013; 27: 14-9.

37. Delaney JA, Duthie GM, Thornton HR, Scott TJ, Gay D and Dascombe BJ. Acceleration-based running intensities of professional rugby league match play. *International journal of sports physiology and performance*. 2016; 11: 802-9.

38. Malina RM, Bouchard C and Bar-Or O. *Growth, maturation, and physical activity*. Human kinetics, 2004.

39. Gabbett TJ. Physiological and anthropometric characteristics of starters and non-starters in junior rugby league players, aged 13-17 years. *Journal of Sports Medicine and Physical Fitness, The.* 2009; 49: 233.

40. Gabbett TJ, Jenkins DG and Abernethy B. Relationships between physiological, anthropometric, and skill qualities and playing performance in professional rugby league players. *Journal of Sports Sciences*. 2011; 29: 1655-64.

41. Gabbett TJ, Jenkins DG and Abernethy B. Physical demands of professional rugby league training and competition using microtechnology. *Journal of Science and Medicine in Sport*. 2012; 15: 80-6.

42. Plisk S. Speed, agility, and speed-endurance development. *Essentials of strength training and conditioning*. 2000: 471-91.

43. Till K, Cobley S, O'Hara J, Morley D, Chapman C and Cooke C. Retrospective analysis of anthropometric and fitness characteristics associated with long-term career progression in Rugby League. *Journal of science and medicine in sport*. 2015; 18: 310-4.

44. Austin DJ and Kelly SJ. Professional rugby league positional match-play analysis through the use of global positioning system. *The Journal of Strength & Conditioning Research*. 2014; 28: 187-93.
45. Gabbett T, Kelly J and Pezet T. A comparison of fitness and skill among playing positions in sub-elite rugby league players. *Journal of science and medicine in sport*. 2008; 11: 585-92.

46. Hendricks S, Till K, Weaving D, et al. Training, match and non-rugby activities in elite male youth rugby union players in England. *International Journal of Sports Science & Coaching*. 2019: 1747954119829289.

47. Hartwig TB, Naughton G and Searl J. Defining the volume and intensity of sport participation in adolescent rugby union players. *International journal of sports physiology and performance*. 2008; 3: 94-106.

48. Phibbs PJ, Jones B, Roe G, et al. Organized chaos in late specialization team sports: weekly training loads of elite adolescent rugby union players. *The Journal of Strength & Conditioning Research*. 2018; 32: 1316-23.

49. Phibbs PJ, Jones B, Roe G, et al. The organised chaos of English adolescent rugby union: Influence of weekly match frequency on the variability of match and training loads. *European journal of sport science*. 2018; 18: 341-8.

50. Black CJ, Till K, O'Hara JP, Davidson J and Jones B. Top secret training data? External training loads of a cup winning English Super League rugby league team. *International Journal of Sports Science & Coaching*. 2018; 13: 236-42.

51. Lloyd RS, Oliver JL, Faigenbaum AD, et al. Long-term athletic development-part 1: a pathway for all youth. *The Journal of Strength & Conditioning Research*. 2015; 29: 1439-50.

52. Morgan PJ and Callister R. Effects of a preseason intervention on anthropometric characteristics of semiprofessional rugby league players. *The Journal of Strength & Conditioning Research*. 2011; 25: 432-40.

53. Gabbett TJ and Domrow N. Relationships between training load, injury, and fitness in subelite collision sport athletes. *Journal of sports sciences*. 2007; 25: 1507-19.

54. Borresen J and Lambert MI. The quantification of training load, the training response and the effect on performance. *Sports medicine*. 2009; 39: 779-95.

55. Twist C and Highton J. Monitoring fatigue and recovery in rugby league players. *International Journal of sports physiology and performance*. 2013; 8: 467-74.

56. Jones B, Till K, Barlow M, Lees M, O'Hara JP and Hind K. Anthropometric and threecompartment body composition differences between Super League and Championship rugby league players: Considerations for the 2015 season and beyond. *PloS one*. 2015; 10: e0133188.

57. Fry RW, Morton AR and Keast D. Periodisation and the prevention of overtraining. *Canadian journal of sport sciences= Journal canadien des sciences du sport*. 1992; 17: 241-8.

58. Palmer-Green DS, Stokes KA, Fuller CW, England M, Kemp SP and Trewartha G. Training activities and injuries in English youth academy and schools rugby union. *The American journal of sports medicine*. 2015; 43: 475-81.

59. Behringer M, vom Heede A, Yue Z and Mester J. Effects of resistance training in children and adolescents: a meta-analysis. *Pediatrics*. 2010; 126: e1199-e210.

60. Weakley JJ, Till K, Darrall-Jones J, et al. Strength and conditioning practices in adolescent rugby players: Relationship with changes in physical qualities. *The Journal of Strength & Conditioning Research*. 2019; 33: 2361-9.

61. Till K, Darrall-Jones J, Weakley JJ, Roe GA and Jones BL. The influence of training age on the annual development of physical qualities within academy rugby league players. *The Journal of Strength & Conditioning Research*. 2017; 31: 2110-8.