

We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

4,800

Open access books available

122,000

International authors and editors

135M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities



WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.

For more information visit www.intechopen.com



Volatility Parameters Estimation and Forecasting of GARCH(1,1) Models with Johnson's SU Distributed Errors

Mohammed Elamin Hassan, Henry Mwambi and Ali Babikir

Additional information is available at the end of the chapter

<http://dx.doi.org/10.5772/intechopen.70506>

Abstract

This paper proposes a GARCH-type model allowing for time-varying volatility, skewness, and kurtosis assuming a Johnson's SU distribution for the error term. This distribution has two shape parameters and allows a wide range of skewness and kurtosis. We then impose dynamics on both shape parameters to obtain autoregressive conditional density (ARCD) models, allowing time-varying skewness and kurtosis. ARCD models with this distribution are applied to the daily returns of a variety of stock indices and exchange rates. Models with time-varying shape parameters are found to give better fit than models with constant shape parameters. Also, a weighted forecasting scheme is introduced to generate the sequence of the forecasts by computing a weighted average of the three alternative methods suggested in the literature. The results showed that the weighted average scheme did not show clear superiority to the other three methods.

Keywords: GARCH models, conditional volatility, skewness and kurtosis

1. Introduction

Many papers deal with the departures from normality of asset return distributions. It is well known that the distributions of stock return exhibit negative skewness and excess kurtosis; see among others [2, 9, 14, 15]. The higher moments of the return specifically, excess kurtosis (the fourth moment of the distribution) makes extreme observations more likely than in the normal case, which means that the market gives higher probability to extreme observations than in

normal distribution. However, the existence of negative skewness (the third moment of the distribution) has the effect of accentuating the left-hand side of the distribution, which means that a higher probability of decreases given to asset pricing than increases in the market.

The generalized autoregressive conditional heteroscedasticity (GARCH) models, introduced by Engle [5] and Bollerslev [1], allow for time-varying volatility¹ but not for time-varying skewness or time-varying kurtosis. Different GARCH models have been developed in the literature to capture dependencies in higher order moments, starting with Hansen [7] who proposed a skew-Student distribution to account for both time-varying excess kurtosis and skewness. A significant evidence of time-varying skewness found [9]. Others [11, 12] found a significant time varying in both skewness and kurtosis, while [3, 15, 16] found little evidence of either. With regard to the frequency of observation, Jondeau and Rockinger [11] found the presence of time-varying skewness and kurtosis in daily but not weekly data, while others including [2, 7, 9] found an evidence of time-varying skewness and kurtosis in weekly and even monthly data. Regarding daily data [4, 12, 18] found an evidence of time-varying skewness and kurtosis in daily data. The chapter employed GARCH(1,1) model as the performance of the model proved compared large number of volatility models; for more details, see Hansen and Lunde [8].

This paper contributes to the literature of volatility modeling in two aspects. First, we jointly estimate time-varying volatility, skewness, and kurtosis assuming Johnson SU distribution for the error term. The method is applied to two different daily returns: stock indices and exchange rates. Second, a new alternative scheme is introduced to generate the sequence of the forecasts.

The rest of the paper is organized as follows. Following this introduction, Section 2 presents the empirical results regarding the estimation of the model. Section 3 compares the models. In Section 4, the new forecasting scheme is presented, while Section 5 gives concluding remarks.

2. Empirical results and methodology

2.1. Data and preliminary findings

The time series data used for modeling volatility in this paper consists of two sets of financial data. The first set includes daily returns of five stock indices: NASDAQ100 (US), Germany (DAX30), Ishares MSCI South Africa index (EZA), Shanghai stock exchange composite index (SSE), and Ishares MSCI Canada index (EWC).² The second data set includes daily returns of five exchange rates series: British Pound (USD/GBP), Australian Dollar (USD/AUD), Italian Lira (USD/ITL), South Africa Rand (USD/ZAR), and Brazilian Real (USD/BRL).³ The two data

¹In general terms, volatility refers to the fluctuations observed in some phenomenon overtime. In terms of modeling and forecasting literature, it means “the conditional variance of the underlying asset return” [17].

²Some of the closing price indices were put into US-dollar and some were put into other currencies. For unification of foreign exchange rates, all closing price indices were converted into American US dollar. These closing price indices are obtained from Yahoo Finance (<http://finance.yahoo.com>).

³The exchange rates have been retrieved from the website (<http://www.oanda.com>).

sets include daily closing prices from August 6, 2001, through December 10, 2013, for all stock indices and from July 1, 2005, to September 17, 2013, for all exchange rate series with a total of 3001 observations for each data set. The estimation process for the two sets of data was run using 2001 observations as in-sample, while the remaining 1000 observations were used for the out-of-sample forecast. Based on the empirical evidence, it is common to assume that the logarithmic return series $r_t = 100 * [\ln(p_t) - \ln(p_{t-1})]$ (where P_t and P_{t-1} are the price at the current day and previous day, respectively) is weakly stationary. **Table 1** reports the descriptive statistics for all return series. It shows that all data exhibit excess kurtosis (leptokurtosis) and skewness, which represents the nature of departure from normality. The Jarque-Bera (JB) statistics for normality test show that the null hypotheses of normality are strongly rejected for all daily returns of stock and exchange rate series.

2.2. Methodology

Preliminary results in the preceding section provided evidence of a significant deviation from normality and obvious leptokurtosis in all daily return series. This suggests specifying GARCH models that capture these characteristics. In presenting these models, there are two distinct equations or specifications, one for the conditional mean and the other for the conditional variance. For the models employed in this paper, the mean equation for all stock return series is the AR(1) model with a constant, and for all exchange rate return series, we used the MA(1) model without a constant. After estimating the mean equation, the next step was to identify whether there is substantial evidence of heteroscedasticity for the daily returns of stock and exchange rate series. **Table 2** provides the Ljung-Box statistics of order 20 for ε_t^2 , ε_t^3 and ε_t^4 , where ε_t is the error term from the mean equation. The results show that the Ljung-Box

Assets	N	Mean	S.D.	Skewness	Kurtosis	Jarque-Bera
Stock indices						
NASDAQ100	2000	0.011	1.789	0.084	7.139	1429.85*
DAX30	2000	0.032	1.795	0.053	6.473	1929.78*
SSE	2000	0.048	1.764	-0.078	6.929	1292.92*
EZA	2000	0.076	2.403	-0.354	14.436	10968.85*
EWC	2000	0.049	1.673	-0.473	9.327	3420.18*
Exchange rates						
USD/GBP	2000	0.007	0.485	0.658	11.419	6066.76*
USD/AUD	2000	-0.013	0.702	0.481	14.254	10659.08*
USD/ITL	2000	-0.004	0.467	-0.197	8.185	2260.57*
USD/ZAR	2000	0.001	0.877	1.010	17.404	17672.41*
USD/BRL	2000	-0.016	0.961	0.441	10.048	4215.97*

*Significant at the 5% level.

Table 1. Descriptive statistics for daily returns.

Series	ε_t^2	ε_t^3	ε_t^4
Stock indices			
NASDAQ100	1834.3 (0.000)	305.1 (0.000)	507.1 (0.000)
DAX30	2132.9 (0.000)	148.4 (0.000)	676.1 (0.000)
SSE	443.2 (0.000)	24.6 (0.216)	52.4 (0.000)
EZA	2597.2 (0.000)	305.8 (0.000)	647.8 (0.000)
EWC	3614.3 (0.000)	272.1 (0.000)	984.2 (0.000)
Exchange rates			
USD/GBP	1020.8 (0.000)	98.6 (0.000)	190.6 (0.000)
USD/AUD	2525.9 (0.000)	678.2 (0.000)	889.8 (0.000)
USD/ZAR	975.5 (0.000)	89.2 (0.000)	39.128 (0.006)
USD/ITL	536.2 (0.000)	94.477 (0.000)	77.6 (0.000)
USD/BRL	1555.3 (0.000)	406.1 (0.000)	1030.9 (0.000)

Note. For Ljung-Box statistics, the p -values are reported in parentheses.

Table 2. Ljung-Box statistics with order 20 of ε_t^2 , ε_t^3 and ε_t^4 where ε_t is the error term for the mean equation for all daily returns of stock and exchange rate series.

statistics on the squared residuals ε_t^2 , ε_t^3 , and ε_t^4 are significant for the presence of time-varying volatility, skewness, and kurtosis for all daily returns of stock and exchange rate series.

2.2.1. Distributional assumptions

To complete the basic GARCH specification, an assumption about the conditional distribution of the error term ε_t is required. The expectation is that the excess kurtosis and skewness displayed by the residuals of conditional heteroscedastic models will be reduced, when a more appropriate distribution is used. The Johnson's SU distribution is resorted to in this study. This distribution has two shape parameters that allow a wide range of skewness and kurtosis levels of the type anticipated, and it is used in financial returns data [4, 18]. The Johnson's SU distribution was derived by Johnson [10] through transformation of a normal variable. Letting $z \sim N(0,1)$ the standard normal distribution, the random variable y defined by the transformation:

$$z = \gamma + \delta \sinh^{-1} \left(\frac{y - \zeta}{\lambda} \right) \quad (1)$$

where \sinh^{-1} is the inverse hyperbolic sine function defines a Johnson's SU variable. The form of the density of the Johnson's SU distribution, which will be used for the estimation procedure, is that due to Yan [18]:

$$f_y(y) = \frac{\delta}{\lambda \sqrt{1 + \left(\frac{y - \zeta}{\lambda} \right)^2}} \phi \left[\gamma + \delta \sinh^{-1} \left(\frac{y - \zeta}{\lambda} \right) \right] \quad (2)$$

where $y \in R$, ϕ is the density function of $N(0, 1)$, ξ and $\lambda > 0$ are location and scale parameters, respectively, while $\gamma, \delta > 0$ can be interpreted as skewness and kurtosis parameters, respectively. The parameters are not the direct moments of the distribution. The first four moments, the mean, variance, third central moment, and fourth central moment, respectively, of the distribution according to Yan [18] are as follows:

$$\mu = \zeta + \lambda\omega^{1/2}\sinh \Omega \tag{3}$$

$$\sigma^2 = \frac{\lambda^2}{2}(\omega - 1)(\omega \cosh 2\Omega + 1) \tag{4}$$

$$\mu_3 = -\frac{1}{4}\omega^2(\omega^2 - 1)^2[\omega^2(\omega^2 + 2)\sinh 3\Omega + 3\sinh \Omega] \tag{5}$$

$$\mu_4 = \frac{1}{8}(\omega^2 - 1)^2[\omega^4(\omega^8 + 2\omega^6 + 3\omega^4 - 3)\cosh 4\Omega + 4\omega^4(\omega^2 + 2)\cosh 2\Omega + 3(2\omega^2 + 1)] \tag{6}$$

The quantities Ω and ω in the moment formulas are $\Omega = \gamma/\delta$ and $\omega = \exp(\delta-2)$. The skewness and kurtosis are jointly determined by the two shape parameters γ and δ . The standardized Johnson's SU innovations exist when $\xi = 0$ and $\lambda = 1$, but the mean and the variance are not 0 and 1, respectively. These can be done by setting the parameters in the following manner:

$$\zeta = -\omega^{1/2}\sinh \Omega \left[\sqrt{\frac{1}{2}(\omega - 1)(\omega \cosh 2\Omega + 1)} \right]^{-1} \tag{7}$$

$$\lambda = \left[\sqrt{\frac{1}{2}(\omega - 1)(\omega \cosh 2\Omega + 1)} \right]^{-1} \tag{8}$$

2.2.2. Maximum likelihood

Under the presence of heteroscedasticity (autoregressive conditional heteroscedasticity (ARCH) effects) in the residuals of the daily returns of stock and exchange rate series, the ordinary least square estimation (OLS) is not efficient, and the estimate of covariance matrix of the parameters will be biased due to invalid 't' statistics. Therefore, ARCH-type models cannot be estimated by simple techniques such as OLS. The method of maximum likelihood estimation is employed in ARCH models. For the formal exposition of the approach, each realization of the conditional variance h_t has the joint likelihood of realization:

$$L = \prod_{t=1}^T \left(\sqrt{\frac{1}{2\pi h_t}} \right) \exp\left(\frac{-\varepsilon_t^2}{2h_t}\right) \tag{9}$$

The log likelihood function is:

$$\text{Log}(L) = -\frac{T}{2}\text{Ln}(2\pi) - 0.5\sum_{t=1}^T h_t - 0.5\sum_{t=1}^T \left(\frac{\varepsilon_t^2}{h_t}\right) \tag{10}$$

The parameter values are selected so that the log likelihood function is maximized using a search algorithm by computers.

2.2.3. Model estimation with time-varying volatility, skewness, and kurtosis

As it was shown in Section 2.2, when the residuals were examined for heteroscedasticity, the Ljung Box test provided strong evidence of ARCH effects in the residuals series, which suggests proceeds with modeling the returns volatility using the GARCH methodology. The model to be estimated in this study is the standard GARCH(1, 1) model with constant shape parameters, and also, we impose dynamics on both shape parameters to obtain autoregressive conditional density (ARCD) models.⁴ This allows for time-varying skewness and kurtosis assuming Johnson Su distribution for the error term in the two cases. Before presenting the estimation results obtained with both the stock return series and the exchange rate return series, the four nested models to be estimated are summarized as follows:

For stock return series:

Mean equation

$$r_t = \mu + \phi_1 r_{t-1} + \varepsilon_t \quad (11)$$

$$\varepsilon_t = \sqrt{h_t} z_t, z_t = \sqrt{h_t} z_t \sim JSu(\xi_t, \lambda_t, \gamma_t, \delta_t)$$

Variance equation (GARCH)

$$h_t = b_0 + b_1 \varepsilon_{t-1}^2 + b_2 h_{t-1} \quad (12)$$

Skewness equation

$$\gamma_t = c_0 + c_1 z_{t-1} + c_2 z_{t-1}^2 + c_3 \gamma_{t-1} \quad (13)$$

Kurtosis equation

$$\delta_t = d_0 + d_1 z_{t-1} + d_2 z_{t-1}^2 + d_3 \delta_{t-1} \quad (14)$$

For all stock return series, the study is going to use GARCH(1,1) model with a similar specification to that of Hansen [7] for shape parameters (γ_t, δ_t) but employs the standardized innovation z_{t-1} instead of nonstandardized ε_{t-1} as in Eqs. (13) and (14).

For exchange rate return series:

Mean equation

$$r_t = \theta_1 \varepsilon_{t-1} + \varepsilon_t \quad (15)$$

$$\varepsilon_t = \sqrt{h_t} z_t, z_t = \sqrt{h_t} z_t \sim JSu(\xi_t, \lambda_t, \gamma_t, \delta_t)$$

Variance equation (GARCH)

⁴ARCD is the approach, where dynamics imposed on shape parameters and skewness or kurtosis are derived from the time-varying shape parameters.

$$h_t = b_0 + b_1 \varepsilon_{t-1}^2 + b_2 h_{t-1} \tag{16}$$

Skewness equation

$$\gamma_t = c_0 + c_1 z_{t-1} I_{z_{t-1} < y} + c_2 z_{t-1} I_{z_{t-1} \geq y} + c_3 \gamma_{t-1} \tag{17}$$

Kurtosis equation

$$\delta_t = d_0 + d_1 |z_{t-1}| I_{z_{t-1} < y} + d_2 |z_{t-1}| I_{z_{t-1} \geq y} + d_3 \delta_{t-1} \tag{18}$$

For the exchange rate return series, a specification similar to that of [11] for shape parameters (γ_t, δ_t) is used with the exception that it utilizes the standardized innovation z_{t-1} instead of nonstandardized ε_{t-1} as in Eqs. (17) and (18). It also considers the absolute standardized shocks for the shape parameter in Eq. (18), Ghalanos [6]. So, first, we start by estimating the two standard models for the conditional variance: the AR(1)-GARCH(1,1) model (Eqs. (11) and (12)) for the stock return series and MA(1)-GARCH(1,1) model (Eqs. (15) and (16)) for the exchange rate return series. Second, the generalizations of both the standard GARCH and GARCH models with time-varying skewness and kurtosis (GARCHSK) as in Eqs. (11)–(14) for the stock return series and Eqs. (15)–(18) for the exchange rate return series are estimated.

The results for the stock return series are presented in **Tables 3** and **4** for both the standard GARCH and GARCHSK models, respectively. As expected, the results indicate high and significant presence of conditional variance, since the coefficient of lagged conditional variance (b_2) is high, positive, and significant. Volatility is found to be persistent, since the coefficient of lagged volatility (b_1) is positive and significant, indicating that high conditional variance is followed by high conditional variance. The sum of the two estimated coefficients ($b_1 + b_2$) in the estimation process is very close to one, implying that large changes in stock returns tend to be

Parameters		NASDAQ100	DAX30	SSE	EZA	EWC
Mean equation	μ	0.0536*	0.0940*	0.0207	0.1535*	0.0976*
	ϕ	-0.0578*	-0.0813*	0.0025	-0.0534*	-0.0461*
Variance equation	b_0	0.0082	0.0128*	0.0284*	0.0596*	0.0202*
	b_1	0.0499*	0.0646*	0.0756	0.1011*	0.0619*
	b_2	0.9468*	0.9311*	0.9225*	0.8894*	0.9285*
Log-likelihood		-3589.94	-3588.5	-3651.1	-4178.55	-3308.61
AIC		3.5969	3.5955	3.6580	4.1855	4.1445
ARCH-LM test for heteroscedasticity						
Statistic (T^*R^2)		6.596	7.775	0.5993	1.385	4.032
Prob. chi-square (5)		0.2525	0.1691	0.9880	0.9259	0.5447

*Significant at the 5% level.

Table 3. Maximum likelihood estimates of AR(1)-GARCH(1,1) model for stock return series.

Parameters		NASDAQ100	DAX30	SSE	EZA	EWC
Mean equation	μ	0.0155	0.0816*	0.0555	0.1312*	0.0851*
	ϕ	-0.0567*	-0.0947*	-0.0154	-0.0512*	-0.0540*
Variance equation	b_0	0.0104*	0.0167*	0.0506*	0.0620*	0.0250*
	b_1	0.0578*	0.0717*	0.1009*	0.0931*	0.0762*
	b_2	0.9436*	0.9239*	0.8997*	0.8998*	0.9183*
Skewness equation	c_0	-0.0038*	0.0035*	0.0015*	-0.0261*	-0.0256*
	c_1	0.00002	-0.0083*	-0.0054*	0.0838*	0.0163
	c_2	0.00355*	-0.0037*	-0.0017*	0.0004	0.0192*
	c_3	0.9939*	1.0000*	0.9898*	0.8661*	0.9165*
Kurtosis equation	d_0	0.0001	0.7193*	0.9625*	0.2245*	0.4362
	d_1	0.9869*	0.3126*	0.2684*	0.4848*	0.5166*
	d_2	0.0799	0.2929*	0.0591	0.0000	0.2638*
	d_3	0.8459*	0.0019	0.5469*	0.8143*	0.4358*
Log-likelihood		-3559.79	-3578.15	-3620.83	-3294.5	-3406.96
AIC		3.5728	3.5911	3.6338	4.1344	3.4200
ARCH-LM test for heteroscedasticity						
Statistic (T^*R^2)		6.942	6.604	1.678	0.7606	5.393
Prob. chi-square (5)		0.2250	0.2518	0.8917	0.9795	0.3698

*Significant at the 5% level.

Table 4. Maximum likelihood estimates of AR(1)-GARCH(1,1) model with time-varying skewness and kurtosis for stock return series.

followed by large changes, and small changes tend to be followed by small changes. This confirms that volatility clustering is observed in the stock returns series. For the skewness and kurtosis equations, it is found that for all stock return series, days with high conditional skewness and kurtosis are followed by days with high conditional skewness and kurtosis except DAX30 in kurtosis case, since the coefficients for lagged skewness (c_3) and for lagged kurtosis (d_3) are positive and significant. In summary, there is a significant presence of conditional skewness and kurtosis for all stock return series, since at least one of the coefficients associated with the standardized shocks or squared standardized shocks to (skewness and kurtosis) or to lagged (skewness and kurtosis) is found to be significant.

The results for the five exchange rates are presented in **Tables 5** and **6** for GARCH and GARCHSK models, respectively. As expected, the results are the same as in the case of stock return series, i.e., the results also indicate highest significant presence of conditional variance. Volatility is found to be persistent, and volatility clustering is also observed in exchange rate return series. A significant presence of conditional skewness and kurtosis for all exchange rate return series is confirmed, since at least one of the coefficients associated with the standardized

Parameters		USD/GBP	USD/AUD	USD/ITL	USD/ZAR	USD/BRL
Mean equation	θ	0.28470*	0.1886*	0.2495*	0.2619*	0.0945*
Variance equation	b_0	0.0009*	0.0015*	0.0006	0.0165*	0.0114
	b_1	0.0384*	0.0485*	0.0331*	0.0553*	0.1041
	b_2	0.9579*	0.9505*	0.9658*	0.9175*	0.8948*
Log-likelihood		-907.732	-1528.337	-922.161	-2257.187	-2159.827
AIC		0.9137	1.5343	0.9282	2.2632	2.1658
ARCH-LM test for heteroscedasticity						
Statistic (T^*R^2)		5.169	2.900	4.019	9.646	28.35
Prob. chi-square (5)		0.0754**	0.7155	0.1340**	0.0859	0.0016

*Significant at the 5% level.
 **Significant at the 1% level.

Table 5. Maximum likelihood estimates of MA(1)-GARCH(1,1) model for exchange rate return series.

Parameters		USD/GBP	USD/AUD	USD/ITL	USD/ZAR	USD/BRL
Mean equation	θ	0.2978*	0.2111*	0.2626*	0.2590*	0.0978*
Variance equation	b_0	0.0009	0.0016	0.0006	0.0139*	0.0086*
	b_1	0.0502*	0.0597*	0.0425*	0.0760*	0.2626*
	b_2	0.9489*	0.9449*	0.9582*	0.9119*	0.8348*
Skewness equation	c_0	-0.0306	0.0368*	-0.0189	0.0168*	-0.0047
	c_1	0.0237	0.0610*	0.0195	0.0589*	-0.0051
	c_2	0.0808*	0.0036	0.0658*	0.0058	0.0150*
	c_3	0.0000	0.4814	0.0000	0.9018*	0.8807*
Kurtosis equation	d_0	0.2075	0.2939*	0.2128	0.4497	0.0405
	d_1	0.4029*	0.5678*	0.3459*	1.0000*	1.0000*
	d_2	0.0050	0.0000	0.0235	0.0000	0.0000
	d_3	0.8217*	0.7851*	0.8364*	0.5342*	0.9077*
Log-likelihood		-895.695	-1516.323	-910.919	-2227.667	-2135.46
AIC		0.9077	1.5283	0.9229	2.2397	2.1475
ARCH-LM test for heteroscedasticity						
Statistic (T^*R^2)		4.299	2.4075	3.308	8.659	9.116
Prob. chi-square (5)		0.1165	0.7904	0.1912**	0.1235	0.1045

*Significant at the 5% level.

Table 6. Maximum likelihood estimates of MA(1)-GARCH(1,1) model with time-varying skewness and kurtosis for exchange rate return series.

shocks (either negative or positive) to (skewness & kurtosis) or to lagged (skewness & kurtosis) are found to be significant.

Finally, it is worth noting that from the bottom of **Tables 3–6**, the value of Akaike information criterion (AIC) decreases monotonically when moving from the simpler model (standard GARCH) to the more complicated ones (GARCHSK) for all return series. Therefore, for all return series analyzed, the GARCHSK model specification seems to be the most appropriate one according to the AIC. Note that the ARCH-LM test statistics for all return series did not exhibit additional ARCH effect. This shows that the variance equations are well specified and adequate.

3. Comparison of models

One way to start comparing the models is to compute the likelihood ratio test. The LR test statistic has been used to compare the standard GARCH model (restricted model) and GARCHSK model (unrestricted model), where Johnson Su distribution is assumed for the standardized error z_t in both specifications. The results are contained in **Table 7**. The value of the LR statistic is quite large in all return series. This means that the GARCHSK model is showing superior performance than the standard GARCH model with constant shape parameters.

Series	LogL (GARCH)	LogL (GARCHSK)	LR
Stocks			
NASDAQ100	−3589.94	−3559.79	60.3*
DAX30	−3588.5	−3578.15	20.7*
SSE	−3651.1	−3620.83	60.54*
EZA	−3308.61	−3294.5	28.22*
EWC	−3415.2	−3406.96	16.48*
Exchange rates			
USD/GBP	−907.732	−895.695	24.07*
USD/AUD	−1528.337	−1516.323	24.03*
USD/ITL	−922.161	−910.919	22.48*
USD/ZAR	−2257.187	−2227.667	59.04*
USD/BRL	−2159.827	−2135.46	48.73*

*Significant at the 5% level.

Table 7. Likelihood ratio tests for all daily returns of stock and exchange rate series.

4. A new forecast scheme

In the literature, three alternative ways for generating the sequence of the forecasts, namely the recursive, rolling, and fixed schemes are suggested, see [13]. In this paper, the estimation

sample of the models for all return series is based on $R = 2000$ observations, while the last $P = 1000$ observations are used for the out-of-sample forecast. Only the case of generating one-step ahead forecasts using the three alternative methods to generate a sequence of P one-step ahead forecasts is considered. For the estimation sample sizes R for all return series, the study will consider five different values for P for the three alternative schemes, namely $P = 200, 400, 600, 800, 1000$.

In this section, an attempt is made to introduce a new alternative scheme to generate the sequence of the forecasts by computing a weighted average of the last three alternative methods. The weights used are the reciprocals of the MSE of the methods. The rationale behind this is that a method with large mean square forecasting errors (MSE) (i.e., less reliability) should be given a smaller weight. The suggested name for the new method is "weighted average scheme." The four forecasting alternative schemes are applied using the estimated GARCHSK models for stock and exchange rate return series, which are given in the previous section and the results are shown in **Table 8**.

Table 8 presents the averages of the mean square forecasting errors over all levels of out-of-sample forecast ($P = 200, 400, 600, 800, 1000$) for the recursive, rolling, fixed, and weighted average schemes for all daily returns of stock and exchange rate series. The results show that the average forecasting mean squares errors for the four forecasting methods for all return series differ only either in the second decimal place or third decimal place. Although the weighted method shows clear superiority to the recursive and fixed methods, it failed to beat the rolling method which outperforms all other three methods in these data. We attribute the fair performance of weighted method compared to the rolling method possibly because of the

Forecasting alternative schemes				
Series	Recursive	Rolling	Fixed	Weighted
Stock				
NASDAQ100	1.521857	1.522096	1.522586	1.522166
DAX30	2.256312	2.238891	2.254930	2.249675
SSE	1.736101	1.736698	1.736048	1.736175
EZA	3.759198	3.752719	3.759654	3.756829
EWC	2.031167	2.027740	2.031093	2.029841
Currency				
USD/GBP	0.093255	0.092812	0.092784	0.092932
USD/AUD	0.255625	0.255306	0.255633	0.255505
USD/ITL	0.178520	0.178018	0.178496	0.178318
USD/ZAR	0.491262	0.489874	0.491256	0.490684
USD/BRL	0.377914	0.376564	0.377805	0.377420

Table 8. Averages of the mean square forecasting errors over all levels of out-of-sample forecast ($P = 200, 400, 600, 800, 1000$) for all forecasting alternative schemes for all daily returns of stock and exchange rate series.

small differences in the mean square errors of the un-weighted methods. We expect it to perform better in cases, where the three methods differ markedly with respect to their mean square errors.

5. Conclusions

This chapter proposes a GARCH-type model that allowing for time-varying volatility, skewness, and kurtosis where assuming a Johnson's SU distribution for the error term. Models estimated using daily returns of five stock indices and five exchange rate series. The results indicate significant presence of conditional volatility, skewness, and kurtosis. Moreover, it is found that specifications allowing for time-varying skewness and kurtosis outperform specifications with constant third and fourth moments. Also, a weighted average forecasting scheme is introduced to generate the sequence of the forecasts by computing a weighted average of the three alternative methods namely the recursive, rolling, and fixed schemes are suggested. The results showed that the weighted average scheme did not show clear superiority to the other three methods. Further work will consider linear and nonlinear combining methods and different forecasting horizons to forecast stock and return series.

Author details

Mohammed Elamin Hassan¹, Henry Mwambi² and Ali Babikir^{2*}

*Address all correspondence to: ali.basher@gmail.com

1 Department of Economic and Applied Statistics, Sudan Academy for Banking and Financial Sciences, Khartoum, Sudan

2 School of Mathematics, Statistics and Computer Science, University of KwaZulu-Natal, Pietermaritzburg, South Africa

References

- [1] Bollerslev T. Generalized autoregressive conditional heteroscedasticity. *Journal of Econometrics*. 1986;**31**:307-327
- [2] Bond SA, Patel K. The conditional distribution of real estate returns: Are higher moments time varying. *Journal of Real Estate Finance and Economics*. 2003;**26**(2):319-339
- [3] Brooks C, Burke SP, Heravi S, Persaud G. Autoregressive conditional kurtosis. *Journal of Financial Econometrics*. 2005;**3**(3):399-421
- [4] Cayton, Peter Julian A. and Mapa, Dennis S. Time-varying Conditional Johnson SU Density in Value-at-risk (VaR) Methodology. University of the Philippines Diliman, Philippine. MPRA Paper No. 36206; 2012. pp. 18-32

- [5] Engle RF. Autoregressive conditional heteroscedasticity with estimates of the variance of U.K. inflation. *Econometrica*. 1982;**50**:987-1008
- [6] Ghalanos A. Autoregressive Conditional Density Models, version 1.0-0. United Kingdom: R in Finance; 2013. pp. 1-14
- [7] Hansen B. Autoregressive conditional density estimation. *International Economic Review*. 1994;**35**:705-730
- [8] Hansen PR, Lunde A. A forecast comparison of volatility models: Does anything beat a GARCH(1,1)?. *Journal of Applied Econometrics*. 2005;**20**:873-889. DOI: 10.1002/jae.800
- [9] Harvey CR, Siddique A. Autoregressive conditional skewness. *Journal of Financial and Quantitative Analysis*. 1999;**34**:465-487
- [10] Johnson NL. Systems of frequency curves generated by methods of translation. *Biometrika*. 1949;**36**:149-176
- [11] Jondeau E, Rockinger M. Conditional volatility, skewness, and kurtosis: Existence, persistence, and co-movements. *Journal of Economic Dynamics and Control*. 2003;**27**(10): 1699-1737
- [12] León A, Rubio G, Serna G. Autoregressive conditional volatility, skewness and kurtosis. *The Quarterly Review of Economics and Finance*. 2005;**45**:599-618
- [13] Pantelidis T, Pittis N. Forecasting Volatility with a GARCH(1, 1) Model: Some New Analytical and Monte Carlo Results. University of Kent, Canterbury, United Kingdom. Working Paper; 2005
- [14] Peiró A. Skewness in financial returns. *Journal of Banking and Finance*. 1999;**23**:847-862
- [15] Premaratne G and Bera AK. Modeling Asymmetry and Excess Kurtosis in Stock Return Data. Working Paper. Department of Economics, University of Illinois. United State; 2001
- [16] Rockinger M, Jondeau E. Entropy densities with an application to autoregressive conditional skewness and kurtosis. *Journal of Econometrics*. 2002;**106**(1):119-142
- [17] Tsay RS. *Analysis of Financial Time Series*. 3rd ed. New York, United States of America: John Wiley & Sons, Inc.; 2010
- [18] Yan J. Asymmetry, Fat-tail, and Autoregressive Conditional Density in Financial Return Data with Systems of Frequency Curves. Working Paper in Department of Statistics and Actuarial Science. USA: University of Iowa; 2005

