

We are IntechOpen, the world's leading publisher of Open Access books Built by scientists, for scientists

4,800

Open access books available

122,000

International authors and editors

135M

Downloads

Our authors are among the

154

Countries delivered to

TOP 1%

most cited scientists

12.2%

Contributors from top 500 universities



WEB OF SCIENCE™

Selection of our books indexed in the Book Citation Index
in Web of Science™ Core Collection (BKCI)

Interested in publishing with us?
Contact book.department@intechopen.com

Numbers displayed above are based on latest data collected.

For more information visit www.intechopen.com



Advances in Substance Abuse Prevention Practice and Science for Hispanic/Latinos

Richard C. Cervantes and Elias Koutantos

Abstract

The problem of substance abuse impacts the Hispanic/Latino youth population. In some cases, subpopulations of the Hispanic/Latino population suffer higher rates of substance use than do other groups. While the science of prevention in the general population and the rigorous study of substances abuse prevention programs have flourished over the past few decades, there continues to be a limited body of knowledge regarding substance abuse prevention that is culturally specific or tailored to Hispanic/Latinos. One promising area is the study of risk and protective factors which finds that acculturation stress, among others, plays a key role in the development of substance use and other behavioral problems among youth. Stress experiences related to discrimination, immigration, parent–child cultural differences all play a role in disrupting normative development and subsequent risk-taking behavior. Culturally focused prevention models such as *Familia Adelante* show promise in helping reduce acculturation-based risk and increasing individual and family resilience. This chapter will address many of the aforementioned issues and will provide direction for future prevention research for Hispanic/Latinos.

Keywords: Hispanic, substance abuse, prevention, acculturation, stress

1. Introduction

This chapter will provide an overview of substance use prevention for Hispanic/Latino youth. Based on US Census Bureau data Hispanics are the youngest major racial or ethnic group in the United States [1]. About one-third or 17.9 million of the nation's Hispanic population is younger than 18 and about a quarter or 14.6 million of all Hispanics are millennials (ages 18–33 in 2014). Researchers and practitioners alike recognize the advantages of implementing prevention programming that averts the need for more intensive and costly drug treatments. Advances in prevention science have been highlighted in reports from the Institute of Medicine and National Institute on Drug Abuse (NIDA) among others. The question is whether such advances in scientifically based prevention efforts can also extend to Hispanic/Latino youth including those who are immigrants or non-English speaking. A second question is whether theoretical models used to develop and study drug prevention programs are adequate in terms of addressing core cultural values beliefs and traditions among Hispanic/Latinos. Have prominent and widely used prevention interventions been adapted studied and proven effective with Hispanic/Latino youth? Are culturally tailored evidence-based programs available?

According to the review of literature conducted by Cuijpers [2], prevention programs have different goals, including the following: (a) increasing knowledge about drugs, (b) reducing the use, (c) delaying the onset of first use, (d) reducing abuse, and (e) minimizing the harm caused by the use. Prevention can be understood as any activity designed to avoid substance abuse and reduce its health and social consequences. This broad term can include actions aimed to reduce supply (e.g., based on the principle that the decreased availability of substances reduces the opportunities for abuse and dependence) and actions aimed to reduce demand (i.e., health promotion and disease prevention). In addition, the National Institute on Drug Abuse (NIDA), based on a growing body of prevention science, offers principles concerning prevention which range from the importance of addressing risk and protective factors to implementing and enforcing family and community policies prohibiting substance use [3]. Unfortunately, the NIDA principles do not specifically address the importance of cultural risk or protective factors that may impact substance use among Hispanics. Principle 12 does offer some broad recommendation regarding culture, citing that when communities adapt programs to match their needs, they should still do their best to maintain as close to the original intervention as possible and maintain high fidelity, although this principle is related to program adaptation.

2. Scope of the problem for Hispanic/Latino youth

Hispanic adolescents experience health disparities related to substance use, emotional problems, and high-risk sexual behavior. By the 12th grade, Latino students report the highest rates of 30-day use of marijuana, inhalants, ecstasy, cocaine, crack, salvia, Vicodin, methamphetamine, crystal methamphetamine, over-the-counter cough medicines, and tobacco through use of hookah [4]. Additionally, over one-quarter of Latino adolescents report alcohol use in the last 30 days as well as reports of the highest rates of binge and heavy drinking [5]. Suicide ideation is elevated among Latino adolescents as 1 in 7 (16.7%) Latino adolescents report suicidal ideation and 1 in 10 (10.2%) report having attempted suicide [6]. In 2012, Latina adolescents had higher rates of teenage pregnancy than any other racial and ethnic minority, with 43.6 births per 1000 females, ages 15–19 years old [7].

The fastest-growing drug problem in the United States is prescription drugs, and it is profoundly affecting the lives of teenagers. According to NIDA DrugFacts, prescription drug misuse and abuse is when someone takes a medication inappropriately (e.g., without a prescription). According to National Survey on Drug Use and Health (NSDUH) data on youth and young adults, more than 5700 youth in 2014 reported using prescription pain relievers without a doctor's guidance for the first time.

A common misperception is that prescription drugs are safer or less harmful to one's body than other kinds of drugs. However, there are a range of short- and long-term health consequences for each type of prescription drugs used inappropriately. When concerning opioids, which act on the same parts of the brain as heroin, the consequences of inappropriate use can cause drowsiness, nausea, constipation, and depending on the amount taken, slowed breathing and even respiratory failure [8]. In terms of trends in tobacco use and electronic cigarettes among youth, older students, Hispanics, and Whites are more likely to use e-cigarettes than younger students and Blacks. In the young adult population, males, Hispanics, Whites, and those with lower education are more likely to use e-cigarettes than females, Blacks, and those with higher levels of education [9]. Flavored products marketed as e-cigarettes have gained popularity among youth and adults, while health consequence data continues to highlight the negative health impact of these products.

3. Risk and protective factors

Factors that drive the substance use behaviors of Hispanic youth may be quite similar to those found in the general population of youth, yet there are unique challenges, stressors, and other risk factors that play a role in the development of substance use among Hispanic/Latino youth [10]. Cultural values and language shifts, pre- and post-migration trauma, ethnic identified problems, and parent-child “acculturation gaps” are implicated in the onset of substance use in this growing population. A body of research on family stress, adaptation, and resilience by McCubbin and colleagues has established that stressors that impact minority groups, including Hispanics, can negatively impact and disrupt the family system [11]. In turn, how the family actively deals with their stressful conditions can strengthen family members, their relationships, and the family unit. Highly stressful conditions can overwhelm family functioning.

Acculturative stressors are a class of adverse conditions that can generate interpersonal, cultural and familial challenges. For example, cultural conflict following immigration can reverberate across generations. Such stressors may comprise chronic adversity that includes clashes between personal and family goals; an increase in individualistic views; a reduced sense of the importance of religion; increased intra-family conflicts; gender role conflict; and increased marital conflict. Families with more acculturative stress and who lack a strong social support system or resilience (i.e., family and friends, spiritual resources, access to public social services) or personal resources (i.e., self-esteem) can show a greater decline in family cohesion.

4. Immigration and acculturation-related hardships confronted by Hispanic/Latino youth

The physical and emotional demands of immigrating to the United States are well documented [12]. New data shows a 117% increase in unaccompanied children ages 12 and under caught at the US-Mexico border in fiscal year 2014 compared to fiscal year 2013. By comparison, the number of apprehensions of children 13–17 years old has by increased 12% in the past year [13]. Parental deportation is an increasingly common hardship experienced by the Hispanic youth. Nearly 33,000 noncitizen youth are in DHS custody each day, representing an over 50% increase from 2001. Chaudry and colleagues found most children of deported undocumented workers remained in the United States with their other parent or relative [14]. The negative consequences of forced family separation because of deportation on child well-being are documented [15–18]. Children most at risk for negative behavioral or psychological changes are those who witnessed their parents’ arrest; children separated from their parents longer than 30 days; and children whose primary caregiver was deported [19].

The term *acculturative stress* refers to the distress that individuals experience as a result of tension between maintaining the behaviors and characteristics of their country of origin and concurrently adopting those from the majority culture [20]. Acculturative stressors are not unique to Latino populations and may include pressure from learning a new language, balancing differences in cultural values, and adjusting to new employment expectations [21, 22]. Stress itself is conceptualized as a behavioral and emotional reaction to acute or chronic life-changing events and occurs when the demands of the events exceed the individuals’ perceived personal and social resources to deal with these changes [23]. The stress-illness paradigm offers one way to conceptualize the relationship between social stress and health [24, 25].

Research studies on acculturation and health status have been mixed, with some studies showing a positive relation between acculturation and health, while others demonstrate an inverse effect on health outcomes [26]. Furthermore, there is often considerable variation in these outcomes depending on factors such as country of origin, age, gender, years lived in the United States, education, and income [27]. For example, some research shows differences in health outcomes across a number of Latino/a subpopulations, with some subgroups experiencing higher morbidity and mortality rates, diabetes and hypertension, psychiatric disorders, and substance use disorders [27–32]. One potential factor driving these different outcomes is experiences of acculturative stress.

Recent work by the authors suggests that acculturation “gaps” between adolescents and their parents can impact healthy emotional development. An additional adversity often faced by Hispanic families involves family member separations due to immigration, such as when parents come to the United States first and children are separated for years. The reunification process can be stressful and painful rather than smooth and joyous. The work by Perreira and colleagues emphasizes how adversity and resilient responses are embedded in social contexts. From an adversities’ perspective, this involves loss of social position and class status, loss of vital extended family resources, loss of peer networks and community support, and economic and social segregation and marginalization. Unfamiliar social contexts, language barriers, and humiliation when confronted by racism and discrimination can further erode individual and family coping and resilience.

Studies also indicate that US-born and more acculturated Mexican origin youth exhibit higher rates of externalizing behavior when compared to their less acculturated, Mexican-born peers. Markers of acculturation are consistently associated with externalizing outcomes like conduct problems, juvenile arrest, and substance use. US-born youth report less investment in education and lower academic aspirations than their Mexican-born peers [33]. Among immigrants, greater length of residence in the United States is associated with lowered academic motivation [34, 35]. Despite the stressful period of adjustment to a new set of cultural and linguistic changes, immigrants show resilience and better behavioral health compared to US-born Latino youth. The immigrant paradox primarily results from the progressive loss of traditional culture and associated negative health consequences associated with increasing generations or time in the United States [36].

Research examining the effects of both acculturation and stress find that stress partially mediates the relationship between acculturation and negative health behaviors. Stress impedes health by limiting access to salutogenic health behaviors and through maladaptive coping [37]. Hispanics under elevated stressor exposure are more likely to deny the stressor or to use maladaptive coping behaviors such as risky sex and substance abuse [38, 39].

Among youth, immigration, and acculturation-related stressors have also been found to predict greater drug use and risky sexual behavior [40, 41]. Recently, Cervantes and colleagues identified eight culturally based stress risk domains commonly experienced by Latino adolescents, ranging from acculturation gaps to family immigration-related stress [42]. Higher scores of cultural stress in these life domains were significantly related to both internalizing and externalizing behavioral health problems in Latino adolescents including polysubstance use [10, 42]. Effective interventions targeting immigration-related stress among Hispanics must promote healthy coping strategies for acculturation- and immigration-based stressors [43].

The implications of immigration and acculturation stressors are likely accentuated in new Hispanic settlement communities. New settlement areas are often

hostile towards immigrants, creating a culture of fear where there is a heightened sense of anxiety that likely underlies social interaction and exaggerates possible stressor exposure. Birman and colleagues provide evidence that these hostile contextual conditions can affect the acculturation process and point to contextual factors such as immigrant density, acceptance of cultural diversity, and presence of social capital as core contextual issues [44].

5. Protective effects of family and social support

Protective factors are those personal and environmental conditions and experiences that can counteract risk factors for substance use. For example, emphasis on family life is a central core value to most Hispanics and essential for their resilience in achieving normative life aims in the face of adverse social and environmental barriers. The concept of *familismo*/familism is a core value and belief in the centrality of family in the life of Hispanics. It highlights family loyalty, interdependence over independence, and cooperation over competition. Hispanic cultural values (i.e., *familismo*, *simpatia*, power distance, personal space, present time orientation, traditional gender roles) may impact health outcomes and diminish during the acculturation process. Embracing familism as a value contributes to a familial stability, which is linked to better physical health behaviors,

Acculturation risk factors	Suggested resilience strategies
Discrimination	<ul style="list-style-type: none"> • Maintaining a strong sense of identity and self-confidence • Demonstrating strong sense of cultural identity • Leaning towards religion and spirituality to assist emotions when dealing with discrimination • Finding resources voting for beneficial measures and laws
Immigration stress	<ul style="list-style-type: none"> • Becoming educated on the topic of immigration • Take ESL classes • Maintaining hope towards the future and focusing on the positive aspects of immigration • Finding assistance through ESL and studying • Relying on the bible to maintain hope
Family conflicts	<ul style="list-style-type: none"> • Seeking support from other family members • Spirituality and seeking help from God and clergy • Increasing communication skills with family
Health-related stress	<ul style="list-style-type: none"> • Seeking traditional remedies • Getting help from pharmacies that have meds from other countries (e.g., going to Mexico) • Finding local clinics and low-income assistance clinics • Relying on family for emotional and monetary support • Developing healthier habits to prevent health problems
Marital problems	<ul style="list-style-type: none"> • Learning from others.; asking for advice • Seeking assistance from other family members or clergy

Table 1.
 Protective factors and resilience strategies.

higher likelihood of seeking medical help, better psychological health, and lower perceived burden of stress.

Familism and the highly involved parenting practices that often come with familism have been linked to fewer behavior problems in children. The work by Perreira and colleagues has pointed to specific resiliency strategies utilized by Hispanic immigrant parents. These include (1) emphasizing with and respecting adolescents/children (i.e., developing a deep understanding of what they are going through in an unfamiliar context and admiring the strength shown by children in that difficult context); (2) seeking help and fostering social support (i.e., connecting to other Hispanics and building community); (3) developing bicultural coping skills (including teaching children about their heritage and American culture); and (4) improving communication with their children (e.g., speaking honestly about difficult situations and being attentive to the child's needs). *Familismo*, the orientation towards putting the needs of the family above that of the individual, family cohesiveness, reciprocity, and honor is a core value in Hispanic/Latino culture [45–49]. Most studies of psychosocial outcomes related to *familismo* find favorable psychosocial results for Hispanic children and adolescents [50–55]. Incorporating Hispanic/Latino family values into early intervention and prevention programs can buffer the impact of weakening connection to traditional family protective factors [56].

Other forms of resilience can be found among Hispanic/Latino youth and families. These resources can be “mobilized” as part of any culturally focused prevention strategy. In one qualitative study of family resilience, Cervantes and Santisteban [57] reported specific, contextual resilience strategies mentioned by Hispanic/Latino families in confronting acculturation stressors (Table 1).

6. Research on behavioral intervention strategies for Hispanic/Latino youth

Evidence-based drug prevention programming for Hispanic/Latinos does exist, although the number of programs is small. *Familias Unidas*, *Familia Adelante*, *Strengthening the Bonds of Chicano Youth*, and other similar programs will be highlighted here. The *Familias Unidas* intervention research has been undertaken with various Hispanic/Latino population groups including a study of predominantly Cuban (39%), Central and South Americans (29 and 17%, respectively), and a small proportion of Puerto Rican/Dominican (5%) participants [58]. A more recent study of *Familias Unidas* included adolescent participants who were predominantly US-born (56.1%) as well as adolescent immigrants from Honduras (26.9%), Cuba (20.4%), and Nicaragua (16.1%) [59]. A study of *Strengthening the Bonds of Chicano Youth* (El Proyecto de Nuestra Juventud) included 450 high-risk youth in an established, nonimmigrant community setting [60]. Results were generally positive in reducing risk factors for substance use.

Familias Preparando la Nueva Generación (FPNG) is a synchronized culturally grounded parenting component program which involves Latino youth substance abuse prevention [61]. FPNG serves as an addition to the already proven efficacious classroom-based drug abuse prevention intervention, *Keepin' it Real* (KIR). One study showed that anti-drug norms were stronger in participants who were enrolled in KIR whose parents also participated in FPNG than in participants who were enrolled in KIR alone. Along with these stronger anti-drug norms, participants whose parents were in FPNG also showed reduced use of cigarettes and alcohol. The findings have shown that adolescent normative beliefs and related behaviors can be changed through synchronized culturally grounded parent and youth interventions.

REAL Groups is a small-group intervention designed to complement the school-based Keepin' it Real (KIR) prevention program [62]. REAL Groups intervention is the result of a partnership with predominantly Mexican-American schools located in the central city neighborhoods of a southwestern US metropolitan area. The REAL Groups approach was designed as a companion to the larger KIR intervention and takes place over 10 weeks specifically targeting Latino, Hispanic, and Mexican-American children that appear to be more vulnerable to using drugs before entering adolescence. However, the outcomes of the REAL Groups intervention have been mixed and inconclusive, mainly due to the participants of the study being in the fifth grade with low drug use rates.

The mother/daughter intervention (MDI) approach is another program that involves substance abuse prevention strategies for youth [63]. This approach consists of 10 sessions via the internet which are to be completed at a rate of one session per week. In one study the MDI targeted young Black and Latina girls between the ages of 10 and 13 and their mothers. The outcome of the MDI showed that the girls who received the intervention reported lower levels of depression and higher levels of self-efficacy about their ability to avoid cigarette smoking, alcohol consumption, and drug use.

Substance abuse treatment and prevention interventions also exist to address intrafamilial stress in Hispanic families, such as brief strategic family therapy (BSFT) and more recently culturally informed family therapy for adolescents (CIFTA) [64, 65]. Again, these studies have included predominately Cuban or other Caribbean Latino samples yet may prove beneficial when applied to other Hispanic/Latino groups.

7. Integrating acculturation stress into prevention efforts

As an example of the expanding set of innovative research-based prevention programs for Hispanic/Latino youth, Familia Adelante will be discussed in some detail to exemplify one recently developed, culturally focused program. Familia Adelante is a drug prevention program that incorporates *promotores* as facilitators for this curriculum-based drug prevention program. The first iteration of the *Familia Adelante (FA)* curriculum showed reductions in family stress

Familia adelante: youth sessions summary		
Session	Lesson	Lesson goal
1	Introduction	Have a clear understanding of the Familia adelante curriculum, its purpose, and the need for program evaluation
2	Concept building	To define prevention and its application in life, build rapport with group members, acknowledge Hispanic culture as a positive resiliency factor, learn the basic concepts of culture and stress
3	Feelings	Explore physical and emotional feelings, explain how feelings affect behavior; how to be assertive in relationships
4	Stress overview	What stress is and how it affects physical and emotional health as well as behavior
5	Acculturation stress	Hispanic acculturation stress, how to identify the consequences of physical and emotional stress, and what values may hold. Discussion of immigration-related stressors
6	School-related stress	Identify the stressors related to school, cultural, and ethnic differences and how this stress affects youth; help youth identify trusted adults to share stressful experiences

Familia adelante: youth sessions summary		
Session	Lesson	Lesson goal
7	Negative peer pressure	Adaptive ways of coping with stress; how to cope with dating peer pressure around sexual behaviors.
8	Family stress	How to identify family stressors; effective ways to deal with cultural stressors, positive and negatives about having sex; explore acculturation gaps
9	Gang prevention	Understand Hispanic gangs, violence, and the importance of not becoming members of gangs
10	Substance abuse education	Specific drug information, dangers of drug use, other healthy activities, facts about drugs, effects of drugs on a person's body, cultural pressures to use alcohol and other drugs
11	Family communication	Teach families healthy communication skills; revisit acculturation gaps stressors
12	Evaluation and celebration	Re-evaluate youth to assess effectiveness of program; certificates of completion awarded to participants

Table 2.
Familia adelante session summary.

and youth behavior problems, enhancing academic and psychosocial coping and decreasing substance use patterns in Latino youth [66]. FA was also tested through in the SAMHSA-funded Blythe Street Prevention Project (BSPP) with youth and their parents, and that study found significant improvements in drug knowledge and drug resistance skills in both youth and parents [67]. FA was then evaluated in 2006 with six cohorts of families in a school-based setting. Findings were positive showing that family and peer communication improved and perceptions of substance use harm increased while social norms around sexual behavior and past-30-day use of marijuana and illegal drugs were reduced [68]. The developers also conducted NIH-supported work to infuse the FA curriculum with reproductive health education and HIV prevention messaging. Based on focus group data, new content was identified by participating youth that was not included in the original FA curriculum (i.e., content on eating disorders) (Table 2).

8. Adapting evidence-based programs

Given the lack of prevention programs that have used a grounded cultural theory or that have incorporated culturally relevant risk and protective factors, there is oftentimes a need to use other evidence-based prevention practices and approaches and to adapt those to the needs of local Hispanic/Latino community. In one literature review comparing cultural adaptations to either no treatment or unadapted treatments, researchers found that cultural adaptations can be more effective than either of these other conditions, especially for clients with a diagnosed mental health disorder [69]. When examined as a whole, the scientific literature on cultural adaptations shows treatment effects to be significant and moderate in size on average [69–75]. Still, researchers caution that conclusions about the need for cultural adaptations should be reserved until more studies that directly compare adapted and unadapted EBPPs are conducted.

Adapted interventions that address the powerful, everyday stressors experienced by Hispanic/Latino clients are likely to be perceived as more relevant and attractive to clients. Enhancing content of existing EBPPs to reflect the values (e.g.,

family, religion) and world views of Latino clients will also increase the cultural relevance of the intervention [69, 76]. Finally, there are a number of agency- and provider-level characteristics that must be considered before a decision to adapt an EBP is made. First and foremost is the capacity of a provider organization to systematically undertake an adaptation. Agency capacity refers to the financial and human capital resources, skills, knowledge, and in-kind support that are needed to take on each step of the adaptation process (outlined below). For example, an initial needs assessment may include conducting consumer, staff, and other stakeholder interviews or focus groups. Thus, an agency should be prepared to cover costs related to staffing of these additional activities, paying incentives for participants, offering childcare, providing food and providing transportation for participants, transcription of focus group data, data management, data analysis, and reporting.

9. Conclusions and recommendations for future research

Drug prevention science and practice continues to expand, and to some extent the field has made positive impact in the Hispanic/Latino community. Based on the research to date, sufficient evidence exists about culturally specific risk and protective factors associated with the onset of substance use [3, 42]. Additionally, the momentum is gathering for the development and study of culturally focused prevention interventions. Acculturation and related stressors have been shown to precipitate behavioral health problems, and the body of research on acculturation stress can serve as theoretical underpinnings for the development of additional contemporary, culturally sensitive programming. As prevention programming and the evidence base for Hispanic/Latino practices continues to expand, core theoretical considerations will drive effective prevention programming. Latino and other scholars agree that concepts of acculturation, acculturation stress, *familismo*, *respeto*, and *comunidad* (community) must be inherent components, if not core components of prevention strategies for this growing population. Reinforcing positive family and youth identity that incorporates, embraces, and honors cultural history and traditions appears to have most promise.

In addition, there is growing evidence that factors such as acculturation stress, parent-child acculturation gaps, and prolonged discrimination (measured by allostatic load) may all play a role in the development of SUD among Hispanic/Latino youth. Programs such as Familia Adelante, which can be considered a culturally grounded model, address many of the acculturation and stress-related issues that resonate with many Hispanic/Latino youth. The development of prevention service approaches that include family and parent involvement is necessary, not only for the purpose of recruiting and retaining families but also as a way to promote and reinforce *familismo*. Future research on the impact of immigration policy and enforcement is needed particularly related to how family separations, childhood trauma associated with immigration, and deportation experiences lead to the development of behavioral health problems. The testing of prevention programs that are specific to new immigrants and refugee populations will be needed to address the uncertainties that these youth and families experience and that may not be addressed in existing prevention models.

Finally, we have outlined issues related to adapting existing EPBs for use in Hispanic/Latino communities. Research is fairly conclusive that adapting an EBP to the language and cultural characteristics of a particular ethnic community is better than not doing the adaptation. Yet, the skills, capacity, and resources available to do good program adaptation must be in place. More specific research on program adaptations of generic prevention programs for Hispanic/Latino communities is needed.

IntechOpen

IntechOpen

Author details

Richard C. Cervantes* and Elias Koutantos
Behavioral Assessment Inc., Los Angeles, California, USA

*Address all correspondence to: rccbeth@aol.com

IntechOpen

© 2020 The Author(s). Licensee IntechOpen. This chapter is distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/3.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. 

References

- [1] US Census Bureau. The Hispanic Population in the United States: 2014. The United States Census Bureau. Available from: <https://www.census.gov/data/tables/2014/demo/hispanic-origin/2014-cps.html>. Published August 23 2017. Accessed [December 10 2019]
- [2] Cuijpers P. Three decades of drug prevention research. *Drugs: Education, Prevention and Policy*. 2003;**10**(1):7-20. DOI: 10.1080/0968763021000018900
- [3] Releases IOM. Report on preventing mental, emotional, and behavioral disorders among young people: progress and possibilities. *Journal of Child and Adolescent Psychiatric Nursing*. 2010;**23**(2):118-118. DOI: 10.1111/j.1744-6171.2010.00231.x
- [4] Johnston L, Miech R, Omalley P, Bachman J, Schulenberg J, Patrick M. Monitoring the Future national survey results on drug use, 1975-2017: Overview, key findings on adolescent drug use. Ann Arbor: Institute for Social Research, University of Michigan; 2018. DOI: 10.3998/2027.42/148123
- [5] Pemberton MR, Colliver JD, Robbins TM, Gfroerer JC. Underage alcohol use: Findings from the 2002-2006 national surveys on drug use and health. *PsycEXTRA Dataset*. Rockville, MD: Substance Abuse and Mental Health Services Administration, Office of Applied Studies; 2008. DOI: 10.1037/e474852008-001. DHHS Publication No. SMA 08-4333, Analytic Series A-30
- [6] Youth Risk Behavior Surveillance. United States: Centers for Disease Control and Prevention; 2011. Available from: https://www.cdc.gov/mmwr/preview/mmwrhtml/ss6104a1.htm?s_cid=ss6104a1_w. Accessed [December 12 2019]
- [7] Martin JA, Hamilton BE, Ventura SJ, Osterman MJK, Matthews TJ. Births: Final Data for 2011. Centers for Disease Control and Prevention. Available from: <https://stacks.cdc.gov/view/cdc/23435>. Published June 28 2013. Accessed [December 12 2019]
- [8] Volk K. Teen Prescription Drug Misuse and Abuse. SAMHSA. 2019. Available from: <https://www.samhsa.gov/homelessness-programs-resources/hpr-resources/teen-prescription-drug-misuse-abuse> [Accessed: October 21, 2019]
- [9] U.S. Department of Health and Human Services. E-Cigarette Use Among Youth and Young Adults: A Report of the Surgeon General- Executive Summary. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health; 2016
- [10] Cardoso JB, Goldbach JT, Cervantes RC, Swank P. Stress and multiple substance use behaviors among Hispanic adolescents. *Prevention Science*. 2015;**17**(2):208-217. DOI: 10.1007/s11121-015-0603-6
- [11] McCubbin HI, Thompson AI, McCubbin MA. *Family Assessment: Resiliency, Coping and Adaptation: Inventories for Research and Practice*. Madison, WI: University of Wisconsin Publishers; 1997
- [12] Patten E. The Nation's Latino Population Is Defined by Its Youth. Pew Research Center's Hispanic Trends Project. 2016. Available from: <https://www.pewresearch.org/hispanic/2016/04/20/the-nations-latino-population-is-defined-by-its-youth/> [Accessed: October 11, 2019]
- [13] Krogstad JM, Keegan M. 15 States with the Highest Share of

Immigrants in Their Population. Pew Research Center. 2014. Available from: <https://www.pewresearch.org/fact-tank/2014/05/14/15-states-with-the-highest-share-of-immigrants-in-their-population/> [Accessed: October 21, 2019]

[14] Chaudry A, Capps R, Pedroza JM, Castaneda RM, Santos R, Scott MM. Facing our future: Children in the aftermath of immigration enforcement. Research Report. Urban Institute. 2010. DOI: 10.1037/e726272011-001

[15] Capps R. Paying the Price: The Impact of Immigration Raids on Americas Children. National Council of La Raza: Washington, D.C; 2007

[16] Fortuny K, Capps R, Simms M, Chaudry A. Children of immigrants: National and state characteristics. Research Report. Urban Institute. 2009. DOI: 10.1037/e724062011-001

[17] Hondagneu-Sotelo P, Avila E. Im here, but Im there. *Gender and Society*. 1997;**11**(5):548-571. DOI: 10.1177/089124397011005003

[18] Suarez-Orozco C, Todorova IL, Louie J. Making up for lost time: The experience of separation and reunification among immigrant families. *Family Process*. 2002;**41**(4):625-643. DOI: 10.1111/j.1545-5300.2002.00625.x

[19] Fortuny K, Chaudry A. A Comprehensive Review of Immigrant Access to Health and Human Services. 2011. Available from: https://www.urban.org/research/publication/comprehensive-review-immigrant-access-health-and-human-services/view/full_report

[20] Cervantes RC, Castro FG. Stress, coping, and Mexican American

mental health: A systematic review. *Hispanic Journal of Behavioral Sciences*. 1985;**7**(1):1-73. DOI: 10.1177/07399863850071001

[21] Araújo BY, Borrell LN. Understanding the link between discrimination, mental health outcomes, and life chances among Latinos. *Hispanic Journal of Behavioral Sciences*. 2006;**28**(2):245-266. DOI: 10.1177/0739986305285825

[22] Torres L, Driscoll MW, Voell M. Discrimination, acculturation, acculturative stress, and Latino psychological distress: A moderated mediational model. *Cultural Diversity & Ethnic Minority Psychology*. 2012;**18**(1):17-25. DOI: 10.1037/a0026710

[23] Lazarus RS, Folkman S. *Stress, Appraisal, and Coping*. New York: Springer Pub. Co.; 1984

[24] Ensel WM. "important" life events and depression among older adults. *Journal of Aging and Health*. 1991;**3**(4):546-566. DOI: 10.1177/089826439100300407

[25] Pearlin LI. The sociological study of stress. *Journal of Health and Social Behavior*. 1989;**30**(3):241. DOI: 10.2307/2136956

[26] Hunt LM, Schneider S, Comer B. Should "acculturation" be a variable in health research? A critical review of research on US Hispanics. *Social Science & Medicine*. 2004;**59**(5):973-986. DOI: 10.1016/j.socscimed.2003.12.009

[27] Lara M, Gamboa C, Kahramanian MI, Morales LS, Bautista DEH. Acculturation and Latino health in the United States: A review of the literature and its sociopolitical context. *Annual Review of Public Health*. 2005;**26**(1):367-397.

DOI: 10.1146/annurev.
publhealth.26.021304.144615

[28] Martinez-Tyson D, Pathak EB, Soler-Vila H, Flores AM. Looking under the Hispanic umbrella: Cancer mortality among Cubans, Mexicans, Puerto Ricans and other Hispanics in Florida. *Journal of Immigrant and Minority Health*. 2008;**11**(4):249-257. DOI: 10.1007/s10903-008-9152-4

[29] Arroyo-Johnson C, Mincey KD, Ackermann N, Milam L, Goodman MS, Colditz GA. Racial and ethnic heterogeneity in self-reported diabetes prevalence trends across Hispanic subgroups, national health interview survey, 1997-2012. *Preventing Chronic Disease*. 2016;**13**. Available from: <http://dx.doi.org/10.5888/pcd13.150260>. Published January 21 2016. [Accessed: December 12 2019]

[30] Pabon-Nau LP, Cohen A, Meigs JB, Grant RW. Hypertension and diabetes prevalence among U.S. Hispanics by country of origin: The national health interview survey 2000-2005. *Journal of General Internal Medicine*. 2010;**25**(8):847-852. DOI: 10.1007/s11606-010-1335-8

[31] Alegria M, Canino G, Stinson FS, Grant BF. Nativity and DSM-IV psychiatric disorders among Puerto Ricans, Cuban Americans, and non-Latino whites in the United States. *The Journal of Clinical Psychiatry*. 2006;**67**(1):56-65. DOI: 10.4088/jcp.v67n0109

[32] Alegría M, Canino G, Shrout PE, et al. Prevalence of mental illness in immigrant and non-immigrant U.S. Latino groups. *The American Journal of Psychiatry*. 2008;**165**(3):359-369. DOI: 10.1176/appi.ajp.2007.07040704

[33] Fuligni AJ, Eccles JS, Barber BL, Clements P. Early adolescent peer orientation and adjustment during

high school. *Developmental Psychology*. 2001;**37**(1):28-36. DOI: 10.1037//0012-1649.37.1.28

[34] Carola S-O, Suárez-Orozco Marcelo M. *Children of Immigration*. Cambridge: Harvard University Press; 2001

[35] Portes A, Rumbaut Rubén G. *Legacies: The Story of the Immigrant Second Generation*. Berkeley, CA: University of California Press;

[36] Vega WA, Rodriguez MA, Gruskin E. Health disparities in the Latino population. *Epidemiologic Reviews*. 2009;**31**(1):99-112. DOI: 10.1093/epirev/mxp008

[37] Allen JD, Caspi C, Yang M, Leyva B, Stoddard AM, Tamers S, et al. Pathways between acculturation and health behaviors among residents of low-income housing: The mediating role of social and contextual factors. *Social Science & Medicine*. 2014;**123**:26-36. DOI: 10.1016/j.socscimed.2014.10.034

[38] Perez SM, Gavin JK, Diaz VA. Stressors and coping mechanisms associated with perceived stress in Latinos. *Ethnicity & Disease*. 2015;**25**(1):78-82

[39] Cummings AM, Gonzalez-Guarda RM, Sandoval MF. Intimate partner violence among Hispanics: A review of the literature. *Journal of Family Violence*. 2012;**28**(2):153-171. DOI: 10.1007/s10896-012-9478-5

[40] Martinez CR. Effects of differential family acculturation on Latino adolescent substance use. *Family Relations*. 2006;**55**(3):306-317. DOI: 10.1111/j.1741-3729.2006.00404.x

[41] Levy V, Page-Shafer K, Evans J, et al. HIV-related risk behavior among Hispanic immigrant men in a population-based household survey in

low-income neighborhoods of northern California. *Sexually Transmitted Diseases*. 2005;**32**(8):487-490. DOI: 10.1097/01.olq.0000161185.06387.94

[42] Cervantes RC, Fisher DG, Córdova D, Napper LE. The Hispanic stress inventory—Adolescent version: A culturally informed psychosocial assessment. *Psychological Assessment*. 2012;**24**(1):187-196. DOI: 10.1037/a0025280

[43] Cervantes RC, Fisher DG, Padilla AM, Napper LE. The Hispanic stress inventory version 2: Improving the assessment of acculturation stress. *Psychological Assessment*. 2016;**28**(5):509-522. DOI: 10.1037/pas0000200

[44] Birman D, Trickett E, Buchanan RM. A tale of two cities: Replication of a study on the acculturation and adaptation of immigrant adolescents from the former Soviet Union in a different community context. *American Journal of Community Psychology*. 2005;**35**(1-2):83-101. DOI: 10.1007/s10464-005-1891-y

[45] Steidel AGL, Contreras JM. A new familism scale for use with Latino populations. *Hispanic Journal of Behavioral Sciences*. 2003;**25**(3):312-330. DOI: 10.1177/0739986303256912

[46] Marin G, Sabogal F, Marin BV, Otero-Sabogal R, Perez-Stable EJ. Development of a short acculturation scale for Hispanics. *Hispanic Journal of Behavioral Sciences*. 1987;**9**(2):183-205. DOI: 10.1177/07399863870092005

[47] Zinn MB. Chicano men and masculinity. *Journal of Ethnic Studies*. 1982;**10**(2):29-44

[48] Comeau JA. Race/ethnicity and family contact. *Hispanic Journal of Behavioral Sciences*. 2012;**34**(2):251-268. DOI: 10.1177/0739986311435899

[49] Falicov CJ. Working with transnational immigrants: Expanding meanings of family, community, and culture. *Family Process*. 2007;**46**(2):157-171. DOI: 10.1111/j.1545-5300.2007.00201.x

[50] Calderón-Tena CO, Knight GP, Carlo G. The socialization of prosocial behavioral tendencies among Mexican American adolescents: The role of familism values. *Cultural Diversity & Ethnic Minority Psychology*. 2011;**17**(1):98-106. DOI: 10.1037/a0021825

[51] Morcillo C, Duarte CS, Shen S, Blanco C, Canino G, Bird HR. Parental familism and antisocial behaviors: Development, gender, and potential mechanisms. *Journal of the American Academy of Child and Adolescent Psychiatry*. 2011;**50**(5):471-479. DOI: 10.1016/j.jaac.2011.01.014

[52] Esparza P, Sánchez B. The role of attitudinal familism in academic outcomes: A study of urban, Latino high school seniors. *Cultural Diversity & Ethnic Minority Psychology*. 2008;**14**(3):193-200. DOI: 10.1037/1099-9809.14.3.193

[53] Germán M, Gonzales NA, Dumka L. Familism values as a protective factor for Mexican-origin adolescents exposed to deviant peers. *The Journal of Early Adolescence*. 2008;**29**(1):16-42. DOI: 10.1177/0272431608324475

[54] Kuperminc GP, Wilkins NJ, Jurkovic GJ, Perilla JL. Filial responsibility, perceived fairness, and psychological functioning of Latino youth from immigrant families. *Journal of Family Psychology*. 2013;**27**(2):173-182. DOI: 10.1037/a0031880

[55] Marsiglia FF, Parsai M, Kulis S. Effects of familism and family cohesion on problem behaviors among adolescents in Mexican immigrant families in the Southwest United States.

Journal of Ethnic and Cultural Diversity
in Social Work. 2009;18(3):203-220.
DOI: 10.1080/15313200903070965

[56] Castro FG, Barrera JM, Martinez JCR.
The Cultural Adaptation of Prevention
Interventions: Resolving Tensions
Between Fidelity and Fit. *Prevention
Science*. 2004;5(1):41-45. DOI:10.1023/
b:prev.0000013980.12412.cd

[57] Cervantes RC, Santisteban DS.
Enhancing family resilience among
at risk Latinos panel presentation. In:
Presented at the Society for Prevention
Research Annual Conference, San
Francisco, CA. 2016

[58] Pantin H, Schwartz SJ, Sullivan S,
Coatsworth JD, Szapocznik J. Preventing
substance abuse in Hispanic immigrant
adolescents: An ecodevelopmental,
parent-centered approach.
*Hispanic Journal of Behavioral
Sciences*. 2003;25(4):469-500. DOI:
10.1177/0739986303259355

[59] Pantin H, Prado G, Lopez B, et al. A
randomized controlled trial of familias
unidas for Hispanic adolescents with
behavior problems. *Psychosomatic
Medicine*. 2009;71(9):987-995. DOI:
10.1097/psy.0b013e3181bb2913

[60] Varela R. Cultural Competent
Prevention Program for At-Risk
Chicano Youth. Substance Abuse
Mental Health Services Administration/
Center for Substance Abuse Prevention
(SAMHSA/CSAP) Report. Washington,
DC: Samhsa, Csap, U.S. Department of
Health and Human Services; 2001

[61] Marsiglia FF, Ayers SL,
Baldwin-White A, Booth J. Changing
Latino adolescents' substance use
norms and behaviors: The effects of
synchronized youth and parent drug use
prevention interventions. *Prevention
Science*. 2015;17(1):1-12. DOI: 10.1007/
s11121-015-0574-7

[62] Marsiglia FF, Peña V, Nieri T,
Nagoshi JL. Real groups: The design

and immediate effects of a prevention
intervention for Latino children. *Social
Work With Groups*. 2010;33(2-3):103-
121. DOI: 10.1080/01609510903366202

[63] Schinke SP, Fang L, Cole KC,
Cohen-Cutler S. Preventing substance
use among black and Hispanic
adolescent girls: Results from a
computer-delivered, mother-daughter
intervention approach. *Substance Use
& Misuse*. 2010;46(1):35-45. DOI:
10.3109/10826084.2011.521074

[64] Santisteban DA, Coatsworth JD,
Perez-Vidal A, et al. Efficacy of brief
strategic family therapy in modifying
Hispanic adolescent behavior problems
and substance use. *Journal of Family
Psychology*. 2003;17(1):121-133. DOI:
10.1037//0893-3200.17.1.121

[65] Santisteban DA, Mena MP,
Mccabe BE. Preliminary results for
an adaptive family treatment for drug
abuse in Hispanic youth. *Journal of
Family Psychology*. 2011;25(4):610-614.
DOI: 10.1037/a0024016

[66] Cervantes R, Goldbach J,
Santos SM. Familia adelante: A multi-
risk prevention intervention for Latino
families. *The Journal of Primary
Prevention*. 2011;32(3-4):225-234. DOI:
10.1007/s10935-011-0251-y

[67] Cervantes RC, Pena C. Evaluating
Hispanic/Latino programs. *Alcoholism
Treatment Quarterly*. 1998;16(1-2):109-
131. DOI: 10.1300/j020v16n01_07

[68] Bernal G, Adames C. Cultural
adaptations: Conceptual, ethical,
contextual, and methodological issues
for working with ethnocultural and
majority-world populations. *Prevention
Science*. 2017;18(6):681-688. DOI:
10.1007/s11121-017-0806-0

[69] Hall GCN, Ibaraki AY, Huang ER,
Marti CN, Stice E. A meta-analysis of
cultural adaptations of psychological
interventions. *Behavior Therapy*.

2016;**47**(6):993-1014. DOI: 10.1016/j.beth.2016.09.005

[70] Benish SG, Quintana S, Wampold BE. Culturally adapted psychotherapy and the legitimacy of myth: A direct-comparison meta-analysis. *Journal of Counseling Psychology*. 2011;**58**(3):279-289. DOI: 10.1037/a0023626

[71] Griner D, Smith TB. Culturally adapted mental health intervention: A meta-analytic review. *Psychotherapy: Theory, Research, Practice, Training*. 2006;**43**(4):531-548. DOI: 10.1037/0033-3204.43.4.531

[72] Huey SJ, Polo AJ. Evidence-based psychosocial treatments for ethnic minority youth. *Journal of Clinical Child and Adolescent Psychology*. 2008;**37**(1):262-301. DOI: 10.1080/15374410701820174

[73] Smith TB, Rodríguez MD, Bernal G. Culture. *Journal of Clinical Psychology*. 2010;**67**(2):166-175. DOI: 10.1002/jclp.20757

[74] Smith TB, Trimble JE. *Foundations of Multicultural Psychology: Research to Inform Effective Practice*. Washington, DC: American Psychological Association; 2016

[75] Loon AV, Schaik AV, Dekker J, Beekman A. Bridging the gap for ethnic minority adult outpatients with depression and anxiety disorders by culturally adapted treatments. *Journal of Affective Disorders*. 2013;**147**(1-3): 9-16. DOI: 10.1016/j.jad.2012.12.014

[76] Ulibarri M, Calzada E, Cervantes RC, Santisteban DS, Bernal G. Make Your program work: The value of cultural adaptations for Latino-serving substance use treatment organizations. In: *National Hispanic and Latino Addiction Technology Transfer Center ATTC*. Los Angeles, CA; 2018