

*This is the final accepted author copy of the article which may be used for non-commercial purposes in accordance with the publisher's terms and conditions for self-archiving.*

# SMART Research: Towards interdisciplinary river science in Europe

Serlet, A.J.<sup>1,2,\*</sup>; López Moreira M., G.A.<sup>1,3,4</sup>; Zolezzi, G.<sup>1</sup>; Wharton, G.<sup>2</sup>; Hölker, F.<sup>3,4</sup>; Gurnell, A.M.<sup>2</sup>; Tockner, K.<sup>3,4,6</sup>; Bertoldi, W.<sup>1</sup>; Bruno, M.C.<sup>5</sup>; Jähnig, S.J.<sup>4</sup>; Lewandoski, J.<sup>4</sup>; Monaghan, M.T.<sup>3,4</sup>; Rillig, M.C.<sup>3</sup>; Rogato, M.<sup>1</sup>; Toffolon, M.<sup>1</sup>; Veresoglou, S.D.<sup>3</sup>; Zarfl, C.<sup>4,7</sup>

<sup>1</sup> Department of Civil, Environmental and Mechanical Engineering, University of Trento, Italy

<sup>2</sup> Department of Geography, Queen Mary University of London, United Kingdom

<sup>3</sup> Institut für Biologie, Freie Universität Berlin, Germany

<sup>4</sup> Leibniz-Institute of Freshwater Ecology and Inland Fisheries (IGB), Berlin, Germany

<sup>5</sup> Fondazione Edmund Mach, San Michele all'Adige, Italy

<sup>6</sup> Austrian Science Fund FWF, Vienna, Austria

<sup>7</sup> Center for Applied Geoscience (ZAG), Eberhard Karls University of Tübingen, Germany

## \* Correspondence:

Corresponding author at Aix-Marseille Univ, CNRS, IRD, INRA, Coll France, CEREGE, Aix-en-Provence, France. E-mail address: [serlet@cerege.fr](mailto:serlet@cerege.fr) (A.J. SERLET)

**Keywords:** river science, doctoral training; interdisciplinary training; international collaboration and mobility; science for management,

## Abstract

Interdisciplinary science is rapidly advancing to address complex human-environment interactions. River science aims to provide the methods and knowledge required to sustainably manage some of the planet's most important and vulnerable ecosystems; and there is a clear need for river managers and scientists to be trained within an interdisciplinary approach. However, despite the science community's recognition of the importance of interdisciplinary training, there are few studies examining interdisciplinary graduate programmes, especially in science and engineering. Here we assess and reflect on the contribution of a 9-year European doctoral programme in river science: 'Science for Management of Rivers and their Tidal Systems' Erasmus Mundus Joint Doctorate (SMART EMJD). The programme trained a new generation of 36 early career scientists under the supervision of 34 international experts from different disciplinary and interdisciplinary research fields focusing on river systems, aiming to transcend the boundaries between disciplines and between science and management. We analysed the three core facets of the SMART programme, namely: (1) interdisciplinarity, (2) internationalism, and (3) management-oriented science. We reviewed the contents of doctoral theses and publications and synthesised the outcomes of two questionnaire surveys conducted with doctoral candidates and supervisors. A high percentage of the scientific

outputs (80%) were interdisciplinary. There was evidence of active collaboration between different teams of doctoral candidates and supervisors, in terms of joint publications (5 papers out of the 69 analysed) but this was understandably quite limited given the other demands of the programme. We found evidence to contradict the perception that interdisciplinarity is a barrier to career success as employment rates were high (97%) and achieved very soon after the defence, both in academia (50%) and the private/public sector (50%) with a strong international dimension. Despite management-oriented research being a limited (9%) portion of the ensemble of theses, employment in management was higher (22%). The SMART programme also increased the network of international collaborations for doctoral candidates and supervisors. Reflections on doctoral training programmes like SMART contribute to debates around research training and the career opportunities of interdisciplinary scientists.

## **1 Introduction**

Interdisciplinary research and training programmes are pivotal to address the complex, multi-faceted environmental challenges we are facing. It requires various methods and approaches aligned to individual disciplines (Klein 1990, Millar 2013), and sustainable solutions arise through the interaction among disciplines (Borrego and Newswander 2010, Kates et al. 2001). At the same time, interdisciplinary research requires humility, mutual respect, open-mindedness, and an ability to see things from different perspectives, which again may support creativity and ‘thinking outside the box’ to generate innovative solutions (Gardner 2013). New insights and educational value can be gained (Andersen et al., 2017) when ways of learning and methods of a given discipline are exported to another one and sometimes knowledge and methods from different disciplines can be seamlessly merged, yielding a more holistic, integrated view (Wagner, et al. 2011, Andersen 2016, Power & Handley 2017).

Today, the need for such a systemic and integrated view on environmental issues is well accepted. Many scientists have therefore welcomed the emergence of unconventional approaches that go beyond their own research areas, leading to rapidly developing interdisciplinary fields starting from hydroecology, ecohydrology, eco-hydromorphology and eco-geomorphology that extend beyond ecology, geomorphology and hydrology, up to biomedical engineering and bioinformatics (Braun & Schubert 2003, Porter & Rafols 2009). River science is emerging as one such interdisciplinary research field because rivers are, fundamentally, complex physical, biological, chemical and socio-economic systems whose watersheds often cross multiple political and administrative boundaries (Thoms 2005, Dollar, et al. 2007). Three elements are critical to support a new paradigm and develop sustainable solutions: interdisciplinary working; international collaboration; management-oriented science.

The relevance of interdisciplinary research in river science has been increasingly recognized over the past two decades (e.g. Thoms and Parsons, 2002, Stallins, 2006, Post et al., 2007, Murray et al., 2008). Lack of interdisciplinarity limits the ability to predict (river) landscape response to human disturbance and climate change (e.g. Reinhardt et al., 2010), and the need for a deeper dialogue between geomorphologists, ecologists and hydraulic engineers is increasingly advocated as priorities to develop effective science for management (Vaughan et al., 2009) and in relation to broad and specific open scientific issues (Rice et al., 2002). Vugteveen et al. (2014) argue that river research needs to be more collaborative and integrated for it to become fully inter-disciplinary in nature. Therefore, we need integration of knowledge and methods across spatial (Thoms and Parsons, 2002) and temporal scales and from diverse disciplines including freshwater biology, limnology, geology,

geomorphology, ecology, remote sensing, hydrology, hydraulics, sociology, economics and history (Wotton & Wharton 2006).

Over the last century, river systems have been fundamentally and, in many cases, irreversibly transformed through human interventions (e.g., dam construction, channelization, water abstraction, pollution, sediment mining) with acute and chronic impacts on their flow, sediment, and thermal regimes as well as on their biodiversity, ecosystem functions, and related services (Petts 1984, Brookes 1988, Kondolf 1994, Nilsson, et al. 2005, Grill, et al. 2019). Partly less obvious, but not less concerning, are the impacts arising from climate change, land use alterations, and societal changes (e.g., artificial light at night, see Hölker et al., 2010) and these are posing enormous challenges to river science and management (Perkin, et al. 2011, Gilvear, et al. 2016, Reid, et al. 2019, Stecca et al., 2019).

A better understanding of the interactions between humans and rivers and “Riverine landscapes as coupled socio-ecological systems” (6th Biennial Symposium of the International Society for River Science, ISRS 2019) is critical to mitigate adverse anthropogenic impacts and to sustainably manage these systems. A common framework and a common set of concepts is fundamental to facilitating effective collaboration and communication of knowledge and approaches between scientists, managers, and policy makers (Dollar et al. 2007). Scientific developments and evolving management trends are fundamentally intertwined (e.g. Graf, 1993) and explicit recognition of this legacy is essential to develop innovative solutions required to face the complex challenges posed by such coupled socio-ecological systems (e.g. Leuven et al., 2007) The individuals who form the scientific and decision-making communities and who work at the boundaries between them (Gieryn 1995) are key to achieving these goals and real progress will come from co-researching and collaboration between researchers, river professionals, and policy makers (Vugteveen et al. 2014). Millar (2013) has called for greater examination of how interdisciplinarity impacts the research process and the need to begin with the researchers themselves. This paper contributes to the discussions around how we train river scientists of the future (Figure 1) so that they are equipped to: address the dynamics of river systems that are interdisciplinary by nature (Palmer, et al. 2005), to acknowledge, draw from, and develop an international scientific knowledge system (Pinter, et al. 2019), and to play an effective role at the boundary with policy and decision making (Cash, et al. 2003), from local to global scales.

Thus, the key question addressed with this study is in which way and to which extent an interdisciplinary doctoral programme on river science can contribute to both (1) the scientific advancement in the respective research field, and (2) an improved training of the next generation of scientists and managers able to provide them the best tools to tackle the research questions and challenges in river science and management of the future. We specifically focus on the aforementioned key elements of interdisciplinary, management-oriented research, within an international dimension that is key to overcome a parochial approach still characterizing many river management practices worldwide (see Pinter et al, 2019) and that emerged at the same time as a key priority in doctoral education beyond continental boundaries (e.g. Bitusikova, 2007).



Figure 1. Graphical concept of questions in river science being addressed collaboratively by international interdisciplinary teams of scientists

In our paper, we share the analysis and reflections from a 9-year doctoral training programme, ‘Science for Management of Rivers and their Tidal Systems’ Erasmus Mundus Joint Doctorate, hereafter referred to as SMART EMJD. It was one of the 43 funded EMJD programmes funded by the Education, Audiovisual, Cultural Executive Agency of the European Union (EACEA). Within the broad need to adapt education systems to the demands of the knowledge society, the EMJD action (2009 – 2013) had the strategic goal of developing structured and integrated cooperation to implement common doctoral programmes leading to the award of mutually recognised joint doctorate degrees (European Commission 2013). The programme was born from the sustained collaboration between individual senior scientists (Bertoldi, et al. 2009) affiliated to three European universities that set out to train a new generation of river scientists. Through 36 doctoral research projects, organized under three key themes (Figure 2) the aim of the programme was to address knowledge gaps in river science by adopting a much more integrated, holistic, interdisciplinary approach (Vaughan et al., 2009) with teams comprised of researchers from different educational and disciplinary backgrounds and drawn from a wide range of countries. Such teams help overcome the

dangers of a strong disciplinary focus (see Pickett et al., 1994) for example gaps in understanding at the interfaces between disciplines, and a parochial approach (see Pinter et al, 2019). Furthermore, the programme aimed to foster co-researching and collaboration between scientists, river professionals and policy makers throughout the project as a more effective way to ensure more relevant science and improved evidence-based decision-making in river management, something that is unlikely to be achieved through paper-based communication of research results alone (Vugteveen et al., 2014). We share our evaluation of the SMART EMJD programme in relation to its three core facets (interdisciplinarity, internationalism, and management-oriented science) to encourage and inform future integrated education and research activities in river science and other interdisciplinary research fields.

## **2 Materials and methods**

### **2.1 Case study: SMART EMJD**

The SMART EMJD focused on core disciplines of the natural and engineering sciences relevant to the sustainable management of river systems, from their headwaters to their estuaries, including connected lakes and wetlands, and the interfaces between atmospheric, surface, and groundwater systems (Gurnell, et al. 2016). Doctoral candidates were recruited from both EU and non-EU countries to carry out research in diverse teams that cross disciplinary, institutional, and geographic boundaries. International and interdisciplinary perspectives were further promoted through mandatory international mobility periods. The doctoral candidates were required to spend at least six months in another country (i.e. at the secondary institution) and two months with an associate partner.

Consequently, doctoral candidates were capable to adopt and apply a multidimensional, multi-scale holistic approach to river science. The multidimensional component enforced the consideration of multiple stressors, e.g. altered water/sediment flow and thermal regimes, and degraded ecological status from noise, light, and chemical pollution. It also helped advancing river research, which traditionally focused on a single scale, by covering a range of spatial and temporal scales. A holistic approach allowed for the integration of the complex, potentially synergistic and sometimes overlooked interactions among physical, chemical, and biological components in different river system settings.

A joint doctoral degree was awarded by the primary and secondary institutions to the SMART EMJD doctoral candidates after successful completion of their doctoral thesis with the thesis defence or viva-voce examination taking place at and following the regulations of the primary institution.

#### **2.1.1 Lead institutions and associate partners**

Research training was delivered by three lead universities: The University of Trento, in close collaboration with the Edmund Mach Foundation in Italy; the Freie Universität Berlin, in close collaboration with the Leibniz-Institute of Freshwater Ecology and Inland Fisheries (IGB) in Germany; and the Queen Mary University of London in the UK. All three universities exhibited a history of successful research collaboration, and are engaged with practitioners in developing approaches to sustainably manage rivers and their tidal environments. Further institutions from multiple sectors in both EU and non-EU countries contributed to the programme as Associate Partners (Supplementary Table 1), hosting doctoral candidates for at least two months with the aim to facilitate interactions with water policy-makers, river managers, and practitioners (i.e. facilitating transdisciplinary research).

### 2.1.2 SMART doctoral candidates

Doctoral candidates were selected from European and non-European countries following the Erasmus Mundus Programme rules and selection was based on their written qualification, CV, personal statement, research proposal, and reference statements; followed by a face-to-face interview (primarily via Skype) with all shortlisted candidates. Funding was provided for five consecutive cohorts (5 to 10 candidates per cohort), starting in 2011. A total of 42 doctoral candidates, out of 378 eligible applicants, were finally selected (i.e. 11%); 36 candidates successfully completed their thesis (15 from EU and 21 non-EU countries). Of these candidates, 15 joined the University of Trento, 13 the Freie Universität Berlin, and 8 Queen Mary University of London as their primary institutions.

### 2.1.3 Research areas

Doctoral research topics in the SMART EMJD were organized within three major research areas, (a) ecosystem resilience to stressors; (b) natural functioning; and (c) rehabilitation of function (Figure 2):

- a) Ecosystem resilience to human and other stressors. Topics focused on the resilience of river-floodplain ecosystems to both natural and human-induced stressors. These included changes in hydrological connectivity, flow regulation by hydropower facilities, water abstraction, and changes in sediment supply, as well as more recent alterations such as artificial light at night or climate change related drivers.
- b) The natural functioning of river-floodplain systems. Topics focused on the reciprocal linkages between physical processes and biota along river corridors, for improved understanding of their natural functioning. These linkages reflect feedbacks between flow, sediments, and vegetation, such as the ecosystem engineering capacity of plants. A special emphasis was given to drivers of bio-morphodynamics influencing the capacity of fluvial systems to self-regulate and attain good ecological status in both 'reference' and 'impacted' situations.
- c) The potential to rehabilitate compromised functions in impacted systems. Topics aimed to evaluate the potential to support or rehabilitate desired functions in impacted river system by implementing eco-morphological measures such as river widening, habitat improvement (e.g., by introducing large wood), and other measures such as the implementation of ecological flows.




Figure 2. The three research areas (a, b and c) as defined within the SMART EMJD

## 2.2 Data collection and data analysis

Data were collected by reviewing scientific outputs (up to 31st March 2019) from the SMART EMJD doctoral candidates, and the reports produced by the SMART EMJD administration. Information on research articles was retrieved from Elsevier’s Scopus, a database of peer-reviewed scientific literature. Three out of 69 published papers were not covered by Scopus at the time of the analysis. Therefore, they were excluded from further analyses based on the Scopus statistical tools. The numbers of cited references for these papers were retrieved from the Web of Science platform (Clarivate Analytics). The impact from the 69 research articles was assessed by the number of citations and the impact factor of the journal (retrieved from the journal’s websites) at the time of the study (March 2019).

The data were explored in relation to the three key elements of the doctoral programme: interdisciplinarity, internationalism, and management-oriented science. Two questionnaire surveys were sent to all SMART alumni and supervisors to ask about the overall perception of the programme and of its effectiveness. The questionnaires are reported in the SI. The response rate was 69% from the doctoral candidates and 76% from the supervisors. The responses provided insights into the experiences gained through the doctoral programme and contextualized the information emerging from the analyses of the scientific outputs.

### 2.2.1 Interdisciplinarity

There have been a wide range of definitions of interdisciplinary research (e.g., Becher & Trowler 2001, Klein 1990, 1996, National Academies 2005, Wagner 2011). In this study, we adopted the definition of the National Academies (2005) as “...a mode of research by teams or individuals that integrates information, data, techniques, tools, perspectives, concepts, and/or theories from two or more disciplines or bodies of specialized knowledge to advance fundamental understanding or to solve problems whose solutions are beyond the scope of a single discipline or area of research practice.” This definition has been widely adopted (Porter et al, 2006, 2009, Rafols & Meyer 2008, Wagner (2011). We also adopted the addition proposed by Aboelela et al (2007) of a requirement of

perspectives and skills of the involved disciplines throughout multiple phases of the research process. These key criteria of researchers from different disciplinary backgrounds working in collaboration, with an integrated approach, towards an agreed common goal, and with on-going dialogue is what distinguishes interdisciplinarity from: multi-disciplinarity (*more than one discipline working on the same problem but with no real conversation*); pluri-disciplinarity (*disciplines interacting on the basis of work from other disciplines*); trans-disciplinarity (*the organization of interdisciplinary research by a grand unifying vision*) (see Klein, 1990), and cross-disciplinarity (a generic, over-arching term for multi, inter, pluri, and trans) (Vugteveen et al, 2014).

In our study the criteria used for measuring interdisciplinarity were (1) number of fields/disciplines integrated in the research and (2) expertise of the participants. We considered three major components of river science: landforms, biota and water flow, as identified in earlier literature (e.g., Corenblit, et al. 2007, see also D'Alpaos, et al. (2016) for a short review of currently used terminology). A research “focus” was then defined by an integrative term that combined research disciplines into a single term (e.g., biogeomorphology), or two adjacent terms (e.g., light ecology). A percentage score was given to quantify the proportion of each doctoral thesis covered by a research focus and was computed as  $(1/n) \times 100\%$  for a thesis that covered  $n$  areas. The proportions were related to the core chapters reporting the substantive research results in the doctoral theses, where each chapter was assigned a main research focus according to its content. For example, if a thesis consisted of three research chapters of which two mainly focused on biomorphology and one on ecology, 66% would be given to biomorphology and 33% to ecology for the entire thesis. The main research focus of a chapter was usually described in the thesis, and if not, the author selected the most appropriate focus. The overall contribution of a research focus to the whole of the 36 theses was computed as the sum of each score for that focus weighted by the proportion of theses in which that focus was present.

For all SMART EMJD alumni and supervisors, a background check was conducted to characterise initial disciplinary and specialist fields. This was done by consulting sources such as CVs, personal and university webpages to ascertain postgraduate degree areas and/or reported work experience immediately prior to involvement in the SMART EMJD. The backgrounds of doctoral candidates were defined with reference to the three major research components for river science: “water flow”, “biota” and “landforms”, which have been labelled as “HYDRO”, “ECO” and “GEO”, respectively. Twenty-seven doctoral candidates were categorized within these fields, one was categorized in geomatics and eight had an interdisciplinary background combining two main areas. Although most supervisors were involved in collaborative research projects spanning different fields, an interdisciplinary background was assigned only to people for whom multiple research areas were equally important. The backgrounds of SMART EMJD alumni were compared with those of the supervisors and the interdisciplinary research areas of the doctoral theses to analyse the knowledge gained from interdisciplinary fields.

### 2.2.2 Internationalism

The international character of the programme was analysed through the nationalities of SMART EMJD applicants and doctoral candidates and the international collaboration established within the programme. Internationalism was also quantified as the proportion of applicants and selected doctoral candidates recruited from 5 out of the 7 continents globally. These values were compared to the nationalities of applicants and selected doctoral candidates of all EMJDs for the year 2015 (including SMART), for which data were available on the funding agency website ([https://eacea.ec.europa.eu/erasmus-plus/library/scholarship-statistics\\_en](https://eacea.ec.europa.eu/erasmus-plus/library/scholarship-statistics_en)). We further analysed



international collaboration during the programme and relocation of the doctoral candidates after finishing the programme, for example returning to their home country or moving to a new country.

### 2.2.3 Management-oriented science

The doctoral theses were categorized according to the research areas defined in Figure 2. This analysis was undertaken by detailed screening of the theses to detect the main links to: (a) ecosystem resilience; (b) natural functioning; and (c) river management. Each thesis chapter was assigned to one or more areas and when more than one area was identified the percentage score was equally divided. The science for management domain was further analyzed through the responses to the surveys, and occupations of SMART EMJD alumni at the time of the survey.


## 3 Results

### 3.1 Scientific outputs and impact


By the end of March 2019, SMART EMJD doctoral candidates had published 69 papers (59 first-authored, 15 co-authored papers), including five papers with two doctoral candidates as authors. Of the 69 papers, 50 were classified in Scopus as primary research articles; seven were classified as review/overviews articles, six as conference papers, and six as short papers. In total, 45 % of all papers were accepted for publication before the candidates' defense date, corresponding to an average number of 0.9 papers per candidate, of which 71% were first-authored papers. This was lower than the average number of papers (1.9 papers per candidate before defence, 50% first-authored papers) of a reference group of 32 doctoral candidates enrolled at the same time as the SMART doctoral candidates in doctoral programmes at the partner institutions. As expected, the number of papers related to the PhD continued to grow after the defense.

Up to the end of March 2019, SMART EMJD papers were cited in total 831 times, by 709 different publications, including one paper that received 336 citations (Zarfl, et al. 2015). There was no correlation between the number of citations of a specific paper and the impact factor of the respective journal (Figure 3A). As expected, the number of publications (and citations) increased with time (Figure 3B). The impact factor of the journals varied between 1.2 and 11.7 (mean: 4.2) (Figure 3C). On average, each SMART EMJD paper received 12 citations (median value: 6), excluding the article by Zarfl et al. (2015).


A



B



C



D




Figure 3. (A) Impact factor and citations per journal or conference proceedings with numbers above bars indicating the total number of published papers within the corresponding journal; (B) papers published in the SMART EMJD and related citations per year; boxplots showing distributions of (C) journal impact factor and of (D) the number of citations for all papers. The horizontal line within the box represents the median, the mean is presented with a cross symbol, outliers as circles, the quartiles are calculated excluding the median (papers and number of citations considered up to March 2019)

### 3.2 Interdisciplinarity in the SMART EMJD research

Doctoral candidates and supervisors considered interdisciplinarity as a major asset of the SMART EMJD research programme, indicated through the questionnaire. Among the doctoral candidate participants, 76% found it motivating to do research which included several disciplines and 76% agreed/fully agreed that their doctoral research was enriched by working with supervisors from different disciplinary backgrounds. While more than half of the doctoral candidates (52%) acknowledged that interdisciplinarity presented an extra challenge, 64% indicated that their research project could have been more interdisciplinarity than it actually was. Furthermore, 80% stated that the

interdisciplinary nature of the SMART EMJD has improved their career options and 92% stated that the programme has improved their ability to work in an interdisciplinary context.

Among the supervisors, 69% of the survey participants agreed/fully agreed that their knowledge improved in disciplines beyond their original areas of expertise and 65% of the supervisors indicated that the programme has led them to explore other research areas. 50% also stated that the interdisciplinary nature of the PhD topics led to higher quality science compared to topics from traditional disciplinary areas.

### 3.2.1 Doctoral theses and publications

Figure 4A illustrates the identified research foci across all doctoral theses within the three major components: water flow, landforms, and biota. Panel 4B lists the percentage contribution of these research foci to the ensemble of the 36 doctoral theses. Interdisciplinary research between the three research components predominates, with 81% of the investigated work concentrated in two or more research foci. Nearly 1/3 of the theses covered the three major components (subgroup K) while only 19% covered one.




Figure 4. (A) Overview of research foci in the SMART EMJD, within the three major river science components: Water flow, Biota and Landforms. (B) Percentage contribution of each research focus across all the 36 doctoral theses

Figure 5a presents the total number and relative proportion of papers (from a total of 66 Scopus-indexed SMART EMJD papers) addressing the subject areas associated with the journals within the Scopus databases. Figure 5b displays the subject areas for the 709 papers citing the SMART EMJD papers. The results show a similar distribution of the subject areas across published papers and citing papers with environmental science (32 and 36%), agricultural and biological sciences (18 and 23%), earth and planetary sciences (15 and 14%) jointly cover nearly 70% of all identified disciplines.




Figure 5. The proportion of different subject areas (size of pie slices) and related number of Scopus documents associated with the journals in which (A) the 66 Scopus-indexed SMART EMJD papers have been published and (B) all 709 papers citing the SMART EMJD papers have been published.

### 3.2.2 Disciplinary Backgrounds

Table 1 shows the backgrounds of the doctoral candidates and supervisors for each of the SMART EMJD partner institutions. From 34 supervisors, 18 had a background within either the ECO, GEO or HYDRO research components, one within geomatics, and 15 already exhibited an interdisciplinary expertise. Each doctoral candidate was appointed to at least two and up to four supervisors. During the SMART EMJD, there were 110 connections established among the 34 supervisors and 36 doctoral candidates. For 35% of those connections, the candidate had a different disciplinary background to the supervisor while for 65% of connections the topical focus was similar.

Table 1. Initial backgrounds of the SMART EMJD doctoral candidates and supervisors per institute

		ECO	HYDRO	GEO	GEO-MATICS	ECO-HYDRO	GEO-HYDRO	ECO-GEO	ECO-HYDRO-GEO	BIO-GEO-CHEM.	TOTAL
University of Trento	Supervisors		3		1		4				8
	Candidates	2	10		1	2					15
Queen Mary University of London	Supervisors			1			1	1	2	2	7
	Candidates	2	2			3	1				8
Freie Universität Berlin	Supervisors	6	2			3				1	12
	Candidates	10	1					2			13
Associate Partners	Supervisors	4	2				1				15

Figure 6 indicates the growth of the network among supervisors by comparing the existing network before the SMART EMJD (Figure 6A) and at the end of the programme (Figure 6B). A total of 86 new connections were established corresponding to an increase of 183%.

The interdisciplinary research foci assigned to the doctoral theses (Figure 4A) were further compared to the backgrounds of the SMART EMJD doctoral candidates and supervisors. On average, doctoral candidates and supervisors were introduced, respectively, to 1.4 and 1.8 new research foci.




Figure 6. Network maps presenting the scientific connections between supervisors: (A) before the start of the SMART EMJD, and (B) after the SMART EMJD. Node size is proportional to the relative amount of connections of the supervisor.

### 3.3 Internationalism

The international dimension of the SMART EMJD was founded upon the recruitment of candidates from EU and non-EU countries working with supervisors from different nationalities, upon the mobility requirements of the programme, and upon the locations of the training weeks, meetings and field sites.

The international collaboration within the SMART EMJD primarily occurred within each individual doctoral research project, in which candidates and supervisors were often from different nationalities. Internationalism was further enhanced through periodical meetings and workshops, including an ‘Annual Week’ during which the progress of each doctoral candidate was presented to all participants and assessed by the Academic Board of the programme. The Annual Week provided an effective forum for high quality, regular scientific interactions among the doctoral candidates and the supervisors. The doctoral programme further allowed doctoral candidates to spend time at different institutes and associate partners providing access to international field sites.

All doctoral candidates who participated in the survey agreed that working in an international context improved their research. Most candidates (96%) agreed that it further improved their capability and preparedness to work in an international environment. In addition, a very strong (global) community

was built between the SMART EMJD doctoral candidates and supervisors, which may last for many years, facilitating future opportunities in science and beyond.

### 3.3.1 SMART applicants and doctoral candidates

In total, 378 eligible candidates applied for the SMART EMJD programme (all five cohorts). Table 2 provides an overview (per cohort) in comparison with all Erasmus Mundus Joint Doctorates for 2015. For the SMART EMJD, the total number of applicants increased after the first year, suggesting a growth in awareness and international recognition of the programme. In the 4th and 5th call, applicants were asked where they learnt about the programme, with 46% and 53%, respectively, reporting the official SMART EMJD website ([www.riverscience.it](http://www.riverscience.it)) as the main source. The second source was oral communication (21% and 15%, respectively), while all others indicated other sources of information.

Table 2. Number of applicants (top panel, n = 378) and selected doctoral candidates (bottom panel; n = 36) per year and continent for the SMART EMJD and total applicants and doctoral candidates in all EMJDs (including SMART) in 2015

	SMART EMJD PROGRAM						ALL EMJD PROGRAMS	
	Applicants					% total	Applicants	% total
	2011	2012	2013	2014	2015		2015	
Africa	11	17	12	16	20	<b>20</b>	824	<b>27</b>
Asia	23	29	36	29	44	<b>43</b>	1373	<b>45</b>
Australia & Oceania	0	0	0	0	0	<b>0</b>	11	<b>0.4</b>
Europe	17	25	20	19	24	<b>28</b>	621	<b>21</b>
North-America	2	5	5	5	1	<b>5</b>	99	<b>3</b>
South-America	2	3	3	3	7	<b>5</b>	100	<b>3</b>
<b>Total</b>	<b>55</b>	<b>79</b>	<b>76</b>	<b>72</b>	<b>96</b>		<b>3028</b>	

	SMART EMJD PROGRAM						ALL EMJD PROGRAMS	
	Doctoral candidates					% total	Candidates	% total
	2011	2012	2013	2014	2015		2015	
Africa	0	1	0	0	0	<b>3</b>	12	<b>10</b>
Asia	4	2	3	3	1	<b>36</b>	57	<b>47</b>
Australia & Oceania	0	0	0	0	0	<b>0</b>	1	<b>1</b>
Europe	4	4	3	3	2	<b>44</b>	29	<b>24</b>
North-America	2	0	0	1	0	<b>8</b>	13	<b>11</b>
South-America	0	0	1	0	2	<b>8</b>	10	<b>8</b>
<b>Total</b>	<b>10</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>5</b>		<b>122</b>	

% selected	18	9	9	10	5		4
------------	----	---	---	----	---	--	---

The largest number of applications came from Asia, followed by Europe, Africa, and America with no applications from Australia & Oceania. A similar trend was observed in the number of applicants to all EMJDs, although the SMART EMJD had a lower proportion of African and a higher proportion of European applicants.

The proportion of selected doctoral candidates was highest for Europe, followed by Asia, North and South America and Africa. Compared to SMART, all EMJDs supported by EACEA had slightly more doctoral candidates from Asia and Africa and less from Europe. The number of selected European doctoral candidates, however, is also influenced by the number of designated Erasmus Mundus scholarships for EU citizens. The selection rate is presented in the final row of Table 2, indicating the number of selected doctoral candidates over the total applicants. The selection rate varied among SMART EMJD cohorts and was higher than the average figure reported for all EMJDs.

Figure 7 presents an overview of the movement of the doctoral candidates from their home countries to their destination countries at the beginning and end of the SMART EMJD, respectively. Of the 15 EU and 21 non-EU doctoral candidates, 26 now reside in the EU while 10 reside outside the EU. 14 doctoral candidates remained in the country of their primary institution (for 5 their country of origin), 10 returned to their home country, and 10 moved to another country.




Figure 7. Arrows indicate the movement of doctoral candidates from their home countries to the primary institutions at the start of the programme (in red) and for those who did not stay in the same country their return to either their home country (black intermittent arrow) or to a new destination (black arrow). The upper panel shows a global map with travel between Europe and other continents, the lower panel presents a map of Europe with travel within Europe.



### 3.3.2 International collaboration and research

Besides online communication and interactions within each institution, the Consortium-wide meetings included the SMART Annual Week and yearly meetings to select new doctoral candidates and to assess the admission of 3rd-year candidates to the final defense. These meetings fostered international collaboration and development of professional networks both for the doctoral candidates and the supervisors. The research presentations and discussions and social events (field trips, informal lunch gatherings and dinners) were also a key element in breaking down disciplinary boundaries by creating multiple opportunities to communicate with one another and address differences in approaches and terminology. The location of the Annual Weeks started on the braided Tagliamento River in NE Italy, where previous collaboration among the lead scientists of the programme started, and then rotated on a three-year cycle between Trento, Berlin and London including local fieldtrips. The Annual Training Weeks were attended by all enrolled doctoral candidates and by nearly all supervisors. Total duration of these meetings covered 48 days over eight years and participation can be quantified as a total of 1184 person-days when summing the actual presence of each individual (Figure 8). International collaboration was further promoted through the compulsory 6-month mobility to a secondary institution, which is quantified in Figure 8.




Figure 8. On top: Participation for each meeting event (selection, annual week, and admission) and cumulative days of these meetings. Below: Overview of secondary mobility over time of all doctoral candidates with colour indicating the institute.

Candidate mobility between different institutes and associate partners also provided opportunities to access international field sites and the fieldwork itself facilitated further international collaboration. Fieldwork was a component of 24 out of the 36 research projects with the majority of candidates working outside their home country. Fieldwork was undertaken by 10 doctoral candidates in Italy (e.g., Brighenti, et al., 2019; Cashman, et al., 2017, Zen et al., 2017), 7 in Germany (e.g. Gaona, et al., 2019; Grubisic, et al., 2018), 6 in the UK (e.g. Faller, et al., 2016), 3 in Poland (e.g. Pilotto, et al., 2014), 1 in the Netherlands (Belliard, et al., 2016), 1 in France (Serlet, 2018), and 1 in Romania. Four doctoral candidates did fieldwork in more than one European country. Six SMART EMJD doctoral candidates further analysed data from one or more rivers using existing national or international databases and GIS analysis in Europe. Three doctoral candidates studied and used existing data of rivers or other freshwater systems in Africa and South America (Monegaglia, et al., 2018), New Zealand (Redolfi, et al., 2016), and Paraguay (López Moreira M., et al., 2018). Finally, 4 doctoral candidates compiled existing data sets for global-scale studies (e.g. He, et al., 2019; Shumilova, et al., 2019).

### 3.4 Management – oriented science

A first assessment of management-oriented science within the SMART EMJD was derived from an analysis of the alignment of each thesis with the three research areas (a, b and c, see Figure 2 and description of the case study under Methods). The most prevalent research area was (b) natural functioning (57%), followed by (a) ecosystem resilience to stressors (34%), and finally, (c) rehabilitation of functions (9%), which was the area most directly linked to river management. Research projects in area (c) included: river restoration using large wood and/or vegetation, hydropower management related to sediment flushing, hydro-peaking and vegetation encroachment, conservation management and rehabilitation of contaminated (from e.g. heavy metals, nutrients) rivers and lakes. Other indirect links with management included habitat assessment and mapping, reconstructing trajectories in understanding the natural reference conditions, studies on impacts such as artificial light, invasive species, and hydropower.

Collaboration with river managers was more limited than anticipated (see Discussion). Only 12% of the doctoral candidates who participated in the survey confirmed collaborations with organizations directly involved in river management and only three doctoral candidates had an Associate Partner (Environment Agency, UK) who was directly involved in river management although some doctoral candidates working on impacted rivers and lakes had productive local collaborations for sharing data and knowledge.

In terms of career profiles, at the time of this study, 18 alumni started/continued working in academia, 6 in governmental institutions, 4 in the private sector, 4 in research institutions or an NGO and 1 was unemployed. From the survey, 60% of the doctoral candidate participants and 54% of supervisors believed that the SMART EMJD improved their employability in the river management sector. Overall, 22% of the jobs secured were directly related to management (13 per cent associated with human impacts and 9 per cent linked to policymaking, planning and regulatory services). The remaining 78% of SMART EMJD alumni were involved in other dimensions of river or environmental science not directly related to management.

## 4 Discussion

Interdisciplinary approaches and collaboration are necessary to address the most pressing socio-ecological challenges humankind is facing (<http://www.millennium-project.org/projects/challenges>),

including securing one of our most valuable resources: freshwater ecosystems (Bunn 2016). Doctoral training programmes that move beyond “disciplinary silos” and cut across traditional boundaries provide “fertile environments for collaborative research” (Borrego & Newswander 2010) and are fundamental to building interdisciplinary research capacity globally. More knowledge is needed on the practical and intellectual processes involved in interdisciplinary research training and what Gardner (2013) has called the “socialization to interdisciplinarity”. Our reflections on the 9-year SMART EMJD doctoral training programme and the lessons learned from an analysis of the three core facets of the programme – (1) interdisciplinarity; (2) internationalism; and (3) management-oriented science – help allay some concerns about interdisciplinary training and provide insights for future river science training.

#### 4.1 Scientific Outputs and Impacts

The most obvious scientific outputs and impacts of the programme are the publications and more are anticipated from manuscripts currently in preparation or under revision. Millar’s (2013) study found that graduates of interdisciplinary research programmes tend to achieve a higher publications record. However, the average number of first authored publications before the defence was lower for SMART candidates compared to those in established institutional PhD programmes at the three universities. It has to be acknowledged that most SMART candidates had to adapt to a different cultural setting, were required to finish in about three years, and had to spend extensive time at two institutions in different countries. At the same time, a higher proportion of first-authored papers for SMART candidates indicates a higher degree of independence and a stronger focus on the specific research goals. Overall, the comparison suggests satisfactory rates of scientific publishing were achieved for the SMART programme.

The research outputs covered a very broad spectrum of research foci reflecting how doctoral candidates were exposed to a broad array of research areas. Indeed, it is an ambition of the programme to establish longer-term international and interdisciplinary networks and wider career options, to address novel questions and distinct recommendations for river science and management, as well as to meet a broad audience (e.g., Zarfl, et al. 2015, Bodmer, et al. 2016, De Souza Machado, et al. 2016, Manfrin, et al. 2017, Redolfi et al., 2016, Serlet et al., 2018, Faller et al., 2015 Mardiah et al.). Furthermore, as the publications are very recent, citations are expected to increase.

The added value of working in an international and interdisciplinary context resulted in knowledge and appreciation of different perspectives to be gained from other disciplines. The doctoral training programme supported the formation of new collaborative research teams, which both doctoral candidates and supervisors found rewarding in terms of gaining skills and insights into disciplines, methods, and organizational structures beyond what a “classical” doctoral project may offer. Established researchers expanded their international and interdisciplinary collaborations through the doctoral supervision and there is a strong motivation from former supervisors and alumni from the programme to maintain and grow the networks.

Employability from the programme was high and provides reassurances to counter the frequently voiced concern that interdisciplinary researchers face enhanced barriers to career success as has often been the concern (e.g. Loeb, 2020). Programmes like SMART EMJD which aim to provide science for management by balancing international experience with established locally-centred practices (Pinter, et al. 2019) are perhaps helping to encourage graduates to pursue careers in environmental management as well as science opening up new career opportunities.

## 4.2 Challenges

Despite the many achievements of the SMART programme, there remained challenging aspects. Collaboration among different groups and the integration across research projects was limited and the opportunities offered by the programme were not fully exploited and, therefore, may have confined additional insights and publications. However, this was difficult to achieve within the constraints of three years of doctoral training, including mobility requirements. These constraints may have also limited the average number of publications before the defence and may in some cases represent a disadvantage for candidates when searching for future employment in academia.

The SMART programme aimed to attract the strongest applicants globally. However, attracting students from North America and especially Australia and Oceania was a challenge and the reasons are unclear. This trend was mirrored across all EMJDs, so additional efforts will be needed to integrate these continents in future EU-funded programmes.

The international aspects of the programme, including the mandatory mobility, presented practical challenges compared to other doctoral programmes. Key difficulties included finding short-term housing in the different research locations, getting acquainted with new administrative regulations, building up new professional and social relationships, assembling field equipment at new institutions and using new laboratory facilities. Asking for and receiving proper support was easy for some but very challenging for others especially when exacerbated by language barriers that could be mentally straining.

While having an international supervisory team was for most candidates an enriching experience, a few doctoral candidates reported conflicting needs including different goals in research, different styles of writing, as well as diverging expectations. Ensuring regular contact among the team members (for example through frequent Skype meetings) is critical to keep everyone “on board”, and designated local support contacts can help to advise on differing institutional requirements such as research progress reporting and thesis structure.

The SMART EMJD was established with a clear goal to integrate river science and management. However, only 9% of all research outputs from the doctoral theses are directly related to the rehabilitation of impacted river systems. Practical barriers to securing placements with environmental management organisations and companies sometimes meant that direct collaboration with river managers and close integration of science and management was more difficult to achieve than anticipated. But a more widespread problem identified in the survey was the ambitious combination of interdisciplinary, international, and management-oriented approaches within in a three-year doctoral programme. The completion of the scientific components including the doctoral thesis, research papers, and presentations at international science conferences were necessarily prioritised. And doctoral candidates undertaking extended periods of intense fieldwork and/or laboratory work struggled to allow sufficient time to develop recommendations for managers.

Finally, awarding a joint doctoral degree between universities belonging to different countries, even within the context of the EU, raised many administrative challenges and required a spirit of compromise. New institutional agreements were put in place that followed the doctoral regulations in place at the primary institution of each candidate and setting minimum requirements that could also be accepted by the secondary institution.

## 5 Concluding remarks

We have assessed the contribution of a 9-year European doctoral programme in river science (“SMART” Erasmus Mundus Joint Doctorate), led by three universities with complementary expertise (engineering; ecology; geomorphology). The programme trained 36 doctoral candidates under the supervision of 34 senior researchers with an interdisciplinary and international focus on river systems, aiming to move across the boundaries between science and management. The programme was analysed by reviewing contents of doctoral theses and peer-reviewed, international indexed publications, as well as by synthesizing the outcomes of two assessment questionnaires directed to doctoral candidates and supervisors.

Results focused on the three core facets of the SMART EMJD: (1) interdisciplinarity; (2) internationalism; and (3) management-oriented science. We found that the doctoral programme resulted in a highly interdisciplinary (80% of publications) and consistent scientific output, consisting of 69 published papers (of which 66 were Scopus-indexed) papers at the time of performing the analysis for this paper. Through an approximate comparison with the number of indexed papers resulting from “standard”, institutional doctorates focused on rivers in the same institutions, it emerges that SMART candidates produced fewer papers on average before their defence, however a larger proportion was first-authored. Despite the challenges posed by such an ambitious programme completion rates and employment were good. In total, 86% of all SMART EMJD candidates successfully completed the doctoral programme and nearly all (97%) doctoral candidates were employed very soon after being awarded a joint doctoral degree in river science by two of the partner institutions of the SMART programme. Employment occurred both in river-related research (50%) and private/public sector (50%) and was strongly international, likely reflecting the international dimension of the programme.

As such, the success of this programme is reflected mainly in the large number of peer-reviewed articles with a high degree of interdisciplinarity, a high mobility of the doctoral scientists among the international partners, and a successful career progression, mainly in river science, after award of the doctoral thesis. The three main features that facilitated this success are: (1) the combination of supervisors from different disciplines and their inherent motivation to work across and beyond their own expertise and provide science for river management; (2) the sound (inter)disciplinary background, motivation, and openness of the selected doctoral candidates in taking up the challenge; and (3) the mobility schemes that were integrated in the schedule of each doctoral candidate’s study programme.

Such an interdisciplinary and international programme required a huge commitment by the partner institutions including doctoral candidates, supervisors, and administrative staff with nearly 1200 person-days of joint assessment and scientific meetings in addition to the compulsory mobility arrangements for individual doctoral candidates. But we witnessed the importance of these scientific and social gatherings in enabling interaction and providing the environment in which creativity, novel ideas and solutions, and new opportunities could emerge. We are optimistic that the strong interdisciplinary and international networks fostered within SMART will provide a platform for future research collaborations.

Going forward we hope that future doctoral training programmes in river science can learn from programmes like SMART and other successful programmes closely connected to river management such as the IGERT PhD programme in the USA (<http://igert.siu.edu/>), recognising and working to overcome some of the key challenges (Lindvig & Hillersdal, 2019). Funds to allow graduate mobility

and research across multiple river systems are critical and we might also work to realise Geoff Petts' aspiration for a 'global river science graduate school' with research students connected by regular e-seminars (Petts, 2013). Integrating new methods and disciplines, including those related to social and human sciences, will also be an important step forward to advancing understanding and management of "rivers as socio-ecological systems" (Kingsford, et al. 2011).

## 6 Author Contributions

AS was responsible for paper coordination and contributed to the preparation of surveys, data processing, analysis and preparation of results and writing. GLM contributed to the preparation of surveys, data processing, analysis and preparation of results and writing. GZ and GW contributed to conception and design of the study and extensive revisions and writing. FH, AG, KT, WB, CB, SJ, JL, MM, MCR, MT, DV, CZ contributed with revisions, comments, minor writing. MR contributed to the preparation of the first surveys, data collection and processing and preparation of administrative reports. All authors read and approved the final version of the manuscript.

## 7 Funding

This work was carried out as part of the *Science for Management of Rivers and their Tidal systems* Erasmus Mundus Joint Doctorate (SMART EMJD), funded by the European Union through the Erasmus Mundus Programme, managed at the European level by the Education, Audiovisual and Culture Executive Agency (EACEA) of the European Commission.

## 8 Acknowledgements

We acknowledge the contribution of all supervisors, doctoral candidates and alumni of the SMART EMJD, as well as the staff at UniTN, QMUL, FUB and all associate partners for their administrative support throughout the programme. Special thanks to Laura Martuscelli and Aureliano Cerreti at UniTN, Anna Dulic-Sills, Jennifer Murray and Shazia Sadiq at QMUL, Kerstin Austen and Sabrina Doil at FUB, and Ina Severin and Kirsten Pohlmann at IGB. We also thank Vanessa Arrighi for her excellent work illustrating the interdisciplinary work of river scientists (Figure 1) and Ed Oliver at QMUL, who helped with the layout of Figure 3. The helpful comments by two anonymous reviewers are also gratefully acknowledged.

## 9 References

- Aboelela, S. W., Larson, E., Bakken, S., Carrasquillo, O., Formicola, A., Glied, S. A., Haas, J., and Gebbie, K. M. (2007). "Defining interdisciplinary research: Conclusions from a critical review of the literature." *Health Services Research* 42(1p1): 329–346. doi: 10.1111/j.1475-6773.2006.00621.x
- Andersen, H. (2016). "Collaboration, interdisciplinarity, and the epistemology of contemporary science." *Studies in History and Philosophy of Science Part A* 56: 1–10. doi:10.1016/j.shpsa.2015.10.006.
- Becher, T., and Trowler, P. (2001). "Academic Tribes and Territories: Intellectual Enquiry and the Culture of Disciplines", 2nd edn. (Philadelphia, Pennsylvania: SRHE and Open University Press).
- Belliard, J.-P., Temmerman, S., and Toffolon, M. (2016). "Ecogeomorphic relations between marsh surface elevation and vegetation properties in a temperate multi-species salt marsh." *Earth Surface Processes and Landforms* 42 (6): 855–865. doi:10.1002/esp.4041.

- Bertoldi, W., Gurnell, A., Surian, N., Tockner, K., Zanoni, L., Ziliani, L., and Zolezzi, G. (2009). "Understanding reference processes: linkages between river flows, sediment dynamics and vegetated landforms along the Tagliamento River, Italy." *River Research and Applications* 25 (5): 501–516. doi:10.1002/rra.1233.
- Bitusikova, A. (2009). "New challenges in doctoral education in Europe," in *Changing practices of doctoral education*, eds. Boud, D., & Lee, A. (Routledge), 200–210.
- Bodmer, P., Heinz, M., Pusch, M., Singer, G., and Premke, K. (2016). "Carbon dynamics and their link to dissolved organic matter quality across contrasting stream ecosystems." *Science of the Total Environment* 553: 574–586. doi:10.1016/j.scitotenv.2016.02.095.
- Borrego, M., and Newswander, L. K. (2010). "Definitions of interdisciplinary research: Toward graduate-level interdisciplinary learning outcomes." *The Review of Higher Education* 34 (1): 61–84. doi:10.1353/rhe.2010.0006.
- Braun, T., and Schubert, A. (2003). "Short communication: A quantitative view on the coming of age of interdisciplinarity in the sciences." *Scientometrics* 58 (1): 183–189. doi:10.1023/A:1025439910278.
- Brighenti, X., Tolotti, M., Bruno, M.C., Engel, M., Wharton, G., Cerasino, L., Mair, V. and Bertoldi, W. (2019). "After the peak water: the increasing influence of rock glaciers on Alpine river systems." *Hydrological Processes*, 33(21), 2804-2823
- Brookes, A. (1988). *Channelized Rivers: Perspectives for Environmental Management*. (Chichester: Wiley).
- Bunn, S. E. (2016). "Grand challenge for the future of freshwater ecosystems." *Frontiers in Environmental Science* 4 (21). doi:10.3389/fenvs.2016.00021.
- Cash, D. W., Clark, W. C., Alcock, F., Dickson, N. M., Eckley, N., Guston, D. H., Jäger, J., and Mitchell, R. B. (2003). "Knowledge systems for sustainable development." *Proceedings of the National Academy of Sciences of the United States of America* 100 (14): 8086–8091. doi:10.1073/pnas.1231332100.
- Cashman, M. J., Harvey, G. L., Wharton, G., and Bruno, M. C. (2017). "Wood mitigates the effect of hydropeaking scour on periphyton biomass and nutritional quality in semi-natural flume simulations." *Aquatic Sciences* 79 (3): 459–471. doi:10.1007/s00027-016-0510-3.
- Corenblit, D., Tabacchi, E., Steiger, J., and Gurnell, A. M. (2007). "Reciprocal interactions and adjustments between fluvial landforms and vegetation dynamics in river corridors: A review of complementary approaches." *Earth-Science Reviews* 84 (1–2): 56–86. doi:10.1016/j.earscirev.2007.05.004.
- D'Alpaos, A., Marco T., and Camporeale, C. (2016). "Ecogeomorphological feedbacks of water fluxes, sediment transport and vegetation dynamics in rivers and estuaries." *Advances in Water Resources* 93 (Part B): 151–155. doi:10.1016/j.advwatres.2016.05.019.
- De Souza Machado, Anderson Abel, Kate Spencer, Werner Kloas, Marco Toffolon, und Christiane Zarfl (2016). "Metal fate and effects in estuaries: A review and conceptual model for better understanding of toxicity." *Science of the Total Environment* 541: 268–281. doi:10.1016/j.scitotenv.2015.09.04.
- Dollar, E. S. J., James, C. S., Rogers, K. H., and Thoms, M. C. (2007). "A framework for interdisciplinary understanding of rivers as ecosystems." *Geomorphology* 89 (1–2): 147-162. doi:10.1016/j.geomorph.2006.07.022.
- European Commission (2013). "ERASMUS MUNDUS 2009-2013: Programme Guide." Vers. 11-2013. November. Accessed February 8, 2020. [https://eacea.ec.europa.eu/sites/eacea-site/files/em\\_programmeguide\\_nov2013\\_en\\_1.pdf](https://eacea.ec.europa.eu/sites/eacea-site/files/em_programmeguide_nov2013_en_1.pdf).

- Faller, M., Harvey, G. L., Henshaw, A. J., Bertoldi, W., Bruno, M. C., and England, J. (2016). “River bank burrowing by invasive crayfish: Spatial distribution, biophysical controls and biogeomorphic significance.” *Science of the Total Environment* 569–570: 1190–1200.
- Gaona, J., Meinikmann, K., and Lewandowski, J. (2019). “Identification of groundwater exfiltration, interflow discharge, and hyporheic exchange flows by fibre optic distributed temperature sensing supported by electromagnetic induction geophysics.” *Hydrological Processes* 33 (10): 1390–1402.
- Gardner, S. K. (2013). “Paradigmatic differences, power, and status: a qualitative investigation of faculty in one interdisciplinary research collaboration on sustainability science.” *Sustainability Science* 8: 241–252. doi:10.1007/s11625-012-0182-4.
- Gieryn, T. F. (1995). “Boundaries of Science,” in *Handbook of Science and Technology Studies, Revised Edition*, eds. Sheila Jasanoff, Gerald E. Markle, James C. Petersen and Trevor Pinch, 393–443. (Thousand Oaks, California: SAGE Knowledge). doi:10.4135/9781412990127.n18.
- Gilvear, D. J., Greenwood, M. T., Thoms, M. C., and Wood, P. J. (2016). *River science: research and management for the 21st century* (Hoboken, New Jersey: John Wiley & Sons).
- Graf, W. L. (1993). “Landscapes, commodities, and ecosystems: The relationship between policy and science for American rivers”. *Sustaining our water resources* (Water and Technology Board, National Research Council) 11–42.
- Grill, G., Lehner, B., Thieme, M., Geenen, B., Tickner, D., Antonelli, F., Babu, S., ..., and C. Zarfl (2019). “Mapping the world’s free-flowing rivers.” *Nature* 569: 215–221. doi:10.1038/s41586-019-1111-9.
- Grubisic, M., van Grunsven, R. H. A., Manfrin, A., Monaghan, M. T., and Hölker, F. (2018). “A transition to white LED increases ecological impacts of nocturnal illumination on aquatic primary producers in a lowland agricultural drainage ditch.” *Environmental Pollution* 240: 630–638.
- Gurnell, A. M., Bertoldi, W., Tockner, K., Wharton, G., and Zolezzi, G. (2016) “How large is a river? Conceptualizing river landscape signatures and envelopes in four dimensions.” *WIREs Water* 3 (3): 313–325. doi:https://doi.org/10.1002/wat2.1143.
- He, F., Zarfl, C., Bremerich, V., David, J. N. W., Hogan, Z., Kalinkat, G., Tockner, K., and Jähnig, S. C. (2019). “The global decline of freshwater megafauna.” *Global Change Biology* 25 (11): 3883–3892. doi:10.1111/gcb.14753.
- Hölker, F., Wolter, C., Perkin, E. K., and Tockner, K. (2010). “Light pollution as a biodiversity threat.” *Trends in Ecology and Evolution* 25: 681–682. doi:10.1016/j.tree.2010.09.007
- Kates, R. W., Clark, W. C., Corell, R., Hall, J. M., Jaeger, C. C., Lowe, I., McCarthy, J. J., Schellnhuber, H. J., Bolin, B., Dickson, N. M., Faucheux, S., Gallopin, G. C., Grubler, A., Huntley, B., Jager, J., Jodha, N.S., Kasperson, R.E., Mabogunje, A., Matson, P., Mooney, H., Moore Iii, B., O’Riordan, T., and Svedlin, U. (2001) “Environment and development: Sustainability Science.” *Science* 292 (5517): 641–642. doi:10.1126/science.1059386
- Kingsford, R. T., Biggs, H. C., and Pollard, S. R. (2011). “Strategic Adaptive Management in freshwater protected areas and their rivers.” *Biological Conservation* 144 (4): 1194–1203. doi:10.1016/j.biocon.2010.09.022
- Klein, J. T. (1990). *Interdisciplinarity: History, theory and practice*. Detroit, MI: Wayne State University Press.
- Klein, J. T. (1996). *Crossing Boundaries: Knowledge, Disciplinarity, and Interdisciplinarity*. Charlottesville, VA: University Press of Virginia.
- Kondolf, G. M. (1994). “Geomorphic and environmental effects of instream gravel mining.” *Landscape and Urban Planning* 28 (2-3): 225–243. doi:10.1016/0169-2046(94)90010-8.



- Leuven, R. S., Ragas, A. M. J., Smits, A. J. M., and Van der Velde, G. (Eds.) (2007). *Living rivers: trends and challenges in science and management* (Vol. 187). Springer Science & Business Media.
- Lindvig, K., and Hillersdal, L. (2019). “Strategically unclear? Organising interdisciplinarity in an excellence programme of interdisciplinary research in Denmark.” *Minerva* 57 (1): 23–46. doi:10.1007/s11024-018-9361-5
- Loeb, A. (2020) “Advice for young scientist: Be a generalist scientific American”, March 16. Available at <https://www.natureindex.com/news-blog/advice-for-young-scientists-researchers-be-a-generalist>
- López Moreira M., G. A., Hinegk, L., Salvatore, A., Zolezzi, G., Hölker, F., Monte Domecq S., R. A., Bocci, M., ... , and Toffolon, M. (2018). “Eutrophication, research and management history of the shallow Ypacaraí Lake (Paraguay).” *Sustainability* 10 (7): 2426. doi:10.3390/su10072426.
- Manfrin, A., Singer, G., Larsen, S., Weiß, N., Van Grunsven, R. H. A., Weiß, N.-S., Wohlfahrt, S., Monaghan, M. T., and Hölker, F. (2017). “Artificial light at night affects organism flux across ecosystem boundaries and drives community structure in the recipient ecosystem.” *Frontiers in Environmental Science* 5:61. doi:10.3389/fenvs.2017.00061.
- Mardhiah, U., Caruso, T., Gurnell, A. & Rillig, M.C. (2014) Just a matter of time: fungi and roots significantly and rapidly aggregate soil over four decades along the Tagliamento River, NE Italy. *Soil Biology and Biochemistry*, 75, 133-142
- Millar, M. (2013). “Interdisciplinary research and the early career: The effect of interdisciplinary dissertation research on career placement and publication productivity of doctoral graduates in the sciences.” *Research Policy* 1152–1164.
- Monegaglia, F., Zolezzi, G. Güneralp, I., and Henshaw. A. J. (2018). “Automated extraction of meandering river morphodynamics from multitemporal remotely sensed data.” *Environmental Modelling and Software* 105: 171–186. doi:10.1016/j.envsoft.2018.03.028.
- Murray, A. B., Knaapen, M. A. F., Tal, M., and Kirwan, M. L. (2008). “Biomorphodynamics: Physical-biological feedbacks that shape landscapes.” *Water Resources Research*, 44 (11): W11301. doi 10.1029/2007WR006410
- National Academies: National Academy of Sciences, National Academy of Engineering, and Institute of Medicine (2005). “Facilitating interdisciplinary research.” Washington, DC: National Academies Press. doi:10.17226/11153.
- Nilsson, C., Reidy, C. A., Dynesius, M., and Revenga, C. (2005). “Fragmentation and flow regulation of the world's large river systems.” *Science* 308 (5720): 405–408. doi:10.1126/science.1107887.
- Palmer, M. A., Bernhardt, E. S., Allan, J. D., Lake, P.S., Alexander, G., Brooks, S., Carr, J., ..., and Sudduth, E. (2005). “Standards for ecologically successful river restoration.” *Journal of Applied Ecology* 42 (2): 208–217. doi:10.1111/j.1365-2664.2005.01004.x.
- Perkin, E. K., Hölker, F., Richardson, J. S., Sadler, J. P., Wolter, C., and Tockner, K. (2011). “The influence of artificial light on stream and riparian ecosystems: questions, challenges, and perspectives.” *Ecosphere* 2 (11): 1–16. doi:10.1890/ES11-00241.1.
- Petts, G. E. (1984). *Impounded rivers. Perspectives for ecological management*. Chichester: Wiley.
- Petts, G. E. (2013). “International Society For River Science.” *River Research and Applications* 29: 1–3. doi:10.1002/rra.2640
- Pickett, S. T. A., Kolasa, J. & Jones, C. G. (1994) “Ecological Understanding: the Nature of Theory and the Theory of Nature”. Academic Press, Orlando.

- Pilotto, F., Bertoncin, A., Harvey, G. L., Wharton, G., and Pusch, M. T. (2014). “Diversification of stream invertebrate communities by large wood.” *Freshwater Biology* 59 (12): 2571–2583. doi:10.1111/fwb.12454
- Pinter, N., Brasington, J., Gurnell, A., Kondolf, G. M., Tockner, K., Wharton, G. and Yarnell, S. M. (2019). “River research and applications across borders.” *River Research and Applications* 35 (6): 768–775. doi:10.1002/rra.3430.
- Porter, A. L., Roessner, D. J., Cohen, A. S., and Perreault, M. (2006). “Interdisciplinary research: Meaning, metrics and nurture.” *Research Evaluation*, 15 (3): 187–195. doi:10.3152/147154406781775841
- Porter, A. L., and Rafols, I. (2009). “Is science becoming more interdisciplinary? Measuring and mapping six research fields over time.” *Scientometrics* 81 (3): 719. doi:10.1007/s11192-008-2197-2
- Post, D. M., Doyle, M. W., Sabo, J. L., and Finlay, J. C. (2007). “The problem of boundaries in defining ecosystems: a potential landmine for uniting geomorphology and ecology.” *Geomorphology*, 89 (1–2): 111–126. doi: 10.1016/j.geomorph.2006.07.014
- Power, E. J., and Handley, J. (2017). “A best-practice model for integrating interdisciplinarity into the higher education candidate experience.” *Studies in Higher Education* 44 (3): 554–570. doi:10.1080/03075079.2017.1389876.
- Rafols, I., and Meyer, M. (2008). Diversity measures and network centralities as indicators of interdisciplinarity: Case studies in bionanoscience. *Scientometrics*, 82: 263–287. doi: 10.1007/s11192-009-0041-y
- Redolfi, M., Tubino, M., Bertoldi, W., and Brasington, J. (2016). “Analysis of reach-scale elevation distribution in braided rivers: Definition of a new morphologic indicator and estimation of mean quantities.” *Water Resources Research* 52: 5951–5970. doi:10.1002/2015WR017918.
- Reid, A. J., Carlson, A. K., Creed, I. F., Eliason, E. J., Gell, P. A., Johnson, P. T. J., Kidd, K. A., ..., and Cooke, S. J. (2019). “Emerging threats and persistent conservation challenges for freshwater biodiversity.” *Biological Reviews* 94 (3): 849–873. doi:10.1111/brv.12480.
- Reinhardt, L., Jerolmack, D., Cardinale, B. J., Vanacker, V., and Wright, J. (2010). “Dynamic interactions of life and its landscape: feedbacks at the interface of geomorphology and ecology.” *Earth Surface Processes and Landforms*, 35 (1), 78–101. doi:10.1002/esp.1912
- Rice, S. P., Lancaster, J., and Kemp, P. (2010). “Experimentation at the interface of fluvial geomorphology, stream ecology and hydraulic engineering and the development of an effective, interdisciplinary river science.” *Earth Surface Processes and Landforms*, 35 (1), 64–77. doi:10.1002/esp.1838
- Serlet, A. J., Gurnell, A. M., Zolezzi, G., Wharton, G., Belleudy, P., Jourdain, C. (2018). “Biomorphodynamics of alternate bars in a channelized, regulated river: an integrated historical and modelling analysis.” *Earth Surface Processes and Landforms* 43 (9): 1739–1756. doi: <https://doi.org/10.1002/esp.4349>.
- Shumilova, O., Detry, D., Zak, T., von Schiller, D., Corti, R., Foulquier, A., Obrador, B., Tockner, K., ... , and Zarfl, C. (2019). “Simulating rewetting events in intermittent rivers and ephemeral streams: A global analysis of leached nutrients and organic matter.” *Global Change Biology* 25 (5): 1591–1611. doi:10.1111/gcb.14537
- Stallins, J. A. (2006). “Geomorphology and ecology: unifying themes for complex systems in biogeomorphology.” *Geomorphology* 77 (3–4), 207–216. doi:10.1016/j.geomorph.2006.01.005

- Stecca, G., Zolezzi, G., Hicks, D. M., and Surian, N. (2019). “Reduced braiding of rivers in human-modified landscapes: Converging trajectories and diversity of causes.” *Earth-science reviews* 188, 291–311. doi:10.1016/j.earscirev.2018.10.016
- Thoms, M. (2005). “An interdisciplinary and hierarchical approach to the study and management of river ecosystems,” in *Predictions in ungauged basins: International perspectives on the state of the art and pathways forward*, eds. S. Franks, M. Sivapalan, K. Takeuchi and Y. Tachikawa (International Association of Hydrological Sciences), 213–222.
- Thoms, M. C., and Parsons, M. (2002). Eco-geomorphology: an interdisciplinary approach to river science,” in *The Structure, Function and Management Implications of Fluvial Sedimentary Systems (Proceedings of an International Symposium held at Alice Springs, Australia, September 2002)* (International Association of Hydrological Sciences), 276, 113–119.
- Vaughan, I. P., Diamond, M., Gurnell, A. M., Hall, K. A., Jenkins, A., Milner, N. J., Naylor, L. A., Sear, D. A., Woodward, G. and Ormerod, S. J. (2009). “Integrating ecology with hydromorphology: a priority for river science and management.” *Aquatic Conservation: Marine and Freshwater Ecosystems* 19: 113–125. doi: 10.1002/aqc.895
- Vugteveen, P., Lenders, R. and van den Besselaar, P. (2014) “The dynamics of interdisciplinary research fields: the case of river research.” *Scientometrics* 100, 73–96. doi:10.1007/s11192-014-1286-7
- Wagner, C. S., Roessner, J. D., Bobb, K., Thompson Klein, J., Boyack, K. W., Keyton, J., Rafols, I., and Börner, K. (2011). “Approaches to understanding and measuring interdisciplinary scientific research (IDR): A review of the literature.” *Journal of Informetrics* 5 (1): 14–26. doi:10.1016/j.joi.2010.06.004.
- Wotton, R. S., and Wharton, G. (2006). “Combining biology and hydrology - Questions from an integrated study of chalk streams.” *Sediment Dynamics and the Hydromorphology of Fluvial Systems (Proceedings of a symposium held in Dundee, UK, July 2006)*. IAHS Publ. (306): 331–337.
- Zarfl, C., Lumsdon, A. E. , Berlekamp, J., Tydecks, L. and Tockner, K. (2015). “A global boom in hydropower dam construction.” *Aquatic Sciences* 77 (1): 161–170. doi:10.1007/s00027-014-0377-0.
- Zen, S., Gurnell, A. M., Zolezzi, G. and Surian, N. (2017). “Exploring the role of trees in the evolution of meander bends: The Tagliamento River, Italy.” *Water Resources Research*, 53(7), 5943-5963

## 10 Data Availability Statement

The datasets generated for this study are available from the corresponding author on request.