



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Can disinfection robots reduce the risk of transmission of SARS-CoV-2 in healthcare and educational settings?

Citation for published version:

Cresswell, KM & Sheikh, A 2020, 'Can disinfection robots reduce the risk of transmission of SARS-CoV-2 in healthcare and educational settings?', *Journal of medical Internet research*, vol. 22, no. 9. <https://doi.org/10.2196/20896>

Digital Object Identifier (DOI):

[10.2196/20896](https://doi.org/10.2196/20896)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

Journal of medical Internet research

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Can disinfection robots reduce the risk of transmission of SARS-CoV-2 in healthcare and educational settings?

Kathrin Cresswell, Chief Scientist Office Chancellor's Fellow, Director of Innovation, Usher Institute of Population Health Sciences and Informatics, The University of Edinburgh, UK

Aziz Sheikh, Professor of Primary Care Research & Development and Director, Usher Institute of Population Health Sciences and Informatics, The University of Edinburgh, UK

Correspondence to: K Cresswell, kathrin.cresswell@ed.ac.uk

SARS-CoV-2 can be transmitted through droplets and contact with contaminated surfaces.[1] In order to contain spread, there is a need for more regular and deeper cleaning of indoor surfaces, for example in schools, care homes and healthcare facilities. There is also a need to reduce human exposure to potentially contaminated surfaces. As a result, there is now an acceleration of interest of cleaning and disinfection robots in these settings.[2-4] Such robots are, for example, currently routinely cleaning the Hong Kong metro, and the Smart Field Hospital in Wuhan uses them in an attempt to reduce the spread of SARS-CoV-2.[5,6]

Existing disinfecting robots work through a combination of automated or semi-automated processes. They can clean or disinfect floors and surfaces, but increasingly focus on disinfecting whole rooms with increasingly complex distribution systems. These most commonly include machines drawing on ultraviolet C (or UVC) light, which work by altering DNA/RNA so that organisms cannot replicate, and vapour and fogging systems that essentially spray chemical disinfectants.

However, despite their increasing use and demand across settings, evidence of their effectiveness is mixed. There is no existing work exploring the effectiveness of disinfection robots in relation to SARS-CoV-2 and other viruses, and the evidence of the impact of UVC and vapour on Healthcare-Associated Infections (HAIs) and is also limited. In healthcare settings, both UVC light and chemical-based disinfection methods (most commonly hydrogen peroxide vapour) do not demonstrate any significant impact on reduced infection rates, although some studies have identified some positive trends and demonstrated a reduction in surface contamination.[7-9] Not surprisingly, UVC light and chemicals need to touch a surface to be effective and this may not always be the case – they have issues with shadows, may not reach all areas of concave surfaces, and their effectiveness reduces with distance.[10,11] This work is further complicated by a lack of evidence around how much contamination actually leads to infection and adverse patient outcomes, but there appears a general agreement that both techniques are most effective when combined with manual cleaning.[12]

Studies investigating cleaning robots drawing on these techniques are very limited. The few existing investigations have found that cleaning robots drawing on UVC light and hydrogen peroxide can deliver some benefits in reducing microbial surface contamination, but only when combined with manual cleaning.[13,14] Study quality is relatively low for both applications with possible commercial biases.

Deploying the current generation of cleaning and disinfection robots in healthcare settings, care homes and schools is therefore unlikely to be of major benefit and there needs to be work to establish and enhance the effectiveness of these robots in inactivating SARS-CoV-2. In addition to concerns around effectiveness, these devices are expensive at between \$30,000 and \$135,000 per unit and organisations need to train staff to deploy and control them.[13,15-17] Disinfectant chemicals and UVC light can also be dangerous to human health, so people typically need to leave while the robot cleans the room. This is particularly concerning for communal settings, but does not preclude the use of UVC light in enclosed empty spaces. Other factors to consider include disinfection time (some devices take a few hours per room), and issues with physical spaces and navigation (robots are not good at climbing stairs).[14,18]

Floor cleaning robots are likely to be cheaper units that can relatively easily and quickly be adapted (e.g. from other types of service robots) and that can focus on one aspect of the physical environment (i.e. the floor) whilst humans can work in parallel with them eliminating issues around disinfection time. There is therefore a need to catalyse development of floor cleaning robots that can regularly clean communal settings, particularly those with high risk of transmitting nosocomial infections. These devices can augment manual cleaning for instance through supporting an already stretched workforce

and through reducing the risk of exposure for cleaning staff and those who work in these settings (e.g. doctors, nurses, assistants, teachers), particularly in the context of shortages of personal protective equipment (PPE). Some have noted issues with compliance of cleaning protocols promoting use of these robots and others have highlighted the importance of effective integration with existing routines and operations,[19,20] but this is unlikely to be a significant hurdle in times of global need such as this. If the current generation cleaning and disinfectant robots are viewed as a panacea to reduce the spread of SARS-CoV-2, the resulting overreliance on their performance may jeopardise lives unnecessarily, but this is an area for urgent development that could help with lockdown exit strategies.

Funding: This work was funded by a Scottish Government Chief Scientist Research Grant. The views expressed are those of the authors.

Acknowledgements: We gratefully acknowledge all participants' time and input.

Conflict of interest: The authors declare no conflict of interest.

References

1. van Doremalen N, Bushmaker T, Morris DH, Holbrook MG, Gamble A, Williamson BN, Tamin A, Harcourt JL, Thornburg NJ, Gerber SI, Lloyd-Smith JO. Aerosol and surface stability of SARS-CoV-2 as compared with SARS-CoV-1. *New England Journal of Medicine*. 2020 Mar 17.
2. Robots: The Future of Cleaning? Available from: <https://servicesmag.org/online-digital-magazine/digital-archives/item/291-robots-the-future-of-cleaning> (last accessed: 15/04/2020).
3. Cleaning And Disinfection Robots Market growth is accelerating with a CAGR of 15.9%, during 2019-2025. Available from: https://www.marketwatch.com/press-release/cleaning-and-disinfection-robots-market-growth-is-accelerating-with-a-cagr-of-15-9-during-2019-2025-2019-09-09?mod=mw_quote_news (last accessed: 15/04/2020).
4. Hospital-Disinfecting Robots: Xenex Sees Surge In Orders As COVID-19 Pandemic Escalates. Available from: <https://news.crunchbase.com/news/hospital-disinfecting-robots-xenex-sees-surge-in-orders-as-covid-19-pandemic-escalates/> (last accessed: 15/04/2020).
5. Metro operator deploys cleaning robot to fight the coronavirus. Available from: <https://www.railwaygazette.com/technology-data-and-business/metro-operator-deploys-cleaning-robot-to-fight-the-coronavirus/55995.article> (last accessed: 15/04/2020).
6. Autonomous Robots Are Helping Kill Coronavirus in Hospitals. Available from: <https://spectrum.ieee.org/automaton/robotics/medical-robots/autonomous-robots-are-helping-kill-coronavirus-in-hospitals> (last accessed: 15/04/2020).
7. Anderson DJ, Chen LF, Weber DJ, Moehring RW, Lewis SS, Triplett PF, Blocker M, Becherer P, Schwab JC, Knelson LP, Lokhnygina Y. Enhanced terminal room disinfection and acquisition and infection caused by multidrug-resistant organisms and *Clostridium difficile* (the Benefits of Enhanced Terminal Room Disinfection study): a cluster-randomised, multicentre, crossover study. *The Lancet* 2017 Feb 25;389(10071):805-14.
8. Passaretti CL, Otter JA, Reich NG, Myers J, Shepard J, Ross T, Carroll KC, Lipsett P, Perl TM. An evaluation of environmental decontamination with hydrogen peroxide vapor for reducing the risk of patient acquisition of multidrug-resistant organisms. *Clinical infectious diseases*. 2013 Jan 1;56(1):27-35.
9. Non-Manual Ultraviolet Light Disinfection for Hospital Acquired Infections: A Review of Clinical Effectiveness and Guidelines. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK544669/> (last accessed: 15/04/2020).
10. Yang JH, Wu UI, Tai HM, Sheng WH. Effectiveness of an ultraviolet-C disinfection system for reduction of healthcare-associated pathogens. *Journal of Microbiology, Immunology and Infection*. 2019 Jun 1;52(3):487-93.
11. Mana TS, Sitzlar B, Cadnum JL, Jencson AL, Koganti S, Donskey CJ. Evaluation of an automated room decontamination device using aerosolized peracetic acid. *American journal of infection control*. 2017 Mar 1;45(3):327-9.
12. Miller R, Simmons S, Dale C, Stachowiak J, Stibich M. Utilization and impact of a pulsed-xenon ultraviolet room disinfection system and multidisciplinary care team on *Clostridium difficile* in a long-term acute care facility. *American journal of infection control*. 2015 Dec 1;43(12):1350-3.
13. Doll M, Stevens M, Bearman G. Environmental cleaning and disinfection of patient areas. *International Journal of Infectious Diseases*. 2018 Feb 1;67:52-7.
14. Doll M, Morgan DJ, Anderson D, Bearman G. Touchless technologies for decontamination in the hospital: a review of hydrogen peroxide and UV devices. *Current infectious disease reports*. 2015 Sep 1;17(9):44.

15. UVC Disinfection Robot. Available from: <https://www.hipac.com.au/shop/uvc-disinfection-robot/index> (last accessed: 15/04/2020).
16. Coronavirus: Robots use light beams to zap hospital viruses. Available from: <https://www.bbc.co.uk/news/business-51914722> (last accessed: 15/04/2020).
17. Chinese company unveils \$40,000 hospital robot that uses a combination of UV light and liquid disinfectant spray to kill coronavirus pathogens. Available from: <https://www.dailymail.co.uk/sciencetech/article-8159921/Chinese-company-unveils-40-000-hospital-robot-disinfectants-against-coronavirus-pathogens.html> (last accessed: 15/04/2020).
18. Hard Surface Disinfection System from Surfacide. Available from: <https://www.batesit.co.uk/helios-disinfection-system> (last accessed: 15/04/2020).
19. Fleming M, Major Y, Gryskevicz M, Fife J, Hassmer L, Masroor N, Cooper K, Doll M, Stevens M, Bearman G. Will Audit and Feedback Drive Compliance with UV Robot Disinfection?. *American Journal of Infection Control*. 2017 Jun 1;45(6):S51.
20. Reduction of Healthcare Associated Infections through the use of Pulsed Xenon Ultraviolet Disinfection. Available from: https://www.sanimed.ro/upload_poze_documente/files/STUDII%20CLINICE.pdf (last accessed: 15/04/2020).