

Supporting Information

Formic Acid Catalyzed Isomerization and Adduct Formation of an Isoprene-Derived Criegee Intermediate: Experiment and Theory

Michael F. Vansco¹, Rebecca L. Caravan^{2,3,4*}, Shubhrangshu Pandit^{1,5}, Kristen Zuraski², Frank A. F. Winiberg^{6,7}, Kendrew Au³, Trisha Bhagde¹, Nisalak Trongsiriwat¹, Patrick J. Walsh¹, David L. Osborn³, Carl J. Percival⁶, Stephen J. Klippenstein⁴, Craig A. Taatjes³, and Marsha I. Lester^{1**}

¹Department of Chemistry, University of Pennsylvania, Philadelphia, PA 19104-6323, USA.

²NASA Postdoctoral Program Fellow, NASA Jet Propulsion Laboratory, California Institute of Technology, 4800 Oak Grove Drive, Pasadena, CA 91109, USA.

³Combustion Research Facility, Mailstop 9055, Sandia National Laboratories, Livermore, CA 94551, USA.

⁴Chemical Sciences and Engineering Division, Argonne National Laboratory, Lemont, IL 60439, USA.

⁵Department of Chemistry and Biochemistry, University of California San Diego, La Jolla, CA 92093, USA

⁶NASA Jet Propulsion Laboratory, California Institute of Technology, 4800 Oak Grove Drive, Pasadena, CA 91109, USA.

⁷Division of Chemistry and Chemical Engineering, California Institute of Technology, Pasadena, CA 91125, USA.

* Corresponding author email: caravarl@anl.gov

**Corresponding author email: milester@sas.upenn.edu

Table of Contents:

Section S1. MVK-oxide + H ₂ -formic acid.....	S4
Section S2. Theoretical reaction pathways.....	S6
Section S3. H/D Exchange.....	S35
Section S4. Stationary point geometries.....	S43
Figure S1. Evidence of acid catalyzed isomerization from MVK-oxide + H ₂ -formic acid.....	S5
Figure S2. Reaction coordinate for the interconversion of <i>cis</i> and <i>trans</i> conformational forms of <i>syn</i> -MVK-oxide.....	S13
Figure S3. Reaction coordinate for the 1,4-insertion and acid catalyzed isomerization of <i>anti</i> -MVK-oxide.....	S15
Figure S4. Reaction coordinate comparing the formic acid chemical and spectator catalysis of <i>anti-cis</i> -MVK-oxide to dioxole	S17
Figure S5. Reaction coordinate comparing alkyl vs vinyl H-atom transfer for the acid catalyzed isomerization of <i>anti-trans</i> -MVK-oxide.....	S18
Figure S6. Reaction coordinate showing HPBF adduct formation from reaction of <i>syn-trans</i> -MVK-oxide with formic acid through a 1,2-insertion mechanism.....	S19
Figure S7. Reaction coordinate showing secondary ozonide formation from reaction of <i>syn-trans</i> -MVK-oxide with formic.....	S20
Figure S8. Reaction coordinate showing the formic acid spectator catalysis of <i>syn</i> -MVK-oxide to HPBD	S25
Figure S9. Reaction coordinate showing H-atom exchange between HPBD and formic acid.....	S26
Figure S10. Plot of the pressure dependence of the predicted branching between acid catalyzed formation of HPBD + FA and HPBF adduct formation in the reaction of MVK-oxide with FA at 300 K.....	S30
Figure S11. Plot of the temperature dependence of the predicted branching between acid catalyzed formation of HPBD + FA and chemical adduct formation of HBPF in the reaction of MVK-oxide with FA at 1 bar.....	S31

Figure S12. Comparison of PIE curves associated with H/DO ₂ loss from the MVK-oxide + formic acid adduct.....	S36
Figure S13. Comparison of D ₂ and D ₁ -formic acid photoionization signal.....	S37
Figure S14. Comparison of relevant features in the mass spectrum obtained from the reaction of MVK-oxide with deuterated and normal formic acid.....	S38
Figure S15. Comparison of m/z 87 and 88 PIE curves.....	S39
Scheme S1. Illustration of daughter ions that would be formed from the reaction of MVK-oxide with DC(O)OH and HC(O)OD.....	S40
Table S1. Stationary point energies and corrections	S8
Table S2. Comparison of <i>syn-trans</i> -MVK-oxide acid catalyzed isomerization calculations.....	S11
Table S3. Energetics of the 1,4-insertion mechanism for <i>syn</i> -MVK-oxide and CH ₂ OO reaction with formic acid.....	S21
Table S4. Energetics of the 1,2-insertion mechanism for <i>syn</i> -MVK-oxide and CH ₂ OO reaction with formic acid	S22
Table S5. Energetics for SOZ formation from the <i>syn</i> -MVK-oxide and CH ₂ OO reaction with formic acid	S23
Table S6. Stationary point energies (kcal mol ⁻¹) for H-exchange in HPBD + FA for both OCHOH and OCDOD isotopes of FA. Energies include ZPE corrections and are reported relative to <i>syn-cis</i> -HPBD + FA.	S27
Table S7. Fractional components of mass channels at 10.5 eV and 8.5-9.8 eV.....	S41
References.....	S81

Section S1. MVK-oxide + H₂-formic acid

The identification of HPBD at m/z 87 in the D₂-formic acid experiments (discussed in the main text) is also supported by the time profiles of the m/z 86 data obtained in experiments using normal H₂-formic acid. With increasing formic acid concentration, an increase in signal appearing as a y-axis offset is observed at longer kinetic times in the time profiles of m/z 86 (Figure S1, *bottom*). The increase in absolute signal of m/z 86 at longer kinetic times (Figure S1, *top*) is indicative of increased production of an isomer of MVK-oxide that can be photoionized at 10.5 eV and is stable on the timescale and conditions of our experimental conditions (10 Torr, 298 K), such as HPBD from the acid catalyzed isomerization mechanism. The relative photoionization cross-sections of Criegee intermediates and their respective vinyl hydroperoxide isomers calculated by Huang *et al.*¹ indicates that the cross-sections of the latter are significantly larger than the former. The magnitude of the y-axis offset in the m/z 86 time profiles with respect to the $t = 0$ signal amplitude (Figure S1, *bottom*) is, therefore consistent with the small yield of HPBD determined from the D₂-formic acid experiments and calculated through high-level theoretical kinetics, as discussed in the main text.





Figure S1. *Top* Summed absolute amplitudes of the m/z 86 signal (between 40-80 ms) in the MVK-oxide + H_2 -formic acid reaction as a function of formic acid concentration, obtained using a photoionization energy of 10.5 eV. *Bottom* Time profiles of the m/z 86 signal, presented in the top figure, recorded at various formic acid concentrations. The data are each normalized for their experimental conditions (e.g. MVK-oxide precursor concentration, photolysis laser power and the photocurrent of the 10.5 eV photoionization radiation) using the maxima in the amplitudes of the respective I atom time traces as a reference.

Section S2: Theoretical reaction pathways

Overview

The present theoretical effort provides a detailed analysis of the kinetics for the reaction of MVK-oxide with formic acid (FA). It builds from the theoretical analysis presented in our prior study for the reaction of *syn-trans* MVK-oxide with FA,² with explorations of a variety of additional channels, and with an exploration of the kinetics for all four conformers of MVK-oxide. The primary focus is on the inclusion of the chemical catalysis channel that is observed experimentally in the present study, and which was previously explored theoretically in the work of Kumar et al. at the CCSD(T)/aug-cc-pVTZ//M06-2X/cc-pVTZ level.³ The present analysis expands on that earlier theoretical work with more definitive ab initio electronic structure calculations, exploration of additional reaction channels, and, most significantly, through the implementation of *a priori* kinetic estimates. For completeness, we explore (i) analogues of the low-lying transition states explored by Vereecken and coworkers in their study of the reaction of CH₂OO with FA,⁴ (ii) spectator catalysis, (iii) *cis-trans* isomerization in reactant pre-reactive complexes (PRCs), (iv) new reaction channels for the *anti* conformers, and (v) isotope exchange in the product PRC. The *cis-trans* isomerizations in the PRCs dramatically modulate the product distributions for the *cis* reactants. The predicted isotope exchange rate for the reaction between hydroperoxyl butadiene (HPBD) and deuterated FA (D₂-formic acid) is used to delineate the possible role of isotopic exchange from HPBD (possibly formed as a secondary product in the photolytic generation of MVK-oxide) interfering with the isotopic observations of deuterated HPBD.

Stationary Point Energies

The stationary point energies for the various reaction channels in the reaction of all four conformers of MVK-oxide with FA were determined at the CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ level coupled with the following ad hoc correction. The CCSD(T) method is known to underestimate the stability of Criegee intermediates (CIs) due to significant multireference effects arising from resonances between zwitterionic and singlet diradical electronic configurations. Furthermore, these

multireference effects persist to some extent for both the entrance channel van der Waals wells (where the CI retains much of its chemical character) and the transition states connecting them chemically to product species [e.g., HPBD, HPBF (hydroperoxybut-3-en-2-yl formate) adduct, HPBD-2, and dioxole].

Calculations at the CCSDT(Q) level largely capture these multireference effects, but such CCSDT(Q) calculations are impractical for a system with 9 heavy atoms (5 C atoms and 4 O atoms). Our prior studies provide CCSDT(Q) corrections for both MVK-oxide isomerizations⁵ and the chemical reaction of CH₂OO with SO₂.² Here we use those values to crudely estimate these corrections for the present system. In particular, the MVK-oxide PRCs and the *cis-trans* transition states within these PRCs are estimated to be raised relative to the reactants by 0.4 kcal mol⁻¹, the transition states for the chemical conversions from the PRCs are estimated to be raised relative to reactants by 0.8 kcal mol⁻¹ and the products are estimated to be raised by 1.5 kcal mol⁻¹. We estimate the uncertainties in these corrections to be about 0.2 kcal mol⁻¹ for the first two values, and about 0.4 kcal mol⁻¹ for the last one.

The results of these calculations are reported in Table S1. Note that the present energies differ slightly from those reported in our earlier study of the *syn-trans* MVK-oxide + FA reaction.² This difference arises from the prior neglect of the above described ad hoc CCSDT(Q) correction due to our focus there on just the addition rate. Overall, we expect 2 σ uncertainties in our predicted energies of about 0.6 kcal mol⁻¹. Zero-point energy (ZPE) corrections evaluated for the stationary points corresponding to the reaction of deuterated FA with *syn-trans* and *syn-cis* MVK-oxide are also reported in Table S1. Note that for the radical-radical PRCs [e.g., OBD...OH, where OBD is oxybutadiene – CH₂CHC(O)CH₂] we evaluate the energy of the triplet state complex in order to avoid multireference issues for singlet radical-radical pre-reactive complexes. It is our experience that typically the energies of singlet and triplet PRCs agree to within a few tenths of a kcal mol⁻¹. When necessary, we have employed random sampling of initial torsional angles to obtain the lowest conformers.

Table S2 presents stationary point energies (kcal mol⁻¹) for the FA catalyzed isomerization of *syn-trans*-MVK-oxide evaluated by two different methods, and compared with earlier calculations by Kumar et al.³ We repeated the prior calculations of Kumar et al. since the differences between the present

Table S1. Stationary point energies (kcal mol⁻¹) for the reaction of *syn/anti-cis/trans* (*s/a-c/t*) MVK-oxide with formic acid (FA).^a Energies include ZPE corrections and are reported relative to *s-t*-MVK-oxide.

Stationary Point	ω B97XD 6-31+G*	B2PLYPD3 cc-pVTZ	CCSD(T)-F12 cc-pVTZ-F12	E0 ^b	Total ^c	Corr. Total ^d
<i>Reactants</i>						
<i>s-t</i> -MVK-oxide + FA	0	0	0	0	0	0
<i>s-c</i> -MVK-oxide + FA	1.3	2.3	1.9	-0.2	1.8	1.8
<i>a-t</i> -MVK-oxide + FA	2.2	3.0	2.7	-0.1	2.6	2.6
<i>a-c</i> -MVK-oxide + FA	1.8	2.8	2.8	0.0	2.8	2.8
<i>s-t</i> -MVK-oxide + FA excited	5.1	4.5	4.2	-0.2	4.0	4.0
<i>van der Waals</i>						
Reactant Wells						
<i>s-t</i> -MVK-oxide...FA	-17.4	-17.0	-15.8	1.1 (1.1)	-14.7	-14.3
<i>s-c</i> -MVK-oxide...FA	-16.3	-15.1	-14.1	0.8 (0.8)	-13.2	-12.8
<i>a-t</i> -MVK-oxide...FA	-16.5	-15.9	-14.7	0.9	-13.8	-13.4
<i>a-c</i> -MVK-oxide...FA	-15.5	-14.8	-13.2	1.0	-12.1	-11.7
Product Wells						
<i>s-t</i> -HPBD...FA	-20.8	-24.5	-24.3	1.5	-22.7	-21.2
<i>s-c</i> -HPBD...FA	-22.2	-26.5	-26.1	1.7	-24.4	-22.9
<i>a-t</i> -HPBD...FA	-18.8	-22.3	-22.2	1.4	-20.8	-19.3
<i>a-c</i> -HPBD...FA	-17.6	-21.5	-21.6	1.4	-20.3	-18.8
HPBD-2...FA	-7.8	-11.0	-10.1	0.9	-9.3	-7.8
Dioxole...FA	-37.6	-35.4	-36.3	2.6	-33.6	-32.1
³ OBD... FA...OH	-4.3	-5.2	-2.7	-1.8	-4.5	-3.0
<i>Transition States</i>						
<i>cis/trans</i>						
<i>s-t</i> -MVK-oxide = <i>s-c</i> -MVK-oxide	7.6	9.4	8.2	-0.6	7.5	7.9
<i>a-t</i> -MVK-oxide = <i>a-c</i> -MVK-oxide	11.1	13.0	11.6	-0.7	10.9	11.3
<i>s-t</i> -MVK-oxide...FA = <i>s-c</i> -MVK-oxide...FA	-11.9	-10.6	-10.2	0.4 (0.5)	-9.7	-9.3
<i>a-t</i> -MVK-oxide...FA = <i>a-c</i> -MVK-oxide...FA	-9.5	-8.4	-10.2	0.3	-9.9	-9.5
H Transfer (TS1)						
<i>s-t</i> -MVK-oxide = <i>s-t</i> -HPBD	21.9	18.9	19.7	-2.5	17.2	18.0
<i>s-c</i> -MVK-oxide = <i>s-c</i> -HPBD	23.0	20.2	21.0	-2.6	18.4	19.2
Acid Catalyzed – Spectator (TS _{spec})						
<i>s-t</i> -MVK-oxide...FA = <i>s-t</i> -HPBD...FA	9.3	5.8	8.1	-1.4	6.7	7.5
<i>s-c</i> -MVK-oxide...FA = <i>s-c</i> -HPBD...FA	10.3	6.8	9.2	-1.5	7.7	8.5
Acid Catalyzed – Chemically (TS2)						
<i>s-t</i> -MVK-oxide...FA = <i>s-t</i> -HPBD...FA	-5.3	-6.7	-3.1	-1.8 (-1.4)	-4.9	-4.1
<i>s-c</i> -MVK-oxide...FA = <i>s-c</i> -HPBD...FA	-5.3	-6.2	-2.7	-1.9 (-1.4)	-4.6	-3.8
<i>a-t</i> -MVK-oxide...FA = <i>a-t</i> -HPBD...FA	-0.5	-0.8	1.9	-1.0	0.8	1.6
<i>a-c</i> -MVK-oxide...FA = <i>a-c</i> -HPBD...FA	2.5	2.0	4.7	-1.0	3.7	4.5

		1,4 Insertion (TS3)				
<i>s-t</i> -MVK-oxide...FA =	-13.8	-14.5	-12.6	-0.9	-13.5	-12.7
<i>s-t</i> -HPBF Adduct				(-0.1)		
<i>s-c</i> -MVK-oxide...FA =	-13.2	-13.6	-11.9	-0.6	-12.6	-11.8
<i>s-c</i> -HPBF Adduct				(-0.0)		
<i>a-t</i> -MVK-oxide...FA =	-14.0	-14.7	-12.7	-1.0	-13.6	-12.8
<i>a-t</i> -HPBF Adduct						
<i>a-c</i> -MVK-oxide...FA =	-12.5	-13.2	-11.0	-0.8	-11.8	-11.0
<i>a-c</i> -HPBF Adduct						
		1,2 Insertion (TS _{1,2-insertion})				
<i>s-t</i> -MVK-oxide...FA =	-2.3	-1.4	0.4	0.4	0.6	1.4
<i>s-t</i> -HPBF Adduct						
		Cyclic Addition – SOZ Formation (TS _{SOZ})				
<i>s-t</i> -MVK-oxide...FA = SOZ	3.9	3.9	3.7	1.7	5.4	6.2
<i>s-t</i> -MVK-oxide...FA = SOZ	3.7	3.9	3.7	1.7	5.5	6.3
		Acid Catalysis at C ₂ H ₃ (TS _{vinyl})				
<i>a-t</i> -MVK-oxide...FA = HPBD-2	6.2	4.3	8.3	-2.6	5.7	6.5
		HPBD Product Acid Catalysis (TS _{H,exchange})				
<i>s-t</i> -HPBD...FA =	-1.8	-9.1	-7.4	-2.1	-9.5	-8.0
<i>s-t</i> -HPBD...FA						
<i>s-c</i> -HPBD...FA =	-3.4	-11.2	-9.4	-1.9	-11.3	-9.8
<i>s-c</i> -HPBD...FA						
<i>a-t</i> -HPBD...FA =	-0.7	-8.0	-6.2	-2.3	-8.5	-7.0
<i>a-t</i> -HPBD...FA						
<i>a-c</i> -HPBD...FA =	-0.9	-8.6	-6.9	-2.2	-9.1	-7.6
<i>a-c</i> -HPBD...FA						
		Dioxole Formation; w and w/o Spectator Catalysis (TS _d , TS _{d,cat})				
<i>a-c</i> -MVK-oxide = Dioxole	14.4	13.6	14.6	-0.3	14.4	15.2
<i>a-c</i> -MVK-oxide...FA = Dioxole...FA	-0.0	-0.6	2.2	0.7	3.0	4.2
<i>a-c</i> -MVK-oxide...FA = Dioxole...FA	-0.3	-1.3	1.8	0.9	2.6	3.8
		Product OO Fission (HPBD)				
<i>s-t</i> -HPBD...FA = OBD...OH...FA; <i>syn-trans</i>	-0.1	0.5	-5.9	-1.1	-7.0	-5.5
		<i>Products</i>				
HPBF Adduct; optimized	-33.0	-30.8	-33.0	2.8 (2.6)	-30.3	-28.8
<i>s-t</i> -HPBF Adduct	-31.5	-29.2	-31.4	2.8	-28.6	-27.1
<i>s-c</i> -HPBF Adduct	-32.5	-30.3	-32.5	2.8	-29.6	-28.1
<i>a-t</i> -HPBF Adduct	-31.4	-29.2	-31.4	2.8	-28.6	-27.1
<i>a-c</i> -HPBF Adduct	-30.5	-28.4	-30.4	2.6	-27.9	-26.4
ABF + OH	13.7	17.7	16.6	-2.7	13.9	15.4
<i>s-t</i> -HPBD + FA	-8.2	-11.8	-13.1	-0.2	-13.2	-11.7
<i>s-c</i> -HPBD + FA	-9.8	-13.8	-13.8	0.0	-15.0	-13.5
<i>a-t</i> -HPBD + FA	-6.6	-10.0	-11.4	-0.3	-11.7	-10.2
<i>a-c</i> -HPBD + FA	-7.2	-10.9	-12.5	-0.2	-12.8	-11.3
SOZ	-29.6	-25.8	-30.4	3.7	-26.8	-25.3
SOZ; Geometry 2	-30.9	-24.4	-31.8	3.6	-28.2	-26.7
OBD + FA + OH	11.5	11.7	10.4	-5.2	5.8	7.3
OBD...FA + OH	-0.8	-2.1	-0.8	-3.7	-4.5	-3.0

OBD...OH + FA						2.4 ^e
<i>c</i> -HPBD-2 + FA	3.9	1.3	0.7	-0.8	-0.1	1.4
<i>t</i> -HPBD-2 + FA	4.6	2.3	1.6	-0.9	0.8	2.3
Dioxole + FA	-26.1	-25.0	1.3	-26.9	-25.6	-24.1

^a All energies are relative to *syn,trans*-MVK-oxide + OCHOH. The first three columns are electronic energies, the next is the zero-point vibrational energy. The last two columns are the sum of the CCSD(T)-F12/cc-pVTZ-F12 electronic energy and B2PLYP-D3/cc-pVTZ zero-point without and with the ad hoc correction for multireference effects.

^b Zero-point energies from harmonic B2PLYP-D3/cc-pVTZ calculations. The numbers in parentheses are for the reaction with deuterated FA.

^c Total corresponds to the sum of the CCSD(T)-F12b energy and E0. ^d The total energy corrected by estimated CCSDT(Q) higher level corrections as discussed in the text of the supplementary material.

^e From Ref. 5.

Table S2. Stationary point energies (kcal mol⁻¹) for the formic acid catalyzed isomerization of *syn-trans*-MVK-oxide. Energies include ZPE corrections and are reported relative to reactants.

Species	This work ^a	This work ^b	Kumar <i>et al.</i> ^c
	CCSD(T)-F12/ cc-pVTZ-F12	CCSD(T)/aug-cc-pVTZ	CCSD(T)/aug-cc-pVTZ
MVK-oxide + FA	-14.3	-16.0	-20.5
TS2	-3.8	-6.5	-11.1
HPBD...FA	-21.5	-23.6	-27.0
HPBD + FA	-13.8	-12.9	-11.8

- a. CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ with estimated CCSDT(Q) corrections.
b. CCSD(T)/aug-cc-pVTZ//M06-2X/aug-cc-pVTZ.
c. Ref. 3, CCSD(T)/aug-cc-pVTZ//M06-2X/aug-cc-pVTZ.

CCSD(T)-F12/cc-pVTZ-F12 based calculations and the prior CCSD(T)/aug-cc-pVTZ based results are larger than would be expected for these levels of theory (ca. 2.0 kcal mol⁻¹). However, we found that the present CCSD(T)/aug-cc-pVTZ//M06-2x/aug-cc-pVTZ calculations show a roughly constant increase of 4 kcal mol⁻¹ compared to the prior report; the origin of this discrepancy is not known. The present CCSD(T)/aug-cc-pVTZ calculations are in much improved agreement with the CCSD(T)-F12/cc-pVTZ-F12 based results.

The reaction coordinates for the interconversion between *syn-trans* and *syn-cis* configurations of MVK-oxide and of MVK-oxide...FA PRC are illustrated in Figure S2. The interaction between MVK-oxide and FA results in an isomerization transition state that lies far below the MVK-oxide + FA asymptote. As a result, the reaction of the *syn-trans* and *syn-cis* conformers effectively occurs through an equilibrated pair of *syn-trans* and *syn-cis* MVK-oxide...FA PRC conformers. Note, however, that this does not imply that the rates and products arising from the *syn-trans* and *syn-cis* conformers will be identical; the *syn-cis* reaction is initiated at the higher energy of the *syn-cis* conformer and this additional energy affects the product distributions (as shown below). The reaction coordinate diagram for the isomerization of *anti-trans* and *anti-cis* configurations (not shown) is similar and so the reaction of the *anti-trans* and *anti-cis* conformers also occurs as an equilibrated pair of *anti-trans* and *anti-cis* MVK-oxide...FA PRC conformers. The barrier to transformation from *syn* to *anti* conformers is high enough (31 kcal mol⁻¹)⁵ that we do not expect the *syn* to *anti* transformation to be rapid even within the PRCs.

The reaction paths for the two reaction channels of primary interest here – the acid-catalyzed pathway through TS2 to form HPBD with release of FA and the adduct formation pathway through TS3 to form the HPBF adduct– are illustrated for the lowest energy *syn-trans* MVK-oxide conformer in the main text (Figure 4). From this diagram it is clear that both TS2 and TS3 saddle points are submerged below reactants, and so can provide effective channels for low-temperature kinetics. Although TS2 lies considerably higher in energy than TS3, simple inspection of the TS structures does not make it clear which channel is favored entropically. The two channels are predicted to proceed through the same PRC.




Figure S2. Reaction coordinate showing the barrier (TS_{int}) for interconversion between *syn-trans* and *syn-cis* configurations of MVK-oxide. A pre-reactive complex (PRC) formed between MVK-oxide and formic acid substantially lowers the barrier (TS_{int,cat}) and provides a route for rapid interconversion between *trans* (*s-t*) and *cis* (*s-c*) forms.

The process through TS2 directly leads to a complex (HPBD...FA) between HPBD and FA, which is expected to dissociate directly and rapidly to HPBD and FA. Indeed, the master equation calculations find no indication of stabilization of the HPBD...FA complex for any conditions of relevance to atmospheric chemistry. Meanwhile, the dissociation of HPBD to OBD + OH (the lowest bond fission process) is predicted to be endoergic by 7.3 kcal mol⁻¹ relative to MVK-oxide + FA reactants. As discussed in Ref. 5, an alternative roaming induced formation of HB (1-hydroxybut-3-en-2-one) has a maximum barrier at only 4.0 kcal mol⁻¹ relative to *syn-trans* reactants. This pathway might just be energetically accessible from thermally excited *syn-cis* reactants.

It is interesting to ponder further the possible products that might be formed from the HPBD...FA complex. Notably, a termolecular complex between OBD, OH, and FA is predicted to lie 3.0 kcal mol⁻¹ below *syn-trans* reactants. From this complex, which would be formed via partial OO bond fission in HPBD...FA at an energy of -5.5 kcal mol⁻¹, the loss of OH to form OBD...FA + OH has an asymptotic energy of 2.4 kcal mol⁻¹. Meanwhile, the maximum barrier for the roaming isomerization to HB...FA would likely also be weakly submerged. Lastly, the loss of FA to form OBD...OH + FA would have an energy of 2.4 kcal mol⁻¹. However, it seems unlikely that any of these processes would be competitive with the simple loss of FA from the HPBD...FA complex, which occurs at a much lower energy (-13.5 kcal mol⁻¹) and should also have the highest entropy.

The likely lowest energy bond fission for the HPBF adduct (OO fission as in the CH₂OO + FA case⁴) lies at 15 kcal mol⁻¹ relative to *syn-trans* MVK-oxide + FA. We expect that the lowest energy molecular eliminations involve CH₃OH and CH₂CHOH loss as analogues of the H₂O loss channel explored for the CH₂OO case.⁴ We have not explored these here as we do not expect them to be energetically accessible.

Figure S3 provides a corresponding illustration of these same two reaction paths (TS2 and TS3 analogues) for the reaction of the *anti-trans* MVK-oxide conformer with FA. The reaction path energies are remarkably similar to those for the *syn-trans* case, with the most significant difference being that TS2 for the acid catalysis pathway is not as deeply submerged (-1.0 vs -4.1 kcal mol⁻¹, where both are




Figure S3. Reaction coordinates showing the formic acid catalyzed isomerization of *anti-trans*-MVK-oxide (blue) and the more favorable adduct formation pathway arising from the 1,4-insertion reaction of *anti-trans*-MVK-oxide with formic acid (green) at the CCSD(T)-F12/cc-pVTZ-F12 //B2PLYP-D3/cc-pVTZ level of theory with estimated CCSDT(Q) corrections (Table S1).

specified relative to their respective reactants). Thus, we expect the branching through this channel to be much smaller than that for *syn-trans*.

For isolated *anti-cis* MVK-oxide, the dominant reaction pathway involves electrocyclic ring closure to yield dioxole. The reaction coordinate diagram provided in Figure S4 demonstrates that, even with the spectator catalytic lowering of the barrier, the barrier for this process is endoergic (by 1.0 kcal mol⁻¹ relative to *anti-cis* MVK-oxide reactants) and not competitive with the HPBF adduct formation pathway. The acid catalyzed isomerization of *anti-cis*-MVK-oxide to HPBD is also more favorable than spectator catalysis yielding dioxole.

For *anti-trans* MVK-oxide + FA, an alternative chemical catalysis pathway would involve an H transfer from the vinyl group to the FA. However, as illustrated in Figure S5, this catalytic pathway is not competitive with the catalytic pathway involving H transfer from the methyl group. Thus, the reaction of the *anti* conformers of MVK-oxide with FA should predominantly yield the HPBF adduct (Figure S4) with secondary production of an acid-catalyzed HPBD product as for the *syn* conformers (Figure S5).

Vereecken also found that a 1,2 insertion pathway⁴ (where the OH group of FA inserts across the COO moiety in the CI) is slightly submerged (i.e. at -2.4 kcal mol⁻¹). As illustrated in Figure S6, for *syn-trans* MVK-oxide the analogous 1,2 insertion pathway is predicted to be slightly endoergic (1.4 kcal mol⁻¹) and is thus not expected to play a significant role in the kinetics. Vereecken also explored a cyclo addition process to yield a primary ozonide, which was submerged by 1.7 kcal mol⁻¹. As illustrated in Figure S7, for *syn-trans* MVK-oxide the analogous secondary ozonide (SOZ) forming process is highly endoergic, with a predicted barrier of 6.2 kcal mol⁻¹. These increased barrier heights for MVK-oxide relative to CH₂OO are largely the result of the need to break the resonance between the vinyl π bond and the COO π bond prior to bond formation. The extra resonance stabilization in MVK-oxide also leads to decreased bond strengths for the complexes formed. Tables S3-S5 provide a comparison of the reaction pathway energies for the reaction of FA with CH₂OO and *syn-trans* MVK-oxide.




Figure S4. Reaction coordinate for electrocyclic ring closure of *anti-cis*-MVK-oxide to dioxole (black) compared to that for the formic acid spectator catalyzed pathway to dioxole (blue). Also shown is the energetically favorable adduct formation pathway (green) for the *anti-cis*-MVK-oxide + formic acid reaction. Energies are reported at the CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ level of theory with estimated CCSDT(Q) corrections (Table S1).




Figure S5. Reaction coordinates comparing different acid catalyzed reaction pathways for the *anti-trans*-MVK-oxide + formic acid reaction. TS2 (blue) and TS_{vinyl} illustrate the barriers for H-atom transfer from the methyl and vinyl group of MVK-oxide, respectively. Energies (Table S1) are determined at the CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ level of theory (with estimated CCSDT(Q) corrections) and indicate that the methyl H-atom transfer pathway is more favorable.




Figure S6. Reaction coordinates comparing adduct formation from the *syn*-MVK-oxide + formic acid reaction via the 1,2-insertion (TS_{1,2 insertion}, black) and 1,4-insertion (TS3, green) mechanisms. Energies are reported at the CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ level of theory with estimated CCSDT(Q) corrections (Table S1).




Figure S7. Reaction coordinate showing TS barrier (SOZ_{ts}) to secondary ozonide (SOZ) formation from the *syn*-MVK-oxide + formic acid reaction. Energies are reported at the CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ level of theory with estimated CCSDT(Q) corrections (Table S1).

Table S3. Stationary point energies (kcal mol⁻¹) for adduct formation from the reactions of CH₂OO (Vereecken, Ref. 4) and *syn-trans*-MVK-oxide with formic acid via the 1,4-insertion mechanism. Energies include ZPE corrections and are reported relative to reactants.

Species	<i>syn-trans</i> -MVK-oxide ^a	CH ₂ OO ^b
PRC	-14.3	N/A ^c
TS3	-12.7	N/A ^c
HPBF Adduct	-27.1	-44.4

- a. CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ with estimated CCSDT(Q) corrections.
b. Ref. 4, CCSD(T)/aug-cc-pVTZ//M06-2X/aug-cc-pVTZ.
c. There was no apparent saddle point for the 1,4-insertion mechanism with CH₂OO.

Table S4. Stationary point energies (kcal mol⁻¹) for adduct formation from the reactions of CH₂OO (Vereecken, Ref. 4) and *syn-trans*-MVK-oxide with formic acid via the 1,2-insertion mechanism. Energies include ZPE corrections and are reported relative to reactants.

Species	<i>syn-trans</i>-MVK-oxide^a	CH₂OO^b
PRC	-14.3	N/A
TS3	1.4	-2.4
Adduct	-27.1	-44.4

a. CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ with estimated CCSDT(Q) corrections

b. Ref. 4, CCSD(T)/aug-cc-pVTZ//M06-2X/aug-cc-pVTZ

Table S5. Stationary point energies (kcal mol⁻¹) for SOZ formation from the reaction of CH₂OO (Vereecken, Ref. 4) and *syn-trans*-MVK-oxide with formic acid. Energies include ZPE corrections and are reported relative to reactants.

Species	<i>syn-trans</i>-MVK-oxide^a	CH₂OO^b
PRC	-14.3	-6.0
TS _{SOZ}	6.2	-1.7
SOZ	-25.3	-40.2

a. CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ with estimated CCSDT(Q) corrections

b. Ref. 4, CCSD(T)/aug-cc-pVTZ//M06-2X/aug-cc-pVTZ

For *syn-trans* MVK-oxide in isolation the primary unimolecular decomposition involves an H transfer from the methyl group to the OO group, as studied in detail in Ref. 5. As illustrated in Figure S8, spectator catalysis⁶ lowers the isomerization barrier from 18.0 to 7.9 kcal mol⁻¹. Although the barrier is significantly lowered, it is not expected to be an effective kinetic process because of the lower energy channels accessible to the MVK-oxide...FA PRC. The master equation calculations including all the channels validate this expectation.

Although not illustrated here, the reaction pathways for *syn-cis* MVK-oxide reacting with FA closely mimic those for *syn-trans* MVK-oxide. The key kinetic difference is that the rapid equilibration of the *syn-trans* and *syn-cis* PRCs (Figure S2) allows for rapid dissociation of the PRC to *syn-trans* MVK-oxide + FA. Furthermore, the extra 1.8 kcal mol⁻¹ conformational energy of the *syn-cis* conformer maps into additional excess energy in the initially formed HPBF adduct. These two effects lower the net adduct formation rate for *syn-cis* relative to *syn-trans* as they both make it harder to stabilize the HPBF adduct. However, in the high-pressure limit, the two rates are predicted to be nearly identical. In the following temperature and pressure dependent kinetic analysis subsection, we explore the extent to which the reactions are occurring in the high-pressure limit via master equation calculations.

As illustrated in Figure S9, the reaction of FA with HPBD can yield H exchange at the hydroperoxyl group. The barriers for the deuterated FA reaction with *syn-cis*, *syn-trans*, *anti-cis*, and *anti-trans* HPBD are 4.2, 4.2, 4.2, and 4.7 kcal mol⁻¹, respectively, relative to the respective HPBD + FA asymptotes (Table S6). These barriers are low enough that it seems worth considering the possible ramifications of this process. Thus, we also performed ab initio TST based master equation calculations of the rate constants for this isotopic exchange process (with deuterated FA). There is unlikely to be any direct formation of HPBD from *anti*-MVK-oxide in the photolytic generation process due to the presence of the much lower energy dioxole channel. However, HPBD that might be formed from *syn* conformers in the photolytic preparation of MVK-oxide will likely equilibrate rapidly amongst all four *syn/anti cis/trans* HPBD conformers. Thus, these master equation analyses considered the kinetics for each of the four




Figure S8. Reaction coordinates showing the chemical catalysis (TS2, blue), spectator catalysis (TS_{spec}), and uncatalyzed isomerization (TS1) pathways for the formation of HPBD from the *syn*-MVK-oxide + formic acid reaction. Energies are from calculations at the CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ level of theory with estimated CCSDT(Q) corrections (see Table S1).




Figure S9. Reaction coordinate for H-atom exchange between the –OOH and –OH functional groups of HPBD and formic acid, respectively. Separation of HPBD and formic acid products is energetically favored compared to H-atom exchange.

Table S6. Stationary point energies (kcal mol⁻¹) for H-exchange in HPBD + FA for both OCHOH and OCDOD isotopes of FA.^a Energies include ZPE corrections and are reported relative to *syn-cis*-HPBD + FA.

Species	OCHOH	OCDOD
<i>syn-cis</i> -HPBD + FA	0.0	0.0
<i>syn-cis</i> -HPBD...FA	-9.4	-9.5
<i>syn-cis</i> -HPBD...FA =	3.7	4.2
(<i>syn-cis</i> -HPBD...FA) exchange		
(<i>syn-cis</i> -HPBD...FA) exchange	-9.4	-9.5
(<i>syn-cis</i> -HPBD + FA) exchange	0.0	0.1
<i>syn-trans</i> -HPBD + FA	1.8	1.8
<i>syn-trans</i> -HPBD...FA	-7.7	-7.8
<i>syn-trans</i> -HPBD...FA =	5.5	6.0
(<i>syn-trans</i> -HPBD...FA) exchange		
(<i>syn-trans</i> -HPBD...FA) exchange	-7.7	-7.8
(<i>syn-trans</i> -HPBD + FA) exchange	1.8	1.9
<i>anti-cis</i> -HPBD + FA	2.3	2.3
<i>anti-cis</i> -HPBD...FA	-5.2	-5.1
<i>anti-cis</i> -HPBD...FA =	6.0	6.5
(<i>anti-cis</i> -HPBD...FA) exchange		
(<i>anti-cis</i> -HPBD...FA) exchange	-5.2	-5.4
(<i>anti-cis</i> -HPBD + FA) exchange	2.3	2.4
<i>anti-trans</i> -HPBD + FA	3.3	3.3
<i>anti-trans</i> -HPBD...FA	-5.7	-5.8
<i>anti-trans</i> -HPBD...FA =	6.5	7.0
(<i>anti-trans</i> -HPBD...FA) exchange		
(<i>anti-trans</i> -HPBD...FA) exchange	-5.7	-5.8
(<i>anti-trans</i> -HPBD + FA) exchange	3.3	3.4
<i>syn-cis</i> -HPBD...FA =	-4.7 ^b	-4.7 ^b
<i>syn-trans</i> -HPBD...FA		
(<i>syn-cis</i> -HPBD...FA) exchange =	-4.7 ^b	-4.9 ^b
(<i>syn-trans</i> -HPBD...FA) exchange		
<i>anti-trans</i> -HPBD...FA =	-0.4 ^b	-0.4 ^b
<i>anti-cis</i> -HPBD...FA		
(<i>anti-trans</i> -HPBD...FA) exchange =	-0.4 ^b	-0.5 ^b
(<i>anti-cis</i> -HPBD...FA) exchange		
<i>syn-trans</i> -HPBD...FA =	-1.0 ^b	-1.1 ^b
<i>syn-cis</i> -HPBD...FA		
(<i>syn-trans</i> -HPBD...FA) exchange =	-1.0 ^b	-1.1 ^b
(<i>anti-trans</i> -HPBD...FA) exchange		

a. CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ energies with B2PLYPD3/cc-pVTZ ZPE.

b. B2PLYP-D3/cc-pVTZ energies and ZPE.

conformers and included the transition states for interconversion between them. There is little variation in the isotopic exchange reaction paths for the different HPBD conformers.

Temperature and Pressure Dependent Kinetics

Predictions for the thermal rate constants for the reaction of MVK-oxide with FA are obtained from *ab initio* transition state theory-based master equation calculations. In this master equation model, we employ standard exponential down energy transfer probabilities with a temperature dependent expression for the average downwards energy transferred given by $\langle \Delta E_{\text{down}} \rangle = 400 (T/298)^{0.85} \text{ cm}^{-1}$ and Lennard-Jones collision rate appropriate for He. The increased value for ΔE_{down} employed here (400 vs 300 cm^{-1} in Ref. 2) is likely a better estimate for a molecule the size of the HPBF adduct with 9 heavy atoms.⁷ The majority of the calculations were performed for reaction with normal FA (H_2 -formic acid). However, sample calculations were also performed to explore the effect of deuteration on the predicted branching.

The requisite partition functions were largely evaluated as discussed in Ref. 2. This mostly involves fixed transition state assumptions employing rigid-rotor harmonic oscillator approximations coupled with hindered rotor treatments of the torsional motions as appropriate. For the HPBF adduct, whose stabilization is central to understanding the temperature and pressure dependence of the kinetics, we include one dimensional hindered rotor representations for all 6 hindered rotor modes. For the other stationary points, the hindered rotor analyses are largely restricted to treatments of the methyl rotor. The vinyl rotor is treated in the harmonic oscillator limit in order to retain a distinction between *cis* and *trans* conformers. The present calculations also include Eckart tunneling corrections for each of the transition states. However, since the key barriers are submerged relative to reactants, simply neglecting tunneling has a minimal (~10%) effect on the predicted branching.

For the entrance channel, which is the primary flux bottleneck for the overall reaction, we employ a VRC-TST analyses with a center-of-mass reaction coordinate to predict the rate of forming the MVK-oxide...FA PRC. This ωB97XD/6-31+G* direct sampling based VRC-TST analyses was implemented

here for all four (*syn-trans*, *syn-cis*, *anti-trans*, and *anti-cis*) conformers of MVK-oxide interacting with FA. A dynamical correction factor of 0.85, based on earlier related reference comparisons of trajectories and TST, is applied to these VRC-TST results. For the conversion from the PRC to the HPBF adduct as well as the other conversions, we now employ fixed transition states. The additional variational components of the treatments described in Ref. 2 for the PRC to HPBF adduct conversion yield only a 10% reduction in the *syn-trans* rate at the conditions of the present experiment. Variational effects are expected to be similar for the other channels. Thus, the present restriction to fixed TST analyses for these conversion steps was deemed appropriate. The interaction energies in the VRC-TST analyses were evaluated via direct sampling of ω B97XD/6-31+G* energies.

As illustrated in Figure S10 and S11, the estimated branching to HPBD + FA (i.e., the acid catalyzed isomerization products) is quite sensitive to both temperature and pressure and is quite a bit larger (~ a factor of four) for the *syn-cis* MVK-oxide reactant than that for the *syn-trans* reactant. TS2 provides the primary bottleneck for acid-catalyzed formation of HPBD and release of FA. In contrast, the rate for forming the HPBF adduct is primarily determined by the rate for forming the MVK-oxide...FA PRC coupled with the probability of stabilization of the HPBF adduct rather than redissociation back to reactants. Also, note that we see no indication of stabilization of the MVK-oxide...FA PRCs under the experimentally relevant ranges of temperature and pressure. Thus, the branching to HPBD + FA is essentially an indication of the competition between passage through TS2 and stabilization of the HPBF adduct.

Interestingly, the increase in the branching for the *syn-cis* reactant is partly due to a rapid equilibration of the *syn-trans*...FA and *syn-cis*...FA PRCs. This equilibration allows the *syn-cis* reactants to proceed through the *syn-trans* TS2 bottleneck, which is 5.9 kcal mol⁻¹ below the *syn-cis* reactant asymptote, rather than the *syn-cis* TS2 bottleneck, which is 5.6 kcal mol⁻¹ below the *syn-cis* reactant asymptote. In contrast, the *syn-trans* TS2 barrier is only 4.1 kcal mol⁻¹ below the *syn-trans* reactant asymptote. This additional excess energy allows the process through TS2 to more effectively compete




Figure S10. Plot of the pressure dependence for the predicted branching between the acid catalyzed reaction, yielding HPBD with regeneration of formic acid, and chemical adduct formation, yielding the HBPF adduct, in the reaction of *syn-trans* (black solid line) and *syn-cis* (blue dashed line) MVK-oxide with formic acid at 300 K.

MVKOxide + Formic Acid




Figure S11. Plot of the temperature dependence of the predicted branching between acid catalyzed reaction, yielding HPBD with regeneration of formic acid, and chemical adduct formation, yielding the HBPF adduct, in the reaction of *syn-trans* (black solid line) and *syn-cis* (blue dashed line) MVK-oxide with formic acid at 1 bar.

with the other processes. Meanwhile, the same increased excess energy also makes it more difficult for the HPBF adduct to be stabilized.

The predicted branching for the acid catalyzed path to HPBD with release of FA is 2-3 orders of magnitude lower for the *anti-cis* and *anti-trans* MVK-oxide compared to *syn*-MVK-oxide with FA. This reduction is largely due to the increased energies of the TS2 saddle points (-1.0 and 1.7 kcal mol⁻¹) relative to their asymptotic reactant states. For the experimentally studied condition of room temperature and a pressure of 10 Torr of He, our reference calculations yield estimated acid catalyzed product branching fractions for the *syn-trans* and *syn-cis* MVK-oxide of 0.19% and 0.70%, respectively. With an estimated equilibrium concentration ratio of *syn-cis* to *syn-trans* of 0.92, the overall branching fraction for the acid catalyzed isomerization is then predicted to be 0.26%. This value is an order of magnitude below that observed experimentally, which ranges from 3-6% depending on the starting *syn/anti* ratio and assuming equivalent photoionization cross sections for the products detected. The latter assumption carries with it considerable uncertainty, with factor of three sorts of deviations in photoionization cross sections amongst related species fairly typical. For example, a recent theoretical study of the photoionization cross sections for ten C1–C4 CIs are about 5 Mb, while those for the corresponding vinyl hydroperoxides (VHPs) are about 20 Mb.¹ If the photoionization cross section for the daughter ions derived from the HPBF adduct was four times that for HPBD, then the present experimental measure of the branching ratio would be 0.8-1.5%, which would be in much better agreement with the theoretical prediction.

We explored the sensitivity of the acid catalysis branching to the uncertainties in various components of the theoretical predictions. The sensitivities reported here are for the experimentally studied condition of room temperature and a pressure of 10 Torr of He. For the most part, these sensitivities are not particularly dependent on conditions for P, T values near these. For simplicity, we report the sensitivities for only the *syn-trans* MVK-oxide reactant; those for the *syn-cis* are similar when considered as multiplicative factor changes. The most significant observation is that lowering the acid catalysis barriers (i.e., TS2 for *syn-trans* and *syn-cis*) by 0.6 kcal mol⁻¹, which is a reasonable estimate of

the uncertainty in this parameter, increases the acid catalysis branching by a factor of 2.1. Similarly, lowering $\langle \Delta E_{\text{down}} \rangle$ by a factor of two, which roughly mimics the uncertainty in the pressure dependence, increases the branching ratio by a factor of 1.9. There is also considerable uncertainty arising from the use of 1D hindered rotors for the torsional modes of HBPF. However, the experimentally observed rate constant from Ref. 2 ($3.0 \pm 0.1 \times 10^{-10} \text{ cm}^3 \text{ molecule}^{-1} \text{ s}^{-1}$) constrains the extent of the deviations that one can consider for the stabilization rate. For example, the aforementioned decrease in $\langle \Delta E_{\text{down}} \rangle$ by a factor of two also decreases the predicted total reactive rate constant for the *syn-trans* conformer by a factor of 0.75 and for the *syn-cis* conformer by a factor of 0.53. The present total reactive rate constant for the equilibrium mixture of *syn-trans* and *syn-cis* at $T = 300 \text{ K}$ is $3.1 \times 10^{-10} \text{ cm}^3 \text{ molecule}^{-1} \text{ s}^{-1}$, which is essentially identical to the experimental value. Thus, this variation would slightly worsen the agreement for the total rate constant. In contrast, the lowering of TS2 has essentially no effect on the estimated total rate constant. Notably, raising the barrier for formation of the HPBF adduct by $0.6 \text{ kcal mol}^{-1}$ has no effect on the branching. An error in the *cis-trans* conformer splitting could also affect the estimated branching ratio. Indeed, shifting the *syn-cis* conformer of MVK-oxide up by $0.5 \text{ kcal mol}^{-1}$ increases the predicted catalysis branching ratio for the *syn-cis* reactant by about a factor of 1.6. However, this increased branching ratio is ameliorated by a decreased probability for thermal population of the *syn-cis* conformer.

In summary, the branching to the acid catalysis channel is largely determined by the competition between passage over TS2 and stabilization of the HBPF chemical adduct. Our best theoretical estimate is that this branching is 0.3 %. The above sensitivity analysis suggests that there may be about a factor of four uncertainty in the estimate, with the measured total rate constant providing a strong constraint on the uncertainty in the stabilization rate.

It is perhaps worth emphasizing that the predicted branching fraction is a fairly strong function of temperature (Figure S11). The incipient MVK-oxide suffers numerous collisions with the bath gas prior to reaction, which should cool it to somewhere near room temperature. However, if it was not completely

thermalized the observed branching would be significantly greater. For example, at a temperature of 350 K the *syn-trans* and *syn-cis* branching ratios are factors of 1.6 and 1.8 larger. Furthermore, at 350 K, the equilibrium ratio of *syn-cis/syn-trans* is larger (0.12 vs. 0.08), which yields an effective branching fraction of 0.42. Indeed, with a barrier lowering of 0.6 and a decrease in $\langle \Delta E_{\text{down}} \rangle$ by a factor of two, the predicted branching at 350 K is 1.7, which is within the error bars of the experimental estimate.

The present analysis presumes that the HPBF adduct is a stable product channel. If it were to dissociate on the time scale of the reaction, perhaps via a low barrier process during the initial reaction, then this also would yield an increased value for the predicted catalytic channel branching. However, it seems unlikely that such low energy dissociation channels exist. In addition to these predictions for the reaction of normal FA (H₂-formic acid) with MVK-oxide conformers, we have also predicted the rate constants for fully deuterated FA (D₂-formic acid). Over the experimentally relevant range of conditions, for the *syn-trans* case, the branching ratio is predicted to be a factor of 2-3 lower, while for the *syn-cis* case, it is predicted to be a factor 3 to 4 lower. This smaller predicted branching for the deuterated case arises in part from a 0.4 kcal mol⁻¹ increase in the TS2 zero-point correct barriers relative to separated reactants. While the TS3 ZPE corrected point is shifted by an even larger 0.8 kcal mol⁻¹, this barrier plays little role in the HPBF adduct formation rate. Instead, it is largely determined by the stabilization rate, which is significantly increased by the increased rovibrational state densities for the heavier D atoms in deuterated FA.

In summary, although the present prediction for the branching to the catalysis channel is an order of magnitude below the experimentally estimated branching, the uncertainty in this prediction and in its correlation to the experiment is at least a factor of 5 to 10.

Section S3: H/D Exchange

As discussed in main text (Sec. IV), we found evidence of H/D exchange following introduction of D₂-formic acid into the flow cell (Figure S12-S15, Scheme S1, Table S7). Single energy measurements at 11.5 eV (without 248 nm photolysis, $6.4 \times 10^{12} \text{ cm}^{-3}$ formic acid) revealed that the D₂-formic acid underwent significant H/D exchange to form D₁-formic acid, yielding a ratio of 1.8:1 of D₂-formic acid (m/z 48) to D₁-formic acid (m/z 47) as shown in Figure S14. We find that H/D exchange occurs mostly at the OD group of D₂-formic acid, producing DC(O)OH, consistent with prior literature.⁸⁻¹⁴ Reaction will yield MVK-oxide + D₁-formic acid adducts, which will fragment upon photoionization to form m/z 87 (-DCO₂) and 100 (-HO₂) daughter ions (Scheme S1). The daughter ions (m/z 87) from photoionization of MVK-oxide + DC(O)OH adducts are similar to the daughter ions (m/z 88) from MVK-oxide + D₂-formic acid, the latter of which has a photoionization onset at ca. 10.3 eV (Figure S15).

A portion of the m/z 87 photoionization signal at 10.5 eV arises from daughter ions (-DCO₂) associated with the MVK-oxide + D₁-formic acid adduct. The magnitude of this signal is estimated from the m/z 88 daughter ions (-DCO₂) arising from the MVK-oxide + D₂-formic acid adduct by considering the 1.8:1 ratio of D₂- to D₁-formic acid. The remaining signal on m/z 87 at 10.5 eV is attributed to DPBD. DPBD arising from the D₂-formic acid-catalyzed reaction with MVK-oxide is clearly evident on m/z 87 at lower photoionization energies from 8.7 to 10.2 eV. In addition, MVK-oxide + D₁-formic acid will result in HPBD signal on m/z 86, which again is estimated by considering the 1.8:1 ratio of D₂- to D₁-formic acid.

We also considered whether formation of DPBD from isotopic exchange of HPBD with D₂-formic acid might occur, but concluded that this process is unlikely because HPBD formation from thermal unimolecular decay of *syn*-MVK-oxide is slow (33 s^{-1} , 298 K) compared to reaction with formic acid under the experimental conditions (ca. 1900 s^{-1}). Nevertheless, we considered the possibility that our photolytically generated *syn*-MVK-oxide might be sufficiently hot initially (prior to thermalization) to result in more rapid isomerization to HPBD. In this scenario, the initial reactant pool could contain some HPBD as well as MVK-oxide. For this reason, additional electronic structure calculations and master




Figure S12. PIE curves of the $-H/DO_2$ daughter ions (m/z 99 and 100, respectively) from the photoionization of H/DPBF. The photoionization signal is integrated over the full kinetic time window (0-80 ms). The PIE curves are identical and the appearance energies agree well with the adiabatic ionization energy of 9.82 eV (black arrow) computed at an approximate CCSD(T)-F12/cc-pVTZ-F12//B2PLYP-D3/cc-pVTZ level of theory.²




Figure S13. Comparison of relevant features in the mass spectrum obtained from the reaction of MVK-oxide with H₂-formic acid (top panel) and D₂/D₁-formic acid (bottom panel) using MPIMS (10.5 eV, 6.4 × 10¹² cm⁻³ formic acid). (Top panel) Data reproduced from Caravan et al., *Proc. Natl. Acad. Sci.*, 2020, **117**, 9733-9740 (Ref. 2). Mass channels m/z 87 and 99 appear upon introduction of formic acid and are attributed to -HCO₂ and -HO₂ daughter ions from the 1,4-insertion product, respectively.² The magnitude of the signal on the m/z 100 mass channel is consistent with the natural abundance of ¹³C associated with the m/z 99 signal (red dashed line). (Bottom panel) Partially deuterated analogs generated from the reaction of MVK-oxide with formic acid (D₂, D₁, and H₂-formic acid). The fractional contribution to each mass channel is shown in Table S7.




Figure S14. Photoionization signal of D₂-formic acid (m/z 48), D₁-formic acid (m/z 47), and non-deuterated formic acid (m/z 46) obtained with a photoionization energy of 11.5 eV, $6.4 \times 10^{12} \text{ cm}^{-3}$ formic acid, and in the absence of 248 nm photolysis.





Figure S15. Photoionization efficiency curve of m/z 87 and 88 obtained by integration over the full kinetic time window (0-80 ms) in the reaction of MVK-oxide with D₂-formic acid ($6.4 \times 10^{12} \text{ cm}^{-3}$). The m/z 88 PIE curve matches the onset energy and shape of the higher energy component of m/z 87 and is scaled to represent the fraction of the daughter ion contributing to the m/z 87 signal at 10.5 eV (Table S7).



Scheme S1. Products for the reaction between *syn*-MVK-oxide and DC(O)OH (top) and HC(O)OD (bottom) and predicted m/z for the daughter ions formed from the respective adducts.

Table S7. Fractional contributions to the m/z 87, 88, 99, and 100 mass channels from the reaction of MVK-oxide with formic acid (D₂, D₁, and H₂-formic acid) using MPIMS (6.4 × 10¹² cm⁻³ formic acid) at 8.5-9.8 eV and 10.5 eV. The isotope of formic acid that reacts with MVK-oxide to yield the corresponding species is given in parenthesis.

Species	Fractional Contribution (8.5-9.8 eV)	Fractional Contribution (10.5 eV)
m/z 87		
Adduct - DCO ₂ (D ₁ -formic acid)	0.00	0.69
DPBD (D ₂ -formic acid)	1.00	0.27
Adduct - HCO ₂ (H ₂ -formic acid)	0.00	0.04
m/z 88		
Adduct - DCO ₂ (D ₂ -formic acid)	0.00	0.97
C ¹³ Adduct - DCO ₂ (D ₁ -formic acid)	0.00	0.02
C ¹³ DPBD (D ₂ -formic acid)	1.00	0.01
C ¹³ Adduct - HCO ₂ (H ₂ -formic acid)	0.00	0.00
m/z 99		
Adduct - HO ₂ (H ₂ -formic acid)	0.00	1.00
m/z 100		
Adduct - DO ₂ (D ₂ -formic acid)	0.00	0.64
Adduct - HO ₂ (D ₁ -formic acid)	0.00	0.36
C ¹³ Adduct - HO ₂ (H ₂ -formic acid)	0.00	0.00

equation modeling were carried out to assess the isotopic exchange rate of HPBD with D₂-formic acid to form DPBD. As shown in Figure S9, the barrier for isotopic exchange is significant (ca. 4.2 kcal mol⁻¹ relative to HPBD + FA for *syn-cis* HPBD) and the associated rate constants (1×10^{-16} , 2×10^{-17} , 1×10^{-16} , and 3×10^{-17} cm³ s⁻¹ for *syn-trans*, *syn-cis*, *anti-trans*, and *anti-cis* HPBD reacting with deuterated FA) indicate that isotopic exchange would be negligible on the timescale of the experiment (ca. $2\text{-}6 \times 10^{-4}$ s⁻¹).

Section S4. Stationary point geometries

Structure and Frequencies at the B2PLYPD3/cc-pVTZ level

Reactants

Formic Acid

Ground Conformer

1	8	0	-1.030691	-0.442769	0.000000
2	6	0	0.000000	0.421203	0.000000
3	1	0	-0.650948	-1.334313	0.000000
4	1	0	-0.381240	1.445918	0.000000
5	8	0	1.159715	0.112917	0.000000
Frequencies --	629.6563		686.8589		1062.1848
Frequencies --	1129.9053		1313.9525		1413.8309
Frequencies --	1813.0629		3087.3525		3744.3339

Excited Conformer

1	8	0	1.057366	-0.280350	0.000007
2	6	0	-0.132069	0.361181	-0.000016
3	1	0	1.768925	0.369415	-0.000024
4	1	0	-0.036282	1.457149	0.000043
5	8	0	-1.174895	-0.218856	0.000003
Frequencies --	529.8905		661.3040		1042.0529
Frequencies --	1118.2063		1283.0471		1428.5019
Frequencies --	1857.3853		2996.2484		3813.7007

MVK-oxide

syn-trans-MVK-oxide

1	6	0	-0.281002	-2.428825	0.000000
2	6	0	0.489860	-1.332579	0.000000
3	6	0	0.000000	0.017627	0.000000
4	6	0	-1.397431	0.477385	0.000000
5	8	0	0.934365	0.910720	0.000000
6	8	0	0.561182	2.203583	0.000000
7	1	0	-1.359012	-2.376515	0.000000
8	1	0	0.163693	-3.411629	0.000000
9	1	0	1.567972	-1.424436	0.000000
10	1	0	-2.098829	-0.348501	0.000000
11	1	0	-1.553379	1.122502	0.866535
12	1	0	-1.553379	1.122502	-0.866535
Frequencies --	119.9147		198.1647		256.1167
Frequencies --	283.2193		331.6966		459.4209
Frequencies --	496.8539		609.8350		682.4911
Frequencies --	814.7146		950.8478		998.3597
Frequencies --	1026.7698		1041.7510		1047.8678
Frequencies --	1076.4570		1292.3767		1337.6406
Frequencies --	1400.1620		1449.9665		1453.0141
Frequencies --	1472.8403		1504.9644		1662.0030
Frequencies --	3052.6351		3097.5438		3178.5451
Frequencies --	3186.9118		3194.4379		3270.2727

syn-cis-MVK-oxide

1	6	0	-2.181296	-0.839531	0.000000
2	6	0	-1.445765	0.279851	0.000000
3	6	0	0.000000	0.334288	0.000000
4	6	0	0.795556	1.572979	0.000000
5	8	0	0.625731	-0.789133	0.000000
6	8	0	1.976736	-0.749625	0.000000
7	1	0	-1.722960	-1.817168	0.000000
8	1	0	-3.258737	-0.787750	0.000000
9	1	0	-1.934488	1.244081	0.000000
10	1	0	0.161642	2.453346	0.000000
11	1	0	1.461921	1.566019	0.865256
12	1	0	1.461921	1.566019	-0.865256
Frequencies --	66.4658		206.2188		228.8220
Frequencies --	275.2111		327.6923		442.9534
Frequencies --	485.9721		623.2547		665.9256
Frequencies --	815.8805		971.1810		992.1262
Frequencies --	1024.2898		1041.0284		1044.4521
Frequencies --	1108.3087		1286.3487		1340.7090
Frequencies --	1397.3938		1418.9712		1451.4392
Frequencies --	1475.0005		1500.5024		1669.4449
Frequencies --	3044.5296		3088.3513		3171.9026
Frequencies --	3177.8055		3200.0465		3272.9201

anti-trans-MVK-oxide

1	6	0	-1.894146	-1.185090	0.000000
2	6	0	-0.571837	-0.965527	0.000000
3	6	0	0.000000	0.349961	0.000000
4	6	0	-0.769734	1.622704	0.000000
5	8	0	1.282506	0.506388	0.000000
6	8	0	2.101575	-0.560185	0.000000
7	1	0	-2.612894	-0.378124	0.000000
8	1	0	-2.286939	-2.190359	0.000000
9	1	0	0.144815	-1.772424	0.000000
10	1	0	-0.083752	2.464487	0.000000
11	1	0	-1.409789	1.687253	0.880050
12	1	0	-1.409789	1.687253	-0.880050
Frequencies --	113.8309		150.9705		244.3138
Frequencies --	280.5671		326.0586		377.0466
Frequencies --	479.0748		640.2948		718.3130
Frequencies --	798.5875		977.2758		985.0386
Frequencies --	1021.2924		1049.6643		1057.6112
Frequencies --	1065.0237		1281.3674		1373.2418
Frequencies --	1391.3621		1436.2627		1469.0936
Frequencies --	1486.0836		1512.5356		1657.6094
Frequencies --	3054.8184		3111.1078		3162.1730
Frequencies --	3170.5660		3228.1091		3261.6980

anti-cis-MVK-oxide

1	6	0	-1.352990	-1.521124	0.000000
2	6	0	-1.214381	-0.180848	0.000000
3	6	0	0.000000	0.576665	0.000000

4	6	0	-0.021963	2.069054	0.000000
5	8	0	1.191358	0.084982	0.000000
6	8	0	1.382201	-1.251687	0.000000
7	1	0	-0.494812	-2.166647	0.000000
8	1	0	-2.348757	-1.942692	0.000000
9	1	0	-2.104292	0.435798	0.000000
10	1	0	0.990778	2.459965	0.000000
11	1	0	-0.547687	2.442365	0.879064
12	1	0	-0.547687	2.442365	-0.879064
Frequencies --	116.7361		165.5085		285.0024
Frequencies --	305.2060		339.0183		368.0726
Frequencies --	411.2073		640.2272		717.5908
Frequencies --	823.6757		990.3387		1004.8285
Frequencies --	1029.1718		1053.3593		1054.9509
Frequencies --	1099.6379		1269.7395		1340.3444
Frequencies --	1418.9240		1438.3092		1463.9237
Frequencies --	1487.0283		1508.1717		1640.9833
Frequencies --	3054.6683		3110.9627		3165.1107
Frequencies --	3167.2660		3181.8932		3314.1293

van der Waals

Pre-reactive Complex (PRC)

syn-trans-MVK-oxide...FA

1	6	0	0.000000	0.000000	0.000000
2	8	0	0.000000	0.000000	1.275955
3	8	0	1.245775	0.000000	1.892005
4	8	0	0.606398	-2.800437	0.381749
5	6	0	1.017466	-3.231013	1.441733
6	8	0	1.418780	-2.525602	2.475900
7	1	0	1.096188	-4.304566	1.647652
8	1	0	1.354816	-1.531258	2.273211
9	6	0	1.271230	0.075133	-0.735745
10	6	0	-1.329184	-0.043379	-0.564140
11	6	0	-1.585380	-0.054876	-1.875686
12	1	0	1.115967	0.238392	-1.795234
13	1	0	1.804535	-0.859772	-0.570167
14	1	0	1.877193	0.865388	-0.294599
15	1	0	-2.132100	-0.086121	0.158207
16	1	0	-0.802662	-0.028630	-2.617617
17	1	0	-2.601700	-0.103459	-2.234886
Frequencies --	46.8365		56.9407		93.3520
Frequencies --	126.3653		148.3550		156.9454
Frequencies --	221.9254		247.4525		269.3290
Frequencies --	338.2014		358.9841		455.7681
Frequencies --	493.3374		597.9164		688.1404
Frequencies --	708.0896		808.8531		926.4019
Frequencies --	991.7365		1019.5153		1028.1072
Frequencies --	1041.7520		1047.0099		1071.0999
Frequencies --	1116.5869		1260.2678		1313.3572

Frequencies --	1342.3675	1392.1696	1408.1414
Frequencies --	1457.3675	1471.1291	1492.7186
Frequencies --	1502.5265	1519.0126	1678.8845
Frequencies --	1747.2199	2799.5379	3051.0151
Frequencies --	3073.7270	3135.1225	3183.0650
Frequencies --	3193.5201	3207.7761	3275.1933

syn-cis-MVK-oxide...FA

1	6	0	1.132193	0.487665	0.158859
2	8	0	0.487589	0.599430	-0.930436
3	8	0	-0.565686	1.519350	-0.926426
4	8	0	-1.133433	-1.064330	0.956327
5	6	0	-2.204612	-0.979901	0.386149
6	8	0	-2.542801	-0.097738	-0.526240
7	1	0	-3.031630	-1.669855	0.589658
8	1	0	-1.771294	0.547472	-0.701533
9	6	0	0.841254	1.378681	1.293104
10	6	0	2.172951	-0.525711	0.186349
11	6	0	2.254705	-1.523727	-0.697945
12	1	0	1.599302	1.287444	2.063809
13	1	0	-0.134383	1.101857	1.691311
14	1	0	0.749633	2.400404	0.926418
15	1	0	2.872152	-0.453729	1.006188
16	1	0	1.532375	-1.628481	-1.493344
17	1	0	3.039543	-2.260842	-0.627391
Frequencies --	35.9783	50.7715	78.9710		
Frequencies --	116.7747	153.3154	153.8978		
Frequencies --	211.7184	245.5213	248.6897		
Frequencies --	328.7333	358.1968	438.8406		
Frequencies --	491.6183	609.4323	663.3595		
Frequencies --	711.2670	806.6051	918.5517		
Frequencies --	1010.0395	1016.2609	1037.2922		
Frequencies --	1038.6597	1049.7664	1105.8282		
Frequencies --	1125.9262	1265.2711	1281.1358		
Frequencies --	1343.0359	1390.0446	1408.5084		
Frequencies --	1455.4723	1457.6423	1500.0159		
Frequencies --	1503.4379	1526.5403	1682.5908		
Frequencies --	1743.2214	2726.6027	3049.1261		
Frequencies --	3066.8455	3130.2559	3177.4779		
Frequencies --	3180.3431	3213.5756	3276.5370		

anti-trans-MVK-oxide...FA

1	6	0	-1.022369	0.452648	0.256137
2	8	0	-0.201217	1.417145	0.383966
3	8	0	0.623181	1.716719	-0.712649
4	8	0	0.954579	-1.265658	0.680425
5	6	0	2.083787	-1.045449	0.277626
6	8	0	2.502603	0.019599	-0.357573
7	1	0	2.897372	-1.765381	0.420660
8	1	0	1.746193	0.709203	-0.490734
9	6	0	-1.757051	0.111386	1.500844

10	6	0	-1.245512	-0.177821	-1.022322
11	6	0	-2.106148	-1.188613	-1.175042
12	1	0	-1.486192	-0.902416	1.791548
13	1	0	-2.832570	0.157903	1.342765
14	1	0	-1.471195	0.794945	2.293514
15	1	0	-0.680581	0.233483	-1.842294
16	1	0	-2.651151	-1.614467	-0.345551
17	1	0	-2.271295	-1.628631	-2.146727
Frequencies --	38.2490		81.2065		90.2153
Frequencies --	114.6818		143.0581		172.2867
Frequencies --	236.4631		263.1843		267.8510
Frequencies --	334.8430		361.0513		397.7478
Frequencies --	478.6417		617.2783		714.8686
Frequencies --	728.4973		786.2993		905.4232
Frequencies --	1000.8521		1009.3523		1045.0559
Frequencies --	1052.4088		1056.9474		1073.2713
Frequencies --	1134.4290		1279.6998		1291.1061
Frequencies --	1367.3684		1407.5916		1428.1451
Frequencies --	1451.6054		1471.6484		1488.8877
Frequencies --	1541.3926		1546.9739		1676.2008
Frequencies --	1723.1635		2533.3470		3052.0352
Frequencies --	3072.3139		3142.5181		3175.9221
Frequencies --	3176.7554		3246.6418		3268.6392

anti-cis-MVK-oxide...FA

1	6	0	-1.204491	-0.289284	0.179447
2	8	0	-0.636027	-0.003481	1.281377
3	8	0	0.114207	1.173135	1.362642
4	8	0	1.132216	-1.243681	-0.736726
5	6	0	2.170139	-0.653559	-0.502650
6	8	0	2.330754	0.391270	0.275683
7	1	0	3.124247	-0.957045	-0.947481
8	1	0	1.453547	0.682670	0.711459
9	6	0	-1.864028	-1.622886	0.181619
10	6	0	-1.301847	0.547844	-0.990871
11	6	0	-0.919455	1.827305	-1.122501
12	1	0	-1.365943	-2.244171	-0.562172
13	1	0	-2.913278	-1.528862	-0.094753
14	1	0	-1.776075	-2.090435	1.156419
15	1	0	-1.783638	0.053676	-1.823398
16	1	0	-0.433607	2.350864	-0.319851
17	1	0	-1.116355	2.338842	-2.054295
Frequencies --	39.8470		85.7734		91.7024
Frequencies --	130.0329		140.2337		166.4205
Frequencies --	233.1651		254.0281		308.4005
Frequencies --	335.8177		350.7360		393.5006
Frequencies --	415.9963		627.4836		709.1692
Frequencies --	722.9086		807.4474		928.5132
Frequencies --	1024.9488		1028.6116		1030.0566
Frequencies --	1041.7744		1056.0029		1107.6739
Frequencies --	1111.9206		1266.5495		1269.9390

Frequencies --	1350.0981	1407.6782	1411.3172
Frequencies --	1463.0391	1472.7066	1486.6933
Frequencies --	1519.7626	1553.1145	1661.2570
Frequencies --	1734.9712	2704.5444	3054.8259
Frequencies --	3065.4124	3132.2939	3174.3881
Frequencies --	3178.4393	3195.5629	3310.1617

HPBD...FA Intermdiate

syn-trans-HPBD...FA

1	6	0	-1.113347	0.483162	0.213380
2	6	0	-0.789321	0.219768	1.488724
3	6	0	-2.193604	-0.151394	-0.555793
4	6	0	-2.613372	-1.401824	-0.375908
5	8	0	-0.484608	1.381974	-0.596283
6	8	0	0.546691	2.099813	0.108319
7	1	0	0.646454	-1.043147	0.585778
8	1	0	-1.403495	-0.465438	2.048304
9	1	0	-0.011072	0.766084	1.991856
10	1	0	-2.634630	0.469306	-1.324331
11	1	0	-2.158531	-2.056579	0.353460
12	1	0	-3.425728	-1.802047	-0.962893
13	1	0	1.311624	1.519682	-0.092344
14	8	0	2.444316	0.160210	-0.423857
15	6	0	2.347215	-1.037303	-0.272221
16	8	0	1.334997	-1.682182	0.287448
17	1	0	3.118786	-1.740831	-0.593940
Frequencies --	46.5745	50.6495	76.8325		
Frequencies --	101.0929	156.5767	166.8105		
Frequencies --	191.9483	245.8305	252.7712		
Frequencies --	358.4808	417.7017	516.8706		
Frequencies --	590.4674	646.1497	674.9499		
Frequencies --	751.6216	759.5421	797.7795		
Frequencies --	861.0808	877.9018	930.4440		
Frequencies --	970.8882	992.6994	1027.8803		
Frequencies --	1076.1521	1089.2622	1200.4982		
Frequencies --	1259.7690	1333.5512	1372.7183		
Frequencies --	1420.5872	1430.2878	1471.8952		
Frequencies --	1513.4595	1671.1401	1696.0523		
Frequencies --	1769.4375	3094.2923	3169.3976		
Frequencies --	3192.7316	3203.4099	3260.2551		
Frequencies --	3303.4610	3391.3563	3517.8522		

syn-cis-HPBD...FA

1	6	0	-1.106616	0.139014	0.525862
2	6	0	-0.549047	0.062319	1.747273
3	6	0	-2.115450	-0.806775	0.048019
4	6	0	-2.689988	-0.766416	-1.154468
5	8	0	-0.799963	1.062956	-0.423771
6	8	0	0.170524	2.012240	0.057824
7	1	0	0.983742	-0.980473	0.681893

8	1	0	-0.891338	-0.707007	2.420023
9	1	0	0.146686	0.802891	2.099755
10	1	0	-2.385068	-1.574248	0.760209
11	1	0	-2.436860	-0.006443	-1.877268
12	1	0	-3.432687	-1.498360	-1.432634
13	1	0	0.991865	1.571558	-0.248272
14	8	0	2.314600	0.447523	-0.697342
15	6	0	2.500861	-0.721527	-0.441810
16	8	0	1.744163	-1.492893	0.323271
17	1	0	3.350501	-1.286216	-0.832811
Frequencies --		39.4279	49.1022	87.3141	
Frequencies --		117.3395	160.4916	169.4570	
Frequencies --		190.3720	235.0266	253.7995	
Frequencies --		367.4218	471.6775	489.3651	
Frequencies --		583.9892	648.6302	675.2249	
Frequencies --		753.7946	774.0511	796.6665	
Frequencies --		854.5213	872.2213	933.9484	
Frequencies --		971.2825	996.8084	1022.9112	
Frequencies --		1073.6384	1076.7413	1199.9679	
Frequencies --		1327.2299	1337.7576	1369.1387	
Frequencies --		1415.2292	1429.8431	1466.5098	
Frequencies --		1516.2999	1636.3173	1705.7378	
Frequencies --		1769.6104	3095.2739	3178.1779	
Frequencies --		3196.2712	3200.8333	3271.8125	
Frequencies --		3302.4741	3411.2610	3512.8846	

anti-trans-HPBD...FA

1	6	0	1.464908	-1.575683	-1.295623
2	6	0	1.707972	-0.384726	-0.750680
3	6	0	1.180891	0.032789	0.552291
4	6	0	0.988640	-0.769230	1.613557
5	8	0	-2.015175	0.831474	-0.492652
6	6	0	-2.469138	-0.259613	-0.234985
7	8	0	-1.858108	-1.232043	0.427411
8	8	0	0.933520	1.365220	0.736973
9	8	0	0.520379	1.973970	-0.514909
10	1	0	0.811225	-2.294492	-0.821601
11	1	0	1.906944	-1.855507	-2.239649
12	1	0	2.310763	0.346386	-1.268938
13	1	0	-0.955730	-0.948436	0.697641
14	1	0	1.352037	-1.783129	1.596644
15	1	0	0.584150	-0.369503	2.531077
16	1	0	-3.473313	-0.573346	-0.530749
17	1	0	-0.420645	1.707839	-0.526373
Frequencies --		41.0731	47.3932	94.9233	
Frequencies --		127.0441	132.0509	172.8078	
Frequencies --		175.5243	231.9939	269.1057	
Frequencies --		318.6582	429.3863	524.8193	
Frequencies --		574.5071	641.0168	662.1786	
Frequencies --		737.6015	761.6599	822.5788	
Frequencies --		832.9682	869.8769	913.3878	

Frequencies --	969.1926	996.9055	1023.4182
Frequencies --	1076.1336	1091.9785	1190.4044
Frequencies --	1273.1133	1338.1650	1359.5755
Frequencies --	1418.3968	1428.0048	1471.9323
Frequencies --	1488.4244	1656.6350	1689.1365
Frequencies --	1774.2204	3091.9155	3165.6439
Frequencies --	3182.6729	3211.9066	3257.3763
Frequencies --	3284.2094	3432.1712	3569.8252

anti-cis-HPBD...FA

1	6	0	-1.053097	0.579828	0.464112
2	6	0	-0.475277	1.686648	0.963243
3	6	0	-1.953259	0.597989	-0.686000
4	6	0	-2.731588	-0.411313	-1.076458
5	8	0	-0.862414	-0.576964	1.179410
6	8	0	-0.485639	-1.662524	0.278729
7	1	0	-0.710618	2.656716	0.553938
8	1	0	1.242860	1.080634	-0.242961
9	1	0	0.147198	1.626993	1.842870
10	1	0	-1.987892	1.542785	-1.212807
11	1	0	-2.712735	-1.365982	-0.576934
12	1	0	-3.401260	-0.291060	-1.914662
13	1	0	0.485432	-1.552191	0.293355
14	8	0	2.227211	-1.067926	0.051458
15	6	0	2.719688	-0.095524	-0.472455
16	8	0	2.141515	1.087403	-0.636608
17	1	0	3.732841	-0.083565	-0.881366
Frequencies --	31.6378	35.8582	86.1594		
Frequencies --	119.3072	135.7814	155.3607		
Frequencies --	183.2784	218.9154	256.9134		
Frequencies --	324.1310	419.4058	486.3974		
Frequencies --	608.7873	634.7813	663.6092		
Frequencies --	745.8742	764.5178	797.2146		
Frequencies --	832.9567	886.4097	907.7395		
Frequencies --	976.2320	987.8707	1022.8438		
Frequencies --	1067.6367	1074.6317	1186.9295		
Frequencies --	1328.7805	1335.9665	1357.7756		
Frequencies --	1408.3983	1426.2500	1470.1134		
Frequencies --	1484.9619	1632.0100	1702.8002		
Frequencies --	1773.9460	3094.7773	3174.9689		
Frequencies --	3178.2508	3188.6921	3275.6266		
Frequencies --	3280.1709	3484.7147	3573.1287		

OBD...OH...FA

1	6	0	1.508587	0.555215	-0.066165
2	6	0	2.214454	1.810886	-0.034072
3	6	0	2.243686	-0.731428	-0.018802
4	6	0	3.562627	-0.864269	0.110448
5	8	0	0.274484	0.558028	-0.137362
6	8	0	-0.758179	-1.645734	-0.075226
7	1	0	3.288084	1.879116	0.016630

8	1	0	1.627344	2.714077	-0.068161
9	1	0	1.597672	-1.595251	-0.092381
10	1	0	4.230740	-0.019711	0.192434
11	1	0	4.017632	-1.843097	0.142282
12	1	0	-1.230944	-1.158684	-0.783184
13	8	0	-2.799890	0.040203	-1.065746
14	6	0	-3.087446	0.444051	0.039852
15	8	0	-2.528648	0.064064	1.180526
16	1	0	-3.869483	1.186686	0.221336
17	1	0	-1.814631	-0.582354	0.965942
Frequencies --		12.8365	37.7491	41.6075	
Frequencies --		64.7754	83.9403	89.2718	
Frequencies --		129.2158	191.7825	203.1544	
Frequencies --		221.7980	312.3144	331.9120	
Frequencies --		444.5577	491.8802	539.2342	
Frequencies --		556.5038	680.2494	701.6017	
Frequencies --		732.4066	808.4855	828.7349	
Frequencies --		878.3105	989.1015	995.1214	
Frequencies --		1062.7285	1072.9715	1075.1237	
Frequencies --		1217.4119	1319.9187	1323.9939	
Frequencies --		1398.0611	1459.9535	1462.9129	
Frequencies --		1490.7518	1629.4834	1732.0362	
Frequencies --		1771.4272	3078.4852	3172.4788	
Frequencies --		3190.6529	3206.5243	3257.8809	
Frequencies --		3307.0517	3387.8060	3580.6863	

HPBD-2...FA

1	6	0	-1.338124	-0.167992	0.235750
2	6	0	-2.132781	-0.160042	1.505226
3	6	0	-1.100700	0.884915	-0.514980
4	6	0	-0.992895	1.945669	-1.268136
5	8	0	-0.862444	-1.430957	-0.006455
6	8	0	-0.203241	-1.484491	-1.289077
7	1	0	-2.993170	-0.819877	1.401859
8	1	0	-2.475805	0.845804	1.725040
9	1	0	-1.527249	-0.523445	2.334869
10	1	0	0.707081	0.867400	0.555763
11	1	0	-1.719260	2.163303	-2.042128
12	1	0	-0.169583	2.642238	-1.162303
13	1	0	0.717482	-1.299076	-1.010083
14	8	0	2.270761	-0.729102	-0.273238
15	6	0	2.489139	0.204044	0.465404
16	8	0	1.598526	1.075388	0.919344
17	1	0	3.483847	0.437384	0.852811
Frequencies --		46.8022	51.4376	74.1932	
Frequencies --		133.0190	149.9971	158.0070	
Frequencies --		159.1250	191.4017	243.7461	
Frequencies --		253.9419	289.6081	436.7437	
Frequencies --		478.4352	629.6282	644.4804	
Frequencies --		659.6410	672.7403	781.3356	
Frequencies --		830.3892	926.4965	934.3199	

Frequencies --	1016.0520	1041.6419	1073.3674
Frequencies --	1075.5051	1190.9225	1218.1425
Frequencies --	1334.5579	1364.4081	1417.4655
Frequencies --	1427.8560	1485.9345	1492.1258
Frequencies --	1511.4640	1523.6784	1770.4631
Frequencies --	2041.1642	3061.3768	3093.4485
Frequencies --	3123.1971	3124.5715	3168.1929
Frequencies --	3195.4936	3405.9078	3534.4605

Dioxole...FA

1	6	0	-2.736056	-1.111334	-0.716698
2	6	0	-1.731340	-0.128679	-0.237518
3	6	0	-1.252097	0.998767	-0.747768
4	6	0	-0.300557	1.594592	0.239170
5	8	0	-1.208145	-0.447460	0.991977
6	8	0	-0.112336	0.523859	1.202890
7	1	0	-3.553392	-1.197970	-0.001902
8	1	0	-3.136870	-0.789957	-1.673244
9	1	0	-2.284019	-2.095474	-0.829874
10	1	0	-1.526889	1.436101	-1.689435
11	1	0	-0.707061	2.468355	0.755816
12	1	0	0.687091	1.808274	-0.165842
13	1	0	1.242126	-0.547486	0.780361
14	8	0	1.956835	-1.169320	0.507202
15	6	0	2.714270	-0.580174	-0.412334
16	8	0	2.563341	0.534591	-0.851439
17	1	0	3.516124	-1.254229	-0.730027

Frequencies --	27.0442	32.2631	86.4180
Frequencies --	124.7751	157.0360	165.9333
Frequencies --	194.0732	240.7651	254.0830
Frequencies --	329.7220	555.3170	622.2615
Frequencies --	680.6148	722.0972	746.4992
Frequencies --	828.9997	912.7445	916.6697
Frequencies --	954.9729	1016.8334	1034.6405
Frequencies --	1066.2811	1076.0187	1079.9911
Frequencies --	1201.6205	1210.1360	1216.8408
Frequencies --	1290.7510	1379.5502	1388.1202
Frequencies --	1425.7684	1440.5033	1485.8000
Frequencies --	1502.6756	1526.9130	1743.0102
Frequencies --	1783.6200	3022.8944	3064.8210
Frequencies --	3067.2565	3114.1484	3126.3679
Frequencies --	3163.3924	3285.0520	3400.6808

Saddle Points

MVK-oxide *cis/trans* interconversion

syn-trans-MVK-oxide = *syn-cis*-MVK-oxide

1	6	0	2.327858	-0.267919	0.425627
2	6	0	1.381300	-0.133215	-0.497496
3	6	0	-0.027092	0.153355	-0.167281
4	6	0	-0.602629	1.490867	0.045170
5	8	0	-0.796694	-0.864200	-0.093452
6	8	0	-2.103652	-0.635657	0.189406
7	1	0	2.105556	-0.189953	1.480296
8	1	0	3.351766	-0.466552	0.146356
9	1	0	1.626162	-0.217122	-1.550508
10	1	0	-1.070284	1.516480	1.033036
11	1	0	-1.432790	1.629417	-0.652467
12	1	0	0.145734	2.268058	-0.060451
Frequencies --	-155.8236		160.3454		206.9403
Frequencies --	272.9053		318.6863		393.4493
Frequencies --	519.1815		618.1650		677.8188
Frequencies --	801.6223		973.9469		989.5462
Frequencies --	996.7350		1008.2812		1048.2105
Frequencies --	1090.0645		1299.6607		1324.2466
Frequencies --	1397.9023		1440.7421		1448.6849
Frequencies --	1456.7181		1494.5998		1693.0250
Frequencies --	3035.8504		3076.2762		3155.4400
Frequencies --	3168.9422		3179.8447		3258.5054

anti-trans-MVK-oxide = *anti-cis*-MVK-oxide

1	6	0	2.007829	-0.418699	-0.342971
2	6	0	0.984974	-0.461235	0.502459
3	6	0	-0.412755	-0.301218	0.080860
4	6	0	-1.331026	-1.454707	-0.099639
5	8	0	-0.925829	0.850993	-0.119854
6	8	0	-0.181649	1.963910	0.046691
7	1	0	1.863784	-0.218324	-1.394427
8	1	0	3.019565	-0.567451	0.002037
9	1	0	1.146198	-0.648731	1.558247
10	1	0	-2.328717	-1.110049	-0.356799
11	1	0	-1.377214	-2.045749	0.816530
12	1	0	-0.957925	-2.113760	-0.884538
Frequencies --	-172.4811		152.1270		208.0108
Frequencies --	231.6809		294.2586		330.2831
Frequencies --	521.8294		599.3025		696.2792
Frequencies --	802.6304		974.6524		982.0157
Frequencies --	993.4085		1013.3162		1031.6387
Frequencies --	1096.0715		1286.3799		1328.8923
Frequencies --	1414.9866		1434.1413		1473.1757
Frequencies --	1478.4513		1514.3980		1695.7927
Frequencies --	3046.9529		3100.6707		3156.9139
Frequencies --	3158.0516		3173.6061		3263.0241

MVK-oxide pre-reactive complex (PRC) *cis/trans* interconversion*syn-trans*-MVK-oxide...FA = *syn-cis*-MVK-oxide...FA

1	6	0	-1.119161	-0.567213	0.048738
2	8	0	-0.340125	-0.999219	-0.847648
3	8	0	0.732073	-1.787407	-0.402364
4	8	0	0.949819	1.349499	0.510030
5	6	0	2.092030	1.138745	0.139620
6	8	0	2.566442	0.018246	-0.343349
7	1	0	2.867219	1.911785	0.180266
8	1	0	1.842763	-0.707639	-0.374539
9	6	0	-0.955142	-0.962295	1.456667
10	6	0	-2.210670	0.296792	-0.440682
11	6	0	-2.144870	1.621913	-0.367033
12	1	0	-1.845801	-0.725090	2.027776
13	1	0	-0.101418	-0.409203	1.851236
14	1	0	-0.692656	-2.018225	1.500223
15	1	0	-3.074078	-0.211703	-0.852441
16	1	0	-1.271235	2.114572	0.033441
17	1	0	-2.963582	2.228894	-0.723171
Frequencies --			-133.9452	58.2378	92.9406
Frequencies --			109.2354	123.4468	148.0852
Frequencies --			204.5360	247.3918	273.2048
Frequencies --			294.6929	339.5556	413.9882
Frequencies --			528.7150	607.7970	665.6096
Frequencies --			715.9043	798.3492	900.5086
Frequencies --			981.4570	1002.2993	1020.6978
Frequencies --			1046.3892	1053.4022	1105.8825
Frequencies --			1137.3757	1278.5620	1288.8692
Frequencies --			1325.8681	1380.8629	1411.1151
Frequencies --			1454.6381	1461.8802	1488.9666
Frequencies --			1512.6641	1543.5190	1687.4723
Frequencies --			1730.9835	2655.8785	3055.7842
Frequencies --			3062.5950	3125.5221	3167.5236
Frequencies --			3177.5878	3183.7870	3271.3087

anti-trans-MVK-oxide...FA = *anti-cis*-MVK-oxide...FA

1	6	0	-0.961063	0.388212	-0.330351
2	8	0	-0.359437	-0.199773	-1.269270
3	8	0	0.168229	-1.474750	-0.977504
4	8	0	1.312296	1.067136	0.746164
5	6	0	2.320541	0.396185	0.579893
6	8	0	2.415939	-0.738572	-0.056045
7	1	0	3.289796	0.715424	0.978062
8	1	0	1.498492	-1.051269	-0.435681
9	6	0	-1.401006	1.773659	-0.614996
10	6	0	-1.293572	-0.273518	0.942193
11	6	0	-2.376881	-1.030025	1.069193
12	1	0	-0.962181	2.422862	0.141944
13	1	0	-2.485010	1.838818	-0.524306
14	1	0	-1.078866	2.088497	-1.602519
15	1	0	-0.631902	-0.054704	1.766592

16	1	0	-3.026324	-1.246007	0.233210
17	1	0	-2.628348	-1.473023	2.020349
Frequencies --			-146.5178	54.4412	85.9999
Frequencies --			120.8789	154.5564	176.7642
Frequencies --			213.1547	245.6434	253.3806
Frequencies --			287.0740	331.8027	375.1406
Frequencies --			525.0896	599.9257	688.7097
Frequencies --			730.7215	793.4260	892.4437
Frequencies --			974.4115	1001.4054	1013.3538
Frequencies --			1036.1963	1058.9710	1103.9822
Frequencies --			1158.3710	1273.7360	1294.9430
Frequencies --			1320.1855	1405.7011	1410.4784
Frequencies --			1455.9622	1472.5534	1478.7020
Frequencies --			1553.3314	1579.7157	1691.1137
Frequencies --			1708.9486	2400.4030	3056.2864
Frequencies --			3063.3660	3131.2883	3171.3402
Frequencies --			3174.3852	3220.6571	3263.7551

MVK-oxide 1,4 H-atom transfer (TS1)

syn-trans-MVK-oxide = *syn-trans*-HPBD

1	6	0	2.457115	0.070170	0.032784
2	6	0	1.316473	-0.618112	-0.055817
3	6	0	0.010731	-0.001078	0.060352
4	6	0	-0.383451	1.346869	-0.052273
5	8	0	-0.977463	-0.869354	0.073675
6	8	0	-2.202077	-0.190060	-0.031532
7	1	0	2.460619	1.133723	0.220400
8	1	0	3.411786	-0.420028	-0.080885
9	1	0	1.320065	-1.687395	-0.219937
10	1	0	-1.560158	0.884857	-0.502121
11	1	0	-0.952622	1.745026	0.784583
12	1	0	0.351428	2.032029	-0.449460
Frequencies --			-1629.7695	122.2150	243.4351
Frequencies --			276.3347	470.4620	494.5344
Frequencies --			546.3726	635.4669	737.6518
Frequencies --			757.6567	904.9782	937.8313
Frequencies --			962.2955	990.4016	1027.7607
Frequencies --			1037.2315	1067.7425	1293.7400
Frequencies --			1346.8057	1351.3202	1466.9007
Frequencies --			1477.4722	1548.1219	1682.1434
Frequencies --			1839.3159	3110.2935	3174.6357
Frequencies --			3196.1290	3217.2816	3267.8889

syn-cis-MVK-oxide = *syn-cis*-HPBD

1	6	0	2.297324	-0.481816	0.019876
2	6	0	1.411571	0.515143	-0.053642
3	6	0	-0.026106	0.342616	0.063494
4	6	0	-1.022147	1.338205	0.014306
5	8	0	-0.472178	-0.889564	0.025294
6	8	0	-1.877499	-0.876092	-0.057740
7	1	0	1.982914	-1.505554	0.158002

8	1	0	3.356161	-0.285350	-0.047200
9	1	0	1.739610	1.538093	-0.170472
10	1	0	-1.833037	0.412863	-0.487093
11	1	0	-1.712231	1.363363	0.854875
12	1	0	-0.699849	2.316944	-0.312739
Frequencies --	-1621.2741		81.9648		229.5546
Frequencies --	266.0867		476.5977		496.4703
Frequencies --	537.9626		646.5707		725.1641
Frequencies --	751.7414		903.9521		944.4949
Frequencies --	956.8335		989.7721		1025.4711
Frequencies --	1033.7173		1086.5539		1315.6873
Frequencies --	1347.7589		1368.0379		1436.4872
Frequencies --	1488.4045		1534.2193		1686.2915
Frequencies --	1843.8806		3107.0926		3177.1727
Frequencies --	3204.9130		3211.2610		3271.6925

MVK-oxide + HC(O)OH Spectator Catalysis (TS_{spec})

syn-trans-MVK-oxide...FA = *syn-trans*-HPBD...FA

1	6	0	-1.328526	-0.194698	0.112768
2	8	0	-0.658231	-1.292444	-0.201755
3	8	0	0.449685	-1.418902	0.681626
4	8	0	2.182037	1.458940	0.139373
5	6	0	2.899587	0.670069	-0.434077
6	8	0	2.691533	-0.629139	-0.568687
7	1	0	3.835239	0.961004	-0.923377
8	1	0	1.846107	-0.889006	-0.111422
9	6	0	-0.778502	0.591520	1.127904
10	6	0	-2.625720	-0.130048	-0.534413
11	6	0	-3.386817	0.965897	-0.505154
12	1	0	-1.453940	1.249714	1.652974
13	1	0	0.212579	1.006974	0.936098
14	1	0	-0.083482	-0.519388	1.484621
15	1	0	-2.944342	-1.022733	-1.055143
16	1	0	-3.056953	1.867085	-0.009732
17	1	0	-4.355519	0.982263	-0.980646
Frequencies --	-1619.5992		36.1864		41.4330
Frequencies --	86.0767		127.5592		134.9963
Frequencies --	203.5753		209.0236		251.3755
Frequencies --	312.8601		474.3481		495.0176
Frequencies --	586.0329		636.1406		685.9332
Frequencies --	750.5329		778.9893		910.2849
Frequencies --	933.6084		957.7666		1004.7380
Frequencies --	1008.0108		1027.0935		1039.9439
Frequencies --	1072.1405		1094.7722		1221.8891
Frequencies --	1281.0016		1312.4225		1353.3064
Frequencies --	1395.2671		1436.5805		1467.6309
Frequencies --	1471.5440		1566.7206		1684.0863
Frequencies --	1769.5521		1809.4227		3056.2536
Frequencies --	3058.8757		3175.4253		3199.9618
Frequencies --	3209.2346		3226.7428		3269.5534

syn-cis-MVK-oxide...FA = *syn-cis*-HPBD...FA

1	6	0	1.310000	-0.362991	0.185501
2	8	0	0.883397	0.875936	0.346937
3	8	0	-0.257914	0.855669	1.201332
4	8	0	-2.449001	-1.155439	-0.431711
5	6	0	-2.947866	-0.074322	-0.653856
6	8	0	-2.481681	1.101419	-0.269139
7	1	0	-3.876288	0.047718	-1.221901
8	1	0	-1.644493	0.982018	0.259086
9	6	0	0.531967	-1.363316	0.771960
10	6	0	2.626054	-0.500574	-0.417190
11	6	0	3.337675	0.522186	-0.897563
12	1	0	1.021494	-2.309697	0.948628
13	1	0	-0.503434	-1.444341	0.432118
14	1	0	0.035970	-0.400945	1.566146
15	1	0	2.990983	-1.514634	-0.489364
16	1	0	2.973949	1.537346	-0.843203
17	1	0	4.296433	0.355963	-1.363977
Frequencies --			-1614.8640	32.0659	42.9546
Frequencies --			79.6974	104.0764	138.5301
Frequencies --			194.3823	206.0776	247.0365
Frequencies --			312.6558	476.4856	502.0277
Frequencies --			578.6757	643.1789	687.4903
Frequencies --			738.4168	775.3117	907.2298
Frequencies --			936.2919	959.0045	1003.8376
Frequencies --			1015.3897	1026.4607	1037.6955
Frequencies --			1082.8387	1098.6969	1224.4337
Frequencies --			1296.4780	1327.2110	1366.0240
Frequencies --			1397.4520	1434.8454	1442.8708
Frequencies --			1483.5084	1551.3566	1687.7454
Frequencies --			1767.3053	1813.7509	3042.2522
Frequencies --			3056.9034	3178.4842	3183.5276
Frequencies --			3211.1108	3219.7403	3273.2819

MVK-oxide + HC(O)OH Chemical catalysis (TS2)

syn-trans-MVK-oxide...FA = *syn-trans*-HPBD...FA

1	6	0	-1.080704	0.377209	0.188540
2	6	0	-0.555295	-0.356308	1.279037
3	6	0	-2.239660	0.027415	-0.620712
4	6	0	-3.035280	-1.011786	-0.361340
5	8	0	-0.489331	1.425459	-0.300170
6	8	0	0.673982	1.830693	0.436289
7	1	0	0.371272	-0.947087	0.762110
8	1	0	-1.238463	-1.081474	1.698825
9	1	0	-0.051844	0.267701	2.007860
10	1	0	-2.418070	0.667711	-1.472752
11	1	0	-2.872813	-1.666940	0.480550
12	1	0	-3.873946	-1.232751	-1.003573
13	1	0	1.406116	1.164991	0.009601
14	8	0	2.356160	0.334044	-0.562840

15	6	0	2.384541	-0.914667	-0.403353
16	8	0	1.530251	-1.649541	0.156394
17	1	0	3.267642	-1.428570	-0.813027
Frequencies --	-534.8581		49.5601		61.5051
Frequencies --	93.0114		133.7931		197.7074
Frequencies --	255.7488		269.8051		376.9820
Frequencies --	419.6663		482.3724		487.0736
Frequencies --	549.5547		602.6145		715.7893
Frequencies --	762.5884		855.8855		889.6618
Frequencies --	937.3861		1015.0995		1028.4686
Frequencies --	1034.6164		1036.7626		1076.1186
Frequencies --	1094.2163		1172.0474		1317.9591
Frequencies --	1359.0010		1370.9333		1376.8074
Frequencies --	1413.0707		1443.5561		1474.8938
Frequencies --	1493.0554		1591.1083		1667.1251
Frequencies --	1687.4280		1773.2908		1995.0004
Frequencies --	2986.7198		3141.5776		3183.5139
Frequencies --	3210.4235		3229.1369		3275.6609

syn-cis-MVK-oxide...FA = *syn-cis*-HPBD...FA

1	6	0	-1.078834	-0.103432	0.481965
2	6	0	-0.270354	-0.805076	1.416639
3	6	0	-2.222285	-0.718156	-0.182706
4	6	0	-2.940371	-0.111522	-1.131420
5	8	0	-0.801093	1.088736	0.070501
6	8	0	0.339628	1.673008	0.721539
7	1	0	0.669001	-1.105688	0.740330
8	1	0	-0.740205	-1.702353	1.798546
9	1	0	0.180093	-0.165547	2.166731
10	1	0	-2.460005	-1.718666	0.144950
11	1	0	-2.703708	0.886861	-1.467265
12	1	0	-3.781495	-0.610554	-1.587586
13	1	0	1.145067	1.250511	0.106381
14	8	0	2.138429	0.772783	-0.669324
15	6	0	2.468582	-0.446855	-0.682376
16	8	0	1.895156	-1.414935	-0.129125
17	1	0	3.373860	-0.681050	-1.263425
Frequencies --	-489.0263		32.9454		58.7812
Frequencies --	102.2931		126.4769		198.1492
Frequencies --	234.9037		259.1731		368.9102
Frequencies --	418.9812		477.1252		484.1433
Frequencies --	553.6979		606.3183		694.0498
Frequencies --	756.6221		844.5250		908.9340
Frequencies --	938.7210		1021.9035		1030.1369
Frequencies --	1037.3734		1062.5528		1076.2332
Frequencies --	1103.6397		1221.9108		1319.3426
Frequencies --	1353.8798		1366.0180		1378.6005
Frequencies --	1413.3946		1442.8830		1462.8745
Frequencies --	1497.8126		1561.1631		1668.2735
Frequencies --	1684.2685		1829.9010		1883.8613
Frequencies --	2985.5777		3133.1881		3180.8731

Frequencies -- 3218.7206 3223.8573 3277.1215

anti-trans-MVK-oxide...FA = *anti-trans*-HPBD...FA

1	6	0	-0.640244	1.802366	-1.339619
2	6	0	-1.220185	0.682845	-0.896293
3	6	0	-1.048998	0.233095	0.466616
4	6	0	-0.556621	1.048560	1.527261
5	8	0	1.326398	-1.152261	-0.575219
6	6	0	2.165620	-0.298990	-0.191075
7	8	0	1.987142	0.708599	0.544640
8	8	0	-1.212686	-1.017049	0.781594
9	8	0	-1.083955	-1.892479	-0.361489
10	1	0	0.020100	2.387982	-0.718116
11	1	0	-0.773879	2.119491	-2.362551
12	1	0	-1.792417	0.041082	-1.545933
13	1	0	0.586439	0.946324	1.179359
14	1	0	-0.853372	2.087734	1.490449
15	1	0	-0.630426	0.591112	2.506699
16	1	0	3.198293	-0.444917	-0.551409
17	1	0	-0.087352	-1.710544	-0.516051

Frequencies --	-429.6501	59.6039	82.6856
Frequencies --	96.7238	121.6146	163.8226
Frequencies --	238.5437	287.1099	329.8363
Frequencies --	361.0465	430.5272	501.9798
Frequencies --	541.4288	575.7868	705.0996
Frequencies --	750.6971	806.7752	870.4764
Frequencies --	918.4146	948.6564	1011.1905
Frequencies --	1025.9536	1046.2794	1075.4536
Frequencies --	1079.5032	1180.8126	1313.9823
Frequencies --	1371.2961	1409.5689	1418.6823
Frequencies --	1424.9234	1436.8928	1478.7021
Frequencies --	1509.5474	1556.4926	1630.1030
Frequencies --	1673.9240	1886.9935	2766.8441
Frequencies --	2954.7679	3143.0130	3181.5497
Frequencies --	3228.9677	3241.7875	3276.9028

anti-cis-MVK-oxide...FA = *anti-cis*-HPBD...FA

1	6	0	0.598672	0.737540	-0.332058
2	6	0	-0.295281	1.822561	-0.578511
3	6	0	1.219267	0.577712	0.968460
4	6	0	2.384499	-0.035089	1.190521
5	8	0	0.766688	-0.055524	-1.353358
6	8	0	1.130270	-1.408256	-0.985489
7	1	0	-0.095475	2.709318	0.010972
8	1	0	-1.280780	1.300814	-0.145245
9	1	0	-0.491549	2.010575	-1.627718
10	1	0	0.713363	1.110848	1.759309
11	1	0	2.909323	-0.564347	0.412814
12	1	0	2.831226	-0.000616	2.172668
13	1	0	0.307239	-1.601387	-0.438804
14	8	0	-0.953972	-1.174206	0.473205

15	6	0	-2.143702	-0.751914	0.411857
16	8	0	-2.509145	0.442599	0.291535
17	1	0	-2.944811	-1.506958	0.487248
Frequencies --	-368.1729		52.5610		82.4123
Frequencies --	111.9447		127.8068		154.7988
Frequencies --	249.6457		267.9650		300.1926
Frequencies --	353.3522		396.9342		482.8032
Frequencies --	538.0406		616.3751		709.0883
Frequencies --	746.9811		809.5570		828.4949
Frequencies --	907.2965		917.4848		1015.4159
Frequencies --	1018.4944		1051.8117		1077.9866
Frequencies --	1098.8167		1164.9608		1340.3861
Frequencies --	1369.9285		1399.6753		1410.3061
Frequencies --	1411.4989		1427.5623		1472.4686
Frequencies --	1505.4355		1535.9277		1582.9696
Frequencies --	1681.3705		1873.6266		2952.2355
Frequencies --	3063.5428		3130.7084		3186.6097
Frequencies --	3215.0857		3219.0675		3288.4898

MVK-oxide + HC(O)OH 1,4-insertion (TS3)

syn-trans-MVK-oxide...FA = *syn-trans*-HPBF Adduct

1	6	0	0.735502	0.454862	0.005429
2	8	0	-0.012061	1.158611	-0.764566
3	8	0	-1.165269	1.718647	-0.142895
4	8	0	-0.488945	-1.447803	0.047960
5	6	0	-1.725710	-1.379711	-0.017457
6	8	0	-2.456497	-0.330435	-0.094877
7	1	0	-2.299636	-2.314001	-0.008477
8	1	0	-1.862852	0.675446	-0.120004
9	6	0	0.665065	0.556642	1.481842
10	6	0	1.860444	-0.120030	-0.717072
11	6	0	2.908772	-0.687222	-0.120910
12	1	0	1.082850	-0.330317	1.941562
13	1	0	1.249719	1.432001	1.776493
14	1	0	-0.355806	0.708391	1.801768
15	1	0	1.796939	-0.048340	-1.793121
16	1	0	2.983701	-0.776058	0.951796
17	1	0	3.722827	-1.086513	-0.705978
Frequencies --	-598.0338		58.5295		83.8810
Frequencies --	142.1704		169.6873		192.1403
Frequencies --	250.3268		271.1921		305.4575
Frequencies --	345.1720		376.8882		461.5846
Frequencies --	484.5414		575.6331		662.7502
Frequencies --	706.2328		774.5847		819.0039
Frequencies --	939.2021		995.0411		1000.5989
Frequencies --	1028.5869		1060.3462		1066.7508
Frequencies --	1078.1853		1271.7963		1318.4128
Frequencies --	1346.0554		1354.1718		1403.3264
Frequencies --	1417.4923		1456.9270		1475.3778
Frequencies --	1496.8015		1526.9577		1669.0611

Frequencies --	1691.6501	1744.9004	3039.1798
Frequencies --	3057.8435	3169.0449	3183.6576
Frequencies --	3213.6016	3225.2961	3273.7312

syn-cis-MVK-oxide...FA = *syn-trans*-HPBF Adduct

1	6	0	0.765938	0.251319	0.369668
2	8	0	0.401376	0.949070	-0.634030
3	8	0	-0.730201	1.788150	-0.400938
4	8	0	-0.765726	-1.435154	0.230274
5	6	0	-1.898953	-1.162037	-0.182719
6	8	0	-2.363178	-0.015020	-0.533569
7	1	0	-2.635756	-1.968065	-0.274764
8	1	0	-1.627624	0.845160	-0.478002
9	6	0	0.320028	0.552866	1.749948
10	6	0	1.906477	-0.630983	0.129397
11	6	0	2.738632	-0.487794	-0.901713
12	1	0	0.514166	-0.296839	2.394435
13	1	0	0.911469	1.407665	2.091403
14	1	0	-0.722029	0.838039	1.777438
15	1	0	2.049293	-1.404518	0.867968
16	1	0	2.600420	0.294747	-1.632516
17	1	0	3.579156	-1.152767	-1.027342
Frequencies --	-335.6255	52.6315	81.0603		
Frequencies --	135.1120	181.6510	183.0212		
Frequencies --	229.4599	266.1835	316.4766		
Frequencies --	346.8078	381.7988	435.7899		
Frequencies --	503.2674	604.7698	676.1709		
Frequencies --	750.3469	784.6604	892.3250		
Frequencies --	984.6236	1008.8152	1015.6960		
Frequencies --	1025.9930	1064.8159	1065.5608		
Frequencies --	1111.3095	1261.9815	1288.8785		
Frequencies --	1340.9716	1342.1872	1411.9670		
Frequencies --	1417.0960	1451.9362	1474.0738		
Frequencies --	1493.0829	1542.4368	1656.9518		
Frequencies --	1690.2947	1758.4095	3046.9518		
Frequencies --	3049.7852	3157.4781	3179.0293		
Frequencies --	3220.3575	3225.5885	3274.1898		

anti-trans-MVK-oxide...FA = *anti-trans*-HPBF Adduct

1	6	0	0.825182	0.427532	0.292669
2	6	0	1.630233	0.108083	1.501824
3	6	0	1.143999	-0.063969	-1.035023
4	6	0	2.126701	-0.940390	-1.251695
5	8	0	0.020819	1.410634	0.466041
6	8	0	-0.834550	1.703592	-0.639281
7	1	0	2.631771	0.523829	1.394623
8	1	0	1.699350	-0.968701	1.616014
9	1	0	1.152771	0.532449	2.378350
10	1	0	0.560690	0.356526	-1.836691
11	1	0	2.701869	-1.377157	-0.449135
12	1	0	2.370537	-1.252472	-2.255728

13	1	0	-1.633065	0.739262	-0.512437
14	8	0	-2.340300	-0.177030	-0.379581
15	6	0	-1.813030	-1.171180	0.232822
16	8	0	-0.653590	-1.274934	0.658286
17	1	0	-2.501468	-2.012293	0.377709
Frequencies --			-533.3679	48.5684	85.3667
Frequencies --			132.3468	173.0964	195.0681
Frequencies --			251.9218	273.6320	298.8173
Frequencies --			336.1784	352.4457	441.5295
Frequencies --			475.0791	601.3365	644.9041
Frequencies --			738.5756	774.3844	805.1464
Frequencies --			927.4014	1004.9935	1007.3295
Frequencies --			1046.1509	1062.5612	1066.6956
Frequencies --			1076.7233	1264.7986	1302.0853
Frequencies --			1351.9233	1362.2992	1403.0938
Frequencies --			1430.0085	1442.7723	1465.7720
Frequencies --			1493.2001	1542.5711	1673.9648
Frequencies --			1683.2205	1747.2926	3038.7694
Frequencies --			3075.3584	3157.2057	3178.5405
Frequencies --			3188.7304	3250.1203	3270.7228

anti-cis-MVK-oxide...FA = *anti-cis*-HPBF Adduct

1	6	0	0.972909	-0.331584	0.199133
2	6	0	1.683363	-1.637282	0.302893
3	6	0	1.149660	0.459347	-1.009931
4	6	0	1.065260	1.788171	-1.126332
5	8	0	0.516510	0.072723	1.323896
6	8	0	-0.248626	1.277296	1.303086
7	1	0	2.757821	-1.453059	0.344982
8	1	0	1.464274	-2.231934	-0.578185
9	1	0	1.369900	-2.168903	1.194666
10	1	0	1.454483	-0.137129	-1.857603
11	1	0	0.754268	2.408816	-0.304950
12	1	0	1.323470	2.251161	-2.067801
13	1	0	-1.269163	0.835194	0.692960
14	8	0	-2.182971	0.408244	0.125782
15	6	0	-1.963032	-0.665550	-0.537013
16	8	0	-0.890845	-1.272944	-0.673539
17	1	0	-2.856550	-1.065310	-1.030362
Frequencies --			-510.7037	54.2275	109.8598
Frequencies --			145.6613	177.3272	196.6995
Frequencies --			256.2488	298.1436	312.5872
Frequencies --			330.0583	356.7362	397.6463
Frequencies --			472.3527	618.9639	646.0874
Frequencies --			750.4431	782.8750	817.8670
Frequencies --			935.0425	1025.8260	1035.7259
Frequencies --			1039.1614	1062.1600	1065.5649
Frequencies --			1109.5076	1244.6272	1267.9168
Frequencies --			1351.0535	1352.6226	1404.8237
Frequencies --			1414.2389	1458.4383	1468.2622
Frequencies --			1491.2436	1558.0727	1670.3953

Frequencies --	1675.7153	1749.5880	3043.5184
Frequencies --	3066.4061	3150.4026	3179.3026
Frequencies --	3189.7453	3206.8386	3300.4674

MVK-oxide + HC(O)OH Chemical Catalysis (Vinyl H-atom)

anti-trans-MVK-oxide...FA = *trans*-HPBD-2

1	6	0	-1.319153	-0.276721	0.173401
2	6	0	-2.387923	-0.368121	1.204644
3	6	0	-0.759708	0.929188	-0.247433
4	6	0	-1.276074	1.962763	-0.905043
5	8	0	-0.836120	-1.436892	-0.150040
6	8	0	0.108672	-1.348954	-1.239277
7	1	0	-3.278063	0.130055	0.818655
8	1	0	-2.076706	0.172259	2.096377
9	1	0	-2.610187	-1.401338	1.452813
10	1	0	0.459623	1.027897	0.137577
11	1	0	-2.239337	1.922265	-1.398843
12	1	0	-0.702639	2.871098	-1.023748
13	1	0	0.982382	-1.172520	-0.706832
14	8	0	2.211878	-0.878693	0.060934
15	6	0	2.479167	0.268026	0.471258
16	8	0	1.709064	1.278337	0.528751
17	1	0	3.499114	0.449090	0.840103
Frequencies --	-896.7737	56.7959	74.2582		
Frequencies --	103.1404	121.3808	155.2350		
Frequencies --	208.2114	221.7051	249.0315		
Frequencies --	301.8563	383.9833	448.2472		
Frequencies --	494.7112	595.5098	638.7857		
Frequencies --	744.2849	766.0403	838.9508		
Frequencies --	926.7701	982.4224	1035.4183		
Frequencies --	1039.1149	1049.1226	1073.7053		
Frequencies --	1102.2736	1212.9510	1307.9068		
Frequencies --	1362.1666	1395.4673	1413.7908		
Frequencies --	1418.8840	1466.0078	1479.8649		
Frequencies --	1488.3922	1542.5313	1640.0440		
Frequencies --	1679.1691	1761.6799	2501.1101		
Frequencies --	3002.5854	3062.5602	3132.5949		
Frequencies --	3139.3827	3173.4830	3230.7535		

HPBD Product Acid Catalysis (TS_{H,exchange})*syn-trans*-HPBD...FA = *syn-trans*-HPBD...FA

1	6	0	-1.531737	0.270165	-0.142604
2	6	0	-1.792370	1.574484	-0.068199
3	6	0	-2.513318	-0.819516	-0.216003
4	6	0	-3.702038	-0.799923	0.383668
5	8	0	-0.275133	-0.296688	-0.186703
6	8	0	0.745086	0.731020	-0.211635
7	1	0	-2.819474	1.896627	-0.090742
8	1	0	-1.008943	2.308147	-0.010953
9	1	0	-2.211226	-1.681185	-0.797475
10	1	0	-4.007590	0.028866	1.005610
11	1	0	-4.396354	-1.617547	0.263482
12	1	0	1.485349	0.423226	0.724233
13	8	0	2.502918	-0.024331	1.209172
14	6	0	3.140356	-0.437784	0.194828
15	8	0	2.727388	-0.331458	-0.998447
16	1	0	4.105615	-0.914081	0.359495
17	1	0	1.645198	0.203053	-0.862887
Frequencies --			-1603.1048	1.4786	57.2097
Frequencies --			67.7031	99.9953	207.1727
Frequencies --			224.2705	287.8611	329.1158
Frequencies --			395.8273	470.6643	571.9532
Frequencies --			576.5467	643.6319	733.7901
Frequencies --			744.2329	850.2178	856.1461
Frequencies --			866.7927	922.2949	965.4762
Frequencies --			994.5418	1026.5167	1080.6693
Frequencies --			1088.8540	1197.5386	1292.2541
Frequencies --			1332.9295	1374.5493	1377.2372
Frequencies --			1388.5928	1426.6051	1469.2157
Frequencies --			1532.8067	1597.8087	1693.6358
Frequencies --			1706.5763	1712.4758	1933.7363
Frequencies --			3138.3969	3168.4695	3183.9081
Frequencies --			3209.9838	3260.2795	3309.7109

syn-cis-HPBD...FA = *syn-cis*-HPBD...FA

1	6	0	1.657435	0.503052	-0.000045
2	6	0	1.846634	1.824970	0.000007
3	6	0	2.743622	-0.472651	0.000191
4	6	0	2.597969	-1.798524	0.000151
5	8	0	0.435853	-0.127004	-0.000327
6	8	0	-0.634645	0.846972	-0.000517
7	1	0	2.857898	2.196212	0.000241
8	1	0	1.029099	2.522296	-0.000180
9	1	0	3.731329	-0.032559	0.000412
10	1	0	1.624726	-2.264208	-0.000068
11	1	0	3.461951	-2.445140	0.000338
12	1	0	-1.440069	0.374101	-0.806993
13	8	0	-2.467883	-0.184351	-1.119935
14	6	0	-2.982703	-0.477802	0.000313
15	8	0	-2.467573	-0.183501	1.120196

16	1	0	-3.928842	-1.016598	0.000650
17	1	0	-1.439846	0.374710	0.806548
Frequencies --	-1600.7447		-7.0920		55.2583
Frequencies --	57.8931		142.4909		208.3735
Frequencies --	224.1359		270.3055		338.6807
Frequencies --	451.1011		472.7713		534.9090
Frequencies --	572.8371		655.7153		727.1813
Frequencies --	764.1784		851.8203		855.2240
Frequencies --	858.5466		928.0467		951.1098
Frequencies --	1000.0804		1021.8736		1068.5207
Frequencies --	1080.8562		1231.4735		1325.4597
Frequencies --	1347.9790		1374.6261		1377.2054
Frequencies --	1389.6664		1422.5595		1468.5169
Frequencies --	1532.9088		1599.5590		1654.6886
Frequencies --	1711.8075		1720.6024		1931.6378
Frequencies --	3139.8580		3177.5529		3195.9745
Frequencies --	3207.6910		3269.0680		3310.4980

anti-trans-HPBD...FA = *anti-trans*-HPBD...FA

1	6	0	-1.515069	0.486711	-0.299936
2	6	0	-2.029065	1.707796	-0.135021
3	6	0	-2.225960	-0.789149	-0.201391
4	6	0	-3.234437	-1.012709	0.639356
5	8	0	-0.206074	0.429831	-0.734773
6	8	0	0.482173	-0.626068	0.025280
7	1	0	-3.090650	1.836126	-0.002841
8	1	0	-1.395566	2.578520	-0.190875
9	1	0	-1.877349	-1.573221	-0.859897
10	1	0	-3.556729	-0.259565	1.344276
11	1	0	-3.754054	-1.958656	0.647781
12	1	0	1.512763	-0.759346	-0.597901
13	8	0	2.726217	-0.622702	-0.778824
14	6	0	3.079296	0.068513	0.222242
15	8	0	2.294698	0.445861	1.143075
16	1	0	4.127362	0.356825	0.297668
17	1	0	1.209525	-0.003030	0.772228
Frequencies --	-1600.6277		17.9084		53.5243
Frequencies --	81.5663		115.3588		173.4415
Frequencies --	228.3193		284.8755		328.9778
Frequencies --	433.2394		457.3290		558.5721
Frequencies --	568.9826		625.4588		737.7972
Frequencies --	761.4659		824.3384		850.3551
Frequencies --	884.2050		902.6315		964.6721
Frequencies --	976.7683		1025.0063		1079.8868
Frequencies --	1091.4430		1180.0407		1284.4578
Frequencies --	1337.2008		1374.7083		1378.3778
Frequencies --	1386.8911		1421.8023		1469.4305
Frequencies --	1536.0214		1582.9452		1684.3362
Frequencies --	1691.4294		1716.4142		1946.5765
Frequencies --	3128.5364		3166.9029		3190.0080
Frequencies --	3193.4707		3258.4562		3288.4564

anti-cis-HPBD...FA = *anti-cis*-HPBD...FA

1	6	0	1.560820	0.628946	0.179133
2	6	0	1.713670	1.955560	0.222311
3	6	0	2.579042	-0.313708	-0.268411
4	6	0	2.490189	-1.639485	-0.163847
5	8	0	0.385456	0.125355	0.710986
6	8	0	-0.350010	-0.546421	-0.382983
7	1	0	2.654467	2.406915	-0.051689
8	1	0	0.909900	2.587630	0.564192
9	1	0	3.461878	0.139327	-0.700309
10	1	0	1.617206	-2.113164	0.256655
11	1	0	3.293810	-2.275114	-0.502762
12	1	0	-1.304479	-0.977166	0.204860
13	8	0	-2.503835	-0.982253	0.546174
14	6	0	-2.951162	0.063174	-0.010574
15	8	0	-2.262294	0.834170	-0.743976
16	1	0	-3.998964	0.317221	0.149651
17	1	0	-1.143705	0.300622	-0.713884
Frequencies --			-1590.0275	17.9402	51.3294
Frequencies --			90.3258	147.7162	148.6563
Frequencies --			213.4848	293.4471	327.9973
Frequencies --			423.7610	464.5927	569.1739
Frequencies --			575.0792	630.1288	742.8803
Frequencies --			765.5214	833.6329	839.6901
Frequencies --			877.8500	923.4904	960.7476
Frequencies --			974.0755	1023.7322	1057.1576
Frequencies --			1079.6612	1211.0372	1325.6118
Frequencies --			1327.6159	1375.0725	1379.9716
Frequencies --			1391.8436	1412.3241	1469.6310
Frequencies --			1543.9967	1572.7716	1649.7743
Frequencies --			1711.6395	1717.7210	1953.5116
Frequencies --			3123.3689	3176.8209	3184.2182
Frequencies --			3189.1887	3273.2006	3283.1271

MVK-oxide + HC(O)OH SOZ Formation (TS_{soz})

syn-trans-MVK-oxide...FA = SOZ

1	6	0	-0.784362	0.304551	0.221130
2	8	0	-0.120481	1.397401	-0.018725
3	8	0	1.214481	1.291813	0.362159
4	6	0	1.693912	-0.220558	-0.699116
5	8	0	0.584511	-0.763544	-0.932682
6	8	0	2.607222	-0.815652	0.115525
7	1	0	2.198051	0.405698	-1.429815
8	1	0	2.143842	-1.530395	0.568941
9	6	0	-0.561550	-0.494008	1.459371
10	6	0	-2.037806	0.262804	-0.516733
11	6	0	-2.997793	-0.634292	-0.288979
12	1	0	-1.311294	-0.192946	2.194217
13	1	0	-0.677580	-1.553133	1.257517
14	1	0	0.427048	-0.290476	1.850267

15	1	0	-2.133094	0.998978	-1.301931
16	1	0	-2.906734	-1.389698	0.476822
17	1	0	-3.900503	-0.639156	-0.880263
Frequencies --			-360.3426	83.3302	91.9426
Frequencies --			161.9644	220.1409	252.0331
Frequencies --			264.5245	308.8371	348.3251
Frequencies --			396.4673	421.1496	491.0744
Frequencies --			505.9320	593.9885	613.0639
Frequencies --			654.8811	698.2384	805.6680
Frequencies --			958.7928	983.7118	993.1586
Frequencies --			1028.9134	1041.1489	1067.4147
Frequencies --			1075.2862	1122.0594	1297.7853
Frequencies --			1308.8522	1344.2672	1367.0865
Frequencies --			1398.6596	1439.6015	1464.3650
Frequencies --			1504.8121	1513.0169	1547.6288
Frequencies --			1688.1198	3057.3002	3133.0402
Frequencies --			3151.8502	3179.4857	3203.9918
Frequencies --			3210.3938	3269.2902	3794.3344

syn-trans-MVK-oxide...FA = SOZ Geometry 2

1	6	0	-0.795699	0.326159	-0.210104
2	8	0	0.088732	0.500830	-1.147136
3	8	0	1.230002	1.153056	-0.678518
4	6	0	1.733543	-0.199624	0.596996
5	8	0	0.617903	-0.651784	0.961780
6	8	0	2.590214	-0.987978	-0.096953
7	1	0	2.281353	0.549407	1.162984
8	1	0	2.069435	-1.737720	-0.412420
9	6	0	-1.056104	1.354912	0.833071
10	6	0	-1.789223	-0.667997	-0.590588
11	6	0	-2.905537	-0.896982	0.101906
12	1	0	-1.902289	1.962039	0.503956
13	1	0	-1.304353	0.882764	1.776844
14	1	0	-0.182002	1.980388	0.953257
15	1	0	-1.549561	-1.244465	-1.472910
16	1	0	-3.148234	-0.342677	0.995734
17	1	0	-3.601039	-1.661532	-0.208514
Frequencies --			-375.3655	62.6853	93.6043
Frequencies --			178.5469	202.4328	215.6575
Frequencies --			263.1857	287.4049	359.7552
Frequencies --			388.9185	435.7127	489.4479
Frequencies --			506.9477	593.3510	630.0092
Frequencies --			683.5802	706.8002	804.3914
Frequencies --			952.2295	981.8290	994.0522
Frequencies --			1029.0509	1043.9073	1072.0856
Frequencies --			1074.6048	1138.8653	1305.8611
Frequencies --			1310.8909	1339.1331	1357.1059
Frequencies --			1399.1749	1442.4413	1462.3623
Frequencies --			1501.6016	1504.1030	1548.0373
Frequencies --			1688.0862	3058.0552	3126.2501
Frequencies --			3158.9405	3179.9044	3206.0361

Frequencies -- 3212.5352 3270.1096 3783.3239

HPBD...FA = OBD...OH...FA; *syn-trans*

1	6	0	1.719273	-0.210677	-0.176920
2	6	0	2.994206	-0.100560	0.358866
3	6	0	0.893136	0.946747	-0.567019
4	6	0	1.009504	2.153778	-0.022497
5	8	0	1.301979	-1.393095	-0.428190
6	8	0	-0.295986	-1.668250	0.439796
7	1	0	3.546495	0.824790	0.317136
8	1	0	3.479351	-0.993947	0.717468
9	1	0	0.131489	0.738166	-1.305989
10	1	0	1.732290	2.360878	0.754366
11	1	0	0.366833	2.966894	-0.324012
12	1	0	-0.787000	-1.716714	-0.397072
13	8	0	-2.453863	-0.232725	-0.991976
14	6	0	-2.676586	0.378354	0.030080
15	8	0	-1.972820	0.303808	1.150456
16	1	0	-3.507315	1.082626	0.140474
17	1	0	-1.233828	-0.346454	1.001881
Frequencies --			-564.9137	24.3927	52.1604
Frequencies --			66.6408	82.8210	107.2179
Frequencies --			150.2703	180.0324	205.6601
Frequencies --			250.8057	279.3976	423.9241
Frequencies --			497.8270	528.0804	559.3172
Frequencies --			592.0097	699.6568	761.6631
Frequencies --			837.1282	893.9019	921.6734
Frequencies --			984.5515	998.2639	1039.8068
Frequencies --			1048.8616	1070.9004	1080.4061
Frequencies --			1221.3163	1273.3525	1332.1575
Frequencies --			1391.6491	1396.0969	1465.5202
Frequencies --			1477.2916	1530.9983	1735.3118
Frequencies --			1768.8278	3063.9414	3167.4383
Frequencies --			3185.2159	3199.8608	3206.8688
Frequencies --			3257.2876	3297.8634	3725.9709

***syn-trans*-MVK-oxide + FA 1,2-insertion (TS_{1,2-insertion})**

1	6	0	1.023375	0.095565	0.160477
2	8	0	1.460800	-0.953416	-0.453370
3	8	0	0.895966	-2.167886	0.058231
4	1	0	-0.076820	-1.916625	-0.168482
5	8	0	-1.170538	-0.989519	-0.650328
6	6	0	-2.175145	-0.266088	-0.330666
7	8	0	-2.166801	0.765638	0.355662
8	1	0	-3.141474	-0.613458	-0.739514
9	6	0	0.464545	0.088865	1.519176
10	6	0	1.294135	1.303548	-0.581909
11	6	0	0.639211	2.435838	-0.303241
12	1	0	1.034286	0.796825	2.120203
13	1	0	-0.574925	0.439397	1.441206
14	1	0	0.492967	-0.903919	1.947156

15	1	0	1.945154	1.212014	-1.438960
16	1	0	-0.091443	2.487184	0.489267
17	1	0	0.780111	3.313679	-0.915453
Frequencies --			-163.9269	55.7009	69.5916
Frequencies --			97.8697	155.8109	213.5566
Frequencies --			249.7706	275.2135	294.0929
Frequencies --			338.3040	383.2531	402.5422
Frequencies --			496.7181	579.3271	680.6326
Frequencies --			744.7251	809.4464	913.6348
Frequencies --			947.3907	987.9028	1006.4702
Frequencies --			1036.0714	1055.0691	1074.4474
Frequencies --			1087.8731	1312.4848	1346.3515
Frequencies --			1357.7065	1403.7739	1411.4036
Frequencies --			1433.7237	1474.9757	1492.6662
Frequencies --			1521.2474	1566.6586	1653.9803
Frequencies --			1676.0952	2678.3918	2916.1385
Frequencies --			2933.3398	3099.7182	3183.4906
Frequencies --			3207.7456	3215.8154	3281.6363

MVK-oxide, Dioxole Formation (TS_d)

anti-cis-MVK-oxide = Dioxole

1	6	0	2.113823	0.224472	0.046960
2	6	0	0.631136	0.106616	0.056598
3	6	0	-0.289484	1.134011	0.002167
4	6	0	-1.658696	0.880700	0.034722
5	8	0	0.192038	-1.122782	-0.127554
6	8	0	-1.177527	-1.228705	0.016537
7	1	0	2.550605	-0.538418	-0.594098
8	1	0	2.411928	1.209438	-0.302360
9	1	0	2.509711	0.088426	1.053507
10	1	0	0.081305	2.079491	-0.370189
11	1	0	-2.293385	1.513012	-0.583405
12	1	0	-2.156925	0.385158	0.842006
Frequencies --			-471.2006	129.9630	232.4944
Frequencies --			267.8180	345.0662	520.7306
Frequencies --			585.7959	638.2258	724.1134
Frequencies --			808.1880	912.1419	959.4270
Frequencies --			1042.9633	1044.6798	1056.1667
Frequencies --			1089.9579	1243.2361	1282.7912
Frequencies --			1383.9647	1424.2076	1486.9383
Frequencies --			1498.0863	1540.0503	1595.2316
Frequencies --			3061.7131	3105.9572	3125.9347
Frequencies --			3157.3046	3189.7207	3304.8678

MVK-oxide + HC(O)OH, Dioxole Formation from Spectator Catalysis (TS_{d,cat})

anti-cis-MVK-oxide...FA = Dioxole...FA

1	6	0	-2.135974	-1.600554	-0.223567
2	6	0	-1.469198	-0.276899	-0.123822
3	6	0	-1.453706	0.567260	0.964753
4	6	0	-0.773330	1.778993	0.901700
5	8	0	-0.633003	-0.040766	-1.110808

6	8	0	-0.013864	1.217329	-1.009389
7	1	0	-1.439848	-2.340204	-0.612410
8	1	0	-2.491825	-1.911032	0.754056
9	1	0	-2.989859	-1.540387	-0.898172
10	1	0	-1.663021	0.104698	1.918380
11	1	0	-0.227391	2.093541	1.788265
12	1	0	-1.020845	2.563652	0.214598
13	1	0	1.537967	0.644218	-0.731914
14	8	0	2.453091	0.287033	-0.540926
15	6	0	2.388458	-0.687593	0.352168
16	8	0	1.389434	-1.116902	0.883232
17	1	0	3.392056	-1.075286	0.562921
Frequencies --		-484.5859	31.3998	52.2362	
Frequencies --		66.6163	91.4748	132.9860	
Frequencies --		196.0533	220.2800	231.1508	
Frequencies --		305.9134	351.5718	530.0819	
Frequencies --		575.3184	637.7306	694.9380	
Frequencies --		709.6615	814.9991	918.8497	
Frequencies --		938.8683	1010.9507	1041.3059	
Frequencies --		1056.5512	1071.4225	1092.0081	
Frequencies --		1098.7011	1229.3687	1246.2301	
Frequencies --		1287.7024	1387.9984	1403.2139	
Frequencies --		1422.2810	1460.6611	1486.2892	
Frequencies --		1492.4166	1544.4523	1603.4700	
Frequencies --		1770.9274	3038.8323	3066.8795	
Frequencies --		3110.9434	3119.6086	3134.7853	
Frequencies --		3169.0056	3206.7122	3289.1762	

anti-cis-MVK-oxide...FA = Dioxole...FA Geometry 2

1	6	0	1.854177	1.733388	0.123705
2	6	0	1.279971	0.368525	0.055331
3	6	0	1.456472	-0.568950	-0.939456
4	6	0	0.778288	-1.783990	-0.889753
5	8	0	0.729141	-0.031977	1.185450
6	8	0	0.071347	-1.262297	1.039032
7	1	0	2.191299	1.959422	1.132859
8	1	0	2.679473	1.834122	-0.575483
9	1	0	1.073987	2.442739	-0.150423
10	1	0	2.342483	-0.457100	-1.548247
11	1	0	1.318999	-2.676034	-1.199281
12	1	0	-0.289381	-1.872243	-0.946020
13	1	0	-1.415546	-0.758775	0.597259
14	8	0	-2.337867	-0.505932	0.285841
15	6	0	-2.309546	0.650421	-0.356836
16	8	0	-1.330040	1.324608	-0.584591
17	1	0	-3.318132	0.936287	-0.674475
Frequencies --		-482.6382	48.1541	74.5436	
Frequencies --		92.7216	134.4808	151.6611	
Frequencies --		206.5350	236.7073	243.7265	
Frequencies --		335.4986	347.2842	533.4764	
Frequencies --		581.8828	638.0656	703.9008	

Frequencies --	716.5556	809.6137	922.2277
Frequencies --	944.2503	1018.4753	1038.8088
Frequencies --	1050.5333	1068.3592	1091.3569
Frequencies --	1113.1034	1229.8195	1237.7700
Frequencies --	1287.1369	1384.3028	1404.2313
Frequencies --	1415.1753	1477.1696	1485.3205
Frequencies --	1498.8356	1550.7078	1607.1082
Frequencies --	1763.6291	2993.5918	3063.4820
Frequencies --	3068.3399	3112.9995	3139.0380
Frequencies --	3163.1134	3201.8645	3277.1725

Products

HPBF Adduct

Optimal Geometry

1	6	0	-0.883500	1.834737	1.149530
2	6	0	-1.034160	0.529419	0.971859
3	1	0	-1.227925	2.310005	2.055163
4	1	0	-0.413804	2.462367	0.407125
5	6	0	-0.655954	-0.226175	-0.267616
6	1	0	-1.504382	-0.086180	1.724944
7	6	0	-1.836046	-0.471726	-1.191482
8	8	0	0.260416	0.584631	-1.104752
9	8	0	-0.134272	-1.492675	-0.000581
10	1	0	-2.188107	0.474285	-1.591477
11	1	0	-1.526585	-1.121755	-2.006710
12	1	0	-2.634634	-0.952142	-0.633379
13	6	0	1.553524	0.719314	-0.833830
14	8	0	0.585099	-1.524915	1.255073
15	8	0	2.195498	0.210024	0.055430
16	1	0	1.998607	1.390186	-1.573964
17	1	0	1.379722	-1.006701	1.006175
Frequencies --	76.0580	98.5864	202.2503		
Frequencies --	212.1732	245.6072	272.8544		
Frequencies --	294.5828	305.7747	332.8314		
Frequencies --	358.7746	474.4106	526.5001		
Frequencies --	574.6054	651.3611	692.4755		
Frequencies --	702.5520	816.2610	842.2525		
Frequencies --	933.1789	971.4580	989.3940		
Frequencies --	1026.7452	1051.0041	1054.5359		
Frequencies --	1135.5926	1177.0500	1242.5607		
Frequencies --	1267.6093	1327.8929	1415.3733		
Frequencies --	1422.0245	1461.0687	1496.5053		
Frequencies --	1499.6251	1507.1182	1708.6714		
Frequencies --	1757.4064	3077.6396	3079.7797		
Frequencies --	3160.8343	3172.7541	3174.8347		
Frequencies --	3210.0886	3263.1153	3498.3543		

syn-trans-HPBF Adduct

1	6	0	0.457237	0.046294	0.005130
---	---	---	----------	----------	----------

2	8	0	-0.075554	1.015498	-0.847125
3	8	0	-1.059222	1.851939	-0.197027
4	8	0	-0.293821	-1.250478	-0.114982
5	6	0	-1.613958	-1.322395	-0.043737
6	8	0	-2.413821	-0.419832	0.077857
7	1	0	-1.917747	-2.370481	-0.116553
8	1	0	-1.801330	1.213890	-0.130503
9	6	0	0.496098	0.423415	1.466002
10	6	0	1.772322	-0.298626	-0.634737
11	6	0	2.945464	-0.315131	-0.017306
12	1	0	0.994455	-0.363908	2.023926
13	1	0	1.034795	1.359260	1.585088
14	1	0	-0.507512	0.555272	1.852386
15	1	0	1.695699	-0.524314	-1.689723
16	1	0	3.051351	-0.090139	1.033042
17	1	0	3.846645	-0.557931	-0.559563
Frequencies --	73.2685		75.1436		188.1957
Frequencies --	237.5739		256.0780		260.8648
Frequencies --	273.0045		302.7491		358.1477
Frequencies --	404.2583		435.7289		498.3230
Frequencies --	570.0881		632.0803		676.6209
Frequencies --	726.4038		813.9231		837.0692
Frequencies --	927.2139		971.4672		978.0580
Frequencies --	1029.4082		1035.4653		1053.2503
Frequencies --	1102.2452		1194.6455		1245.1457
Frequencies --	1317.3552		1340.0749		1418.6744
Frequencies --	1425.7382		1464.0844		1503.3446
Frequencies --	1504.8200		1508.4557		1715.3735
Frequencies --	1742.3090		3079.1638		3091.7916
Frequencies --	3170.2909		3176.0730		3188.2658
Frequencies --	3197.1056		3262.7404		3498.1199

syn-cis-HPBF Adduct

1	6	0	0.432215	-0.145618	0.222804
2	8	0	0.282486	0.928543	-0.646123
3	8	0	-0.616192	1.936191	-0.128090
4	8	0	-0.492551	-1.270172	-0.139827
5	6	0	-1.787431	-1.075427	-0.334991
6	8	0	-2.405668	-0.033666	-0.298601
7	1	0	-2.264329	-2.035409	-0.551756
8	1	0	-1.469893	1.469880	-0.250398
9	6	0	0.222927	0.170168	1.690624
10	6	0	1.782477	-0.748174	-0.050487
11	6	0	2.800194	-0.078783	-0.575293
12	1	0	0.489315	-0.706360	2.275938
13	1	0	0.870494	0.997342	1.967264
14	1	0	-0.805895	0.444888	1.895966
15	1	0	1.877531	-1.784329	0.242571
16	1	0	2.700058	0.953190	-0.873416
17	1	0	3.755828	-0.559354	-0.720982
Frequencies --	73.4005		110.1686		174.4288

Frequencies --	228.9413	254.5921	270.9765
Frequencies --	291.4448	294.5732	352.5409
Frequencies --	383.9210	473.1621	504.2500
Frequencies --	563.3891	653.0899	687.3126
Frequencies --	723.9887	807.4825	833.5515
Frequencies --	930.2589	980.2527	990.3255
Frequencies --	1031.0189	1052.6068	1062.1014
Frequencies --	1102.6922	1204.1195	1252.5150
Frequencies --	1280.7503	1329.9955	1419.0919
Frequencies --	1421.6878	1456.2658	1496.4532
Frequencies --	1500.6437	1502.5567	1707.2892
Frequencies --	1745.0153	3079.6122	3084.1918
Frequencies --	3163.3912	3176.6113	3180.0032
Frequencies --	3202.6234	3271.2006	3509.9004

anti-trans-HPBF Adduct

1	6	0	0.478038	-0.197619	0.338885
2	6	0	1.474202	-0.948701	1.193335
3	6	0	0.990416	0.370788	-0.951236
4	6	0	2.257079	0.313244	-1.342234
5	8	0	-0.100731	0.733612	1.201497
6	8	0	-0.654464	1.875760	0.507737
7	1	0	2.291019	-0.288781	1.468341
8	1	0	1.854392	-1.812727	0.657381
9	1	0	0.972227	-1.283022	2.097192
10	1	0	0.248828	0.840354	-1.577807
11	1	0	3.032076	-0.138917	-0.742348
12	1	0	2.556104	0.733849	-2.290482
13	1	0	-1.450259	1.461522	0.112903
14	8	0	-2.252965	0.072138	-0.627810
15	6	0	-1.723768	-1.008117	-0.478493
16	8	0	-0.508013	-1.274192	-0.028153
17	1	0	-2.230804	-1.948393	-0.712893
Frequencies --	67.2305	78.6126	190.4383		
Frequencies --	230.7580	261.1112	271.1780		
Frequencies --	295.9908	316.7984	332.7954		
Frequencies --	386.2570	431.9330	497.3510		
Frequencies --	555.9419	640.5126	674.8534		
Frequencies --	747.3335	796.6004	827.2875		
Frequencies --	929.1544	981.2899	987.2412		
Frequencies --	1030.0845	1039.4254	1053.3609		
Frequencies --	1098.2499	1196.5287	1249.4094		
Frequencies --	1319.5076	1347.4390	1417.2472		
Frequencies --	1423.6114	1465.4914	1500.4579		
Frequencies --	1503.5173	1509.4884	1708.8719		
Frequencies --	1742.8042	3078.8912	3086.7923		
Frequencies --	3167.6353	3176.1550	3178.7332		
Frequencies --	3226.9347	3262.8343	3513.2659		

anti-cis-HPBF Adduct

1	6	0	0.442256	0.538765	-0.117107
---	---	---	----------	----------	-----------

2	6	0	1.238904	1.769289	-0.517064
3	6	0	1.028468	-0.153815	1.079460
4	6	0	1.865296	-1.181875	1.034309
5	8	0	0.316607	-0.189194	-1.293323
6	8	0	-0.021159	-1.585110	-1.103847
7	1	0	2.245016	1.464290	-0.787545
8	1	0	1.280360	2.465937	0.315370
9	1	0	0.758387	2.250474	-1.365607
10	1	0	0.777690	0.314395	2.021856
11	1	0	2.120935	-1.666049	0.105950
12	1	0	2.299573	-1.569839	1.943632
13	1	0	-0.895132	-1.503203	-0.664768
14	8	0	-2.122731	-0.762499	0.291004
15	6	0	-1.957663	0.418659	0.502294
16	8	0	-0.865209	1.141113	0.312152
17	1	0	-2.750456	1.063374	0.891870
Frequencies --	54.9770		93.2607		192.8808
Frequencies --	219.1618		241.6570		261.2429
Frequencies --	293.4247		303.6928		333.2523
Frequencies --	345.9031		457.1580		495.2571
Frequencies --	557.1344		649.6134		680.8966
Frequencies --	720.5570		795.0306		828.8901
Frequencies --	928.0345		982.6728		993.0687
Frequencies --	1026.6763		1054.9804		1063.3948
Frequencies --	1100.0391		1183.3306		1244.3178
Frequencies --	1292.9461		1334.9574		1413.7217
Frequencies --	1418.8021		1461.7654		1496.2762
Frequencies --	1498.5126		1528.3769		1706.7824
Frequencies --	1749.0678		3078.7048		3080.2442
Frequencies --	3162.2933		3174.6873		3176.8041
Frequencies --	3192.5660		3276.2360		3478.1191

2-alkoxy-but-3-en-2-yl formate (ABF)

1	6	0	2.372674	-1.020834	-0.081462
2	6	0	1.802909	0.171921	0.034423
3	1	0	3.448819	-1.110346	-0.098440
4	1	0	1.785744	-1.919485	-0.181417
5	6	0	0.297368	0.406274	0.068797
6	1	0	2.382535	1.074785	0.156943
7	6	0	-0.114558	1.570558	-0.832022
8	8	0	0.074864	0.636804	1.370559
9	8	0	-0.331173	-0.831697	-0.394272
10	1	0	0.095177	1.310963	-1.866845
11	1	0	0.457472	2.451934	-0.554932
12	1	0	-1.172513	1.773592	-0.706715
13	6	0	-1.655823	-0.957260	-0.204460
14	8	0	-2.399740	-0.137245	0.260446
15	1	0	-1.964267	-1.948301	-0.554118
Frequencies --	62.0861		107.9899		173.0780
Frequencies --	223.5841		239.7966		262.0089
Frequencies --	307.7685		348.7095		425.4105

Frequencies --	511.1594	545.8325	649.3337
Frequencies --	691.0476	828.4077	891.6562
Frequencies --	951.9134	987.3386	1018.9171
Frequencies --	1034.7477	1043.9681	1102.8519
Frequencies --	1162.2461	1169.2324	1230.4460
Frequencies --	1324.1390	1399.1923	1412.1628
Frequencies --	1443.1028	1491.2506	1513.5205
Frequencies --	1685.8150	1784.4604	3057.9617
Frequencies --	3078.6667	3160.3187	3178.1332
Frequencies --	3184.1275	3215.5311	3276.1918

HPBD

syn-trans-HPBD

1	6	0	-2.464345	-0.116911	0.238336
2	6	0	-1.300331	-0.569685	-0.223392
3	6	0	-0.023440	0.144293	-0.096181
4	6	0	0.153909	1.464923	-0.121176
5	8	0	0.974393	-0.800835	0.028511
6	8	0	2.277865	-0.181514	0.024577
7	1	0	2.519831	-0.297426	0.953085
8	1	0	-2.533913	0.816122	0.778558
9	1	0	-3.375915	-0.673859	0.083750
10	1	0	-1.248384	-1.528655	-0.722786
11	1	0	-0.703042	2.098371	-0.274497
12	1	0	1.128601	1.908518	-0.028332
Frequencies --	91.1217	140.1924	169.7015		
Frequencies --	243.2428	349.8817	408.7866		
Frequencies --	502.1832	589.5903	736.3323		
Frequencies --	745.8301	849.6965	868.4701		
Frequencies --	922.0106	964.0224	976.9689		
Frequencies --	1028.0828	1089.9308	1240.0390		
Frequencies --	1331.5374	1387.2291	1427.9310		
Frequencies --	1469.2457	1693.9399	1701.3359		
Frequencies --	3168.0011	3184.9250	3209.6562		
Frequencies --	3259.4138	3308.4327	3771.5467		

syn-cis-HPBD

1	6	0	-2.190756	-0.692912	-0.003071
2	6	0	-1.445754	0.413306	0.020214
3	6	0	0.013806	0.455029	-0.002236
4	6	0	0.721715	1.588008	-0.003222
5	8	0	0.539944	-0.815903	-0.022748
6	8	0	1.979630	-0.777544	-0.088691
7	1	0	2.195300	-1.033111	0.818326
8	1	0	-1.747752	-1.675824	-0.043861
9	1	0	-3.267941	-0.629017	0.014193
10	1	0	-1.915634	1.386564	0.056377
11	1	0	0.189628	2.524463	0.015143
12	1	0	1.795734	1.593910	-0.038780
Frequencies --	99.0342	162.6828	176.4313		
Frequencies --	230.8765	363.0424	454.0321		

Frequencies --	488.9352	579.9838	730.7037
Frequencies --	765.9635	852.2737	856.3530
Frequencies --	927.7028	954.1402	983.4222
Frequencies --	1022.9381	1069.6216	1323.0288
Frequencies --	1327.5623	1390.0403	1423.6910
Frequencies --	1468.7354	1652.4983	1716.5707
Frequencies --	3177.2189	3195.4080	3207.3442
Frequencies --	3269.2861	3308.8785	3767.8216

anti-trans-HPBD

1	6	0	2.069742	-0.797939	-0.201142
2	6	0	0.879834	-0.636682	0.374692
3	6	0	-0.000569	0.507687	0.128656
4	6	0	0.381169	1.765231	-0.109365
5	8	0	-1.353529	0.296846	0.281053
6	8	0	-1.705151	-0.935857	-0.435125
7	1	0	-2.223304	-1.369313	0.254952
8	1	0	2.434117	-0.099974	-0.941304
9	1	0	2.701239	-1.637326	0.047202
10	1	0	0.509155	-1.377298	1.071012
11	1	0	1.420127	2.040287	-0.035189
12	1	0	-0.352948	2.525925	-0.321141
Frequencies --	113.0745	121.3547	200.1393		
Frequencies --	249.5238	303.3254	430.7176		
Frequencies --	516.4303	557.4750	739.1487		
Frequencies --	753.9756	828.3306	876.4466		
Frequencies --	900.0855	962.3258	975.0875		
Frequencies --	1020.7666	1090.5332	1245.4733		
Frequencies --	1333.1117	1379.4282	1420.9404		
Frequencies --	1468.9497	1683.9993	1691.8021		
Frequencies --	3166.6610	3186.0957	3190.9837		
Frequencies --	3258.0684	3289.4386	3786.3994		

anti-cis-HPBD

1	6	0	2.006728	-0.206092	0.130891
2	6	0	0.923509	-0.922618	-0.169353
3	6	0	-0.450908	-0.491134	0.058825
4	6	0	-1.523980	-1.275577	-0.081242
5	8	0	-0.667196	0.774334	0.577688
6	8	0	-0.175382	1.761679	-0.392059
7	1	0	-1.017223	2.018838	-0.790669
8	1	0	1.927156	0.783354	0.553037
9	1	0	2.995465	-0.600597	-0.047377
10	1	0	1.027080	-1.910009	-0.600254
11	1	0	-1.411493	-2.313506	-0.353075
12	1	0	-2.512460	-0.893666	0.118584
Frequencies --	115.5187	151.2819	207.7804		
Frequencies --	233.2235	317.4068	424.1100		
Frequencies --	487.0421	610.5668	738.5384		
Frequencies --	765.7953	838.3784	864.7669		
Frequencies --	913.2348	962.9370	971.9975		

Frequencies --	1024.6076	1062.1145	1312.5338
Frequencies --	1326.5261	1362.7279	1412.5634
Frequencies --	1469.7362	1649.4072	1711.9771
Frequencies --	3174.9533	3182.5028	3187.7437
Frequencies --	3272.1195	3279.5509	3769.7587

HPBD-2

cis-HPBD-2

1	6	0	2.317255	-0.082131	-0.008589
2	6	0	1.034673	0.155715	0.013236
3	6	0	-0.237919	0.453645	0.003115
4	6	0	-0.818488	1.832443	-0.002134
5	8	0	-1.267177	-0.475261	0.018225
6	8	0	-0.746161	-1.811628	-0.116279
7	1	0	2.892995	-0.185416	0.903526
8	1	0	2.857427	-0.191956	-0.941420
9	1	0	-0.020776	2.568205	0.012381
10	1	0	-1.426278	1.979665	-0.894237
11	1	0	-1.455743	1.981111	0.869162
12	1	0	-0.514049	-2.014530	0.801259
Frequencies --	123.2222	147.2663	159.6806		
Frequencies --	181.9859	234.3641	289.3167		
Frequencies --	436.0598	472.8574	643.6710		
Frequencies --	650.5356	775.7473	923.3288		
Frequencies --	930.8642	1007.2837	1039.6457		
Frequencies --	1073.8875	1198.1988	1337.1285		
Frequencies --	1398.8254	1417.6773	1486.2407		
Frequencies --	1492.7342	1523.0317	2064.9205		
Frequencies --	3058.6458	3119.5494	3122.8748		
Frequencies --	3165.8351	3193.5637	3743.3575		

trans-HPBD-2

1	6	0	2.520720	-0.452916	-0.134163
2	6	0	1.280534	-0.073369	-0.011105
3	6	0	0.030621	0.291993	0.127942
4	6	0	-0.518009	1.665903	-0.079347
5	8	0	-0.848147	-0.667322	0.619027
6	8	0	-1.947144	-0.805672	-0.349262
7	1	0	3.202389	-0.446108	0.706916
8	1	0	2.914244	-0.784465	-1.086628
9	1	0	0.266176	2.344762	-0.402154
10	1	0	-1.303059	1.644464	-0.832389
11	1	0	-0.953598	2.034525	0.849242
12	1	0	-1.647028	-1.598896	-0.813060
Frequencies --	81.9338	167.1076	178.1649		
Frequencies --	237.5646	255.7472	321.4638		
Frequencies --	421.5491	523.2995	588.0691		
Frequencies --	667.1507	784.2386	839.3043		
Frequencies --	913.4833	994.7043	1028.8299		
Frequencies --	1073.8319	1193.2906	1308.4319		
Frequencies --	1346.2114	1415.4147	1482.7656		

Frequencies --	1487.5845	1514.2043	2052.0952
Frequencies --	3061.3715	3128.6071	3136.2007
Frequencies --	3157.8898	3210.5376	3765.1591

SOZ

1	6	0	0.605263	0.119462	0.017252
2	8	0	0.045851	-0.112114	1.323349
3	8	0	-1.358215	0.169470	1.094850
4	6	0	-1.588881	-0.553473	-0.111683
5	8	0	-0.410389	-0.370511	-0.866370
6	8	0	-2.698050	-0.058363	-0.729262
7	1	0	-1.762655	-1.608381	0.091917
8	1	0	-2.508660	0.851960	-0.987028
9	6	0	0.836912	1.594589	-0.227548
10	6	0	1.804261	-0.773946	-0.074132
11	6	0	3.050189	-0.370618	-0.289551
12	1	0	1.612216	1.974167	0.433045
13	1	0	1.126337	1.762698	-1.262014
14	1	0	-0.084833	2.132415	-0.024024
15	1	0	1.573543	-1.823569	0.047834
16	1	0	3.305308	0.670396	-0.418315
17	1	0	3.858708	-1.083618	-0.347974
Frequencies --	67.8607	73.2070	205.2698		
Frequencies --	247.6267	277.8925	305.3963		
Frequencies --	322.7793	392.1122	414.9188		
Frequencies --	474.5515	487.6597	572.6376		
Frequencies --	656.9024	679.2307	724.7180		
Frequencies --	818.0148	901.2113	920.3294		
Frequencies --	941.6198	983.1285	990.4383		
Frequencies --	1018.8756	1029.1674	1046.6565		
Frequencies --	1144.5795	1177.9216	1211.4823		
Frequencies --	1298.5922	1331.6679	1342.3299		
Frequencies --	1345.8385	1416.4678	1454.8866		
Frequencies --	1463.6620	1502.1686	1511.7156		
Frequencies --	1710.9530	3076.4739	3112.6541		
Frequencies --	3157.3922	3160.9413	3175.0021		
Frequencies --	3196.3289	3261.8504	3797.2718		

Geometry 2

1	6	0	0.583489	0.195188	-0.044411
2	8	0	-0.153576	0.277939	1.181437
3	8	0	-1.407243	0.864245	0.707581
4	6	0	-1.675214	0.053805	-0.422636
5	8	0	-0.414305	-0.211552	-0.990523
6	8	0	-2.369317	-1.097403	-0.135870
7	1	0	-2.294460	0.646443	-1.089925
8	1	0	-1.830842	-1.626561	0.463977
9	6	0	1.163029	1.535949	-0.438873
10	6	0	1.556535	-0.929945	0.141014
11	6	0	2.876527	-0.825241	0.055522

12	1	0	1.907361	1.857085	0.285356
13	1	0	1.618195	1.469085	-1.423784
14	1	0	0.363402	2.270026	-0.467536
15	1	0	1.089967	-1.882977	0.351124
16	1	0	3.367273	0.111544	-0.160607
17	1	0	3.508436	-1.689028	0.196713
Frequencies --	69.4712		74.8706		184.3687
Frequencies --	256.1995		291.1910		298.8414
Frequencies --	306.9989		359.2658		425.2914
Frequencies --	485.8813		539.9597		575.0712
Frequencies --	663.7208		674.9655		800.0369
Frequencies --	817.4105		867.3488		901.4383
Frequencies --	939.2299		966.2538		984.4719
Frequencies --	1002.5508		1024.2063		1046.1675
Frequencies --	1124.0878		1146.8876		1203.9039
Frequencies --	1294.6568		1312.1961		1321.7208
Frequencies --	1335.5380		1417.7963		1446.8489
Frequencies --	1462.5576		1502.5040		1510.9146
Frequencies --	1711.3281		3078.9022		3147.4541
Frequencies --	3158.3426		3167.3113		3175.5891
Frequencies --	3193.3870		3263.3750		3805.5868

Dioxole

1	6	0	-2.167553	0.060489	-0.004807
2	6	0	-0.683232	0.125915	-0.003925
3	6	0	0.170081	1.143757	-0.033828
4	6	0	1.554460	0.584898	0.051521
5	8	0	-0.085539	-1.098560	0.054088
6	8	0	1.362919	-0.838086	-0.081663
7	1	0	-2.525051	-0.449745	0.888636
8	1	0	-2.582146	1.063800	-0.028217
9	1	0	-2.524516	-0.494143	-0.871307
10	1	0	-0.084916	2.186780	-0.064608
11	1	0	2.044633	0.802223	1.007160
12	1	0	2.210411	0.893894	-0.764831
Frequencies --	91.1365		158.0101		224.3964
Frequencies --	328.3782		558.4446		624.7729
Frequencies --	710.0235		755.0948		830.1219
Frequencies --	928.9588		970.0706		1025.9198
Frequencies --	1037.0761		1058.7527		1078.5195
Frequencies --	1184.0051		1220.5280		1299.6887
Frequencies --	1371.3908		1425.1484		1486.1439
Frequencies --	1503.4467		1539.6591		1739.4168
Frequencies --	2995.1827		3056.1346		3064.3626
Frequencies --	3125.3228		3161.7358		3281.3841

OBD...FA + OH

1	6	0	-2.229908	2.605921	0.000000
2	6	0	-2.340609	1.278466	0.000000
3	6	0	-1.144980	0.401021	0.000000
4	6	0	-1.353939	-1.017300	0.000000

5	8	0	-0.000000	0.884653	0.000000
6	1	0	-1.252242	3.066174	0.000000
7	1	0	-3.098903	3.246071	0.000000
8	1	0	-3.309606	0.798664	0.000000
9	1	0	-2.354062	-1.422347	0.000000
10	1	0	-0.496548	-1.674922	0.000000
11	8	0	2.462717	-0.194105	0.000000
12	6	0	2.539514	-1.514397	0.000000
13	1	0	1.515209	0.101318	0.000000
14	1	0	3.586529	-1.835444	0.000000
15	8	0	1.610927	-2.290771	0.000000

Frequencies --	36.9248	49.9848	104.7519
Frequencies --	113.3620	131.9970	178.3828
Frequencies --	204.9212	314.8904	402.4129
Frequencies --	448.2982	485.4281	619.8588
Frequencies --	690.6406	727.3866	820.7788
Frequencies --	872.4641	953.1017	1014.5611
Frequencies --	1016.4360	1026.9626	1083.9120
Frequencies --	1100.0746	1224.3791	1272.9143
Frequencies --	1344.1951	1400.9060	1444.6482
Frequencies --	1455.3042	1499.7777	1615.3304
Frequencies --	1682.0530	1774.7684	3059.8447
Frequencies --	3156.9986	3170.9939	3196.7681
Frequencies --	3268.3070	3271.3896	3288.7752

References

1. C. Huang, B. Yang and F. Zhang, *J. Chem. Phys.* **150**, 164305 (2019).
2. R. L. Caravan, M. F. Vansco, K. Au, M. A. H. Khan, Y.-L. Li, F. A. F. Winiberg, K. Zuraski, Y.-H. Lin, W. Chao, N. Trongsiwat, P. J. Walsh, D. L. Osborn, C. J. Percival, J. J.-M. Lin, D. E. Shallcross, L. Sheps, S. J. Klippenstein, C. A. Taatjes and M. I. Lester, *Proc. Natl. Acad. Sci.* **117**, 9733-9740 (2020).
3. M. Kumar, D. H. Busch, B. Subramaniam and W. H. Thompson, *Phys. Chem. Chem. Phys.* **16** (42), 22968-22973 (2014).
4. L. Vereecken, *Phys. Chem. Chem. Phys.* **19**, 28630-28640 (2017).
5. V. P. Barber, S. Pandit, A. M. Green, N. Trongsiwat, P. J. Walsh, S. J. Klippenstein and M. I. Lester, *J. Am. Chem. Soc.* **140**, 10866-10880 (2018).
6. T. A. Burd, X. Shan and D. C. Clary, *Phys. Chem. Chem. Phys.* **20**, 25224-25234 (2018).
7. A. W. Jasper, *International Journal of Chemical Kinetics* **52**, 387-402 (2020).
8. J. K. Klassen and G. M. Nathanson, **273**, 333-335 (1996).
9. S. Miura, M. E. Tuckerman and M. L. Klein, *J. Chem. Phys.* **109**, 5290-5299 (1998).
10. D. Luckhaus, *Phys. Chem. Chem. Phys.* **12**, 8357-8361 (2010).
11. Y.-S. Wang, K.-L. Shen and S. D. Chao, *ChJPh* **55**, 719-728 (2017).
12. T. Järvinen, J. Lundell and P. Dopieralski, *Theor. Chem. Acc.* **137**, 1-8 (2018).
13. S. Gómez, Y. Oueis, A. Restrepo and A. Wasserman, *Int. J. Quantum. Chem.* **119**, 1-9 (2019).
14. N. J. Leonard, *J. Am. Chem. Soc.* **79**, 6210-6214 (1957).